

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.


We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/





QUARANTINE AND SANITARY OPERATIONS

OF THE

BOARD * OF * MEALTM

OF THE

STATE OF LOUISIANA,

DURING 1880, 1881, 1882 AND 1883.

BY

JOSEPH JONES, M. D., President of the Board of Health of the State of Louisiana.

INTRODUCTION TO THE ANNUAL REPORT OF THE BOARD OF HEALTH TO THE GENERAL ASSEMBLY OF THE STATE OF LOUISIANA, 1883-4.

Digitized by Google



185 /85

BOARD OF HEALTH, STATE OF LOUISIANA, NEW ORLEANS, April 2nd, 1884,

His Excellency, Samuel Douglas McEnery, Governor State of Louisiana, Baton Rouge.

Sir:—The Board of Health of the State of Louisiana, has the honor to submit through your Excellency, to the General Assembly of Louisiana, the Annual Report for 1883 and the first quarter of 1884, containing a condensed statement of the quarantine and sanitary operations of 1880, 1881, 1882 and 1883.

It was deemed of importance, that all facts relating to the HISTORY THEORY AND PRACTICE OF QUARANTINE, AND TO THE MEASURES INSTITUTED FOR THE ARREST AND EXCLUSION OF CONTAGIOUS DISEASES AND ESPECIALLY YELLOW FEVER from the valley of the Mississippi, should be fully set forth for the information and guidance of the Honorable Representatives of Louisiana.

The Board of Health organized in accordance with the provisions of the Constitution of 1879, by the late Louis Alfred Wiltz, Governor of Louisiana, commenced its labors with scant resources, and with the quarantine estab-

lishment in delapidated condition.

By rigid economy, and by the wise counsels, of the patriotic citizens, Hon. I. N. Marks, Hon. Edward Booth and Colonel A. W. Bosworth, the quarantine stations have been repaired and equipped, the approaches to the southern and eastern shores of Louisiana have been strengthened by additional guards, every obligation has been promptly met by cash payments, and the President and Finance Committee retire at the expiration of their terms of service, leaving a surplus of near ten thousand dollars in

Bank, to the credit of the Board.

During the four years 1880–1883, 4436 vessels (more than one half or 2457 of which were large ocean going steamships), exceeding 8,000,000 tons, were of inspected by the officers of the Board of Health at the Mississippi quarantine station, together with their crews and passengers which numbered over 100,000. During the same period 479 vessels from ports infected with yellow fever were held in the Mississippi quarantine disinfected and fumigated. At the Atchafalaya station, 1,064 vessels, about one half of which were ocean going steanships, with about 20,000 souls, crew and passengers, were inspected; and at the Rigolets quanantine station about 4338 vessels chiefly schooners, with about 24,000 seamen and passengers were inspected during the years 1880, 1881, 1882 and 1883.

During the period specified, therefore, the Board of Health of the State of Louisiana, through its faithful, experienced and energetic officers, inspected about 10,000 vessels which carried not less than 150,000 seamen

and passengers.

Notwithstanding the prevalence of yellow fever in Vera Cruz, Havana, and Rio de Janeiro during this period, and notwithstanding the prevalence of yellow fever at Brownsville, Texas, and at Pensacola Florida, in 1882, and at the Naval Reservation Florida, and at Brewton Alabama, in 1883, and notwithstanding the presence of yellow fever at the Mississippi Quarantine Station in 1880 and in 1882, New Orleans and the Mississippi valley have been free from this terrible scourge.

The Honorable Representatives of Louisiana, will find in the present and preceding reports of 1880, 1881, 1882 and 1883, a detailed statement of the relations of climate to endemic and epidemic diseases and especially of he and moisture to the origin and dessemination and progress of yellow few

85591

Digitized by Google

together with a full and accurate record of the sanitary measures instituted

for the arrest of contagious and infectious diseases.

The labors of the Board of Health of the State of Louisiana during the years 1880, 1881, 1882 and 1883, have established the following conclusions:

1. Yellow fever is not indigenous to New Orleans.

2. Yellow fever is not indigenous to Louisiana.

3. Yellow fever is not indigenous to the Mississippi Valley.

4. Yellow fever can be excluded from New Orleans and the Mississippi Valley by a rigid and effective quarantine.

5. Quarantine to be effective, must embrace not merely inspection and detention, but discharge of infected cargoes, thorough ventilation and fumigation.

R. The citizens of Louisiana should demand that the members of the Board of Health appointed by the Governor and Common Council of New Orleans, should be men competent to devise and execute the measures, necessary to the exclusion of foreign pestilence from the waters of Louisiana.

After a continuous battle, of four years duration, in which the vast maritime interests of the State, and the power and influence of the wealthiest railroad and steamship company in the Southwestern States, were marshalled against the legally constituted health authorities, the Board of Health of the State of Louisiana achieved a memorable and signal victory on the twenty first of January 1884, in the complete and triumphant vindication of its efforts to exclude foreign pestilence from the Mississippi Valley, by the highest legal tribunal of the State of Louisiana.

If the decision of the Supreme Court had been adverse to the Board of Health, the quarantine laws of Louisiana would have been rendered powerless for the exclusion of foreign pestilence. Quarantine must be sustained either by an appropriation from the State government, or from the inspection fees; the General Assembly of Louisiana had made no appropriation for the maintenance of quarantine; therefore if the decision of the Lower Court had been sustained by the Supreme Court of Louisiana, an extra session of the Legislature would have been necessary for the appropriation for the support of the officers and employes, the supply of disinfectants, the maintenance of the hospitals, and the isolation and treatment of seamen and passengers, suffering with contagious and infectious diseases. The actual expenses of an extra session of the Legislature of Louisiana, would have imposed an additional burden upon the taxpayers of the State which would have exceeded the amount now collected for the support of quarantine at least four times; in other words, the expenses of the extra session would have been sufficient to maintain the quarantine system, during a period of four years and longer.

The records of the Board of Health show that the Morgan's Louisiana and Texas Railroad Company is indebted to the State of Louisiana, for quarantine fees, about \$14,385; and the Cromwell Steamship Line \$8400; total amount due to the State of Louisiana by the Morgan and Cromwell lines, about \$22,865.

The decision of the Supreme Court of Louisiana, in case No. 8755, not merely relieved the citizens from the additional expense of an extra session of the General Assembly, but also affirmed the right of the State to over \$22,000 due for unpaid quarantine fees, by the Morgan and Cromwell lines.

The decision of the Supreme Court of Louisiana has confirmed the view held and strenuously advocated by the President of the Board of Health that:

The fees collected by the State of Louisiana from vessels subjected to the quarantine laws are not in the nature of a tax or impost on commerce, but are a just and necessary compensation for the great service rendered commerce in the cleansing and dissinfection of the vessels and cargoes, in the care and treatment of the sick, by the medical officers of the State, and by the exclusion of foreign pestilence, and the establishment of public confidence, and the maintenance of commerce, which, but for said quarantine service would be greatly damaged.

Were it not for the execution of the quarantine laws by the Board of Health of the State of Louisiana, the port of New Orleans would be hermatically sealed to commerce during from four to six months every year, and all intercourse with the surrounding States would be closed by the

shotgun quarantines, controling the river and railroads.

The decision of the Supreme Court of Louisiana, is of interest and importance to every State and municipal government in the United States of

America, for the doctrine is here clearly recognized, that:

The establishment and enforcement of quarantine by individual States is not a regulation of commerce in violation of the provisions of the Federal constitution, but is the legitimate exercise of the POLICE POWERS, by the individual States which are INALIENABLE, AND WHICH IN A REPUBLIC cannot be surrendered to the GENERAL GOVERNMENT, without transforming the sovereign

States, into the dependent provinces of a centralized DESPOTISM.

The prevalence of small-pox in the States tributary to the Mississippi river, and the constant danger to which Louisiana is exposed from her geographical position, and from the peculiar race conditions of the lower sections of the Mississippi valley, as well as the neglect of vaccination by large masses of the population, and the growth of a sentiment opposed to vaccination, on the part of the profession and people, rendered it necessary that a special work should be issued on small-pox (variola) modified small-pox (variola) chicken pox (varicella) cow pox (variola raccina); vaccination and spurions vaccination for the guidance of the Quarantine Officers and the Sanitary Inspectors of the Board of Health of the State of Louisiana, and for the information of the legal and medical profession of Louisiana.

No more important subject can engage the attention of the medical profession and sanitary authorities, and the representatives of the State, Municipal and Parish governments, than the prevention of small-pox. Vaccination and all that relates to vaccination is of paramount importance to the welfare of the inhabitants of Louisiana, and the President of the Board of Health carried out the official request of his patriotic and honorable colleagues in the preparation and distribution of a large edition of this work illustrated by colored plates to foreign consuls, leading physicians, sanitarians and jurists of Louisiana, and other States and Countries.

All facts and measures relating to the prevention of endemic, epidemic, contagious and infectious diseases, are of interest and importance to sani-

tarians, physicians and political economists.

Efforts to exclude and arrest contagious diseases possess peculiar value, when exerted in behalf of the inhabitants of some great commercial metropolis, like New Orleans, whose existence and prosperity are indissolubly bound up with those of the people living upon the banks of her great river, and within the bounds of the fertile plains of its mighty valley.

During the years 1853, 1854 and 1855, New Orleans lost 12,780 of her citizens by yellow fever, an exotic imported disease; and in 1878, she lost by

yellow fever, 4056 souls and \$15,000,000.

The internal or interstate trade of New Orleans equals annually ab \$200,000,000, exceeding greatly the value of the foriegn imports and

The preservation of this internal interstate trade depends absolutely upon an efficient quarantine guarding the approaches of the Mississippi valley, from the Gulf of Mexico.

New Orleans will become a great manufactoring centre for cotton, tobacco, jute, and sugar, provided that pestilence is kept away by a rigid system of

domestic sanitation.

If yellow fever is allowed to enter, this port will be hermetically sealed; and during the embargo which may last as long as six months, there will be practically non-intercourse with the surrounding states, and all manufactories will be closed, as there will be no possibility of shipping manufactured articles.

No system of manufactories however well ordered, can sustain such pe-

riods of inactivity.

It is to be devoutly hoped that the freedom from yellow fever enjoyed by New Orleans and the Mississippi valley during 1880, 1881, 1882 and 1883, may be perpetual; and that the people of this great and favored land may be protected on the one hand from pestilence and on the other from destructive floods and periodical overflows.

In the succeeding report, his Excellency and the General Assembly of Louisiana will find recorded the results of the labors of the Quar-

antine, Sanitary and Financial Officers of the Board of Health.

These officers, with but a few exceptions, have served continously during the past four years, and they have proven themselves worthy of the responsible trusts confided to them by the representatives of the people.

Respectfully submitted to his Excellency, Samuel Douglas McEnery, Governor of the State of Louisiana, and to the Honorable the General Assembly of Louisiana.

JOSEPH JONES, M. D.,

President Board of Health, State of Louisiana.

ANNUAL REPORT

HEALTH, BOARD

OF THE

STATE OF LOUISIANA,

To the General Assembly, for the Year 1883.

BOARD OF HEALTH. STATE OF LOUISIANA.

JOSEPH JONES, M. D., President Residence, 156 Washington street, .cor Camp, Fourth District.) Office, 130 Canal street. GEORGE K. PRATT, M. D., -Residence, 152 Prytania street. Office, 1 Baronne street. Residence, 81 Esplanade street. FELIX FORMENTO, M. D., (Office and Residence, 281 North Ram-J. C. FAGET, D. M. P., part street. L. H. VON GOHREN, M. D., Office, 219 Canal street. Residence, 726 Dauphine street. Office and Residence, 12 Dauphine CHARLES E. KELLS, D. D. S., street. Office, 29 Natchez street. A. W. BOSWORTH, Esq., Residence, 152 Washington street. I. N. MARKS, Esq., Office, 33 Camp street. Residence, 163 Annunciation street. EDWARD BOOTH, Esq., Office, 32 Magazine street. Residence, 506 Magazine street. S. HERRICK, Secretary and Office. Cor. Royal St. Louis streets-Treasurer. Residence, 427 Carondelet street.

STANDING COMMITTEES BOARD OF HEALTH.

Finance—Messrs. Marks, Booth and Bosworth.

Sewerage, Drainage, Sanitary Apparatus, Cemeteries, Slaughterhouses, etc.-Messrs. Booth, Kells, Von Gohren, Faget and Bosworth.

Conference—Messrs. Bosworth, Pratt, Faget, Marks and Booth.

Adulteration of Food, Medicines, Poisons and Impurities of Water—Messrs. Formento, Kells and Von Gohren.

Inspectors' Reports—Messrs. Pratt, Booth and Formento.

Infectious and Contagious Diseases—Messrs. Faget, Pratt and Formento.

Legislation—Messrs. Jones, Marks, Booth and Pratt.

Registration of Physicians-Messrs. Pratt, Faget and Von Gohren.

RESIDENT PHYSICIANS AT QUARANTINE STATIONS.

Mississippi Station—James F. Finney, M. D., Chief, C. P. Wilkinson, M. D., Assistant.

Atchafalay Station-J. H. P. Wise, M. D.

Rigolets Station-Dan'l W. Adams, M. D.

Engish Look out Station-Wm. H. Carson, M. D.

Port Eads Boarding Station—B. F. Taylor, M. D., May 1 to July 5; George H. J. Hart, M. D., July 5 to September 30.

CENTRAL OFFICE BOARD OF HEALTH.

Attorney-Col. F. C. Zacharie.

Registration Clerk-P. Henry Lanauze.

Clerk and Book-keeper-Isaac H. Stathem.

Collector and Clerk—B. B. Howard.

Inspector of Coul Oils-Eugene Le Gardeur.

Messenger-Allen Warley.

SANITARY INSPECTORS AND SANITARY POLICE.

First District—Robert A. Bayley, M. D., inspector, office, Delord, near Carondelet; office hours, 1 to 2 p. m.; residence, 740 Magazine street. E. Bohner, 267 Thalia street, Sanitary police.

L. D. Allen, 300 St. Louis street, Sanitary police.

Second District—C. Faget, M. D., Inspectors, office; corner of St. Louis and Royal street, office hours; 12 m. to 1 p. m., residence; 281 North Rampart street.

L. C. Wiltz, 325 Bayou Road, Sanitary Police. P. Barron, 150 Camp street, Sanitary Police.

Third District—E. J. Mioton, M. D., Inspector, office; Elysian Field, and Dauphine street, residence; 148 Hospital street, office hours, 11 a. m., to 1 p. m.

H. F. Evans, Rampart and Frenchman, Sanitary Police.

James Nowell, 108 North Peters, Sanitary Police.

Fourth District—Wm. R. Mandeville, M. D., Inspector; office, Jackson and Magazine street; office hours, 12 m. to 1 p. m.; residence, 333 St. Andrew street; Eugene Mumford, 493 Dryades street, Sanitary Police.

Fifth District—A. M. Beret, M. D., Inspector, office; Delaronde and Bouny streets, office hours; 11:30 a. m., to 1:30 p. m., residence; 485½ St. Claude street.

D. Mayronne, 53 Barracks street, Sanitary Police.

Sixth and Seventh Districts—Wm. Ryan, M. D., Inspector; residence and office, Sixth District, 927 Magazine street; office hours, 12 m. to 2 p. m., Mondays, Wednesday, Fridays; office, Seventh District, Courthouse, Carrollton; office hours; 12 m. to 2 p. m., Tuesdays, Thursdays and Saturdays.

J. Tracy, 791 Magazine street, Sanitary Police.

CONTENTS.

water was a common section of the limits of Emilia of the	2
The state of the s	x.
مناه برستان المحادث	ī
and the second s	Ĩ
Security of the second of the	<u>ii</u>
Marie and Marie and Aller	n
And the same with a same and the same and th	iii. ▼i
AT ANY OF THE PARTY OF THE PART	Š
The second of th	.w:
and the contract of the contra	i wij
The same of the sa	
The little will be the little wi	Œ
the second secon	æi
and the state of t	
Santa	E ii
THE PARTY WILL	
	E
AND	74.
Affilia a steam where are all the State & State States States	ZT'i
THE RESERVE AND THE PARTY AND	
the first of the same of the s	
THE THE PARTY OF T	XXXII
The second secon	• 33
The state of the s	
and the second s	
The control of the co	XXI XXII
The sale of the sa	ZEN ZEN
above a second s	
	A Reii
The state of the s	
and Section 1.	THE
The second secon	XIII
and the first the state of the first the state of the sta	
Marie allegan com a la come de la	7774
an airea	XXXX
	ZHEV:
and there was a minimum of the Branch of	
AND	ZZZAJ
	-
المسترفع المستواعي	
and the second of the second o	-
The second secon	300
THE BOTTOM OF THE STATE AND TH	BRIT
THE DESTRUCTION OF THE PARTY AND THE PARTY A	
THE REPORT OF THE PROPERTY OF	76.0
All as allowed the control of the second of	
,	200
Transfer to the control of the contr	X *
Manufacture processing to the contract of the	Mar.
第十二章 · · · · · · · · · · · · · · · · · · ·	
and the same of th	Mari
Mind when I	
Allen the second of the second	THE R. LEWIS CO.
E	•
Sales Section	ea
-	~~

	PAGE
Letter of president of Board of Health to Governor of Louisiana, with	
reference to the operation and effects of His Excellency's non-inter-	cii
course policy	ci▼
Quarantine operations at English Lookout, 1983	cvii
Infected vessels from Rio	cviii
Report of deaths from yellow lever at Kio de Janeiro, 1850-1883	cix cx
Climate of Rio de Janeiro	exi
Mortality of the city of Vera Cruz, during 1881, 1882 and 1883, from yel-	
low fever and other fevers	cxii
Number and class of vessels inspected at the Mississippi quarantine sta-	
tion during four years, 1880, 1881, 1882 and 1883 Maintenance of the quarantine laws of Louisiana	cxiii cxiv
Relations of national and State quarantine	cxiv
History of quarantine in Louisiana	cxiv
Inter-State quarantine Re-establishment of the United States Marine Hospital of New Orleans	cxvi
Efforts of the Louisiana Board of Health to secure the passage of an act	cxvii
of Congress for the establishments of a floating ward or hospital in	
the harbor of New Orleans	exix
The maintenance of quarantine on the Mississippi River and other points	_
on the main channels of commerce by the State of Louisiana	cxxi
Resistance of the Maritime Association of New Orleans, to the quarantine laws of the State of Louisiana	exxiv
Letter of the President of the Board of Health to the Governor of Lou-	CARIT
isiana relative to the necessity of Legislative action	cxxiv
Letter of President of Board of Health to Speaker of House of Repre-	
sentatives of Louisiana, urging action on the bill entitled an act to regulate charges at the Mississippi River Station	
The relations of the quarantine established by the State of Louisiana	CXXVI
in 1855, to public health and commerce	cxxv ii
Letter of President of the Board to the Governor, the President of the	
Senate and the Speaker of the House of Representatives, May 30, 1882	cxxvii
Progress of commerce and population in Louisiana during the French Domination 16841763, when no quarantine existed	cxxxi
Progress of commerce and population and outline of epidemic visita-	CARAI
tions in Louisiana during the Spanish domination 17631802, in	
which period the province was without quarantine restrictions and	
laws.	CXXXV
Progress of commerce and population and outline of epidemic visitations in Louisiana during the American domination 1803, 1883 in which	
quarantine has been established and maintained at various periods	cxxxvi
General census of the Territory of Orleans in 1806	exxxviii
Arrival and departure of vessels in the port of New Orleans, during	•••
1807 Births, deaths and marriages in New Orleans 1808.	CXXXVIII
Doctors and surgeons in New Orleans in 1809.	CXXXVIII CXXXIX
Hospital de Charite of New Orleans. Establishment of the first quarantine and Board of Health in New Or-	CXXXIX
leans.	cxliv
Interments in New Orleans in 1821. Mortality in New Orleans in 1817, 1819, 1820, 1833, 1837, 1839 and 1841.	cxlvii cxlvii
Quarantine proclamation of 1846	exlix
Quarantine proclamation of 1847	cl
Establishment of the present system of quarantine charges in June 18,	••
An act to establish quarantine for the protection of the State of Louis-	cli
iana approved March 15, 1855.	cli
Table showing arrivals of sea going vessels and steamboats in the port	0
of New Orleans each year 1847-1859	clvi
Number and class of vessels passing the Mississippi quarantine station	_1
1880 1881. Value of imports and exports of New Orleans 1805-1860.	cl v i clvii
Value of exports and imports 1870-1880	clviii
General conclusions with reference to quarautine	clix
Resolutions of Chamber of Commerce 1874	clxi



	PAGE
Yellow fever epidemic of 1878.	clxii
Letter of President of Board of Health to Attorney General of Louisiana,	
with reference to the resistance of quarantine laws, by Morgan's Lou-	
isians and Texas S. S. and R. R. Company	clxvii
Expenditures by the Board of Health for quarantine purposes 1869-1882	clxviii
Letter of the President of the Board of Health, to the Governor of Louisiana, with reference to the decision of Judge Monroe, issuing an	
injunction against the Board of Health, and declaring the quaran-	
tine system of Louisiana, established by the act of 1855, illegal	clxviii
Quarantine fees; they are legal exactions of the State, in payment for	012 1111
special benefits—the quarantine laws do not infringe the power of	
Congress to regulate commerce The Morgan Company required to pay the quarantine fees fixed by the	clxix
The Morgan Company required to pay the quarantine fees fixed by the	
laws of Louisiana	elxix
isiana, sustaining the quarantine laws of the State and vindicating	
the action of the Board of Health in the collection of quarantine	
fees and in the maintenance of the quarantine service	elxiv
	elxix
Fenner, January 21, 1884 Comparative view of the mortality of New Orleans 1880 to 1883, inclus-	CIAIA
sive	clxxiii
Relations of disease and deaths in New Orleans to race, temperature,	
rainfall and moisture, outline of the sanitary work performed under	
the direction of the Board of Health of the State of Louisiana, dur-	
ing 1880, 1881, 1882 and 1883, comparative tables of the diseases and	
mortality of the various districts of New Orleans	clxxiv
Population of New Orleans 1880-1884	clxxiv
Mortality of New Orleans 1880, 1881, 1882, 1883	clxxiv
leans during the four years, 1880 to 1883, inclusive by weeks	clxxv
Mortality by weeks during four years, 1880-1883 inclusive, of deaths	CIABV
per 1000 inhabitants	claxix
per 1000 inhabitants Mortality of New Orleans, during four years, 1880-1883, classified ac-	claxix
per 1000 inhabitants Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases	clxxxvi
per 1000 inhabitants Mortality of New Orleans, during four years, 1850-1883, classified according to districts, race, sex and principal diseases Reports of Sanitary Inspectors of Board of Health	
per 1000 inhabitants Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases Reports of Sanitary Inspectors of Board of Health Comparative rates of mortality in New Orleans, saditary measures ne-	clxxxvi clxxxicxciv
per 1000 inhabitants Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases Reports of Sanitary Inspectors of Board of Health	clxxvi clxxxicxciv cxcivccii
per 1000 inhabitants Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881	clxxxvi clxxxicxciv cxcivccii cciiccix
per 1000 inhabitants Mortality of New Orleans, during four years, 1850-1863, classified according to districts, race, sex and principal diseases Reports of Sanitary Inspectors of Board of Health Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans.	clxxxi clxxxicxciv cxcivccii cciiccix ccix
per 1000 inhabitants. Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans Deaths from sun-stroke Deaths reported by Coroner.	clxxxvi clxxxicxciv cxcivccii cciiccix
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans Deaths reported by Coroner. Mortality of the colored race	clxxxvi clxxxiexciv cxcivccii cciiccix ccix
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans Deaths reported by Coroner. Mortality of the colored race	clxxxvi clxxxicxciv cxcivccii cciiccix ccix ccx
per 1000 inhabitants. Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases. Reports of Samitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and samitary history of New Orleans 1881 Mortuary statistics of New Orleans. Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and samitary history of 1882; deaths in New Orleans from	clxxxvi clxxxicxciv cxcivccii cciiccix ccix ccx ccx ccxi ccxi
per 1000 inhabitants. Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex	clxxxvi clxxxicxciv cxcivccix ccix ccix ccxi ccxi ccxii ccxii
per 1000 inhabitants Mortality of New Orleans, during four years, 1820-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans Deaths reported by Coroner. Mortality of the colored race. Small-pox Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex Yellow fever in the Third District 1882	clxxxvi clxxxicxciv cxcivccii cciiccix ccix ccx ccx ccxi ccxi
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans Deaths from sun-stroke. Deaths reported by Coroner. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health	clxxxvi clxxxicxciv cxcivccii cciiccix ccix ccxi ccxi ccxi
per 1000 inhabitants. Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans. Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882.	clxxxvi clxxxicxciv cxcivccii cciiccix ccix ccxi ccxi ccxii ccxii ccxiiiccxiv ccxvii ccxvii
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1823, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans. Deaths reported by Coroner. Mortality of the colored race. Small-pox Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882 Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882	clxxxvi clxxicxciv cxcivccii cciiccix ccix ccxi ccxi ccxii ccxiiiccxxiv ccxvii ccxvii
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1823, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882 Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882	clxxxvi clxxicxciv cxcivccii cciiccix ccix ccxi ccxii ccxii ccxii ccxiiiccxxiv ccxvii ccxvii ccxvii
per 1000 inhabitants. Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans. Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882	clxxxvi clxxicxciv cxcivccii cciiccix ccix ccxi ccxii ccxii ccxivi ccxvii ccxvvi ccxxvi ccxxvi
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1823, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality and sanitary history 1883.	clxxxvi clxxicxciv cxcivccii cciiccix ccix ccxi ccxii ccxii ccxivi ccxvii ccxvvi ccxxvi ccxxvi
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality and sanitary history 1883. Mortality from principal diseases	clxxvi clxxicxciv cxcivccii cciiccix ccix ccxi ccxi ccxii ccxii ccxiiiccxiv ccxvii ccxvii ccxvii ccxxvii ccxxvii ccxxvii ccxxvii
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality and sanitary history 1883. Mortality from principal diseases. Observations on the climate and health of Louisiana.	clxxvi clxxicxciv cxcivccii cciiccix ccix ccxi ccxi ccxii ccxii ccxiiiccxiv ccxvii ccxvii ccxvii ccxxvii ccxxvii ccxxvii ccxxvii
per 1000 inhabitants. Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans. Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality from principal diseases. Observations on the climate and health of Louisiana. Effects of the rivers, lakes, bays, and of the Gulf of Mexico on the	clxxvi clxxicxciv ccivccii cciiccix ccix ccxi ccxi ccxii ccxii ccxvii ccxvii ccxvii ccxvii ccxxvii ccxxvii ccxxvii ccxxvii ccxxvii ccxxvii
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1823, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882 Mortality from principal diseases. Observations on the climate and health of Louisiana. Effects of the rivers, lakes, bays, and of the Gulf of Mexico on the climate of Louisiana.	clxxvi clxxicxciv cxcivccii cciiccix ccix ccxi ccxi ccxii ccxii ccxiiiccxiv ccxvii ccxvii ccxvii ccxxvii ccxxvii ccxxvii ccxxvii
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality from principal diseases. Observations on the climate and health of Louisiana. Effects of the rivers, lakes, bays, and of the Gulf of Mexico on the climate of Louisiana. Monthly and annual rainfall with deaths from yellow tever in New Orleans Monthly and annual rainfall with deaths from yellow tever in New Orleans Monthly and annual rainfall with deaths from yellow tever in New Orleans Monthly and annual rainfall with deaths from yellow tever in New Orleans Monthly and annual rainfall with deaths from yellow tever in New Orleans Monthly and annual rainfall with deaths from yellow tever in New Orleans Monthly and annual rainfall with deaths from yellow tever in New Orleans Monthly and annual rainfall with deaths from yellow tever in New Orleans deaths of the deaths from yellow tever in New Orleans deaths of the deaths from yellow tever in New Orleans deaths of the deaths from yellow tever in New Orleans deaths from ye	clxxvi clxxicciv cxivccii cciiccix ccix ccxi ccxi ccxii ccxii ccxiii-ccxxiv ccxvii ccxvii ccxvii ccxxvi
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality from principal diseases. Observations on the climate and health of Louisiana. Effects of the rivers, lakes, bays, and of the Gulf of Mexico on the climate of Louisiana. Monthly and annual rainfall with deaths from yellow fever in New Orleans 1817, 1881	clxxvi clxxicxciv cxcivccix ccix ccix ccix ccxi ccxi ccxii ccxii ccxvii ccxvii ccxvii ccxvii ccxxvii ccxxvii ccxxvii ccxxvii ccxxvii ccxxvii
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans. Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality and sanitary history 1883. Mortality from principal diseases. Observations on the climate and health of Louisiana. Effects of the rivers, lakes, bays, and of the Gulf of Mexico on the climate of Louisiana. Monthly and annual rainfall with deaths from yellow fever in New Orleans 1817, 1881. Monthly mean temperatures; and mean temperatures spring, summer,	clxxxvi clxxicxciv cxcivccii cciiccix ccix ccxi ccxii ccxii ccxiiiccxxiv ccxvii ccxvii ccxxvii ccxxvii ccxxvii ccxxvii ccxxxvii ccxxxii-ccxxxxi ccxlivcc.xxv
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1823, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality and sanitary history 1883. Mortality from principal diseases. Observations on the climate and health of Louisiana. Effects of the rivers, lakes, bays, and of the Gulf of Mexico on the climate of Louisiana. Monthly and annual rainfall with deaths from yellow fever in New Orleans 1817, 1881. Monthly mean temperatures; and mean temperatures spring, summer, autumn and winter; annual temperature of New Orleans during	clxxxvi clxxicxciv cxcivccii cciiccix ccix ccxi ccxii ccxii ccxiiiccxxiv ccxvii ccxvii ccxxvii ccxxvii ccxxvii ccxxvii ccxxxvii ccxxxii-ccxxxxi ccxlivcc.xxv
per 1000 inhabitants. Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans. Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality and sanitary history 1883. Mortality and sanitary history 1883. Mortality from principal diseases. Observations on the climate and health of Louisiana. Effects of the rivers, lakes. bays, and of the Gulf of Mexico on the climate of Louisiana Monthly and annual rainfall with deaths from yellow fever in New Orleans 1817, 1881. Monthly mean temperatures; and mean temperatures spring, summer, autumn and winter; annual temperature of New Orleans during a series of years. Extreme maximum and minimum temperatures in New Orleans during a	clxxvi clxxicxciv cxcivccix cciiccix ccix ccxi ccxi ccxii ccxiiccxiv ccxvii ccxvii ccxvii ccxvii ccxxvi
per 1000 inhabitants. Mortality of New Orleans, during four years, 1880-1883, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1881 Mortuary statistics of New Orleans. Deaths from sun-stroke Deaths from sun-stroke Deaths reported by Coroner. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882 Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Mortality of New Orleans during 1882. Mortality and sanitary history 1883. Mortality from principal diseases. Observations on the climate and health of Louisiana. Effects of the rivers, lakes, bays, and of the Gulf of Mexico on the climate of Louisiana. Monthly and annual rainfall with deaths from yellow tever in New Orleans 1817, 1881. Monthly mean temperatures; and mean temperatures spring, summer, autumn and winter; annual temperature of New Orleans during a series of years.	clxxvi clxxicxciv cxcivccix cciiccix ccix ccxi ccxi ccxii ccxiiccxiv ccxvii ccxvii ccxvii ccxvii ccxvii ccxxvi ccxxvi ccxxvi ccxxvi ccxxvii
per 1000 inhabitants. Mortality of New Orleans, during four years, 1820-1823, classified according to districts, race, sex and principal diseases. Reports of Sanitary Inspectors of Board of Health. Comparative rates of mortality in New Orleans, saditary measures necessary to the health of its citizens and mortuary statistics. Mortality and sanitary history of New Orleans 1821 Mortuary statistics of New Orleans. Deaths from sun-stroke. Deaths reported by Coroner. Mortality of the colored race. Small-pox. Mortality and sanitary history of 1882; deaths in New Orleans from principal diseases, classified according to districts, races and sex. Yellow fever in the Third District 1882. Sanitary measures instituted by the President of the Board of Health for the arrest of yellow-fever in 1882. Mortality of New Orleans during 1882. Relations of rainfall to mortality. Deaths of 1882, classified by race and general divisions. Malarial fever of 1882. Mortality from principal diseases. Observations on the climate and health of Louisiana. Effects of the rivers, lakes, bays, and of the Gulf of Mexico on the climate of Louisiana. Monthly and annual rainfall with deaths from yellow fever in New Orleans 1817, 1881. Monthly mean temperatures; and mean temperatures spring, summer, autumn and winter; aunual temperature of New Orleans during a series of years.	clxxxvi clxxicxciv cxcivccii cciiccix ccix ccx ccxi ccxii ccxii ccxiii-ccxxiv ccxvii ccxvii ccxxvii

	Page
Deaths from sun-stroke and congestion of the brain in New Orleans dur-	
ing a series of years	colxii
ing a series of years	cclxvi
Monthly deaths by yellow fever during a period of thirty-two years	cclxvi
Fever statistics of the Charity Hospital of New Orleans: tables showing	
the annual and monthly admissions of the different fevers	cclxviii
Deaths from malarial fever by months, 1869, 1880.	eclxxi
Statistics of vellow fever in the Charity Hospital during a period of	•
fifty-seven years	celxxii
fifty-seven years. Statistics of the Charity Hospital of New Orleans	celxxiv
Practical observations on yellow fever in New Orleans	cclxxv
Relations of fevers to drainage	. cclxxxi
Sanitary measures recommended by the President of the Board of	
Health.	cclxxxi
Cleanness and drainage of paramount importance to the city of New	
Orleans	cclxxxii
Drainage canals of New Orleans	cclxxxiii
Ilimchity of establishing a correct system of drainage in the area occu-	
pied by the city of New Orleans Cases and deaths of the various fevers treated in the Charity Hospital,	cclxxxv
Cases and deaths of the various fevers treated in the Charity Hospital,	
during a period of thirty-four years	celxxxvi
Deaths from the various forms of lever in the city of New Orleans dur-	
ing a period of thirty-four years	oclxxxvii
Report on proposed system of drainage for the First Drainage District	
New Orleans, by Major G. T. Beauregard, Chief Engineer, New Or-	
leans, December 26, 1858.	colxxxix
Vital statistics of New Orleans Table illustrating the relations of the population of New Orleans to the	celxevi
Table illustrating the relations of the population of New Orleans to the	
total mortality from all causes, during a period of ninety-four	
years	ccxcvi
Table illustrating the death-rate from all causes and from yellow fever	
in New Orleans, during a period of sixty-four years	ccxcvi
Population and mortality of New Orleans during four years, 1880-1883	ocxcvii
Vital and mortuary statistics of New Orleans, monthly mortality 1849-	
1881	ccxcviii
1881	ccxcviii · ccxcix
Nationalities of the dead in New Orleans 1853-1881	ccxcix
1881. Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881	coc
1881. Nationalities of the dead in New Orleans 1853-1881. Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881. Deaths from phthisis pulmonalis 1869-1880.	ccc ccciii
1881. Nationalities of the dead in New Orleans 1853-1881. Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881. Deaths from phthisis pulmonalis 1869-1880. Deaths from diarrhoeal diseases 1867-1880.	coc
1881. Nationalities of the dead in New Orleans 1853-1881. Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881. Deaths from phthisis pulmonalis 1869-1880. Deaths from diarrhoeal diseases 1867-1860. Deaths from infantile diseases during a period of twenty-seven years	ccxcix ccciii ccciii
1881. Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880.	coccix cocciii cocciii
1881. Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880.	cocix cociii cociii cociv cocv
1881. Nationalities of the dead in New Orleans 1853-1881. Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881. Deaths from phthisis pulmonalis 1869-1880. Deaths from diarrhoeal diseases 1867-1880. Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholers. Scarlatina, measles, whooping cough and diphtheris.	cexcix cec ceciti ceciti ceciv cecv cecvii
1881. Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis	coxcix cocii cociii cociv cocvi cocvii
1881. Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis	coxcix cociii cociii cociii cociii cocvi cocvi cocvii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, sphills, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease	coxcix coc cociii cociii cociv cocvii cocvii cocix cocxi
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans	cexcix cec ceciii ceciii ceciii cecvi cecvi cecvi cecix cecxii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-18e0 Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans	coxcix coc cociii cociii cociv cocvii cocvii cocix cocxi
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera. Scarlatina, measles, whooping cough and diphtheria. Venereal diseases, syphilis, gonorrhoea and orchitis. Typhus or ship-fever, typhoid or enteric fever. Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans. Sick destitute poor of New Orleans: comparative mortality of white and	coxcix coc cociii cociii cociv cocvi cocvii cocvii cocxi cocxii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera. Scarlatina, measles, whooping cough and diphtheria. Venereal diseases, syphilis, gonorrhoea and orchitis. Typhus or ship-fever, typhoid or enteric fever. Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans. Sick destitute poor of New Orleans: comparative mortality of white and	ccxcix ccc ccciii ccciii ccciv cccv ccc
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera. Scarlatina, measles, whooping cough and diphtheria. Venereal diseases, syphilis, gonorrhoea and orchitis. Typhus or ship-fever, typhoid or enteric fever. Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans. Sick destitute poor of New Orleans: comparative mortality of white and	ccxcix ccc ccciii ccciii ccciv cccv ccc
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-18e0 Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881	ccxcix ccc ccciii ccciii ccciii ccciii cccvii cccviii cccix cccxii cccxiii cccxxii cccxxii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-18e0 Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881	ccxcix ccc ccciii ccciii ccciv cccv ccc
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans: effects of the mode and place of	ccxcix ccc cciii ccciii ccciii cccv cccv
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races. Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants	ccxcix ccc ccciii ccciii ccciii ccciii cccvii cccviii cccix cccxii cccxiii cccxxii cccxxii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880 Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants Interments in the various cemeteries of New Orleans; total deaths and	ccexxii ccexxii ccexxii ccexxii ccexxii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880 Malignant or Asiatic cholera. Scarlatina, measles, whooping cough and diphtheria. Venereal diseases, syphilis, gonorrhoea and orchitis. Typhus or ship-fever, typhoid or enteric fever. Prisons, police stations and charitable institutions as sources of diseases Statistics of the Parish Prison of New Orleans. Sick destitute poor of New Orleans. Vital statistics of New Orleans; comparative mortality of white and colored races. Deaths at the different periods of life. Mortality amongst the sexes in New Orleans 1849-1881. Preventable causes of disease and death. Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants. Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1853-1883.	ccxcix ccc cciii ccciii ccciii cccv cccv
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholers Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1833-1883 Poison, suicide, violence, murder, accident drowning, stabbing, intem-	ccexxii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1820 Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1833-1883. Poison, suicide, violence, murder, accident drowning, stabbing, intemperance and insanity	ccexcix ccc ccciii ccciii ccciii ccciii ccciii cccii cccvii cccviii cccxii cccxxii cccxxiii cccxxvii cccxxxii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880 Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1833-1883 Poison, suicide, violence, murder, accident drowning, stabbing, intemperance and insanity. Inspection of drugs, milk, articles of food, etc	cccxxvii cccxxxvii cccxxxvii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880 Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheris Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1833-1883 Poison, suicide, violence, murder, accident drowning, stabbing, intemperance and insanity Inspection of drugs, milk, articles of food, etc. Difficulty of controling the sale of poisons.	ccexxvii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1833-1883 Poison, suicide, violence, murder, accident drowning, stabbing, intemperance and insanity Inspection of drugs, milk, articles of food, etc. Difficulty of controling the sale of poisons Irritant noisons	ccxcix ccc ccolii ccciii ccciii cccvi cccvi cccvii cccxii cccxii cccxxii cccxxiii cccxxvii cccxxvii cccxxvii ccxxxvii ccxxxvii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1833-1883 Poison, suicide, violence, murder, accident drowning, stabbing, intemperance and insanity. Inspection of drugs, milk, articles of food, etc. Difficulty of controling the sale of poisons. Narcotic or cerebral poisons	ccexxxii ccexxxii ccexxxii ccexxxii ccexxxii ccexxxii ccexxxii ccexxxii ccexxxii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera. Scarlatina, measles, whooping cough and diphtheria. Venereal diseases, syphilis, gonorrhoea and orchitis. Typhus or ship-fever, typhoid or enteric fever. Prisons, police stations and charitable institutions as sources of diseases Statistics of the Parish Prison of New Orleans. Sick destitute poor of New Orleans. Vital statistics of New Orleans; comparative mortality of white and colored races. Deaths at the different periods of life. Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death. Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants. Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1833-1883. Poison, suicide, violence, murder, accident drowning, stabbing, intemperance and insanity. Inspection of drugs, milk, articles of food, etc. Difficulty of controling the sale of poisons. Irritant poisons. Narcotic or cerebral poisons. Spinal poisons Cerebro spinal poisons	ccxcix ccc ccciii ccci
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880. Malignant or Asiatic cholera. Scarlatina, measles, whooping cough and diphtheria. Venereal diseases, syphilis, gonorrhoea and orchitis. Typhus or ship-fever, typhoid or enteric fever. Prisons, police stations and charitable institutions as sources of diseases Statistics of the Parish Prison of New Orleans. Sick destitute poor of New Orleans. Vital statistics of New Orleans; comparative mortality of white and colored races. Deaths at the different periods of life. Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death. Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants. Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1833-1883. Poison, suicide, violence, murder, accident drowning, stabbing, intemperance and insanity. Inspection of drugs, milk, articles of food, etc. Difficulty of controling the sale of poisons. Irritant poisons. Narcotic or cerebral poisons. Spinal poisons Cerebro spinal poisons	ccxxxii cccxxxii cccxxxii cccxxxii cccxxxii cccxxxii cccxxxii cccxxxii cccxxxii
Nationalities of the dead in New Orleans 1853-1881 Deaths from zymotic and epidemic and endemic diseases in New Orleans 1844-1881 Deaths from phthisis pulmonalis 1869-1880 Deaths from diarrhoeal diseases 1867-1880 Deaths from infantile diseases during a period of twenty-seven years 1867-1880 Malignant or Asiatic cholera Scarlatina, measles, whooping cough and diphtheria Venereal diseases, syphilis, gonorrhoea and orchitis Typhus or ship-fever, typhoid or enteric fever Prisons, police stations and charitable institutions as sources of disease Statistics of the Parish Prison of New Orleans Sick destitute poor of New Orleans Vital statistics of New Orleans; comparative mortality of white and colored races Deaths at the different periods of life Mortality amongst the sexes in New Orleans 1849-1881 Preventable causes of disease and death Intra mural sepulchure in New Orleans; effects of the mode and place of burial on the health of the inhabitants Interments in the various cemeteries of New Orleans; total deaths and deaths from contagious and infectious diseases 1833-1883 Poison, suicide, violence, murder, accident drowning, stabbing, intemperance and insanity Inspection of drugs, milk, articles of food, etc Difficulty of controling the sale of poisons Irritant poisons Narcotic or cerebral poisons Spinal poisons	ccxcix ccc ccciii ccci

	Page
Conner vessels and conner in articles of food	ccexl
Copper vessels and copper in articles of food Lead and its compounds Actual number of cases of poisoning, accidental or intentional, in New	cccxlii
Actual number of cases of poisoning, accidental or intentional, in New	
Orleans	cccxlv
Orleans Poison statistics of Charity Hospital, 1842-1880	ccexiv
Deaths from poison, suicide, murder and accidents in New Orleans,	***************************************
• 1849-1880	occxlviii
Process for the recovery of drowned persons	cccxlvii
Poisonous effects of alcohol	ccexlviii
Food resources of Louisiana	ccel
Purity of the sugar and molasses of Louisiana	cccli
Cotton seed oil	oel v iii
Nutritive and agricultural value of decorticated cotton seed cake and	
meal	ccclix
Chemical examination of Louisiana rock salt	ccclxiii
Abundant supplies of fruit, game and fish in Louisiana	ccclxvii
Effects of overflows upon the health of the inhabitants of the delta of	00012111
the Mississippi river	ecclxix
Overflow of the city of New Orleans	ccclxix
Amount of the sediment in the water of the Mississippi river	ccclxxi
Early investigations on the sediment of the Mississippi river	celxxii
Previous to the erection of levees the delta of the Mississippi was annu-	00.22
ally overflowed	ccclxxvi
Floods of the Mississippi	ocelxxviii
Relation of overflows to disease and deaths.	ccolxxix
Water supply of New Orleans.	ccclxxxii ·
mane authal or 740 A. Ottomid	COCIAMAII.

INTRODUCTION.

MEASURES FOR THE PREVENTION AND ARREST OF ENDEMIC, EPIDEMIC, CONTAGIOUS AND INFECTIOUS DISEASES.

All facts and measures relating to the prevention of endemic, epidemic, contagious and infectious diseases, are of interest and importance to sanitarians, physicians and political economists.

Efforts to exclude and arrest contagious diseases possess peculiar value, when exerted in behalf of the inhabitants of some great commercial metropolis, like New Orleans, whose existence and prosperity are indissolubly bound up with those of the people living upon the banks of her great river, and within the bounds of the fertile plains of its mighty valley.

During the years 1880, 1881, 1882 and 1883, embracing the term of ser-

During the years 1880, 1881, 1882 and 1883, embracing the term of service of the author as President of the Board of Health of the State of Louisiana, the diseases which have most seriously engaged the attention of the health authorities have been SMALL POX and YELLOW FEVER, and it is of moment that a concise account should be rendered of the measures instituted for the prevention and arrest of these diseases.

SMALL-POX.

MEASURES INSTITUTED BY THE PRESIDENT AND OFFICERS OF THE BOARD OF HEALTH FOR THE ARREST OF SMALL-POX IN NEW ORLEANS, LOUISIANA, DURING THE YEARS 1880, 1881, 1882 and 1883.

In 1880, one case of small-pox occurred in the Third District, in the month of May; death resulted after transference to the Small-Pox Hospital.

The dwelling in which the case occurred was fumigated, and the inmates, as well as the inhabitants of the surrounding houses, were vaccinated.

The disease was arrested, and no other cases appeared, or were reported to the Board of Health during 1880.

New Orleans was seriously threatened with small-pox early in 1881, but owing to the prompt and vigorous measures of the Board of Health the

danger of an epidemic was arrested for a time.

The first case of small-pox, in 1881, within the bounds of Louisiana, made its appearance January 11, with the arrival at the Mississippi Quarantine Station, of the emigrant steamship Nurnburg, from Bremen, having on board 85 crew and 173 passengers. The patient, a woman, and a steerage passenger, was attacked in mid-ocean. The presence of this case of small-pox on the steamship Nurnburg was telegraphed from the Quarantine Station by Dr. J. F. Finney to the President of the Board of Health. Orders were immediately issued for the transference of the patient and isolation in the Small-Pox Hospital; vaccine virus was dispatched; all on board were vaccinated, the officers, crew and passengers, by the Quarantine Physician. One hundred and one of the number vaccinated (257) took the vaccine disease, thus showing their susceptibility to the variolous poison.

The steamship Nurnburg was thoroughly cleansed and fumigated, and held at the Mississippi Quarantine Station for twenty-one days before being

allowed to come to New Orleans.

The small-pox was arrested by these measures, and not a single case occurred at the Quarantine St ion on the vessel, or amongst her crew and

passengers after her arrival.

The next case of small-pox occurred in the Parish Prison. As soon as it was manifested, the patient was isolated from other prisoners, every one of whom were vaccinated by order of the President of the Board of Health, and the prison was subjected to fumigation and cleansing, under the supervision of the Sanitary Inspector of the Board of Health for the Second District. The disease was arrested, and no other case occurred amongst the large number of prisoners confined in the Parish Prison.

The rule of the Board of Health with reference to the vaccination of

school children was rigidly enforced.

The next case occurred in the month of February, on the twenty-third; and the third case nearly a month afterwards, on the twenty-second of April, and was brought to the city by the towboat McDonald. Cases were brought to the city from Grand Lake and Cincinnati, on the twenty-sixth, twenty-seventh and twenty-eighth of April.

All these cases were removed to the Small-Pox Hospital, and the premises were fumigated and the citizens in the infected localities were vaccinated.

One case was removed from the Bark Pablo to the Small-Pox Hospital

on the first of May.

By measures instituted by the Board of Health, the disease was again completely arrested and stamped out, until the ninth of November, when a case was reported at the Charity Hospital, having come from Point Celeste, Plaquemine Parish, La.

One of the assistants of the Charity Hospital was attacked with it on the twenty-first; on the twenty-eighth a case was brought through quarantine concealed in the hold of the steamship Hutchinson, of the line

controlled by Messrs. Charles A. Whitney & Co.

Six cases of Small-Pox were reported to the Board of Health in November and twelve in December.

Of the twenty-six cases reported in 1881, sixteen were transferred to the Small-Pox Hospital; six terminated fatally.

During the months of March and April every department in the public schools was visited, and the arms of the pupils carefully inspected. Those showing evidences of improper vaccination were directed to be revaccinated.

Dr. Joseph Holt, Inspector of the First District, alone, vaccinated 320

school children.

In the First District one case of small pox was discovered on the Spanish bark Pablo Sinsat, at Post No. 33, head of Market street.

The patient, a sailor, was removed immediately to the Small-Pox Hospiral, and thorough and repeated disinfection and fumigation were enforced. The crew had already been vaccinated, and they therefore escaped.

The first case of small-pox, in the Third District, occurred as early as the twenty-third of February, in the person of R. Rulef, white, residing on Tricou street, near the United States Barracks; the case was a light one, and the patient recovered. The second case reported was that of Charles Young, twenty-three years of age, white, residing at No. 5 Mandeville street.

These were the only cases which originated in the Third District.

In this district, as in all others, by order of the President of the Board of Health, the yellow flag was displayed upon every house in which a case of small-pox occurred; the neighbors were informed of the appearance of small-pox in their immediate vicinity, and vaccination and re-vaccination were advocated as the only prevention.

In all cases, not only the room, but the entire house, was tumigated.

During the entire year sixteen cases of small-pox were treated at the

Hayes Hospital, in the Third District.

In the Fourth District the only case of small-pox reported during 1881 was a medical student who contracted the disease in the Charity Hospital, from which institution not less than nine cases were removed to the Small-Pox Hospital, the disease having been contracted in the Eastern, Western and Northern States.

This case occurred at 216 Josephine street, in a crowded locality, and was treated by the President of the Board of Health; the premises were fumigated and disinfected, and free vaccination was offered to every citizen.

No other case occurred or was reported in the Fourth District during

1881.

Owing to the prevalence of small-pox in the Northern, Eastern and Western States, the disease continued to be introduced into New Orleans in a continuous stream.

After its appearance in the cities, towns, villages and plantations along the Mississppi river, the number of cases increased as they were introduced, and at the same time the United States Government was without any hospital for the isolation and treatment of small-pox cases.

Early in 1882, the President of the Board of Health, after a careful inspection of the Small-Pox Hospital, urged the Board of Health to take the most vigorous means for the suppression of small-pox, and also urged

similar measures upon the Common Council.

The response of His Honor, Mayor Shakspeare, was prompt, intelligent

and humane.

• In the able report of the Board of Health, drawn up by Drs. F. Formento, Chas. Turpin and J. C. Faget, many important measures were urged by the committee upon the Honorable Common Council; such as the closure of the Small-Pox Hospital, on account of its location and bad management; the erection of a suitable hospital for the treatment of contagious and infectious diseases, the proper isolation of patients, disinfection of clothing and bedding, the proper disposition of the dead, the employment of special wagons perfectly covered and cleansed for the conveyance of small-pox patients.

The action of his Honor the Mayor, Joseph A. Shakspeare, for the establishment of a Small-Pox Hospital, as well as the efforts of the Board

of Health, were arrested by judicial proceedings.

The following is the record of the cases of small-pox and deaths in the different districts, classified by race, sex and month for the year 1882:

CASES AND DEATHS OF SMALL POX IN NEW ORLEANS IN 1882. Classified according to the District in which they occurred—Color and Sex.

			_
6	IntoT	812573888455a	#12
Number of Deaths.	ပ်	2 - 6 8 5 7 - 8 6 7 5 8 2	8
Na	ĕ	1227822012	120
×	F.	_ಒ ខ ខ ಒ និ	88
SEX	K.	25878785858	38
ıi	Total	18282828548714	1083
TOTA	c.	e 88 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	205
H	W.	202222222	8
Seventh District	[atoT		2
th Di	c.		10
Seven	W.		
rict.	Total		=
Dilat	c.		6
Sixth District.	W.		टर
rict.	latoT		28
District.	c.	6 3 10 10 6 6 6	88
Fifth	₩.	4604 704	9
tr't.	Total		8
Fourth Distr't.	ပ	155	æ
Four	₩.	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3
	IstoT	**************************************	ğ
ird District	С.	8 0 0 4 4 1 2 2 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1	313
Thire	W.	ua 3 % 12 F 5 10 10 10 1 1 1 1	181
	IstoT	24 2 3 3 3 2 3 2 4 - 1 6	245
id Di	ပ	n-9855000	139
Second Distr't.	M	60277796	86
istrict.	IntoT	4 x 8 8 8 3 7 1 - 5 2 7 8 3	22
F =	ن	wa 2 3 21-45 u 221-	5
First	≱		हुः
MONTHS.	•	Jannary. February. April. April. July. September. 7 August. September. 7 Vovenber. 7 Vovenber. 25	

ร็สิริธีรีสีผิชผิด Digitized by Google The Board of Health, as at present organized, has offered free vaccination during the years 1880, 1881, 1882, 1883.

The following data illustrate the operations of the Board of Health with reference to free vaccination performed by the Sanitary Inspectors of the Board of Health during the years 1881, 1882, 1883:

1881		1,370
1882		
1883	First nine months	5,549

Eleven thousand six hundred and forty-four citizens of New Orleans have been vaccinated free of charge by the Sanitary Inspectons of the Board of Health during the years 1881, 1882 and 1883, first nine months.

Each and every citizen of New Orleans has had the opportunity of free

vaccination at the hands of the officers of the Board of Health.

In accordance with the organic acts of the Legislature of 1882, about one hundred and seventy physicians have registered at the office of the Board of Health up to July 1, 1883.

The physicians of New Orleans number at least 225, or about one

physician to every 1000 inhabitants.

Without doubt a large number of vaccinations have been performed by the physicians of New Orleans, many of which have been gratuitous.

The six sanitary officers of the Board of Health have performed, during the present small-pox epidemic, 11,644 free vaccinations; or an average of 1940 vaccinations to each inspector.

If the physicians of New Orleans had performed one-half the vaccinations, say about 1000 each, then they would amount to about 225,000.

We have no means of ascertaining the exact number of vaccinations, but from an inspection of the orphan asylums, houses of refuge, educational institutions and the Parish Prison in this city, conducted by the President of the Board of Health, during a period of fourteen days, May 31 to June 14, 1883, it was established:

1. That in the period mentioned not a case of small-pox existed in any.

of these institutions.

2. During the years 1882, 1883, only four cases appeared; two prisoners, one employe and one orphan were attacked by small-pox in the twenty-six institutions specified; of these cases of small-pox, four in number, all recovered.

3. The President of the Board of Health ascertained, upon personal inspection, that every one of these inmates of these twenty-six institutions

had been vaccinated by the appointed physicians.

4. Amongst four thousand three hundred and thirty-five inhabitants of the various charitable institutions of New Orleans, only one in one thousand and eighty-three suffered from small-pox, and not one died during 1882 and 1883.

5. The escape of these citizens and inmates of the charitable institutions of New Orleans, was due to the faithful performance of vaccination by the physicians of New Orleans.

It is but fair to conclude that the physicians of New Orleans have been

equally faithful in vaccinating the families under their charge.

We conclude further, that the vast proportion of the population of New Orleans has been properly and thoroughly vaccinated by the medical profession.

Small-pox has been confined chiefly to the negro race and to the destitute whites.

This conclusion is shown by the large number of deaths reported by the coroner, these victims of this foul pestilence having perished without medical attendance.

Shortly after the organization of the Common Council, in accordance with the provisions of the charter granted by the General Assembly of 1882, the sanitary necessities of New Orleans were urged by the President of the Board of Health upon this body, in accordance with the organic acts of the General Assembly of 1855, 1858, 1870, 1877 and 1882.

The subject of small-pox and its isolation, the necessity of regulating funerals, the erection of a small-pox hospital and all similar subjects, were urged, but without avail, upon the attention of the Mayor and Com-

mon Council.

The labors of the Board of Health have been fully recorded in the report to the General Assembly of 1882 and the first six months of 1883.

2

From January 1, 1883,

DEATHS BY SMALL-POX

occurred.
they
which
d according to Districts in which they occurred
2
ocording
January 1 to September 30, 1883, classified a
1883,
30,
eptember
to S
-
January

1883.	TOTAL.		76 131 221 221 261 175 149 84 67 41	1205
ottober 1, 1553		ပ် .	385588588	739
>		ě	2 46288222	1 8
	CITY.	IstoT	88 90 90 90 90 90 90 90 90 90 90 90 90 90	128
		၁	81585888888	183
	TOTAL		222	8
	i ct	IntoT	<u> </u>	8
	istr	Ċ.	100 FOR HAT : : 69	हि
	th D		:-:-:	12
	let.	LatoT	######################################	12
	istr	c.	w. 5 24 4 10 :	16
	th f		2222554 :	18
	District. 4th District. 5th District. 6th District. 7th District.	IstoT	84448E	8
	lstr	c .	: a o 8 2 4 2 8 8	S
	th I	₩.	<u> </u>	8
	ct.	[atoT	5888%888 8	321
	lstr	c.	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8
	th I	₩.	7.10888228°	8
	lct.	fatoT	15858888	186
	Sistr	Ċ	8258881.4	3
		W.	882758336	1 8
	District. 3d	LatoT	<u> </u>	Ę
	Jistr	ပ်	8425245Fe	55
	3d I	₩.	<u> </u>	86
		Total	827598481	89
	District	່ວ	888585870	5
	1st I	₩.	2 8 8 8 4 ELT 0 v	ğ,
	MONTHS.		January. Rebruary. March. April. May. June. June. Shirt.	

		-5-		
	TOTA	ပ်	388	5
		₩.	####	18
	District.	Total	-040	20
		ပ်	-	<u> </u>
TS.	캶	≱.	-8-	-
	ict.	W. C. Total W. C. C. Total W.	961	130 38 18 25 10 15 4 10 15 15 15 36 11 25 18 18 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19
	Dist	ပ်	п п	-
RIC	eth eth	≱	æ	7
DIST	riot.	Total	821	\$
To	Dist	ပ်	861	88
AS	2th	ĕ	gr :	12
FIED	3d District. 4th District. 5th District. 6th District. 7th District.	Total	- 21-	8 ‡:
SSI		ပ	Cd FC	-
el.		₩.	9	2
POX	3d District.	Total	∞ ∞ αι	2
LL.		ပ်	e-	-
MY		ĕ	10 03 03	2
DEATHS BY SMALL-POX CLASSIFIED AS TO DISTRICTS.	1st District. 2d District.	Total	727	\$
		ပ်	2-60	R
			202	2
	rict.	Total	%2	37
	Dist	ప	:- ± ∞	8
	18t	≱	#2°E	5

In Hospital.

TOTAL.

Total

July. August. September

MONTHS.

The labors performed under the direction of the President of the Board of Health for 1883 by the sanitary inspectors are fully unfolded in the following reports:

OFFICE SANITARY INSPECTOR, FIRST DISTRICT, New Orleans, October 15, 1883.

Joseph Jones, M. D., President Board of Health:

Sir—In the daily papers of late, as well as in the proceedings of the New Orleans Auxiliary Sanitary Association on the eleventh instant, the small force of the Board of Health available for sanitary purposes has been much dwelt upon, and especially so in connection with the stamping out of small-pox in this city. I would like to take advantage of this opportunity to say a few words in behalf of the officers of your honorable Board, and assert that it is no fault of theirs that small-pox still lingers in our midst, and that the force is an efficient one, and does all in its power.

It is certainly true that in an epidemic, as in the past winter months, the available force of sanitary policemen is taxed to the utmost, but not to such an extent as might be inferred or commonly believed.

The trouble is not that these men cannot attend to an epidemic, but in addition to the regular house-to-house inspections, and the latter work is usually deferred to a more favorable opportunity, complaints may be attended to which comprise any seriona nuisances.

In the First District, for instance, two officers looked after small-pox, and one officer to nuisances in general. The force was, therefore, adequate for all practical purposes. A large force is not necessary in any district to attend to infectious and contagious diseases, even when very prevalent. What is essential, is that the force be composed of conscientious and trustworthy men—one good man is worth a dozen poor ones. This city may never have such a metropolitan force as New York boasts of, and be able to station a policeman on every infected square to prevent ingress to or egress from flagged houses; nor is that necessary, in my opinion, provided that the men are competent. I have been connected with the Board of Health of this city and State for the past eight years, and the present organization of the inspectors and policemen is as thorough and reliable as any I have known. I will illustrate my remarks by mentioning the labors of officers E. Bohner and Geo. Zeller, during the past nine months of the present year.

The work of looking after small-pox and attending to complaints was placed in their hands, and I was never disappointed in the trust. The fact of so little complaint concerning the disease at our hands, appearing in the reporters' columns of the papers, is self-evident, and sufficient to support my views. These officers kept every infected house under surveillance after flagging, and in this way discovered concealed cases repeatedly, and also cases not reported by the attending physician. The disease was followed up closely, and known in the district as on a map, every infected premise was thoroughly disinfected and the rooms fumigated, at the earliest moment, and the bedding and covering and wearing apparel either destroyed on the rpot or conveyed to the vicinity of the Small-Pox Hospital on Hagan Avenue, and there burned. Cases not properly isolated, or in attendance of a physician, were sent to the hospital. This was often done at the risk of these men, as friends and relations would often object. In a very few instances did the disease re-occur after fumigation and disinfection, unless the case occurred in a tenement house, where many families lived in adjoining rooms. The disease has been stamped out in one locality after another, until it is about extinct in this district. I have made it a rule to order the owners of tenement houses so infected, to have them whitewashed throughout, including the outstanding wood-work. What is said for the First District applies to the others. It is a common thing for our officers to act as pall-bearers and pseudo-undertakers for the poor, forsaken wretches dying of this disease. The public, of course, is unaware of the extra exertions to stamp out the disease in any locality. I have held the opinion always that removal to the hospital stamps out the disease in any ocality even more effectually than vaccination, with less danger of its subsequent spread. In answer to your communication of the thirteenth instant, I will give a table of the work done in this district since the beginning of the year. I may add, that vaccination has been offered to persons residing in the neighborhood of small-pox cases, but with indifferent success. Nothing short of compulsory laws will ever accomplish the purpose.

Yours respectfully,

R. A BAYLEY, M. D., Sanitary Inspector, First District.



|Table Attached.|

Table showing the statistics of small-pox in the First District since January 1, 1883, to date, including inspection work, etc.:

No, of cases of small-pox.	640
No. of cases sent to hospital	167
No. of deaths from small-pox	186
No. of cases after fumigation	54
No. of premises fumigated	532
No. of premises disinfected	532
No. of premises where clothing was destroyed1	132
No. of house-to-house inspections	742
No. of re-inspections	481
No. of nuisances abated	100
No. of vaccinations	650
	875

OFFICE SANITARY INSPECTOR, SECOND DISTRICT, New Orleans, La., October 18, 1883.

Jeseph Jones, M. D., President Board of Health:

Sir-I respectfully submit this report on the subject of small-pox, in answer to your

communication of the thirteenth inst., on the following questions:

1. Number of cases of small-pox which have occurred in your district from January 1, 1883, to October, 1883: 586 cases of small-pox; 225 whites, 361 colored, have been reported to this office, or found out by the sanitary officers and police.

2. Number of deaths 342; 107 whites and 165 colored, giving a percentage of more than one death to two of cases reported, showing that there is a great neglect in reporting of cases on the part of physicians, and also that many cases are treated without physicians, in order to escape being reported.

3. Number of premises, rooms, etc., fumigated for small-pox: 345 premises were

fumigated for small-pox.

4. Mode of dealing with small-pox, etc.: when a case of small-pox is reported to this office or found out, a yellow flag is immediately nailed to the house occupied by the patient. This is the best practical means of isolation, and also warns the neighborhood to provide themselves with vaccination at the earliest moment. This vaccination is offered by us to all infected localities and neighborhood where small-pox exists.

5. Number of cases sent to hospital: only those are sent who are willing to go, or have

no person to take care of them; ten were sent to the Small-Pox Hospital

Give number and a detailed statement of your efforts to suppress small-pox in your district; also number of vaccinations from January, 1883, to October, 1883.

When cases are reported well, or when scabs have fallen off, the premises are thoroughly fumigated, and the clothes which have been used by patient washed in boiling water, and sometimes burnt, with the consent of their owners.

The number of cases reported is so much greater than that of fumigations because, as a rule, many cases occur in the same localities; as an instance, thirty-one cases occurred in four houses on St. Peter street. I vaccinated from January to October, 1883, 1548 persons, 909 whites and 639 colored; 1040 were secondary, and 508 primary, 563 were vaccinated at the office of the Board of Health and 965 at their homes and public institutions.

There were no applications for certificates of vaccination this year.

Three thousand three hundred and thirty house-to-house inspections from January to October 1883; 1195 nuisances were abated.

Respectfully yours,

C. FAGET, M. D.,

Sanitary Inspector, Second District.

SMALL-POX IN SECOND DISTRICT.

No. of cases of Small-Pox in the Second District from January 1, 1883, to September 30, 1883.

January.		February		March.		And	,	May.	Ì	June		rule.	eury.	1	August.	111111111111111111111111111111111111111	ā.	тот	AL.	Total W. & C.
w.	c.	w.	c.	w.	c.	w.	c.	w.	c.	w.	c.	w,	c.	w.	c.	w.	c.	w.	C.	W . & C .
11	30	36	41	69	82	65	76	43	57	16	40	10	10	6	16	9	9	225	361	586



DEATHS FROM SMALL-POX FROM JANUARY 1, TO SEPTEMBER 30.

JAN.	FEB.	MAI	ксн	API	RIL.	MA	Υ.	JUN	Œ.	JUI.	LY.	ΑÜ	G.	SEI	PT.	тот	AL.	Total
w . c.	w . c	. w.	C.	w.	c.	w.	c.	w.	c.	w.	C	w.	c.	w.	C.	w.	C.	W. & C.
11	11 1	23	36	27	38	17	21	10	20	8	7	6	6	5	8	107	165	342

PERSONS VACCINATED FROM JANUARY 1, 1883, TO SEPTEMBER 30, 1883.

JAN	٧.	FE	в.	MAI	RCH	▲PI	IL.	МА	Y.	JUI	NE.	JUI	.Y.	ΑU	G.	SEI	P T .	тот	CAL.	Total
W.	c.	w.	c.	w.	c.	w.	c.	w.	c.	w.	c.	w.	c.	w.	c.	w.	c.	w.	c.	W. & C.
52	119	193	134	306	187	278	142	39	22	10	12	12	10	9	7	10	6	909	639	1548

NUMBER OF PREMISES FUMIGATED FOR SMALL-POX.

JAN.	FEB.	MARCH	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	TOTAL
14	38	64	64	62	44	28	20	11	345

Number of cases of small-pox sent to Small-Pox Hospital from January 1, to September 30, 1883, 10,

OFFICE SANITARY INSPECTOR, THIRD DISTRICT, New Orleans, October 14, 1883.

Joseph Jones, M. D., President Board of Health:

Sir-In compliance with your communication of the thirteenth inst., I beg leave to

report as follows, to the data contained.

1. From January 1, 1883, to October 13, 1883, 887 cases of small-pox have been recorded at the office: 463 males and 424 females; 443 white, 444 colored; 348 adults over sixteen years of age and 539 children under sixteen years of age. For further particulars please see Table 1 accompanying this report.

2. The total number of deaths from that disease in the Third District during the same

length of time is 284; whites 149, colored 135; please see Table 1.

3. 2059 rooms were fumigated and 877 premises were disinfected, (See Table 2).

4. As regards the mode of dealing with small-pox, the isolation, disinfection and fumigation of premises and transfers to hospital, we have conformed to the rules and orders given by the President of the Board of Health, viz: As soon as a case was reported at our office, our inspector made it his duty to visit the patient at once in order to ascertain for himself the reality and severity of the case; this being done the yellow flag was immediately displayed, free vaccination offered and urged as much as possible to the occupants of the infected house, strict orders given to prevent visitors from entering the premises, free vaccination offered to all neighbors, warnings given as to the dangers of attending the disease and advice given for their protection against the malady.

At the termination of each case, the house where the case had occurred was thoroughly funigated with sulphur for at least four hours; all articles that served for the patients during illness were either destroyed or boiled for at least twelve hours in a solution of carbolic acid, privies were ordered emptied and notice served to that effect; the premises thoroughly disinfected with a solution of copperas and carbolic acid. It may be well to state here that your inspector and his sanitary officers, Messrs. J. Nowell and H. F. Evans, also during six weeks, Messrs. Taylor and Wittie, officers of the city police, who were detailed to the Board of Health during that time, are the only persons who have attended to the enforcement of the rules and regulations of the Board of Health in regard to small-pox in the Third District.

All cases that were not attended by a regularly practicing physician or where their management was bad, were sent to the hospital in the charity wagons in charge of the

city.
5. Thirty-five cases were sent to the hospital by our special order, ten whites, and twenty-five colored.



Quite a number of cases of small-pox having at their own request been transferred to the hospital (we do not count this in our total thirty-five), having already given in section four a detailed statement of our efforts to suppress small-pox, I will, nevertheless, put to account several reports on the management of the Luzenburg Hospital, which probably have had something to do with the closure of this establishment, the largest focus of infection and contagion in the city.

It may be well to state here that on the twenty-sixth day of September, 1883, accompanied by Mr. A. De Fonblanque, British Consul, and my officer, Mr. J. Nowell, a general and thorough inspection of the hospital was made by your inspector. All articles of bed-clothing, wearing apparel, curtains etc., belonging to the patients that were soiled or could carry contagiou were set apart and burnt the following day by the

officers under my supervision.

All the wards, public and private, the apartments of the late Dr. Hayes, the kitchen, washing-rooms, were thoroughly fumigated and disinfected; the privies were first thoroughly disinfected and then notice to have them emptied given and served.

6. Total number of house-to-house inspections from January 1, 1883 to October 13, 1883, 7023. For further particulars please see Table 2.
7. Total number of persons vacinated during the same length of time, 1069.

8. Total number of nuisances abated since January, 1872. For particulars see Table Number 2.

9. It is impossible for me to give a definite and correct account of the number of certificates issued to school children, as I have kept no memorauda of those given, but I may, however, safely say, from 250 to 300 such certificates were given by me since January 1, 1883; all of which is most respectfully submitted.

EUG. J. MIOTON, M. D., Sanitary Inspector, Third District.

TABLE 1.

SHOWING NUMBER OF CASES OF SMALL-POX

From January 1 to October 13, 1883, in the Third District.

MONTHS.	Males.	Females.	Whites.	Colored.	Adults.	Children.	Recovered.	Died.			t to pital.	Number of Rooms Fumigated	Premises Disinfected	Total Cases	Remarks.
January February March April May June July August September October	36 112 126 92 53	103 103	21 38 107 104 104 36 18 10 4	10 35 108 125 83 61 11 4	16 53 92 73 77 35 11 8 2	15 40 123 156 110 62 18 6 7	23 51 160 150 135 45 21 8 7	12 21 38 27 30 6	10 34 41 25	5 2 1	19 5	75 141 302 514 475 304 165 62 19	31 73 215 229 187 97 29 14 9	31 73 215 229 187 97 29 14 9	cases on hand Oct. 13, 1883.
Total	463	424	443	444	348	539	603	149	135	10	25	2059	887	887	6

TABLE 2.

HOUSE-TO-HOUSE INSPECTION.

Premises inspected	No. of squares disinfected
Premises occupied—colored	No. of rooms fumigated

E. J. MIOTON, M. D., Inspector.

OFFICE SANITARY INSPECTOR, FOURTH DISTRICT, ¿ New Orleans, October 18, 1853.

Joseph Jones, M. D., President Board of Health:

Sir-I herewith submit the following report of small-pox in the Fourth District from January 1883, to October, 1883.

The method adopted to prevent the spread of this disease has been that so urgently recommended by yourself.

As soon as notified of a case of small-pox, the house is immediately flagged in a con-

spicuous place, and the case isolated as much as possible; free vaccination is offered to all persons within a radius of four squares. In case of death all gatherings around the body were prohibited, and also large attendance at the funerals.

The rooms were thoroughly disinfected by burning sulphur for from ten to twelve hours. The vaults are emptied and disinfected with sulphate of iron and carbolic acid. The rooms are white-washed, and when practicable, bedding and clothing were destroyed.

Free vaccination was offered to several colored congregations, but they declined to avail themselves of the opportunity.

During the past two months but few persons have presented themselves for vaccina-

tion at this office.

Small-pox cases were only transferred to the Small-Pox Hospital, when found to be in want; of these there were twenty-nine. As a rule, they object strongly to being sent to the hospital; they consider it death.

At the present time, we have not a single case of small-pox in the Fourth District. W. R. MANDEVILLE, M. D., Very Respectfully, Sanitary Inspector, Fourth District.

SPECIAL REPORT

OF

W. R. MANDEVILLE, M. D., SANITARY INSPECTOR, FOURTH DISTRICT.

From January 1, to October 13, 1883, on Small-Pox.

Number of cases	326
Number of deaths	99
Number of premises fumigated	225
Number of rooms funionted	573
Number of yellow flags displayed	225
Number of cases sent to hospital	29
Number of house-to-house inspections4	3 06
Number of nuisances abated1	425
Number of free vaccinations	663
Number of certificates issued	59 8

W. R. MANDEVILLE, M. D., Sanitary Inspector, Fourth District.

New Orleans, October 16, 1883.

OFFICE SANITARY INSPECTOR, FIFTH DISTRICT, ? New Orleans, October 13, 1863

Joseph Jones, M. D., President Board of Health;

Sir-I respectfully submit herewith my report from January to October, 1883:

Enclosed is a tabulated report of cases of small-pox in the Fifth District, with the number of deaths, etc., as requested by the Honorable President of the Board of Health; also a statement of the efforts to suppress small-pox in the Fifth District, isolation,

disinfection, fumigation, etc., yellow flags and cases sent to the hospital.

I herewith state that as much as it was in my power to prevent gatherings at funerals or communication, from house-to-house where there was a case of small-pox, I have done so; among the white class I was able to make them understand the necessity of such a measure, to prevent the spread of the disease, but with the negroes it was nearly useless, as they will not understand.

I will also state, that in every house where there was a case of small-pox reported, a yellow flag was exhibited on the house visited by me, and if there was no physician in attendance or nurse, or unable to be provided for, the case was sent by me to the hospital. I have thus sent, as the report will show, four whites and ninteen colored; total twenty-three.

I will state, that in every house where a case of small-pox has been, the premises were entirely disinfected by sulphur and carbolic acid, the privy ordered to be cleaned and free vaccinnation offered, but in many cases refused. I have also destroyed in

thirty-two premises, bedding, and clothing, etc.

Enclosed herewith is also a statement of house-to-house inspections, and total number of nuisances abated from January 1 to October 13, 1883; also a table, showing free vaccinnation in the Fifth District.

Very respectfully, your obedient servt,

A. M. BERET, M. D., Sanitary Inspector, Fifth District.



TABLE 3.

FROM JANUARY 1 TO OCTOBER 13, 1883,

Showing Number of Cases of Small-Pox in Fifth District.

MONTHS.	No. o	f Cases		Sent to pital.	Flags.		ed.	No. of	No. of Premises
	w.	c.	w.	c .		w.	c .		Disinfected
January February. March April May June July September October	6 9 15 35 27	1 7 25 55 44 25 2	1 1 1 3 8 10 3	3 8 15 16 6 11	2 4 3 31 59 67 29 18	3		4 10 24 60 120 148 71 30	2 4 13 31 59 67 32 18
, Total	116	206	39	66	259	4	19	520	259
Grand total		322	1	05	259	 2	3	520.	259

A. M. BERET, M. D.. Sanitary Inspector, Fifth District.

Nuisances abated	595 Inspections made	2425
Grand Total Vs	accinations	

OFFICE SANITARY INSPECTOR SIXTH AND SEVENTH DISTRICTS, New Orleans, October 15, 1883.

Joseph Jones. M. D., President Board of Health:

Sir—I respectfully submit to you the following report of the sanitary condition of the Sixth and Seventh Districts, commencing January 1, 1883, and ending October 13, 1883;

Dases of small-pox in both districts	whites colored	
Cases sent to hospital	(whites	7 22
Deaths,	(whites colored	33 ⁻ 27
Recovered,	(whites	77 38
Persons vaccinated,	whites colored colored	723
Number of premises where small-pox Premises disinfected and fumigated	existed	139 221

At all places where small-pox existed we placed a yellow flag on the premises, in conspicuous positions, so as to warn the people of the existence of this disease. The sur rounding neighborhood was visited, and free vaccination offered to all the citizens.

Isolation was made as complete as possible; houses were fumigated with burning sulphur, which was left in the room from ten to twelve hours.

Patients were transferred to the Small-Pox Hospital in public wagons, provided for that purpose. Circulars containing the instructions of the Board of Health in regard to cleanliness, etc., were distributed freely; also disinfectants were distributed free.

cleanliness, etc., were distributed freely; also disinfectants were distributed free.

We have visited house-to-house and solicited vaccination. In cases where it was impossible to isolate, I sent them immediately to the hospital.

Total nuisances abated, 545; inspections and re-inspections, 7981.

This work has been accomplished with only one officer, who has to leave one district for the other in case of an emergency, and there is very much valuable time lost in so doing. I also forward you a complete report of sanitary work in the Sixth and Seventh Districts, from January 1, 1883, to October 13, 1883.

I am, respectfully, yours,

WM. RYAN, M. D.,
Sanitary Inspector Sixth and Seventh Districts.

HOUSE-TO-HOUSE INSPECTION IN THE SIXTH DISTRICT, From January 1, to October 13, 1883.

Premises inspected	• • • • • • • • • •	2695
Number of persons occupying premises—white	5440	2000
Number of persons occupying premises—colored	1559 - 6999	
Inspections made	3761	
Re-inspections		
Nuisances abated		465.
Premises disinfected		200
Premises fumigated		200
Rooms fungated and disinfected		429
Number of cases of small-pox—white	110	
Number of cases of small-pox—colored	10 170	
Number of premises where small-pox existed		127
Number of cases seut to hospital—white	7	
Number of cases sent to hospital—colored	15- 22	
Number of deaths from small-pox—white	28	
Number of deaths from small-pox—colored	18 46	
Number recovered from small-pox—white	75	
Number recovered from small-pox—colored	27- 102	
Persons vaccinated—white	344	
Persons vaccinated—colored	320 _ 733	

WM. RYAN, M. D., Sanitary Inspector, Sixth District.

HOUSE-TO-HOUSE INSPECTION IN THE SEVENTH DISTRICT, From January 1, to October 13, 1883.

Premises		987
Persons occupying same-white	1826	
Persons occupying same—colored	2479-4305	
Inspections made		3571
Re-inspections made		88
Nuisances abated		80
Premises disinfected		21
Premises fumigated		21
Rooms fumigated		62
Cases of small-pox—white	7	
Cases of small-nov—colored	27 —34	
Number of premises where small-pox existed		12
Number of cases sent to hospital—colored		7
Number of cases sent to hospital—colored	5	•
Number of deaths—colored	9 14	
Recovered—white	2	
Recovered—colored	11- 13	
Vaccinated—white	153	
Vaccinated—colored	339 492	
Certificates issued	108	324

WM. RYAN, M. D., Sanitary Inspector Sixth and Seventh Districts.

From the preceding reports of the Sanitary Inspectors of the Board of Health of the State of Louisiana we obtain the following general results as to the operations, designed more especially for the arrest of small-pox.

In the First District 640 cases of small-pox, with 186 deaths, were reported; 167 cases of small-pox were sent to the Small-Pox Hospital.

532 premises were disinfected and fumigated; clothing and bedding de-

stroyed in 132 premises.

Number of certificates issued......

The inspections and re-inspections numbered 14,223; and 2100 nuisances were abated; the vaccinations numbered 650, and 875 certificates were

Vaccination has been freely offered to all persons in the vicinity of small-pox cases.

By the energetic measures instituted by Dr. Bayley the small-pox has been extinguished in the First District of New Orleans.

In 1880, the population of the First District was: white, 43,319; colored,

14,126; total, 57,445.

At the present time, the population of this District is not less than 60,000, and it probably includes within its area, more wealth engaged in commercial and mercantile pursuits than in all the other Southern cities, exclusive, perhaps, of Baltimore.

But one case in the entire First District, October 24, 1883.

Second District-586 cases of small-pox; 225 white and 361 colored; 342 deaths; 167 whites 165 colored.

345 premises fumigated; 10 cases sent to hospital; vaccinated 909 whites and 639 colored; total 1548; 4297 house to-house inspections, and 1195 nuisances abated.

Third District—887 cases small-pox; whites 443, colored 444; deaths 284; whites 149 and colored 135; 2059 rooms were fuminated, 887 premises disinfected; 35 cases small-pox sent to hospital; 7023 house-to-house inspections; vaccinations 1069; nuisances abated 1873. Only three cases of small-pox in this District at present time, October, 1883.

Fourth District—At the present time not a case of small-pox in this

District; total number of cases 326; deaths 99.

Premises fumigated, 224; number of rooms fumigated, 573; yellow flags displayed, 225; cases sent to hospitel, 29; house to house inspections, 4006; nuisances abated, 1425; number of vaccinations, 663; certificates issued,

Fifth District—cases small-pox, 322; whites 206, colored 116; deaths 105; whites 66, colored 39; number of flags 259, sent to hospital, 19 whites and 4 colored; total, 23; rooms fumigated, 540; premises disinfected, 259; house to house inspections, 3840; nuisances abated, 595; total vaccinations, 399: certificates issued 69.

Sixth and Seventh Districts-Cases of small-pox, 204; white 117, colored 87; sent to hospital 29; deaths, white 33, and colored 27; total 60; certificates issued, 835; vaccinations, white 497; colored 723; premises fumigated, 491; nuisances abated 545; inspections 7981.

From the preceding facts we deduce the following conclusions:

1. Small-pox has been arrested in New Orleans by the measures devised and executed by the Board of Health of the State of Louisiana.

2. In the efforts to isolate and arrest small-pox during 1881, 1882 and

1883, the main difficulties were due to the following causes:

a. The large number of colored inhabitants and poor whites, who disregarded and refused vaccination.

b. The fact that the prevalence of the disease was due chiefly to filthy habits and neglect of vaccination is conclusively shown by the large number of deaths reported by the coroner.

c. The constant introduction of the disease by strangers from the sur-

ounding States and cities.

3. If the statistics be carefully examined it will be seen that the most marked increase of the disease was concurrent with the movement of the great staples of the valley and the congregation of large masses of people in this city from surrounding States.

The decrease of small-pox during the hottest months was due to the efforts of the officers of the Board of Health at a time when commerce and

trade was at the minimum.

4. The small-pox increased in proportion to the prevalence of the disease in surrounding States and cities and on the plantations along the banks of the Mississippi River.

5. New Orleans will be perpetually exposed to the introduction of small-

pox when the disease prevails in the Mississippi Valley,

6. The entire subject of small-pox and vaccination in Louisiana is of paramount importance and should engage the carnest attention of the General Assembly at its next regular meeting in June, 1884.



The preceding report was read at the regular meeting of the Board of Health of the State of Louisiana, October 25, 1883.

VIEWS OF HON. I. N. MARKS.

Mr. Marks reviewed at length the efforts of the Board of Health for the suppression of small-pox, and called attention to the vast amount of valuable sanitary work performed by the medical officers in the various districts.

The free vaccinations performed by the sanitary inspectors had reached 11,644, and had conferred great benefits upon the citizens; and if persons had neglected vaccination in New Orleans it was not the fault of the Board of Health, for vaccination had been offered freely to all citizens, irrespective of color, race or present or previous condition.

If each physician had accomplished only one-half the work performed by each sanitary inspector of the Board of Health, then we should have had, as shown by the President, at least 225,000 vaccinations.

The assertions emanating from the executive committee of the New Orleans Auxiliary Sanitary Associations were incorrect; every measure, such as the use of small-pox flags, the erection of small-pox hospitals, the conveyance of the sick in wagons devoted specially to this purpose, the isolation of the sick, and the prevention of gatherings at funerals, had been urged, and as far as the means of the Board extended, been exerted by the faithful and zealous officers of the Board of Health from the first appearance of small-pox in 1881.

These remarks, he said, were made because the step lately taken by the Auxiliary Sanitary Association and the appointment by that association of a number of physicians to inspect the various residences and vaccinate all persons not vaccinated, seemed to lead to the impression that the board had not done its duty. The Sanitary Association had appropriated \$5000 for that purpose, and begain their labors at the present time, when there is no necessity for such action, for, by referring to the mortuary reports, it will be seen that during the past two weeks only six deaths had occurred by small-pox, and these at the small-pox hospital, showing that there had been no deaths in private practice of physicians. The board and its officers had done their duty, as their reports showed, and that the work done by the sanitary inspectors has met with its just reward by the arrest of small-pox in the city, and deserves commendation on the part of the people.

The following resolutions were offered by Mr. Booth, and adopted:

Resolutions of Hon. Edward Booth with reference to the efforts of the officers of the Board of Health of the State of Louisiana for the suppression of small-pox in New Orleans.

Resolved, That the board have heard read with profound satisfaction the report of its President, giving an outline of its labors and the detailed reports made by Drs. Bayley, Faget, Mioton, Mandeville, Beret and Ryan, respectively medical inspectors of the seven districts of the city, upon the subject of small-pox.

1. As to the methods adopted for its isolation and suppression.

2. As to the difficulties encountered and overcome.

3. As to the enormous amount of careful and systematic work done, and finally the abundant success which, under Providence, has crowned their labors, by a reduction of the weekly mortuary of small-pox from a maximum

of 86 for week ending April 7, 1883, to the present minimum of three for week ending October. 20, 1883, a point which has not been reached since November, 1882.

Resolved, That the board recognize the impossibility of forecasting what the future may have in store for our people, but will not refrain from congratulating the community upon the substantial cessation of small-pox, as well as the entire absence of any form of contagious or infectious disease.

Resolved, That the President and medical staff of the board have merited, and are hereby tendered, at the close of the season, the thanks of the people, as far as the board can express them, and are requested to continue their well-begun work for the absolute eradication of small-pox, trusting for their reward to the appreciation of the beneficiaries, and remembering the appositeness of the maxim that "nothing succeeds like success."

Resolved, That the President be and is hereby authorized and requested to embody in his annual report to the General Assembly of Louisiana the valuable and important facts reported by the medical inspectors, and to make such other use of the same as he shall deem to be for the public in-

terest.

The number of cases of small-pox reported to the Board of Health of the State of Louisiana, during the year 1883, was whites, 1475; colored, 1891; total cases, whites and colored, 3366. The number of deaths from small-pox in New Orleans, during 1883, was whites, 493; colored, 773; total, whites and colored, 1266; the percentage of deaths among whites, was 29.8; among the colored, 24.4; whites and colored, 26.5. The ratio of mortality was without doubt much less, as a large number of the cases were not reported, the failure to report the cases to the Beard of Health was attributable in many cases to the poverty of the sick, and the absence of medical attendance. Thus, during the year 1882, 139 deaths from small-pox were reported by the coroner; twenty-one whites and 118 colored. The full significance of this statement is, that during the year 1883, one hundred and thirty-nine persons died of small-pox in New Orleans, who were unable to procure the services of a physician, and that if the deaths be rated as being about one sixth of all the cases of varioloid and variola, then 824 cases which recovered among the poorest citizens received no medical attendance and were consequently not reported.

In the following table, the cases and deaths from small pox reported in New Orleans during 1883, are classified according to districts, months, and

races:

CASES AND DEATHS BY SMALL-POX FROM JANUARY 1, 1883, TO DECEMBER 31, 1883.

			No. of Cases up to Dec. 31, 1883— Whites	t Part Charles
			N N N	
Third District. Fourth District Fifth District. Sixth District. Seventh Dist.	Cases. De'ths. Cases. De'ths Cases. De'ths	.I'toT	0.00	814
h I	De	Tot'le	orm : : : : : : : : : : : : : : : : : : :	9
ent		L'30T	001011 : 00 : :	3 48
Sev	Case	W C	HH .H HOG . 4 .	163
of:	hs	ToT	-467500000 : : : : : :	946
tri)e't	- O	- 03 00 00 - 10 0	7715
Dis		.l'3oT	8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	799
th	808		BR0524444 : : : 1	981732713094407491071712784395529991143282425300120329663995114228342568113711366179271946163349
Sixt	Ca	W. C.	27221004:1:4	113
.:	œ '	. L'toT	1 :40888811.014	37
rict	e'th		4084895401	811
ist	A	1	- : : : : : : : : : : : : : : : : : : :	992
Н	8	Tot'l.	84445558848888	34
ift	ase	0	:00 8241281 00 8241280	3
P		*	88268464	1
rict	ths	.I'toT	811111001111111111111111111111111111111	995
ist	De'ths	M A	232 240 241 242 242 243 243 243 243 243 243 243 243	2613
Р	,	Tot'l.	3303800330	350
rh	Cases.		25 17 23 40 4 913 23 40 4 913 23 18 92 4 11 18 8 2 4 4 11 18 8 2 4 11 18 18 18 18 18 18 18 18 18 18 18 18	50
Fou	ಬ	*	11468888124-1-:	00
	1	Tot'l.	252 1112 1112 1112 1112 1112 1112 1112	25.2
ict.	Deaths.		19 13 29 25 11 19 36 55 59 86 112 28 86 112 28 85 111 2 25 31 31 31 31 31 31 31 31 31 31 31 31 31	824
str	De	-	0:: 8000 8800 00 00 00 00 00 00 00 00 00 00	13.5
D	-	Tot'l.	18575608884 8	=
ird	Cases.		18 41 110 207 110 207 110 207 110 207 11 20 11 12 11 18 12 18 13 18 14 18 15 18 16 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 18 1	55 98
E	Car		23 38 38 31 111 111 112 113 113 113 113 113 113	95
	1	Tot'l.	4122406414163	843
Second District.	Deaths.	, o	11118888888111	127
istı	63			717
a	-	*	:1:220000000000000000000000000000000000	10.
pu	20	.I'toT	248 100 100 100 100 100 100 100 100 100 10	749
000	Cases.	W. C.	18 30 37 42 37 42 41 61 16 41 13 10 8 16 8 16 8 16 7 7 7	440
20		*		308
.:	ps.	Tot'l.	88 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	271
rict	Deaths	·	200 200 200 200 200 200 200 200 200 200	173
First District.	A	*	021022201120000	98
t H	ci	.I'toT	93 84 1117 1137 103 80 80 44 44 30 15 15 10	727
lirs	386		50 50 50 50 50 50 50 50 50 50 50 50 50 5	443
H	0	*	522 232 232 232 232 232 232 232 232 232	284 443 727
	Момтив. Савев.		Jan Feb March March May June Juny Ang Sept Get Nov	

From January 1 to May 12, 1883, 152 deaths from small-pox occurred in the Luzenburg Hospital, accredited to the total number of deaths in the Third District.

From May 1 to December 31, 102 deaths occurred in the City Small-pox Hospital, accredited to the total number of deaths in the First District.

A large proportion of the deaths from small-pox occurred among strangers and non-residents of New Orleans, and among the natives of foreign countries, as will be shown from the preceding table, giving the total number of deaths from all causes, and from small-pox, during a period of four years in New Orleans, namely—1880, 1881, 1882 and 1883, classified according to years, months, nativities and races. During the period embraced in the table, the total annual deaths from all causes, and from small-pox, were as follows:

V	DEATH	s, All C	AUSES.	Deaths, Small-Pox.				
YEARS.	Whites.	Colored.	Total.	Whites.	Colored.	Total.		
1880	3,637 4,127 3,582 4,552	2,279 2,340	5,623 6,406 5,922 7,523	3 116		1 5 415 1,266		
	15,898	9,576	25,474	613	1,074	1,687		

During 1880 and 1881, not a single native of Louisiana died from small-pox. In 1882, of a total death from small-pox of 415, sixty-five were natives of other States of the American Union, 330 were natives of Louisiana, and twenty of foreign countries. Of the natives of other States, two were white and two hundred and sixty-three colored. Of the natives of Louisiana, ninety-fivefive were white and 235 colored.

In 1883, of a total of 1266 deaths from small-pox, 181 were natives of other States, 1011 of Louisiana; seventy-four of foreign countries; of the natives of other states, thirty-four were white, and 147 colored; of the na-

tives of Louisiana, 392 were white, and 619 colored.

Of the 1687 deaths from small-pox during the four years specified, 250 were from other States; whites, thirty-eight, colored, 213; of 1341 from Louisiana, 487 were whites, and 857 colored, the ninety-six from other countries were all white; of the total number of deaths the whites were 613 and the colored 1074.

The difference in favor of Europeans and foreigners generally, was not due solely to differences of population but cheifly to the more perfect and general vaccination of the inhabitants of England, France, Germany and Italy. This table also illustrates the large proportion of fatal cases occurring amongst negroes not natives of Louisana.

G	rand To		58			_	<u> </u>										8		26.5					83							
AUSRB.	EATHS.	White. Colored	83	1,806	i		357	2,279	6,406								184	-1	2,340	88				E 3					176,8	23	9.576
ALL CAUSES.	Other For'n Toral DEATHS Countries.	White.	361	3,631	5,623	343	38	4,187	2	282	9		8	8	5			3	3,582	5,5	200	3 8	37	# *	25	8	83	410	4,569	7,593	15,896 9,
	For'n	ပ				<u></u>			:	1 :	:			<u>:</u>		!						Oł -			1			:	4	11	-
		₩.	<u> </u>			:		:			<u>:</u>	<u>:</u>		<u>:</u>		<u>:</u>		<u>:</u>	<u>:</u>	-		<u>:</u>					<u>:</u>	:	GR.		201
	W. Indies.		<u> </u>			::		<u>:</u>		:	<u>:</u>			:		:			<u>:</u>	:	1	_			:			:	a	+	
1	W. I	₩.		:		1					<u>:</u>					:							:	~	:				~		
	Spain.	C				1	<u>:</u>		 -		<u>:</u>			<u>:</u>		<u>:</u>		_	<u>:</u>										-	æ	
	Sp	Ė				::		L			:		:	:		:		_	<u>:</u>	-:	1		_		:		:	:			5
	England.	C				<u> :</u>	<u>::</u>			1:	<u>:</u>		:	:		:		_	<u>:</u>			:	-		<u>:</u>	<u> </u>	<u>::</u>	:	_	œ	
si l	Eng	¥.				1	<u> </u>	<u>:</u>		:	<u>:</u>	<u>:</u>				<u>:</u>		_	:			:		<u>:</u>	:	<u>:</u>		<u>:</u>			
NATIVITES	Ireland.	; G				<u>:</u>	<u>::</u>		•	:	<u>:</u>			:		:			3	3		<u>:</u>			=	<u>: </u>	<u>:</u>	:		*	-
ATI	Irel	₩.	<u>:</u>	<u>:</u>	:	:	<u>:</u> :	<u>:</u>	_	<u> </u>	<u>:</u>	<u>:</u>	_	÷		<u>:</u>		<u>: </u>				<u>:</u>	: 				<u>:</u>	:			
~	France.	ပ 	<u> i</u>		:	:	::		-	:	<u>:</u>	:		<u>:</u>		<u>:</u>			3	3	-						:	:	15	15	
	Fr	¥				<u> :</u>	<u>:</u>	Ļ		:	<u>:</u>			<u>.</u>								_				<u>:</u>	:	:			7
	Germany.	ပ် —			:	: -	<u>::</u>	_:		<u>:</u>	<u>:</u>		ON.	<u>:</u>		<u>:</u>			11	11	3	100	-			2=			88	98	
		¥			_:	 - 	<u>: :</u>			1	e :	* 67	0	<u>.</u>		<u> </u>	196				20	88	•	8.8	**	· ·	÷ =				7
	siana.	၁	<u> </u>		:	:-	<u>:</u>			1	ला	7 C	4	.	<u> </u>		1 0 101 <u>9</u>	١	95 235	330	50	9 S	_		<u> </u>		+ 0		619	1,011	85
	Lou	``	<u> </u>	<u> </u>		<u>:</u>	· 61	1 69	_	-	₩.	2 22	3	~ .	i Rev	:	Ī	١			1			<u> </u>				GR.	300	_	1
	Un'd States Louisians.	ပ	1		:	1	<u>:</u>		, m	-	·,	» -	•	_		<u>.</u>		_ {	2003	2962	ā		- 64		· · ·			CN1	34 147	181	212
		W.		<u> </u>		-	GN.	01	L	ন	-		ନ୍	E 2	6			:			â	n o	•	28	0	- O.	<u> </u>				"
Pox.	KATHS.	Colored				1			2		•	•	,	-	-		• •	İ	8	_		Ī	_						1	92	3 1.074
SMALL-POX.	Tork Dra	White. Col	:	-		7	==	8		1	د :	12	17	अट	6		100 Z	1	116	415	24	₩ 8	102	83	45	3	<u> </u>	•	493	1,266	Sum - \ Total w & c 613
			:	•						:	:			:		:		:		92		:	:	•	:			:		3	& G.
	MONTHS.			Total	Total, 1880	April	May December	Total	Total, 1861	January	February	MarchApril	May	Jube	August	Soptember	November	100	Total	Total, 1882	January	February	April	May June	July	September.	October. November	December	Total	Total, 1883	otal w
- 41			Маў	Ę E	T	Apri			To	Janu	Febr	Apri	May	da'.	Augr	Sopt	Nove	3	Ě	Ę,	Janu	Febr	April	Y day	7E.	Sel Sel	S S S	Dece	To	Tot	~
x	TEAR	•	_			-		881-		'-			_		68	8[-							П	igiti.		881	G	0	08	T	6

The following table presents the deaths by small-pox classified according to sex.

In 1880 one death was caused by small-pox in the month of May, the patient was a male; in 1881 one death occurred in April and one death in May, and three deaths in December. Total, five deaths, all males.

Deaths from small-pox in New Orleans, during the years 1882 and 1883,

classified according to months and sex:,

		1882.		1883.				
MONTHS.	Deaths	by Smal	l-pox.	Deaths	by Sma	ll-pox.		
	Males.	Females	Total.	Males.	Females	Total.		
January	6	0	6	37	39	76		
February	6 7	3	10	81	50	131		
March	36	24	60	124	99	221		
April	45	27	72	154	107	261		
May	37	32	69	98	77	195		
June	33	36	69	80	69	149		
July	17	14	31	49	35	84		
August.	11	7	18	35	32	67		
September	8	7	15	24	17	41		
October	10	6	16	9	8	17		
November		7	11	20	10	30		
December	16	22	38	6	8	14		
Total	230	185	415	717	549	1,266		

Total deaths from small-pox during the years 1880, 1881, 1882 and 1883 1687; males, 953; females, 734.

The preceding statistics establish the following conclusions:

- 1. During the years 1880 and 1881, all those who died by small-pox were males, and brought the small-pox to New Orleans from the surrounding States.
- 2. In the month of February, 1882, the six deaths were all males; during this year, out of a total of 415 deaths caused by small-pox, the males exceeded the females in the proportion of 230 to 185.
- 3. In 1883, out of a total of 1266 deaths, caused by small-pox, 717 were males, and 549 females.
- 4. The largest proportion of deaths occurred amongst the male population, although the females in New Orleans outnumber the males. Thus, according to the United States census of 1880, white males 75,692, white females 82,702; total whites 158,695; colored males, 25,247; colored females 32,510 total colored 57748; total males 100,945; total females 125,203; total males and females, 215,143.
- 5. The greater number of deaths from small-pox among the males must be referred to several causes as:

(a) Greater exposure of the males to contagion.

(b) The large number of males conducting the commerce of the Mississippi river.

(c) The large number of males engaged in building the railroads leading New Orleans.

6. Small-pox entered New Orleans and formed a lodgment, not from the ocean and Gulf of Mexico, by merchant vessels, but it was brought in from

the surrounding States, by steamboat and by rail-road.

7. The colored race, in their present condition of ignorance, poverty and helplessness form the great hot bed or breeding ground for the preservation and dissemination of small-pox. Before the recent civil war, and betore the emancipation of the slaves, the planters employed competent physicians, enforced vaccination, and when small pox occurred, they isolated the cases in houses and hospitals built for the purpose of segregating contagious diseases.

8. New Orleans will be perpetually exposed to the introduction and ravages of small-pox, whenever the disease appears and prevails among the

colored people of the Mississippi valley.

9. The subject of vaccination should engage the earnest consideration of the United States government and of each State government, and suitable laws regulating and perfecting and enforcing vaccination upon all citizens, irrespective of race, and condition should be devised and executed.

10. The question of the spread of small-pox amongst the colored race of the Southern States is one of paramount importance, and should engage

the earnest consideration of wise and humane legislators.

GENERAL RESULTS OF THE QUARANTINE OPERATIONS OF THE BOARD OF HEALTH OF THE STATE OF LOUISIANA, FOR THE EXCLUSION OF FOREIGN, PESTILENCE AND MORE ESPECIALLY YELLOW FEVER, FROM THE MISSISSIPPI VAL-LEY DURING THE YEARS 1880, 1881, 1882 AND 1883.

MISSISSIPPI QUARANTINE STATION.

CONDITION OF MISSISSIPPI QUARANTINE IN 1880; REPAIRS, ADVOCATED BY THE PRESIDENT OF THE BOARD OF HEALTH, 1880; RIGOLETS AND ATCHAFALAYA QUARANTINE STATIONS, 1880.

The Mississippi Quarantine Station is located upon the eastern bank of the Mississippi river, about seventy-five miles below New Orleans, and thirty-five miles from the Gulf of Mexico. The grounds immediately on the Mississippi river are enclosed by a levee of moderate height and strength. The levee, running parallel with the Mississippi river, is about 1700 feet in length, and the opposite or back levee, about 1600 feet; the upper and lower levees running perpendicularly to the Mississippi river measure each about 730 feet in length. The entire area enclosed by this levee within the lines of which are situated the Quarantine hospitals, physician's residence, and the United States warehouse, is about 1,113,750 square feet. The grounds slope back gently to Quarantine Bay, an arm of the Gulf of Mexico, about one mile distant.

By reference to the map of Louisiana, it will be seen that from a point about midway between New Orleans and the Gulf of Mexico, the eastern portion of the alluvial delta, through which the Mississippi River flows, is narrowed to a mere strip of land, ranging from one to two miles in width. This entire strip of land is subjected to peculiar climatic conditions. On the one side flows the Mississippi River, bearing its cool waters from the

Alleghanies in the east and the Rocky Mountains in the west; on the other open the waters of the grand Gulf of Mexico. Located thus between the Mississippi River and an estuary of the Gulf of Mexico, the atmosphere is agitated by sea breezes, and the climate is purer and more stimulating than that of New Orleans.

Careful inquiry revealed the facts that whilst this narrow strip of land is elevated only a few feet above the level of the Gulf of Mexico, at the same time, from the close proximity of the atmosphere of the salt water of the Gulf, the type of malarial fever in these localities, where rice is not cultivated, is mild, and many diseases of more elevated regions, as typhoid fever, inflammatory rheumatism, pneumonia, pleuritis, and phthisis are almost unknown. Under moderate circumstances, and when removed from the vicinity of rice fields, the inhabitants of this portion of Louisiana enjoy as long lives as in the most, famed regions of the tropical and semi-tropical and temperate regions of the earth; whilst at the same time the soil is of unexampled fertility, and the earth rewards the labors of the husbandman with abundant fruits and harvests. The orange attains perfection, and the sugar-cane has been known to tassel in this portion of the delta, whilst the surrounding waters abound with tish, shell fish, crabs and shrimp, and in the winter season teem with ducks and geese.

The Mississippi River at the Quarantine Station, as well as in the harbor of New Orleans (which in depth and safety is unsurpassed by any other on

this globe), affords an anchorage for ships of all sizes.

It is evident, therefore, from the preceding facts, that the location of the Mississippi Quarantine Station was well chosen, both for the protection of the Mississippi Valley from foreign pestilence and for the welfare and protection of shipping during the performance of quarantine.

This Quarantine Station commands the mouths of the Mississippi River, and can be superseded by no other quarantine removed from the banks of this river.

Quarantine establishments may be located either at the mouths of the Mississippi River or at the head of the Passes, or further up beyond the present location, nearer the city, as was the case in former times at the English Turn. But the protection of the Mississippi Valley from the introduction of foreign pestilence demands the existence of a thoroughly equipped and efficiently officered quarantine establishment on the banks of the Mississippi River, between New Orleans and the Gulf of Mexico.

No one at all conversant with the topography of the coast of Louisiana, Texas, Mississippi and Alabama would for a moment conceive that the commerce of this great valley could be forced by the way of Ship Island or any other point be-

yond the borders of the Mississippi River.

However and whenever detained and quarantined on the coast of the Gulf of Mexico, ships must again undergo thorough inspection, and be subjected to rigid quarantine regulations, when they enter the gateway of the Valley of the Mis-

sissippi.

Drainage canals are located on the water side of the upper and lower levee, and communicate with Quarantine Bay, and the grounds are intersected with ditches at regular intervals. The levees are covered with grass, and at the upper bank and lower lines are in better condition than on the river front.

Upon the area surrounded by the levee the following buildings are located, and in this examination we will proceed from the upper portion of

the quarantine grounds downwards.

let. Fever Hospital. The Hospital devoted to the treatment of fever, and more especially yellow fever, is a two-story frame building, situated about 230 feet from the line of the upper levee, and 150 feet back of the vee fronting the river: 125 feet long, 33 feet wide and 35 feet high: upper and lower galleries, 9 feet wide i 125 feet long, run along the front of the Hospital. This building contains nine rooms on the lower g and four rooms on the upper; in all thirteen rooms. Halls divide the lower floor at right angles.

The upper floor is divided into four capacions, well-ventilated wards. The rooms and halls are plastered, and the ventilation is excellent. The entire building is well adapted to the treatment of fever patients.

The wards are supplied with windows, at regular intervals in front and rear, and thorough ventilation can at all times be secured.

The cubic capacity of the wards and rooms of the fever hospital is 55,630 cubic feet; of the halls and corridors 6788 cubic feet, giving a total cubic capacity, exclusive of the galleries, of 63,818 cubic feet.

If 1100 cubic feet of air be allowed to each patient, this hospital is capable of accommodating about sixty

patients.

patients.

In the rear of this hospital, or connected with it by a platform 20 by 4 feet, is a kitchen with two rooms 14 by 14 feet and 10 feet in height, with gallery 28 by 8 by 14 feet.

The graveyard of the Quarantine Station is located about 200 feet to the rear of the fever hospital, and is surrounded by a rude fence and covers about three-fourths of an acre. Marks of about one hundred graves can be discerned in the enclosure, which are thickly covered with tail grass, brambles and shrubs.

There is only a solitary marble monument, which bears the following inscription:

"A la m moire de Trente Marins, faisant partie de l'équipage de l'avito a vaisseau de la Marine Imperiale le Tonnerre, décédés a la Quarantine de la Nouvelle Orleans en Août, 1857. Erigé par l'odre de S. E. l'Admirai Hamelin, Ministre de la Marine de l'Empereur Napoleon III."

BOATMEN'S QUARTERS AND QUARANTINE LIGHT.

This wooden structure is situated 330 feet from the centre of the Fever Hospital, immediately in front of the levee; 31 by 21 feet, divided into six rooms. The quarantine light is connected with the boatmen's quarters by a gangway 126 feet long and 5 feet wide, projecting into the Mississippi river. The lower portion of the quarantine light has been used as a boat-house until the formation of a sand-bar rendered it useless for this purpose. The quarantine light is a wooden structure, 35 by 31 feet. A large bell, which is tolled in 50ggy weather, is attached to the quarantine light. Immediately in the rear of the boatmen's quarters (40 feet within the line of the levee) stands a small frame house, 30 feet square, which is used as a strongleure tor distinct and storehouse for disinfectants.

RESIDENCE OF QUARANTINE PHYSICIAN.

The residence of the quarantine physician and his assistant occupies very nearly the centre of the frent of the quarantine grounds, about 314 feet from the boatmen's house and 100 feet back of the levee. This small wooden building contains four rooms, a hall, gallery and kitchen. A small house, 12 by 16 feet, occupies the upper angle of the small enclosure, surrounding the resident physician's quarters.

SMALL-POX HOSPITAL.

The small-pox hospital, situated 500 feet from the physician's residence and 106 feet from the front levee, has two stories, each of which has four rooms or wards, 18 feet wide, 20 feet long and 11 feet high, giving a cubic capacity of each ward of 3860 feet, and for the entire hospital, eight wards, 31,860 cubic feet. There is on each floor a cross-hall, 20 feet long by 7 feet wide and 11 feet high; cubic capacity of each hall, 1590 cubic feet, and of both halls, 3080 cubic feet.

Total capacity of small-pox hospital (80 feet in length, 20 feet wide, 11 feet high), 34,760 cubic feet. If 1100 cubic feet of air be allowed to each patient this hospital would accommodate about thirty patients. Galleries run the length of the front of the hospital, above and below, and are each 80 feet in length, 9 feet in width and 11 feet in height. There is a small building in the rear designed as a kitchen, 14 by 14 by 10 feet.

UNITED STATES WAREHOUSE.

The government grounds commence about 70 feet from the small-pox hospital, and extend to the lower leves. The government warehouse is a substantial fireproof brick building, situated about 125 feet from the centre of the small-pox hospital, and consists of a main hall and two wings, and is two stories in height. The upper story is supported by brick and iron arches. No wood is used in the construction of the building.

The two main halls, in the first and second floors, are each 140 feet in length by 33 feet in width, and 12 feet in height, giving a cubic capacity of 28,640 cubic feet; total 77,869 cubic feet. The two wings are each 54 feet in length and 25 feet in width and 12 feet in height, each floor giving a capacity of 16,000 cubic feet for each wing; total capacity of wings 64,800 feet; total capacity of government warehouse 142,860

The United States wharf is substantially built, with beat-house attached. The main wharf is 100 feet long by 30 feet, and the depth of water immediately at the river front is 22 feet. The gangway leading from the wharf to the warehouse is substantially built, and is 239 feet long by 20 feet wide, with weeden railway extending from the wharf to the warehouse.

HISTORY OF THE ERECTION, AND AMOUNTS EXPENDED UPON THE MIS-SISSIPPI QUARANTINE STATION.

On the fifteen of March, 1855, the Legislature of Louisiana, appropriated the sum of \$50,000 for the erection at the Quarantine Station, on the Mississippi River, of two separate buildings, as hospitals for the sight of a small house as residence for the officers appointed under this act, and of a well ventilated store for the reception of the freights of such infected vessels as the Resident Physician may deem necessary to cause to be unloaded.

By the first section of act of Congress entitled "An Act making appropriation for certain civil expenses of the government for the year ending the thirtieth of June, 1859," approved third of March, 1857, the sum of \$50,000 was appropriated for the construction of warehouses at Quarantine Station, on the Mississippi River

of \$50,000 was appropriated for the construction of warehouses at Quarantine Station, on the Mississippi River below New Orleans.

On the eighth of February, 1858, it was enacted by the Senate and House of Representatives of the State of Louisiana, in General Assembly convened, "that the State of Louisiana does code to the United States purisdiction over the site of such warehouses as shall be constructed under the act of Congress, approved the third of March, 1857, aforesaid, at Quarantine Station on the Mississippi River, below New Orleans, and does hereby further grant to the United States the use of so much land as may be necessary for the construction of such warehouses, with water front, and privilege of the wharf now built or hereafter to be built on said Station,"

It was furher enacted "that the Board of Health of the State of Louisians be and they are hereby authorized and required to designate so much land to said Quarantine Station as may be necessary for the construction of the warehouses aforesaid,"

On the eighteenth of March, 1858, it was enacted by the Senate and House of Representatives of the State of Louisians in General Assembly convened. "That the property at the Quarantine Station, on the Mississippi River, located in this State, the use and jurisdiction over which has been granted by the State of Louisiana to the United States for the purpose of constructing government warehouses, together with the improvements and buildings which the Government of the United States may erect thereupon, shall be and is hereby exonerated from all taxation and assessments by the State, or by any authorities acting under the State, so long as said property is in possession of the United States."

CONDITION OF THE MISSISSIPPI QUARANTINE STATION AT THE TIME OF THE INAGURATION OF THE PRESENT QUARANTINE PHYSICIAN, AP-POINTED BY GOV. WILTZ.

The hospitals were almost absolutely bare of furniture, beds, bedding and utensils, and without the necessary facilities for the treatment of even a limited number of sick; the grounds were open and roamed over by cattle, the drainage ditches were in many places choked up, and the building needed cleansing, painting and thorough repair.

GENERAL CONCLUSIONS AND RECOMMENDATIONS SUBMITTED TO THE BOARD OF HEALTH, WITH REGARD TO THE MISSISSIPPI QUARANTINE STATION. BY THE PRESIDENT, ON THE TWELFTH OF JUNE, 1880.

1. (a). The location of the quarantine grounds and buildings is excellent, and the service is energetic.
(b). The Mississippl quarantine contains a considerable amount of valuable property. The United States warehouse alone cost \$58,000, and is well adapted to the reception of the cargoes of ships. The entire value of the buildings cannot be less than \$75,000.
(c). The immediate wants of this Quarantine Station are: 1, Medical stores for hospitals. 2. Bedding, linen, and utensils for hospitals. 3. Fumigating apparatus. 4. One launch bost. 5. A competent man, who shall be placed in charge of the hospital stores and furniture. 6. One or more laborers, whose duty it shall be to open the drains, repair and build the fences, whitewash the houses and wards and keep the buildings and grounds in good sanitary condition.

(d). The position of the Quarantine Station, at the mouth of this great river, which has over 20,000 miles of navigable streams, tributary to the great valley with its 20,000,000 of inhabitants, is of vast importance.

(e). It is the solemn duty of the Board of Health of the State of Louisians to place the Mississippi Quarantine Station in the best and most effective condition, to fulfill its important mission of protecting this great valley from the importation of foreign pestilence, and at the same time affording a safe retreat, where sick seamen may receive kind and humane nursing and skillful medical treatment.

2. (f). While protecting this valley rigidly from the introduction of foreign pestilence, at the same time the commerce and prosperity of the valley should be promoted by the perfection and enlarged application of all reliable means for disinfection. fumigation and sanitation.

3. (g). The Mississippi Quarantine Station, notwithstauding the absence of certain hospital furniture and supplies, is administered by the quarantine physician and his assistant with intelligence and energy.

4. (h). The laws of the State of Louisians, and the rules and regulations of the Board of Health, are rigidly

idly executed.

(i). All vessels arriving from infected ports, or from ports in which yellow fever usually prevails at certain seasons of the year, are detained and thoroughly cleansed and fumigated.

tain seasons of the year, are detained and thoroughly cleansed and fumigated.

(f). All vessels arriving at Quarantine Station are carefully inspected.

(k). All vessels from infected ports, even though they may bring clean bills of health, are detained not less than seventy-two hours for inspection, observation, purification, disinfection and fumigation.

(i). The length of the detention depends upon the nature of the bill of health, the condition of the port from whence the vessel sails, the history of the vessel while in port and during the voyage, and the actual condition of the crew, cargo and vessel at the time of arrival at the Quarantine Station.

This is the case with the ships from Rio de Janerio, a badly infected port. Every effort is made for their theorems purification. The cargo is removed from the hold and thoroughly ventileted the health for instance.

thorough purification. The cargo is removed from the hold and thoroughly ventilated; the hold furnigated at intervals with sulphurous acid gas; the sides and floors of the ship and docks are sorased and washed with antiseptic disinfectants; the bilge water is removed and replaced by a solution of copperas and carbolic acid. In such cases the detention is not less than ten days, and often varies from fifteen to

twenty days.

4. (m). In order to secure thorough inspection and observation, the shipping is again inspected in the harbor of New Orleans; and the cargo of ships from badly infected ports again subjected to fumigation and

disinfection.

(a). The vigilance exercised over our shipping is also extended to the city of New Orleans, and the members and officers of the Board of Health stand ready to investigate all cases which may arise in the future, and will use all known useful means for the abatement, circumvention and eradication of infectious

5. (a). In conclusion the Precident of the Board of Health respectfully urges that the Board of Health confer upon him the power to make, at the earliest practicable moment, the following appointments and the following appropriations for the Mississippi Quarantine Station:
One hospital stoward and druggist.

One laborer. One hospital nurse.	
Amount for disinfecting apparatus	\$250
Hospital turniture, beds and bedding	150
Drugs, medicines and medical apparatus. Hospital and quarantine tools, spades, axes, hatchets, saws, planes, hoes, nails, whitewash brushes,	100
610	95
Repairs of boats	59 150
Disinfectante	100
•	

In the above estimate I have included only those expenditures which are immediately demanded to give efficiency to the Mississippi Quarantine Station, and to provide for the actual wants and treatment of the



The thorough repair of the buildings and the thorough ditching and fencing of the grounds, together with the erection of a suitable frame building for the well passengers, will require further consideration and liberal appropriations.

At this moment the Board of Health of the State of Louisians is not in a position to advance the necessary amounts.

But with economy, energy and perseverance, it is the hope of the board that the Mississippi Quarantine Station may be placed in the most effective condition for the protection of the State from the importation of foreign pestilence and for the pretection of commerce and the relief of sick and suffering humanity.

The relations of the actual resources and the necessary expenses of the Mississippi Quarantine Station, are shown by the following tables:

RECEIPTS OF THE BOARD OF HEALTH FROM QUARANTINE STATION.

1869	23.960 00	
1670	0.995 00	
1871		
1879		
1874		
1875		
1877 1	5.121 60	
1878		
1879 1	8,114 75	

ANNUAL EXPENSES FOR SALARIES.

Four boatmen	
One coxswain	540 540
Assistant	000
Resident Physician	200

NECCESSARY EXPENSES FOR THE EFFICIENT CONDUCT OF THE MISSISSIPPI QUARAN-TINE STATION.

Two Laborers and keepers of hospital grounds, at \$30 per month each. Medicines and hospital supplies, furniture, bedding, etc. Repair of boats. Disinfectants and disinfecting apparatus. Repair of buildings, painting, whitewashing, etc., per annum. 5 Food and stimulants for the sick.	,900 360 790 ,000 300 ,500 ,000
Ship chandler supplies	500

\$12,380

According to the organic law of the State the salaries of the President, and of the Secretary and Treasurer should be included in the above estimate; which at the "persent rates per annum would bring the total amount necessary for the proper conduct of the Mississippi Quarantine Station during the year 1880, up to at least \$25,780, a sum considerably in excess of the receipts of any one year, since the recent civil war."

The report was received and adopted, and \$2200 appropriated by the Board of Health, to be applied by the President and finance committee for the necessary suplies of medicines. disinfectants, and disinfecting apparatus for the Quarantine Station.

Hospital furpiture, beds. bedding, mosquito bars, blankets, pillows and pillow-cases, and medicines sufficient for the efficient treatment of about twenty patients, together with cooking stove and kitchen furniture, and disinfecting apparatus, paints, tools, etc.. were purchased at the earliest practical moment and shipped to the Quarantine Station.

At the meeting of the Board of Health on the nineteenth of November, an additional sum of five thousand dollars (\$5000) was appropriated to the repair of the Mississippi Quarantine Station.

In order to supplement the operations of the Mississippi Quarantine and of the Rigolets, and in order to secure the highest attainable sanitary condition in the shipping in the harbor along the river front and within the basins lying within the heart of this great city, the President drew up a code of sanitary rules and regulations, which were unanimously adopted and promulgated by the Board of Health on the 22d of April.

In accordance with section 3 of the Sanitary Rules of the Board of Health of the State of Louisiana, regulating shipping in the port of New Orleans, the President commissioned the Sanitary Inspectors of the several districts and appointed an Assistant Deputy Inspector, and empowered them, in accordance with the acts of the Board of Health, to carefully inspect the shipping, and to use such measures as were in accordance with the regulations.

From the following table it will be seen that during the mouths of May, June, July, Angust, September and October 462 vessels were inspected in the harbor of New Orleans, exclusive of the vessels inspected in the old and new basins.

TABLES SHOWING THE NUMBER, CLASS, AND NATIONALITY OF VESSELS ARRIVED IN THE PORT OF NEW ORLEANS DURING THE SIX MONTHS ENDING OCTOBER 31, 1880. WHICH WERE INSPECTED BY THE SANITARY INSPECTORS OF THE BOARD OF HEALTH, STATE OF LOUISIANA.

Months.	Steamships	Ships.	Barks.	Brige.	Schooners.	Total.
May	33	15	25	5	18	96
June	. 35	2	17	1	1 11	66
July	40	2	18	1	6	67
August	. 38	3	11		4 1	56
September		13	3		1 4	73
October	77	7	25		5	104
Total	266	42	99	7	48	462
Nationality.	Steamships	Ships.	Barks.	Briga.	Schooners.	Total.
American	. 103	27	21	2	42	195
3ritish		9	26	1		170
Spanish		. 	14	1		41
Torwegian			10	1 1		11
wedish		•• •• _ •	3	1	[····	4
Jerman	-	3	3	· · · · · · · · · · · · · · · · · · ·		y
talian			5	, .		19
		3		···· ••• ····	1 1	12
Austrian			0	1	5	Š
Danish			1		, ,	ĭ
A401011						
Total	266	42	99	7	48	462

Sanitary rules were also recommended by the President of the Board of Health of the State of Louisians, to be observed by vessels during their stay in the port of New Orleans, and in other ports and on their passage to and from New Orleans. The co-operation of the State and Federai authorities and of the various Foreign Consuls was urged. Four thousand copies of these sanitary rules were printed, and they have been systematically and continuously distributed by the Sanitary Inspectors of the Board of Health and by the various quarantine officers at the Mississippi, Atchafalaya and Rigolets Quarantine Stations to the captains, masters and agents of all vessels entering the waters of Louisiana.

On May 24, 1880, the rules and regulations for the government of quarantine officers and stations, and for the enforcement of the acts of the Legislature of Louisiana, "establishing and regulating quarantine for the protection of the State," were submitted by the President and unanimously adopted by the Board of Health, and four thousand copies have been printed and distributed by the Board of Health to the local boards in the United States, to foreign consuls, captains, masters and agents of vessels.

QUARANTINE OF VESSELS FROM THE INFECTED PORT OF RIO DE JANERIO, DISCHARGE OF CARGOES AT THE MIS-SISSIPPI QUARANTINE STATION, DISINFECTION OF COF-FEE IN THE WAREHOUSES IN NEW ORLEANS.

The prevalence of yellow fever in the city of Rio de Janerio, received the prompt and earnest attention of the Board of Health immediately after its reorganization in April, 1880. The various vessels arriving with coffee, from this port were detained at the Quarantine Station for periods ranging from twelve to twenty days, the resident Quarantine physician was ordered to shift the cargoes by acclimated laborers, (that is by men who had suffered with yellow fever).

Whenever it became necessary to send down men to discharge cargo, each man was, examined by the President of the Board of Health, and his statement taken under oath and a careful record was preserved, as to the age, nativity, previous attack of yellow fever, attending physician, residence, etc.

As a general rule the coffee ships from Rio discharge their cargoes in the First iDstrict of New Orleans, in which are located the large coffee warehouses. Each cargo of coffee was fumigated by the Sanitary Officer.

[&]quot;Acts of the Legislature of Louisians establishing and regulating quarantine for the protection of the State; organizing and defining the powers of the Board of Health, and regulating the practice of medicine, midwifery, dentistry and pharmacy; also, rules and regulations of the Board of Health of the State of Louisians and health ordinances of the city of New Orleans, by Joseph Jones, M. D., New Orleans, 1880 v. 36-51.



The following facts with reference to the prevalence of yellow fever, and other diseases in Rio de Janerio, were communicated monthly to the Board of Health by the Consul, General Thomas Adamson.

In Rio de Janeiro there occurred in the mouth of November, 1879, total deaths from all causes 850, yellow fever 9, small-pox 11, enteric or typhoid fever 20, pernicious fever 22; month of December, 1879, total deaths 915; yellow fever 18 small-pox 9, enteric or typhoid fever 13, pernicious fever 43, consumption 153, month of January, 1880, total deaths 1062, yellow fever 133, small-pox 2, enteric or typhoid fever 14, scarlet fever 5, pernicious fever 54, consumption 166, month of February, 1880, total deaths lever 5, permicious fever 54, consumption 166, month of February, 1880, total deaths 1352; yellow fever 484, small-pox 1, typhus fever 1. typhoid or enteric fever 19, scarlet fever 1, permicious fever 76. consumption 140. Present estimated population of Rio de Janeiro 330,000. March total deaths 1389; yellow fever 468, typhus fever 3, enteric or typhoid fever 17, permicious fever 60, consumption 153, menth of April, 1880, total deaths 1008, yellow fever 274, typhus fever 2, enteric or typhoid fever 15, permicious fever 40, consumption 150. month of May, 1890, total deaths 914, yellow fever 105, typhoid fever 14, permicious fever 28, consumption 148, month of June, 1890, total deaths 812, yellow fever 55, typhus fever, typhoid fever 8, permicious fever 24, consumption 143 sumption 143.

INSPECTION STATION ESTABLISHED AT MOUTH OF MISSIS-SIPPI RIVER.

In accordance with the resolution of the Board of Health empowering the President to appoint a Quarantine and Sanitary Inspector for the Mouths and Passes of the Mississippl River, with headquarters at Port Eads, the following circular letter embraces the more essential instructions issued annually to the medical officers who have occupied this responsible and important post during the past four years, 1880, 1881, 1882 and 1883:

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New Oilleans, ______, 1890.

Dr. ———, of New Orleans, is hereby appointed Quarantine and Sanitary Inspector for the meuth of the Mississippi River, with ample power of supervision over the shipping entering the mouth of the Mississippi River, and over the inhabitants, shipping and visitors and employes at the Jetties, Port Eads, Pilot Town and Southwest Pass.

Dr. ———, Quarantine and Sanitary Inspector of the Board of Health of the State of Louisions, will allow no communication between the shore, by unauthorized persons, with vessels subject to the quarantine regulations and laws of the State of Louisians and the rules and regulations of the Board of Health. He will regulate the mode of towing infected vessels, and he will report promptly to the Board of Health, through its executive officers, all infractions of the quarantine laws and of the rules and regulations of the Reard of the State of Louisians. Board of Health of the State of Louisians.

The Quarantine Inspector will also direct the sanitary affairs of the Jetties, Port Eads and Pilot Town, and report promptly the occurrence of contagious or infectious diseases to the President of the Board of

This inspection service was maintained, during the existence of the Quarantine proclamation of the Governor of the State of Louisiana, annually in 1880, 1881, 1882 and 1883.

The entire cost of this inspection, as maintained by the Board of Health, during this period of four years, was less than three thousand dollars; nevertheless, the results obtained were of the most important character, in furnishing prompt information to the President of the Board of Health, of the appearance of infected vessels at the mouth of the Mississippi river, and also in preventing improper and illegal intercourse between vessels from infected ports, with steamers, tug-boats, and with the inhabitants of the surrounding shores.

The stringent measures of 1883, which excluded all vessels from ports infected with yellow fever from the waters of Louisiana, could not have been properly executed by the President of the Board of Health, in accordance with the proclamation of the Governor of Louisiana, without an active and faithful officer at the mouth of the Mississippi river.

The resistance of the Quarantine authorities, by the British Steamship Vanguard, on the twenty-third of May, 1880, was promptly met; the Civil Sheriff, of the parish of Orleans, in accordance with the order of the President of the Board of Health, forcibly seized the Steamship Vanguard, and returned her to the Quarantine Station*.

^{*}For details of the case of the British Steamship Vanguard, see Annual Report of the Board of Health of the State of Louisiana, for 1860, pp. 25-28-



The Swedish bark Excelsior, Captain J. T. Bjorkgren, left Rio Janeiro on the tenth of May, 1880, and arrived at the Mississippi Quarantine Station June 24, having been on the voyage about fifty-six days. Her crew consisted of three officers and nine seamen. No case of sickness occurred either at Rio or on the voyage to the Mississippi Quarantine Station. After detention at the Mississippi Quarantine Station for twelve days, during which period no sickness occurred, the bark was released, and reached New Orleans on the fifth of July. One of the crew was seized with fever on the seventh, and on the tenth of July was transferred from the vessel to the Touro Infirmary, and the case reported to the President of the Board of Health. Upon examination I found the man suffering with yellow-fever. The vessel was boarded, the crew mustered upon deck and carefully examined. I was convinced that at least two of the seamen presented febrile

symptoms, and concluded that they would develop into yellow-fever.

The officer in charge was ordered to keep his men on board, and to proceed with all possible dispatch to the Mississippi Quarantine Station. Captain Thomas McLellan, of the New Orleans Towboat Line, was ordered to return the bark to the Mississippi Quar-

antine Station.

The officer in command of the Excelsior refused to leave the wharf, on the ground that the vessel was not properly ballasted, and would capsize if towed into the stream. then issued an order to the Civil Sheriff of the Parish of Orleans, commanding him, in the name of the State of Louisiana, and the Board of Health, to remove the bark Excelsior forthwith to the Mississippi Quarantine Station.

From the following extracts from the financial report of the Secretary and Treasurer of the Board of Health, you will observe that the execution of this order was attended

with a considerable expense to the Board of Health. Paid expenses attending removal of infected bark Excelsior from city to Quarantine

Station:

Civil Sheriff's fees	63	50
Tug Wilmot, towage bill	150	00
Tug Wilmot, towage bill Eager, Ellerman & Co., for ballast	15	00
Dr. Mioton, special services	25	00

Total expenses attending removing of bark Excelsior paid by Board of Health.. \$253 50

If to this be added the expenses of the Texas Health Officer and of the Texas Committee and Members of the Board of Health, who visited the Mississippi Quarantine Station for the purpose of investigation, \$139, we have a total expense of \$392 50.

Telegrams and also written instructions were dispatched by the President, to the resident and assist resident physicians at the Mississippi Quarantine Station, giving the facts relating to a case of fever and the return of the vessel to quarantine; and stringent orders were issued to keep the vessel and crew in close quarantine, separated from all other vessels, allowing no communication with the shore on either side, or with the city of New Orleans, or with the settlements at the jettles and Pilot Town.

The Board of Health retained the Excelsior at the Quarantine Station for over one month after the removal of the last case from the vessel on the fourteenth day of July.

The man removed on the twelfth to Quarantine Hospital, and who recovered, was re-

leased on the twenty-fifth from the hospital as entirely convalescent.

The President of the Board of Helth advocated the release of the vessel one month after the removal of the last case to the hospital, on condition that she be retained at some point below the city, on the opposite side of the river, there receiving her cargo. It was held that it was not advisable for the vessel to come into the harbor among the shipping.

The opinion of the resident quarantine physician was also to the same effect, as will

be seen from the following letter:

MISSISSIPPI QUARANTINE, AUGUST 4, 1880.

Dr. Joseph Jones. President of Board of Health, New Orleans, La.:

Sir-Knowing of considerable discussion arising as to the detention of the Swediah bark Excelsior at this

atation, I beg leave to state:

That it having been abundantly proved that the vessel and cargo were thoroughly funigated at this station, and the yellow fever contracted by members of the crew was contracted while the crew were engaged in the then unfunigated portion of the cargo, which they were shifting preparatory to funigation; and, that the first case of yellow fever occurring on said bark in New Orleans, appeared on the eighth day of July, without further spread of the disease

That the second, third and fourth cases appeared at this station respectively, the eleventh, thirteenth and fourte-entl of the same roomb. That the two last died respectively on the seventeenth and eighteenth of same month; all their effects brought on shore, consisting of a shirt, pair of pants, shoes, socks and a quilt, were burild with them. That the first case occurring here has recovered and is now on board the tark, being returned there thirty-first of July, having first thoroughly washed himself, a clean suit of clothes given him and those will which be came on shore having been thoroughly boiled and washed. That the vessel has again be no subjected to a thorough disinfection with sulphurous acid gas, coppored and carbolic acid. That no further cases of illness or disease at any time having occurred on board since the vessel has been at this station, I suggest that after another funigation, and should no further cases of illness occur on



board within thirty days after the last, that the vessel be allowed to proceed to New Orleans, and, to satisfy public measiness, be made to anchor in mid stream; receive her supplies and cargo there, and be allowed to

In my opinion, the best manner of proceeding in reference to the repairs necessary at this station, would be to request one of the State Board of Engineers to proceed to this station, make a thorough examination and report plans and specifications upon the same; upon which report the Board of Health could advertise for sealed proposals for the work.

Respectfully, your obedient servant,

JAS. F. FINNEY, Resident Physician.

[Telegram.]

NEW ORLEANS, August 16, 1820.—Dr. Finney, Mississippi Quarantine: Board directs release of Excelsior thirty days from transferring last case of fever to hospital, July 14.

Fumigate ship, clothing, etc. Sprinkle ballast with fifty gallons copperas and carbolic acid solution.

JOSEPH JONES, M. D.

President Board of Health, State of Louisiana.

The Bark Excelsior was released from quarantine on the eighteenth of August, and was allowed to come up to Wood's Powder Wharf, on the opposite side of the Mississippi River, below Algiers, across from the United States Barracks.

The President of the Board of Health placed the vessel in the charge of Dr. Mioton, Sanitary Inspectar of Fifth District. A policeman was detailed to remain on board to prevent communication with shore or city. The vessel was sealed by acclimated carpen-

ters, and loaded with grain, the floating grain elevator being towed down.

Every effort was made to protect the State of Louisiana and Valley of Mississippi from the introduction of yellow fever from this vessel; and the effort of the Board of Health was crowned with success, as no case of yellow fever was propagated from the bark Excelsior.

The malarious nature and non-contagious character of the cases of paroxysmal fever which occurred in and around, above and below Point Michel, in the Parish of Plaquemines, during the summer and autumn of 1880, was fully and unequivocally established by the investigations of the officers of the Board of Health, the local practitioners, and by the committee appointed by the National Board of Health. The results of these inquiries were published in the Annual Report of 1880.

The preceding official records illustrate the prompt action of the Board of Health of the State of Louisiana, in the cases of the Vanguard and Excelsior, and the efforts to cleanse and disinfect vessels from Rio de Janeiro, and other infected ports, regardless of

the time necessary to accomplish these esults.

The nature of the quarantine operations conducted by the Board of Health of the State of Louisiana during the year 1880, will be most fully shown, by the following extracts

from the official reports of the quarantine officers:

REPORT OF J. F. FINNEY, M. D., RESIDENT PHYSICIAN MISSISSIPPI QUARANTINE STATION.

January 1, 1881.

Dr. Joseph Jones, President Louisiana State Board of Health:

Dear Sir—I have the honor to transmit to you this, the annual report of the affairs of this station for the year ending December 31, 1880, and it is with a feeling of no little pleasure; that I can say no vessels have been permitted to pass this station with sickness on board during the past seven months, notwithstanding the fact that there were 208 more vessels this year than last. It is true, sickness occurred on board the bark Excelsion after her arrival in the city, but, as you are well aware, that was due to no lack of vigilance on the part of myself or my assistant, as that vessel underwent a very rigid quarantine at this station for a period of twelve days, during which time no disease manifested itself.

I append to this report a classified list of vessels passing this station during the past year, the total number is 1271, and the aggregate tonnage of this fleet will reach nearly two millions, which is I believe the largest ever arrived at this port.

^{*}Annual report of the Board of Health of the State of Louisiana to the General Assembly for the vear 1880, p. 34-192. Bark Excelsior, p. 34-43, p. 65-85, p. 88-108, p. 109-126. Malarial Fever of Plaquemines Parish, Louisiana, during the months of August, September and October, 1880, p. 127-132. Report of Dr. B. F. Taylor, p. 133. Report of Dr. George A. B. Hays. of Point Michel, Louisiana, p. 127-130. Testimony of Dr. A. C. Love, of Donaldsonville, Louisiana, p. 130. The Rice Fever. Reports of Drs. Brown and Davidson on the fever which prevailed in Plaquemines Parish, p. 135-140. The Fever on the Lower Mississippi, p. 144-190.



There were detained at this station during the past year, for purification, disinfection and franciation 151 venue a, among which were but four having any meximens on board; the potients were all transferred to the hospital for treatment, with the following Penito:

First. The steamer Chilian, one case intermittent fever. Discharged.

Second. The back Execution, after return from the city, three cases yellow fever. Two died, one recovered.

Third. The steamer Tantalon, one case billious remittent. Discharged.

Fourth. The steamer Wanderer, one case rubeoia. Dasharged.

Of the 154 vessels detained at quarantine, there were in January, 1 : April, 2 : May, 23; June, 21; July, 29; August, 17; September, 27; October, 29; November, 2.

NUMBER AND CLASS OF VESSELS PASSING THIS STITION DURING RACH MONTH OF 1889-

	Steamobips	Ships.	Dorks.	Róp-	Schomers-	Total
\$20007		•	 -	4	n	118
Petromery	•	16	44	5	12 i	143
Karek	43	12	32	6	*	112
Levil	45	7	27	3	21	163
 	æ	3	23	6	*	300
110a	ã	1	23	ĭ	10	75
F11	45	3	200	2	7 .	2
Lagrage	44	4	•	· •	3 :	•
legent ber	ü	12	6	ē	Ť '	20
MEASOR	Ø	14	90	ĭ	7 1	115
	<u> 525</u> 1	24		Š	30 I	136
District their	ã,	15	54	Ğ	7	142
7/66"	614	121	356		140	1271

With the hope that we may have a healthy and prosperous year before us. I remain, Very respectfully your obedient servant. J. F. FINNEY, M. D., Resident Physician.

BEPORT OF DANIEL W. ADAMS, M. D., QUARANTINE PHYSI-CAIN RIGOLETS STATION.

To the Heavyable the President and Members of the Board of Heath. State of Louisiana:

Hendlemon—A year of good I calth, yet producal of incident, has intervened since I had the honor to present my annual official report to your honorable body. Its events have vindicated your policy and seem steadily pointing the way to the need ity which quarantine requires in order to make it acceptable to trade and

During the past season 1170 vessels in all have been inspected by me at the Rigoleta Station. Of these 26 state nearest and 1144 were schooners. Of the 1144 thirty-six (36) had been acting as lighters to foreign seasols. (If the 26 steamers two (2) had been acting as lighters to foreign vessels.

The Mexican element Victor a. from Frontera Tobasco, Mexico, arrived July 6, 1800. She had reported at the Jackson County, Quaras tine Station, Pascagoula, and had remained there even days, was there imperfer to disinfected. I found on removing the limber boards—which I learned had not been removed for years—the briggs water offensive, and much filth from decayed lumber. President Jones was present at the

DATES OF ARRIVALS FROM INFECTED PORTS.

American schooner Henriett: Each, arrived May 30, 1880 from Vera Cruz via Tuspan.

American achooner Hemiott : Each, arrived May 30, 1800 from vera Crux wa Tuspan.

Maxican achooner Norma, a rived from Tobacco, June 9, 1800.

American achooner Mary A. Rushing, from Tuspan. July 31, 1800.

American achooner Henriett s Zach, from Tuspan. Mexico, August 4, 1800.

American achooner America from Havana, Cuba, August 9, 1800.

There achooners were detai od 72 hours, and thoroughly cleaned. On the latter of these trips of the Mostrietta Each, a sick person was landed and placed in the hospital—a case of intermittent fever yielding mility to treatment.

The employment of a watch man has had a beneficial effect on quarantine discipline and in some degree supplied the wants of a collector of permits at each one of the basins.

For the ensuing season a new Whitehall yawl, clincher built, will be required, 16 feet long, 5 feet beam, copper fastened and riveted.

The property on hand is carefully packed and left in charge of the ordinance sergeant at Fort Pike. I have the honor to be gantlemen.

Very respectfully yours, etc.,

DANIEL W. ADAMS, M. D., Resident Physician, Rigolets Quarantine.

ATCHAFALAYA QUARANTINE STATION.

By the seventh section of the act of 1855, "To establish quarantine for the protection of the State," it is ordained that there shall be a quarantine "on the Atchafalaya River, two miles below l'ilot's Station, at the mouth of Wax Bayon." It is also enacted that "There shall be no permanent building creeted at Pilot's Station, on the Atchafalaya River, but the Board of Health shall use as an hospital for the reception of the sick, hulls and cabins of steamboats." In the twenty-fifth section of the same act it is further stated that "At the Atchafalaya Station, a good shed shall be provided for the freights of vessels to be unloaded. The Board of Health shall receive the transfer of such lands as may be necessary at the Atchafalaya River, in the same manner and under the same conditions as are required by section one, and all plans, specifications and contracts for the above buildings, shall be submitted to and approved by the Governor of the State; provided that the cost of said buildings shall in no case exceed the amount hereinafter appropriated."

In accordance with the acts of the General Assembly and the proclamation of the Governor of Louisiana, a quarantine strictly governed by the rules and regulations of the Board of Health, was maintained on the Atchafalaya River until the first of November. During the entire period of the maintenance of the quarantine no infected vessel arrived at the station, and Morgan City remained free of contagious and infections diseases.

REPORT OF N. L. SIGUR, M. D.,

RESIDENT PHYSICIAN, ATCHAFALAYA QUARANTINE STATION.

MORGAN CITY; January 25, 1881.

Board of Health, State of Louisiana:

Gendemon—I respectfully submit the following report of the quarantine operations at the Atchafalaya Station during the year 1880:

On May 29, 1880, I inspected the steamship Gussie, of the Morgan Line, Captain Richard Hill, 998 tons, which left Havans, Cubs, in ballast, on the twenty-sixth of the same month.

On August 8th, the steamship Wm. G. Hewes, also of the Morgan Line, Captain Richard Hill, 1117 tons, which left Havans, Cubs, in ballast, on the fourth of the same month.

On August 31st, the schooner Adolphe Flake, Captain Edwin L. Snow, 48 tons, which left Tampico, Maxico, with a cargo of honey and dow wood.

Mexico, with a cargo of honey and dye wood,
On October 6th, the steamship Gussie, above mentioned, which left Havana, Cuba, on the second of the

All of which I have inspected, fumigated, disinfected and detained the time prescribed by the law. It affords me the greatest pleasure to state that I found them all in excellent sanitary condition and their crews in excellent health.

I am, very respectfully your obedient servant, F. L. SIGUR, M. D., Quarantine Officer at the Atchafalaya Station for 1880.

QUARANTINE.

WORK ACCOMPLISHED DURING 1880 BY LOUISIANA BOARD OF HEALTH.

During the year 1880, 1271 vessels were inspected, detained, cleansed and fumigated, in all cases deemed necessary for the public welfare.

The aggregate tonnage of this fleet reached over 2,000,000 tons, and was believed to be the largest received through the Mississippi Quarantine Station since the American Civil War.

The activity of the commerce of New Orleans, during 1880, is also shown by the fact that 1,170 vessels were inspected at the Rigolets Quaratine Station.

The total exports and imports for the year 1889 amounted to \$102,528,336, which is

greater than any year during the past ten years, as will be shown by the following statistics of the United States Custom House.

Through the courtesy of the Collector of the Port of New Orleans, we have been permitted to extract the following general results from the records of the United States Custom House:

TOTAL VALUE OF COMMODITIES EXPORTED AND IMPORTED AT NEW OR-LEANS FOR THE FOLLOWING PERIODS.

YEARS.	Exports.	lmports.	YEARS.	Exports.	lmports.
1870	93,532,797 95,950,942 100,930,307 87,974,797	18,333,530 30,000,377 18,825,527 13,472,483	1876 1877 1878 1879 1880	70,270,593 74,366,388 81,105,822 102,528,366	11,340,752 8,725,751 8,259,606 11,800,977

Digitized by GOOGLE

The year 1880 was distinguished by the absence of contagious and infectious diseases, and more especially of yellow-fever, not only in New Orleans and Louisiana, but throughout the Valley of the Mississippi.

The total deaths from all causes in the city of New Orleans during the year 1880 numbered 5,623, and the death rate per 1,000 inhabitants was 25.98. Death rate per 1,000 whites, 22,87; per 1,000 colored, 34.84.

The death rate of New Orleans during 1880 will compare favorably with that of any American or European city of similar population, and was much less than that of the

city of Memphis.

The statistics recorded in the annual report of the Board of Health of the State of Louisiana for the year 1880, show that there has been an evident decline in the death rate of New Orleans during the past twenty years—1860-1880. These statistics also show that the establishment of quarantine at the mouth of the Mississippi River, and at the Rigolets and on the Atchafalaya, has tended to diminish the frequency of yellow-fever epidemics. Thus, from the establishment of the quarantine at the mouth of the Mississippi River in 1855 to the end of 1880 (twenty-five years), there have been but three epidemics of yellow-fever of any magnitude, namely: in 1858, 1867 and 1878; while in the preceding thirty-nine years (1817-1855) no less than nineteen severe visitations of yellowfever have been recorded.

During the year 1880, the Board of Health of the State of Louisiana not only met all its liabilities from its legitimate revenues established by the acts of the Legislature, but expended several thousand dollars on the repair and equipment of the Mississippi Quar-

antine Station.

SIO WILL

The Mississippi Quarantine Station, with its capacious government fire-proof warehouse, has justly been regarded as the equal, if not superior, of any similar establish-

ment south of New York

Notwithstanding the false alarms concerning yellow-fever; notwithstanding the prejudice of surrounding States against local Boards; notwithstanding the hostile forces arrayed against the Board of Health, within and without this city, it is an established fact, that with the exception of the years 1827 and 1879, the year 1880 was the healthiest in the past ninety-four years; and that the foreign commerce of New Orleans was larger in 1880 than in any previous year since the close of the civil war.

OUTLINE OF THE QUARANTINE OPERATIONS OF THE BOARD OF HEALTH OF THE STATE OF LOUISIANA FOR 1881.

MISSISSIPPI QUARANTINE STATION.

The dilapidated condition of the hospitals, wharf and boat house, and the neglected and undrained and unprotected condition of the grounds of the Mississippi Quarantine Station, were subjects of constant consideration and anxiety, and the earliest opportunity was embraced to urge this subject upon the attention of His Excellency, Governor Louis A. Wiltz, and of the Board of Health. The chief measures advocated are stated in the following correspondence:

NEW ORLEANS, October 23, 1880.

Hon. Louis A. Wilts, Governor of the State of Louisians:

Deer Sir... I have the honer to request your Excellency to examine the accompanying letter, embracing the request of the Board of Health of the State of Louisians that the State Board of Engineers should examine the quarantine stations and the drainage canals of New Orleans, and report the necessary improvements and estimates of expenses.

Such information will prove that the servant, Your obedient servant, Such information will prove of value to the Board of Health, and the indorsement of your Excellency is

JOSEPH JONES. President Board of Health, State of Louisians.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New Orleans, October 22, 1880.

Col. Henry B. Richardson, Chief Engineer, State of Louisiana:

Dear Sir—At the regular meeting of the Board of Health, on the twenty first instant, the President diected the attention of the Board to two subjects which he regarded as of the utmost interest to the saniry advancement and welfare of the State of Louisiana and the city of New Orleans.

The quarantine stations needed repair and improvements. The eyes of the people of the entire valley
upon the Board of Health of the State of Louisiana, and more especially upon the condition and conit the Mississippi Quarantine Station. Upless the Board of Health take immediate and decided aciking to the thorough equipment of the quarantine stations, the distrust and abuse on the part of the
ling States may be even greater than during the present summer and autumn. The most compe-

Digitized by GOOGLE

tent suthority to give advice to the State Board of Health on this subject is the State Board of Engineers, and the President urges immediate and decided action on the part of the Board of Health, requesting their ald and advice upon this important subject of the repairs and improvements of the quarantine stations.

2. The drainage samals of the city of New Orleans are choked up with filth, and need dredging and cleanaing. This question is of paramount importance to the sanitary welfare of New Orleans, and, in the opinion of the President, the Board of Health should, at the earliest practicoble moment, investigate the entire subject, and urge the City Council to immediate and energetic action.

In accordance with the suggestions of the President of the Board, the following resolutions were unanimously adopted:

an accordance with the suggestions of the President of the Board, the following resolutions were unanimously adopted:

"Resolved, That the State Board of Engineers be requested, at their earliest convenience, to examine and report upon the condition of the several quarantine stations, and especially upon the condition of the Mississippi Quarantine Station.

"Resolved The Station."

"Resolved. That the State Board of Engineers be also requested to report in detail the necessary repairs and improvements, with accurate estimates of the cost of the same.

"Resolved. That the President of the Board of Health be authorized to request the State Engineers and the City Surveyor to inspect the drainage canals of New Orleans, and to report on their condition and prepare estimates of the costs of dredging and cleaning canals."

As President of the Board of Health, I would most earnestly urge upon the State Board of Engineers the execution of this investigation, which will render material aid to the Board of Health in the perfection and execution of the quarantine and health ordinances of the State and city.

Respectfully, your obedient servant,

President Board of Health, State of Louisiana.

After a careful examination of the quarantins stations by the State Engineers and the President, and after advertising for scaled bids, the contract of repairing the hospitals and physicians' quarters and the building of a suitable boat-house and substantial wharf, was awarded to Messrs. Hauley, Kevlin & Garrett, of Algiers.

The following work was completed and accepted on or about the 1st of May, 1881:

A substantial wharf, 260 long by 10 feet wide, with pier-heads, 60 by 30 feet, with depth, of water on river front of 25 feet, cost \$1400. This wharf is one of the finest in the State, and is considered equal, if not superior to the wharf erected by the United

States Government, two years before, at a cost of \$5000.

Connected with the quarantine wharf a commodious boat-house has been erected 50 by 40 feet, elevated about 45 feet above the water, surmounted by an octagonal tower 14 feet in height, and ten feet in diameter. The sides of this tower are of plate-glass, and a beacon light is kept burning from sundown to sourise, for the guidance of vessels, and can be seen far below Forts St. Philip and Jackson. A watchman is kept on duty all night, and in foggy and stormy weather the quarantine bell is tolled. The tower serves the purpose of a valuable light-house to all vessels coming up the Mississippi at night, and is believed to be the only light-house between the passes and New Orleans.

The President of the Board of Health also purchased for this station, a strong "first-

class" boarding yawl, about 27 by 6 feet, made of white cedar, with black walnut seats and facings, all the fastenings and appointments being of brass and copper. A strong boarding boat of this nature, or better still, a steam launch, is considered as absolutely necessary to the efficiency of the Quarantine service, which in the Mississippi River, is of the most dangerous character, requiring active and experienced officers and boatmen.

The boarding of vessels in this turbid and rapidly rolling river, is especially danger-

ons in dark and stormy nights. The fever and small-pox hospitals have been thoroughly repaired, supplied with cisterns and painted within and without, and a barb-wire fence of substantial character, 3110 feet in length, has been erected on the side and back levees. The physician's residence has been thoroughly repaired and painted, and sur-

rounded by a substantial fence, 350 feet square.

In accordance with the formal resolutions of the Board of Health, the President paid Messrs. Jerome Hanly, A. G. Garrett and H. Kevlin, the sum of \$5695, immediately upon the completion and acceptance of the works and repairs as above described; and the entire amount of money paid (in hard cash), by the Board of Health for the repairs at the Mississippi Quarantine Station, and for supplies, disinfectants and salaries of officers, boatmen, watchman and hospital keeper, during 1881, was \$18,104 08. The expenses of the Atchafalaya Quarantine Station were \$690 and of the Rigolets Quarantine Station, \$1536 93. On the other hand the total receipts from all the quarantine stations, by inspection and fumigation fees, was only \$18,555.

INSPECTION OF INFECTED SHIPS—YELLOW FEVER IN RIO DE JANEIRO DURING 1880 AND 1881, AND THE URES INSTITUTED FOR THE DISINFECTION OF VESSELS ARRIVING AT THE MISSISSIPPI QUARANTINE STATION FROM THIS PORT.

The extent and value of the coffee trade and the intimate relations of New Orleans with Rio de Janeiro, and the important fact that more than one destructive epidemic in past times had been referred to the coffee ships

of the latter port, necessitated the continuance of the system of inspection, disinfection and shifting of cargoes, instituted by the President, immediately after the re-orginization of the Board of Health, on the eighth of April, 1880.

The following facts with reference to the prevalence of yellow fever and other diseases in Rio de Jaueiro were communicated mouthly to the Board of Health by the Consul Gen-

eral, Thomas Adamson.

In Rio de Janeiro there occurred in the month of November, 1879, total deaths from all causes, 850—yellow fever 9, small-pox 11, enteric or typhoid fever 20, pernicious fever 22; month of December, 1879, total deaths, 915—yellow fever 18, small-pox 9, enteric or typhoid fever 13, pernicious fever 43, consumption 153; month of January, 1880, total deaths, 1062—yellow fever 133, small-pox 2, enteric or typhoid fever 14, scarlet fever 5, pernicious fever 54, consumption 166; month of February, 1880, total deaths, 1352—yellow fever 484 small-pox 1, typhoid or enteric fever 19, scarlet fever 1, pernicious feve low fever 484, small-pox 1, typhus fever 1, typhoid or enteric fever 19, scarlet fever 1, pernicious fever 76, consumption 140. Present estimated population of Rio de Janeiro, 330,000. March, total deaths, 1389—yellow fever 468, typhus fever 3, enteric or typhoid fever 17, pernicious fever 70, consumption 153; month of April, 1880, total deaths, 1008—yellow fever 2, enteric or typhoid fever 12, pernicious fever 40, consumption 150; month of May, 1880, total deaths, 914—yellow fever 105, typhoid fever 14, pernicious fever 28, consumption 148; month of Inna 1880 total deaths, 812—yellow fever 55 typhus fever 1 typhoid tion 148; month of June, 1880, total deaths, 812—yellow fever 55, typhus fever 1, typhoid fever 8, pernicious fever 24, consumption 143; month of August, 1880, total deaths, 743—yellow fever 9, September, 1880, total deaths 758—yellow fever 4, small-pox 1, typhoid fever 3, pernicious fever 24, pulmonary consumption 168; month of December, 1880, total deaths, 812—yellow fever 14, small-pox 8, typhoid fever 14, small-pox 8, typhoid fever 12, scarlet fever 1, pernicious fever 26, consumption 141.

DEATHS OCCURRING IN RIO JANEIRO, DURING THE FIRST SIX MONTHS OF 1881, FROM ALL CAUSES, AND FROM THE DISEASES SPECIFIED, CON-SOLIDATED FROM THE REPORTS OF THOMAS ADAMSON, CONSUL. GENERAL, UNITED STATES.

Diseases.	January.	February.	March.	April.	May.	June.
Yellow Fever	31	54	42	23	24	13
Consumption	153	131	125	137	140	137
Pernicious Fever	30	39	40	24	28	16
Small-pox	15	4	2	5 .	1	2
Typhoid Fever	11	13	20	14	8	8
Typhus Fever		1		1	3	••••
Scarlet Fever		2	•		••••	
Diphtheria					••••	
CholeraOther causes		672	739	613	653	620
Totals		916	968	817	857	796

July, 1881, total deaths, 773—yellow fever 9, small-pox 2, typhoid fever 4, pernicious fever 15, consumption 134; August, 1881, total deaths, 769-yellow fever 5, small-pox 5, enteric or typhoid fever 5, pernicious fever 20, consumption 126; September, 1881, total deaths, 669—yellow fever 1, small-pox 9, typhoid fever 8, pernicious fever 14, consumption 116; October, 1881, total deaths, 803—yellow fever 2, small-pox 18, typhoid fever 17, pernicious fever 17, consumption 146. Estimated population of Rio de Janeiro, 330,000.

The prevalence of yellow fever in Rio de Janeiro received prompt and earnest atten-on. The vessels arriving with coffee from this port were detained at the Quarantine Station for periods ranging from twelve to twenty days; the resident physician was ordered to shift the cargoes into the government warehouse by acclimated laborers (that is, by men who had suffered with yellow fever), natives of New Orleans.

The crews were not allowed to handle the cargo or to descend into the hold. The men were carefully examined by the President of the Board of Health, an oath administered as to the date and nature of the preceding attack of yellow fever, and a record of the essential facts made before they were permitted to leave New Orleans for the Mississippi Quarantine Station.

The ships from Rio and other infected ports were thoroughly cleaned and fumigated, ventilated and disinfected; the coffee in the warehouse was also subjected to heavy

fumigation with sulphurous acid gas.

When the coffee arrived in New Orleans it was again disinfected and fumigated in the warehouses where it was stored.



MISSISSIPPI QUARANTINE STATION.

QUARANTINE STATION, MISSISSIPPI RIVER, LA., December 1, 1881,

Dr. Joseph Jones, President of the Board of Health of the State of Louisiana:

Dear Sir—I would respectfully submit the following report of vessels arriving at and passing this station during the eleven months ending November 30, 1881; also, number of quarantined, number of sick admitted to hospital, and list of vessels required to discharge their cargoes for the purpose of thorough disinfection.

Your obedient servent,

J. F. FINNEY, M. D., Resident Physician.

VESSELS PASSING MISSISSIPPI QUARANTINE STATION FOR ELEVEN MONTHS ENDING NOVEMBER 30, 1881.

	Steam- ships.	Ships.	Barks.	Brigs.	Schoon- ers.	Total.	
January	55	4	35	7	11	112	
February	36	15	20	7	14	92	
March	48	10	44	3	9	114	
April	53	12	35	3	16	119	
May		8	20	2	16	107	Quarantine of 72 hours.
June		4	14	1	10	68	
July		2 5	12	2	13	63	Quarantine of 240 hours.
August		5	7		4	45	-
September		5	7	3	9	60	
October			7	1	11	87	Oct. 15th—Quarantine of 72 hours
November	47	14	18	2	9	90	Quarantine raised.
Total	498	87	219	31	122	957	-

VESSELS QUARANTINED.

MONTHS.	Bremen	Rio.	Havana	Vera Cruz.	Colon.	Other Ports.	Total.	
January	1	••••					1	Other ports include La-
February					••••			
March	!	2 3			• • • •		Z	guayra, Pro-
April		3					3	gresso, Co-
Мау	l l	3	14	6	1	1	25	atzacoalcos.
June		1	10	8	1 2	2	2 3 25 23	Martinique,
July		2 2 2		8		2	12	Pointe a Pi-
August		2	2 5 3	5	i	2	15	tre, Sagna,
September		õ	1 3	5 3		7	12	la Grande,
Optember			12	8		1 7	25	
October		4	12	0		1	25	Matanzas,
November		• • • •			••••	• • • •	• • • •	and Santia- go de Cuba.
Total	1	19	46	36	4	12	117	go de Cuos.

ADMITTED TO HOSPITAL.

Date.	Discases.	No.	Vessel.	From.	Result.
May 27 July 19 August 23 August 25 Angust 26	Small-pox Bilious fever Wound of foot Chagres fever Colitis Malarial fever Continued fever	1 1 1 1	Steamship Nurnberg. Steamship Whitney Steamship Bolivar steamship Historian Steamship Historian Steamship Historian Bark St. Olaf	Vera Crus	Discharg'd Discharg'd Discharg'd Discharg'd Discharg'd

The Steamship Nurnberg had on board 85 crew and 173 passengers from Bremen. Arrived on January 11, 1881, with one case of small pox on board. The crew and passengers had been vaccinated by Dr. Noer, the accomplished surgeon of the ship, on January 5th. Not one case presented the least sign of successful vaccination. Everybody on board was re-vaccinated at this station, and the case removed to the hospital. Of the 257 vaccinated, 254 were secondary vaccinations; 3 were primary vaccinations; 98 secondary vaccinations were successful; 3 primary vaccinations were successful.

LIST OF VESSELS LOADED FROM RIO DE JANEIRO AND VERA CRUZ, ARRIVING AT THE MISSISSIPPI QUARANTINE STATION, AND REQUIRED TO DISCHARGE CARGO FOR PURPOSES OF BETTER PURIFICATION AND DISINFECTION OF VESSEL AND CARGO

at Miss River tine.	Arrival sissippi Quaran- 881	Vessel.	From	Date of Depart- ure from Port	Number of Bags of Coffee.	10533	Released from Quarantine	ı.
March		Bark Maria	Rio	December 12		2		77
••			Rio			2		77
April		Bark Eastern Chief				5		l9
••		Bark Nancy Holt				1	7. 9	23
••	9	Brig Finarid	Rio	6		5		13
May	1	Bark Just, H. Ingersoll	Rio	March 13		. 	May 1	3
••	3	Steamship Nasmyth	Rio	April 12			. 1	15 M
_ ••	10	Bark Venice	Rio	March 21		1	9	×
June	6	Brig Anita Owen	Rio	31			June 1	19
July		Bark Ellen Holt						16
••		Ship Virginia	Rie					13
August		Bark Glitner		July 4	5,000			31
• •	22	Bark St. Olaf			4,610		September	5
Septemi	ber 19	Schooner Seguin	Vers Crus.	September 7	2,328		3	10
••	27	Brig John Wesley	Rio	August 15		. . .	October 1	7
••	30	Bark Berville	Rio	13	5,000	l 	. 1	10

QUARANTINE STATION, MISSISSIPPI RIVER, (January 5, 1882,

Dr. Joseph Jones, President of the Louisiana State Board of Health:

Dear Sir-I herein forward you a classified list of vessels passing this station during the month of December, which completes the year 1881:

NUMBER OF VESSELS PASSING MISSISSIPPI RIVER QUARANTINE STATION.

Months.	Steamskips.	Shipe.	Barks.	Brigs.	Schooners.	Total.
November December		14 5	18 23	2 2	9	90 85
Total	90	19	43	'4	19	175

You will see by the total arrivals (1042) that we have had 229 vessels less than the year previous, which is a great decrease, and has diminished our receipts nearly 44000. The falling off is due to the partial failure of crops, the low rate of freights, and the inauguration of "ten days' quarantine" during the past year; however, I think we should thank a kind Providence, and congratulate ourselves on the fact that we have passed another year without any infectious or contagioas disease passing the station Very respectfully, your obedient servant,
J. F. FINNEY, M. D., Resident Physician.

REPORT OF W. H. CARSON, M. D., BESIDENT QUARANTINE PHYSICIAN, RIGOLETS STATION, FORT PIKE, LOUISIANA

To the Honorable, the President and Members of the Board of Health, State of Louisiana:

Gentlemen—I have the honor to present the following for your consideration, as a report of my labors at the Rigolets Quarantine Station, Fort Pike, Louisiana, during the past quarantine season of 1881, The quarantine station was opened and placed in working order commencing May 6, 1861, and ending

October 21, 1861.

The total number of vessels noted and reported as passing the station, undergoing boarding and inspection and receiving permits to proceed, amounts to one thousand three hundred and fourteen (1214), of which gumber asventy-nine (13), were steam vessels and one thousand two hundred and thirty-five (1233) were stitum vessels and one thousand two hundred and thirty-five (1233) were stitum vessels and one thousand two hundred and thirty-five (1233) were stitum vessels.

The crews of these vessels numbered, in the total, four thousand seven hundred and forty (4740), and the assengers numbered two thousand five hundred and ninety (2590.

passengers numbered two thousand five hundred and ninety (2590.

I am pleased to state that, during the entire season, no vessel visited this station with any evidence of infection of any nature or with the slightest suspicion of such condition.

I would state in this connection that but four vessels, large schoouers, generally termed "outsiders," the Emma White, Henrietts Ksch, Geo. W. Dill and the Stells, presented themselves at this station during the season from ports of departure where any possible suspicion of infection was warrantable or justifiable, the first named coming from Cedar Keys, Florids, the remaining three from Tuxpan, Mexico. All received the usual and customary sanitary attention of cleansing, disinfection and funigation. All were in ballast with iron and without any porous material esculated to convey infectious or contagious classes.

On the thirty-first of August, 1881, I was informed by telegram from President Jones of the antishpated approach of an infected vessel, the schooner "Vernal," cleaning from Mexican port; ordering her detention subject to orders, and ordering me to report the condition and all other matters of importance; the vessel, however, never appeared at the station, but it is reported was obliged to put in at Mobile Bay in distress.

The above about completes all that can be said in regard to the practical quarantine operations at this

station for the season just closed.

In regard to the revenue, the collection of quarantine fees, the difficulty still exists, with no tendency towards improvement, but rather to grow worse.

The kindly expressions from members of the Finance Committee, as well as other members of the Board, to the effect that any opinion of mine relative to the revenues and finances of the station would be extremely acceptable, and that all consideration would be shown any suggestion presented, justifies as well as induces me to make the following statements relative to the collection of quarantine fees and its co-

as induces me to make the following statements relative to the cellection of quarantine rees and its coattending features.

The sebedule of quarantine fees has been changed more than ence during the past season, and on each
cocasion reduced in a spirit of liberality and kindly feelings to satisfy all parties concerned, and hoping to
make the collection of quarantine fees by a small tax, as well as to lessen, I am informed, the delay and
difficulty of collection by the boarding officer.

The various reductions of the schedule of fees have still failed to give the satisfaction desired and
achieve the result desired to be obtained, and again does indirectly an injustice to the resident physician,
which, I am quite satisfied, never entered into their reckoning when framing the schedule; a condition of
affairs and annoyance which the committee never intended, and would not have permitted had they any
knowledge of the fact, or their attention been called to it. The point I refer to, and to which I would call
the special attention of the Board, that as the last revised schedule of quarantine fees now stands adopted,
August 29, 1881, wherein the schedule of fees for the second time revised, steamboats and schooners are
rated and taxed at one dollar, a deduction from five to one in behalf of the steamboat, and a dollar and a

August 22, 1881, wherein the schedule of fees for the second time revised, steamboats and schooners are rated and taxed at one dollar, a deduction from five to one in behalf of the steamboat, and a dollar and a half in behalf of the schooner, from that charged in the opening of the quarantine season.

This, the last reduction, still failed to give the satisfaction desired, or to increase the revenues of the station, and created additional burdens, fatigue and danger that the gentlemen never anticipated, or for a moment intended, inasmuch as vessels that previously would not pay a copper in the day, and that formerly would lay over and anchor a hight, now deemed it to their interest and advantage, when caught by nightfall, to pay this modicum of a dollar and rouse the resident physician at all hours, and in any weather, to board, inspect and great them permit and release. Those vessels previously, when in quarantine after seasest, when the resident physician was legally relieved from boarding, would come to an anchor and await for the morrow's sturies and then proceed defiantly on, and without impost or payment of the schedule tax, to their port of entry.

, to their port of entry.

for the morrow's surrise and then proceed defiantly on, and without impost or payment of the schedule tax, to their port of entry.

It has been understood and customary for the Resident Physician, in many seasons past, to board and inspect all vessels after sunset, so requesting, upon their payment of the schedule rate of quarantine tax fee—no extra charge being allowed or provided for. The law in regard to quarantine does not call or compel the Resident Physician to board or inspect after sunset, but in view of the small revenue attending the station it has been, as I have before remarked, the custom of the Resident Physician to board and inspect, facilitating commerce as well as collecting the tax fee not otherwise assured.

This, in the main, was reasonable and without objection, and such boarding and collection of tax fees has been the practice, and still continues to be. And now that the situation has, I believe, been intelligently explained. I do not doubt but what some consideration and relief is requisite in the matter.

When you take into consideration that the Resident Physician is aroused often three, four and five times a night, at any time and in all weather, to board and inspect vessels (that, as I before remarked, would not pay a copper in the day), his boatmen being relieved and assured of their time and rest, the inconsistency is manifest. I have presented this unlooked for annoyance as full and complete as possible, satisfied that the gentlemen of the committee framing this schedule of tax fees and now in force, all of whom I am personally acquainted with and entertain the highest respect for, will provide a suitable remedy.

It is to be hoped that, in the near future, some improvement in the surety and mode of collection of this quarantine tax fee will be assured. If congressional sotion is necessary in the premises, it should be early and promptly applied for, soliciting their favorable action to relieve much of the embarrassment and indignity attending the present form of collection. A quar

and yield under more favorable circumstances no mean surplus.

I would especially call the attention of the Board to the unsuitable location, and the attendant require-I would especially call the attention of the Board to the unsuitable location, and the attendant requirements necessary to carry out an effective and proper quarantine. The attention of the board has been called to the many wants and deficiences existing at this station, by most of my predecessors, and the same condition still exists, only in a more intensified and aggravated form. That the location is unsuitable is undenishe; though within an hour or so between the Quarantine Station and New Orleans, no assurance can be placed in the character of communication, the nearest telegraphic communication and only accessible by water, is four or five miles distant and can only be reached in the calmest weather, not considering the course or strength of tide or the disturbing features resulting from the detailing from the small force employed to send a telegraphic message such a distance. The regular mail reaches the station once a week and is extremely uncertain and unsatisfactory, one official communication often accompanying another though differing in dates many days, wat arriving at the station the same request.

is extremely uncertain and unsatisfactory, one official communication often accompanying another though differing in dates many days, yet arriving at the station the same moment.

The quarters of the boatmen are in a most deplorable condition, and it is safe to assume that, on the opening of the coming season, they will be positively uninhabitable. The wharf is in a most wretched and wrecked condition and in a short time will have wholly disappeared.

In view of the many dedelencies, the unsuitable location, the deplorable condition of the buildings and the poor and inadequate facilities for boarding, I would respectfully suggest to the Board some location in

the immediate locality of the Rigolets Bridge, where the better supervision of vessels could be obtained, more sure and quick mail facilities assured, and in every way the efficiency of the "Rigolets Quarantine

A new white-hall boat has been furnished the station the past season, allowing the old boat, some years in use, to be repaired and made serviceable, only however, in mild weather. The new boat has been found in

use, to be repaired and made serviceable, only however, in mild weather. The new boat has been found in every way serviceable and satisfactory.

Thanks are due Mr. Thomas Cooney, Ordinance Sergeant, U. S. A., in charge of Fort Pike, Louisiana, for the safety and preservation of a quantity of quarantine stores deposited in the casements of the fort. On the sixth, seventh and eighth of February last a violent storm raged, backing up the waters to such an extent and height as to fined cellars, gun-rooms and casements to the depth of two or three feet, relieving the quarantine yawl of all of her supports and washing her out to the parade ground. The other stores, much of which was perishable, were secured and placed in safety, but a barrel of copperas escaped and was totally dissolved in the waters, not a pound of the chemical remaining. This constitutes the greatest loss, and much credit is due Sergeant Cooney, in preventing further damage and loss, and his disinterested conduct in this connection. All stores now on hand I have left in his charge, he of course assuming no direct responsibility. responsibility.

These stores and all other property have been carefully packed and appropriately stored, a complete and

detailed list of which is herewith furnished

In conclusion I would bear testimony to the trustworthiness and efficiency of my subordinates at the station, each in their respective capacities of boatmen and watchman: Joseph, Frederick and Lewis, boatmen, and Loring D. Allen, watchman, all rendering full satisfaction and strict observance of discipline.

I have the honor to be, gentlemen, very respectfully, your obedient servant, W. H. CARSON, M. D.

Resident Physician, Rigolete Quarantine.

REPORT OF N. L. SIGUR, M. D., RESIDENT PHYSICIAN, ATCHA-FALAYA STATION.

MOBGAN CITY, February 9, 1882.

To the President and Members of the State Board of Health, New Orleans, La.

Gentlemen.—I have the honor to submit to you my official report of the operations at this station during the quarantine season of the past year ending October 31, 1881.

The number of vessels frequenting this port was about the same as that of the preceding year, one hundred and nineteen steamships and eighty-one schooners, halling chiefly from Galveston, Indianois and Brazos. The ships carried, besides their cargo and regular crew, a great many passengers, about ten thousand in number, showing at this point a great increase in travel. The schooners had only their crew and cargo. All were inspected upon their arrival, and it affords me pleasure to state that no sickness of an epidemic or contagious character has manifested itself this season, either at the port of Brashear or in Mor-

epidemic or contagious vascular and a second from an infected place. This was the steamship Whitney, which left Vera Crus on the twenty-sixth of October, with full cargo, thirty-nine crew and iffteen passengers. Although provided with a clean bill of health from the Mexican authorities, she was stopped by me upon her arrival at quarantine station on October 30, and it was only after the required inspection, detention and fundgation, that she was allowed to proceed to Morgan City. I found the ship in good sanitary condition, the crew and passengers in excellent health, with the exception of an old English gentleman who labored under a severe attack of malarial fever which yielded readily to the free administration of the sulphate of contains.

ninine.

Hoping that the coming year will prove as healthy as the last, I have the honor to subscribe myself,

Very respectfully, your obedient servant,

N. L. SIGUR, M. D.

N. L. SIGUR, M. D. Quarantine Officer, Atchafalaya Station, for 1881.

GENERAL REVIEW OF THE FINANCIAL OPERATIONS OF THE BOARD OF HEALTH OF THE STATE OF LOUISIANA. 1870-1881.

In the history of Louisiana no Board of health has to meet graver responsibilities, and

at the same time has had less support from the State and city governments.

In proof of this proposition, we have to look, on the one hand, to the large sums received by former Boards of Health from the Legislature and City Council and the results accomplished, and, on the other hand, at the magnitude of the work which has devolved upon the present Board, and which, in virtue of the most rigid economy, its judicious expenditures have been successfully accomplished.

In 1869 the Board of Health received from the Legistature of Louisiana \$19,258 85; in 1870, \$4625; 1871, \$1630; 1872, \$2016; 1873; \$3561; 1875, \$18,000; 1876, \$6751; total received by the Board of Health from the Legislature for the support of quarantine during the seven years specified, \$56,735 85.

Amounts paid by the city of New Orleans for disinfectants ordered by the Board of Health: In 1870, \$2851 77; 1871, \$1448 21; 1872, not recorded; 1873, \$16,069 83; 1874, \$2482 35; 1875, \$12,376 25; total paid by the city of New Orleans for disinfectants during five years, \$35,128 51.

The arroward stated \$56,735 85, as paid by the Legislature for the support of quaran-

The amount stated, \$56,735 85, as paid by the Legislature for the support of quarantine during the years specified, 1869-1876, represents the cash received from the sale of the warrants, the sums appropriated being far greater.

The amount stated, \$35,128 58, as paid by the city of New Orleans for disiefectants, 1870-1875, does not include the outstanding claims. Neither does this amount include the salaries of the Sanitary Inspectors and Sanitary Police, paid by the city, which exceed the annual budgets of the City Council appropriated to the Board of Health during the past two years.

As a grand result of the appropriations by the Legislature for quarantine purposes, and by the City Council solely for disinfectants, during seven years, 1869-1876' we have the

imposing sum of \$91,864 36.

The preceding statements have been based upon the following statistics, which are presented in full, as they form important data in the history of the Quarantine and Sanitary Affairs of Louisians.

.069-1881.
OUISIANA.
STATE OF L
F HEALTH,
F BOARD OF
CRIPTS 0

ts of Louisiana	Boara of House, 1909-1	
Total.	##1,686 95 88,670 60 88,140 50 94,591 15 96,005 85 87,776 55 88,786 55 88,786 55 88,786 55 88,786 55 88,786 55 88,786 55 88,786 55 88,786 55 88,786 56 88,786 56	\$20,659 79
City of Mew Orleans.	857.9 85 187.78 991.47 115.00	
lo statis angialno.I	4,695 00 4,695 00 9,910 00 9,910 00 18,000 00 6,751 00 1,181 25	
Miscellameons.	255 75 90 75 90 90 90 90 90 90 90 90 90 90 90 90 90 9	
Fines.	10 00 61 00 100 00 100 00	
Building Permite.	\$121 00 1386 00 87 50 14 00	\$25 25
Body Permits.	133 75 133 75 133 85	835 00
tmonrestal stimmed	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23 02
Privy Permits.	9, 1751 509 1, 731 9, 610 50, 364 50,	\$1,781 95
Coal Oil Inspection.	45,218 51 6,735 50 4,651 00	\$4,591 00
Recording Birtha, Desthe and Marriages.	\$1.389 38 9.9827 72 9.106 69	\$1.731 SA
avalaitatot A Quarantine.	11.097 1950 11.090 11.090 11.090 11.090 11.090 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0	
Rigolets Quarantine.	83,557 60 9,947 60 815 60 11,635 65 145 15 674 15 931 85 178 00 174 75	02 9888
Mississippi Gastandhee.	983, 960 00 91, 012 50 00 18, 30 00 18, 30 00 18, 30 00 18, 30 00 18, 30 00 18, 30 00 18, 30 00 18, 31 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 18, 30 00 00 00 00 00 00 00 00 00 00 00 00	\$12,222 00
YEARS.	989 870 871 873 873 873 873 878 878 878 878 878 878	No September 1, 1881.

18555555555 Alalightzed by Google.

- 2
•
,
•
-
U
E
2
-
-
1
C
•
£.
=
٠
4
E
É
Œ
-
TH
t
-
2
RAI
×
-
•
R.
4
c
Ξ
_
-
-
4
ò
×
щ
_
×
à
•
20
ü
JRE
œ
'n
Ē
-
0
c
Z
2
•
×
Ω

A Company	Missississi	Direlete	Atchefalane	T to ton			Transfer of the state of the st
romo.	Quarantine.	Quarantine.	Qu'urantine.	Com On Anapection. General Axpenses.		roter texpenditures.	Total Expenditures. Lincolnides at End of Year.
1960	\$15.019	\$8,941.33	\$1.474 60			827.746 66	
1670	13,201	25.543 25	2,259 50			26,954 60	
1871	14,883	2 58	90.198			26 5	00 000°15°
1673	13,403	1,557 08	600			25,643 65	90009
1874.	11,557 10	3.5	138 88		7,895 10	19,453 05	10,896 36
1876.		35	25.28			25,667 41	4,199 61
1877	9,314 71	1,367 66	847 50	\$1,556 00	8,934 46	23.040 33	May, \$ 4,66# 04
1878	13,858 80	989 19	711 99	8,901.30	13,574 78	38,065 90	4,668 OF
1879	18 698'6	1,509 93	1,134 49	2,751 88	18,933 89	97,286 70	4,668 04
1880	14,386 91	1, 047,1	818 83	2,067 30	15,434 33	35,025 04	**************************************
Up to Sept. 1, 1880	\$6,305,93	\$1,083 36	\$457 50	\$1,777 50	\$6,943 88	\$19,857 17	
Up to Sept. 1, 1891	\$13,839 83	\$1,019 50	8460 00	91,686 75	100 83	. \$15,515 41	

STATEMENT OF THE	AMOUNT PAID	BY THE	CITY OF	NEW	ORLEANS	FOR	DISINFEC.
	TANTS	FROM 18	70 TO 1881.				

	120, 120, 100, 100, 100, 100, 100, 100,		
_ 1870		8407 30	
Inne	11—Pickles & Albers		
July	20—Pickles & Albers	140 20	
Septembe	r 15—F. B. Albersr 4—F. B. Albers	94 00	
Novembe	r 4—F. B. Albers	2,281 27	
_	-		40 061 97
T	otal amount expended in 1870		\$2 ,851 77
1871			
June	9-F. B. Albers	\$77 19	
August	9—F. B. Albers	2,371 09	
_			40 440 01
10m ^T	otal amount expended in 1871		\$2,44 8 21
1879.			
No record	l•		
1873.		****	
April	29—Thos. Pickles	\$136 90	
Мау	17—Dr. Albers	85 75	
June	17—Dr. Albers 21—Dr. Albers 15—W. J. Kelly	29 90	
August	15—W. J. Kelly	189 98	
Septembe	r 5—W. J Kelley	59 15	
October	14—W. J. Kelly	88 75	
December	14—W. J. Kelly	97 25	
1874.			
March	14—W. J. Kelly	393 75	
March	26—W. J. Kelly	50 00	
May	25—Page & Co	3,000 00	
June	6—Page & Co	3,000 00	
June	25—Page & Co. 6—Page & Co. 23—Page & Co.	3,664 22	
June	23—Page & Co	5,905 92	
June	23- Page & Co	129 86	
1875.			
March	10—W. J. Kelly	10 00	
_			
T	otal amount expended in 1873		16,069 8g
_ 1874.	•		
June	6—W. J. Kelly	\$ 163 35	
June	30—W. J. Kelly.,	118 50	
October	21—W. J. Kelly	107 25	
1875,			
January	13—Thos. Pickles	92 00	
February	16—W. J. Kelly	54 30	
March	10—W. J. Kelly	349 35	
December	13—Thos. Pickles. 16—W.J. Kelly. 10—W.J. Kelly. 23—W.J. Kelly.	1,165 60	
1876.	•		
May	3—W. J. Kelly	91 25	
_ 1877.	•		
June	2—W. J. Kelly	340 75	
	<u> </u>		
Te	otal amount expended in 1874		\$2,482 35
1875.	•		•-,
February	10-W. J. Kelly	\$57 00 1,000 00	
March	16—W. J. Kelly. 22—W. J. Kelly. 15—W. J. Kelly.	1.000 00	
March	22—W J. Kelly	314 55	
April June	15_W. J. Kelly	15 50	
Jüne	30—W. J. Kelly	66 90	
July	20—W. J. Kelly	12 50	
July	31—Thos. Pickles	187 90	
September	90—W. J. Kelly. 31—Thos. Pickles. 23—Thos. Pickles.	1,421 45	
1876.			
January	10—Thos. Pickles	2 80	
June	14—Thos. Pickles	1,151 66	
June	26—Thos. Pickles	13 69	
August	9Thos Pickles	212 35	
August	16—Thos. Pickles	204 45	
August	16—Thes. Pickles. 23—Thes. Pickles. 30—Thes. Pickles. 14—Thes. Pickles.	433 00	
August September	30—Thos. Pickles	43 13	
September	14—Thos. Pickles.	1 00	•
1878			
July	1—Thos. Pickles	1,071 13	
July	26—Thos. Pickles	259 11	
August 1879.	26—Thos. Pickles 2—Thos, Pickles	110 38	
September	25—Thos. Picklos	68 55	
October	25—Thos. Pickles	500 00	
1680.			
October	7—Thos. Pickles	920 33	
November	4—Thos. Pickles	79 68	
December	29—Thos. Pickles	1,581 84	
December	99—Thos. Pickles	1,464 02	
1881.		-,	
January	6—Thos. Pickles	1,184 14	
	· ·		
Tot	al amount expended in 1875	- '	\$12,376 35

October October October October October October November December	93—Thos. Pickles 13—Thos. Pickles. 6—Thos. Pickles. 8—Finlay & Co. 5—Finlay & Co. 7—Thos. Pickles. 12—Finlay & Co. 15—Finlay & Co. 15—Finlay & Co. 19—Thos. Pickles. 19—Thos. Pickles. 19—Thos. Pickles. 19—Thos. Pickles.	57 90 99 00 459 75 961 78 175 68 364 10 1,306 10 110 96 380 00 90 75 14 96	
To	tal amount expended in 1876		\$3,543 5 6
1877. March May June August	15—Thos. Pickles	\$51 09 119 70 15 21 2,856 18	(5,522 cc
To	al amount expended in 1877		\$3,041 18
1878. February May August 1879. August	6—Finlay & Co	\$63 59 12 98 14 24 235 00	40,011 10
August	19—Finlay & Thompson	2,500 00	
Angust	19—Streubel & Co., for sprinkling disinfectants	408 50	
August	26—Figlay & Thompson	2,221 32	
September	6—Finlay & Thompson	2,406 50 422 18	
September September	6—Balder, Adamson & Co	1,214 45	
September	6—Finlay & Thompson	219 15	
September	6—Streubel & Co., distributing disinfectants	47 50	
	28—Finlay & Thompson	139 36	
October October	1—Balder, Adamson & Co. 1—Finlay & Thompson.	364 67 1,950 55	
October	17—A. Vizard	103 50	
October	17—Page & Co	252 00	
November	8-A. Vizard	39.00	
1880. January December	26—Finlay & Thompson	30 00 269 73	
Tot	al amount expended in 1878		\$12,907 23
	•	-	\$55,090 49
	·		4-0,020 30
	RECAPITULATION.		
Amount pa	d for the year 1870		. \$2,851 77
Amount pa	d for the year 1871	•••••	. 2,448 21
Amount pa	d for the year 1872d for the year 1873	•••••	16 069 83
Amount pad	d for the year 1874		. 2.482 35
Amount pai	d for the year 1875	· · · • • • · · · · · · · · · · · · · ·	. 12,376 35
	d for the year 1876		
	d for the year 1877d for the year 1878		
Amount nai	d for the year 1879d for the year 1879		
Amount pai	d for the year 1880		
	•		\$55,020 49

N. B.—The amounts above stated are the actual amounts paid by the city of New Orleans, to January 29-1881, but there are still amounts due to sundry parties for disinfectants furnished during several years, which are still unpaid.

On the other hand, during the years 1880, 1881, 1882 and 1883, not one farthing has been appropriated by the Legislature to the maintenance of her quarantine establishments, and the City Council has appropriated an amount in the annual budgets inadequate to the pay of the sanitary inspectors and sanitary police, leaving nothing whatever for the purchase of disinfectants.

The Board of health paid during the year 1880 the following sums, which should have been paid by the City Council: To I. L. Lyons, balance of account for disinfectants, \$428 64; to G. R. Finlay & Co., for disinfectants furnished in 1880, \$667 82; to salaries of sanitary inspectors, \$1550; to G. R. Finlay & Co., for disinfectants supplied during this year, in addition to the amount stated above, \$334 92. We have thus a total of \$2930 38, paid by the Board of Health out of the revenues derived from the quarantine fees, the registration of births, deaths and marriages, privy permits and coal oil inspections, for material and services justly chargeable to the city.

When, in accordance with the organic acts of the Legislature of Louisiana, the President of the Board of Health assumed the direction of the quarantine establishments of Louisiana in April, 1880, he found them in a dilapidated and deplorable condition.

At the Mississippi Quarantine Station, the fever hospital, and more especially the small-pox hospital, which had been occupied as a residence by one of the officers, were in wretched condition. The quarantine boat house and wharf were undermined and unsafe; in fact, it was necessary to moor the physician's boat in the river, without protection from the rain, at the government wharf. The unside of the quarantine boat had been stove, and it was necessary to replace it with one capable of executing the hazardous labors of boarding in the treacherous waters of the Mississippi River.

The levees were broken and the drains of the hespital grounds were open, without fences, and were roamed over by cows, horses and hogs. The graveyard was a mass of

taugled brushes, brambles, briars and sedge grass.

The plastering of the hospital walls was broken, the windows open, the roof leaking, and there was an absolute absence of all decent and comfortable beds and bedding. The

supply of drugs and medicines and medical appliances was exhausted.

After carefully viewing the situation the first work accomplished by the executive of the Board, with the advice of Col. I. N. Marks, the able and patriotic chairman of the Finance Committee, and the assent of the Board, was the equipment of the hospital with beds, bedding, mosquito bars, blankets, sheets, crockery, cooking stoves and utensils, and a full supply of fresh, pure drugs. In 1880 the Board was without the necessary funds, and the season so far advanced that it was out of the question to attempt any repairs during the summer and fall. But as soon as funds had been accumulated by the most rigid economy, upon the urgent recommendation of the President, indorsed by the chairman of the Finance Committee, about \$6000 was devoted to the repair of the Mississippi Quarantine Station.

Estimates were made by the State engineers, but the contract was awarded to private parties, who executed the work at the lowest possible figures, and the Mississippi Quarantine Station was placed in an effective condition and in complete repair, and was thoroughly equipped by the first of March, 1881; and but for the diversion of a portion of the funds to pay the sanitary inspectors and sanitary police in the autumn and winter of 1880, it would have been possible to have placed the Rigolets Station in comparative

effective condition.

A detailed statement of the expenditures at the Mississippi Quarantine Station will be presented under the appropriate head.

Under the system of rigid economy exercised by the Finance Committee, acting in fall accord with the President of the Board, the following important works have been

accomplished during 1880-1881:

1. The publication of one thousand copies of the Acts of the Legislature of Louisiana establishing and regulating quarantine for the protection of the State; organizing and defining the powers of the Board of Health; and regulating the practice of medicine, midwifery, dentistry and pharmacy, rales and regulations of the Board of Health, and ordinances of the city of New Orleans. This volume of 100 pages, illuminated by valuable maps, illustrating the position of the quarantine establishments and the medical topography of New Orleans and lower Louisiana, was digested, consolidated and passed through the press by the President without any cost to the Board of Health, except in the mere matter of printing and paper.

2. The preparation, publication and distribution by the president to the shipping agents, shipping masters, and captains, and foreign consuls, and leading merchants in the port of New Orleans, 7500 copies of the rules and regulations of the Board of Health

governing quarantine.

Upon assuming the duties of President of the Board of Health of the State of Louisiana, in April, 1880, the necessity for collecting and publishing all the laws of Louisiana, bearing on sanitary science and public hygiene, was at once realized, as the acts of the Legislature, the ordinances of the City Council and the rules and regulations of the Board of Health were scattered through various official documents, or existed only in manuscript in the archives of the City Hall and Board of Health. Measures were taken for the collection of the existing laws and ordinances, and the importance of their publication for the guidance of the officers and employes of the Board of Health, and the public, in the execution of sanitary measures and reforms, was urged upon the Board of Health.

Notwithstanding the pressure of official duties, the President deemed this work of such importance in its bearing upon the public welfare, that he embraced every opportunity and every moment of time for its successful completion.

The labor by the President in the collection and classification of the quarantive laws of the State, and ordinance of the Board of Health and City Council, was indersed by the Board of Health, and their publication at the earliest practical moment granted.

On the fourteenth of October, 1880, the laws of the State of Louisiana regulating the establishment and enforcement of quarantine for the protection of the State, and defining the powers of said Board of Health; also, the health ordinances of the city of New Orleans, and the rules, regulations and forms of the Board of Health, were published addistributed to the State and civil officials, and to the prominent physicians and sani-

ms of this and other Southern and Western States.



3. The publication and distribution of one thousand copies of the circular of the committee charged with the arrangement and programme of the quarantine convention; the prompt payment of all the expenses incurred in the conduct of the quarantine con-

Whilst the quarantine convention, as a body, was deaf, dumb and blind to matters relating to quarantine and sanitary science, and to the welfare of Louisiana, nevertheless its discussions revealed the plan of action of the enemies of this board, which was vigorously executed during the winter of 1880 and 1881, and the spring of the latter

year, by certain voluntary associations in this city and elsewhere.

4. The weekly publication and distribution to the chief health officials in this country. and Europe of the mortuary and meteorological statistics of the Board of Health. All important reports of committees, and all matters relating to the health of this city and State, published in the daily press of New Orleans, have in like manner been promptly forwarded to the Boards of Health and Quarantine Stations in surrounding States.

By such measures, neighboring States, and especially those of the valley, were divested

of all excuse for establishing quarantine against a healthy city.

5. The publication and distribution of 3000 copies of the annual report, in accordance with the formal resolution of the board. Said report was illustrated with maps, charts and lithographs, and distributed to the members of the State Legislature and of Congress, and to all known boards of health and health organizations. This work was published at the lowest possible cost, and the demand has been so great for it, not only in this but in other States, that the entire edition is now well nigh exhausted.

The prompt payment of the pay-roll of the Board of Health, which now amounts

to \$2400 per month.

No board of health has ever before attemped to carry out effective quarantine inspection at the mouth of the river, to maintain an inspection at Port Eads, or to maintain inspectors of shipping for the river front and the Old and New Basins. In this respect alone the Board of Health has a monthly expense of \$250 above that of any former board. The system of harbor and basin inspection, as well as that of the hygienic conduct of

ships, was proposed and perfected by the executive officer of this board,

At the present moment, the active force of the Board of Health consists of: The President, the Secretary and Treasurer, two clerks for the registration of deaths, births and marriages, clerk and book-keeper, messenger and collector, two coal oil inspectors, two police deputy inspectors of shipping in the Mississippi river and in the Old and New Basins, one porter; two quarantine officers at the Mississippi Stations, four boatman, one watchman, one nurse, one keeper of hospital grounds; at Port Eads—one quarantine inspector and two boatmen; at Rigolets—one quarantine physician, two boatmen and one watchman; at Atchafalaya; one quarantine physician and one boatman.

The officers and employees of the board of health proper, therefore, number about

twenty-seven.

The preceding estimate does not, of course, embrace the Sanitary Inspectors and Sanitary Police, paid by the city out of the budget appropriation to the Board of Health. This sanitary corps consists of six inspectors and twelve policemen—total, 18.

The entire effective force of the board of health during the years 1880 and 1881, officers

and men, was about 45.

Not only has the entire corps been promptly paid, but the four quarantine stations have been fully supplied with disinfectants, coal oil for lights, and all the necessary equipments for the boats and hospitals; and the Board of Health has purchased and distributed gratuitously to the poor of the city of New Orleans, during the years 1880 and 1881, about

gratuitously to the poor of the city of frew Orloway, and pounds of sulphur.

150,000 pounds of copperas, 150 gallons of carbolic soid, 9000 pounds of sulphur.

Under the able management of the Chairman of the Finance Committee, acting in full accord with the executive officer of the Board of Health, every obligation has been promptly met by cash payments, and the present small amount of money in the treasury of the board is an evidence that its revenues have been faithfully and promptly applied in accordance with the laws for the protection of the people from foreign pestilence, and .

for the prevention and arrest of disease in our midst.

New Orleans, during the past two years, 1880 and 1881, has been free from yellow fever, and all contagious or pestilential diseases, and this result has been accomplished at an annual cost of about \$50,000 (fifty thousand dollars). Of this amount, the city of New Orleans has annually contributed \$10,000; and the remainder (\$40,000) has been collected chiefly from quarantine fees and the small amounts paid for the registration of births,

deaths and marriages, etc.

We have a board of health upon which the greatest responsibility rests, and which is charged with the execution of the most important offices with reference to the protection of the Mississippi Valley from the importation of foreign pestilence, and yet no man within the bounds of Louisiana feels the burdens; for so skillfully and wisely have the sanitary and quarantine laws been framed, that there is no direct taxation, with the exception of the small amount furnished by the city. The revenues derived from the quarantine fees are returned a thousand fold to the merchants and shippers, ship masters and seamen, in that foreign postilence is excluded, the health and hygiene of ships im-

Digitized by GOOGIC

The citizens of New Orleans derive great benefits from the registration of births, deaths and marriages, in various ways; but we will direct attention to only the following results flowing from this portion of the labors of the Board of Health:

1. The preservation of accurate records of the names ages nativity residence. proved, and the sick seamen carefully and comfortably treated in commodious hospitals.

1. The preservation of accurate records of the names, ages, nativity, residences, attending physicians, and diseases of all fatal cases, furnishes the only date upon which a correct estimate may be based as to the rate of mortality and the nature of the prevailing diseases. The systematic consolidation and publication of these statistics at regular intervals has enabled the executive of the Board of Health to meet and over-throw the slanders constantly launched by the enemies of New Orleans against her reputation for health. Whilst the cost of such publications enters as a considerable item in the expenses of the board, the return thus far in the maintenance of friendly relations with the health authorities of surrounding States, and in the prevention of senseless and destructive inter-State quarantines, has been more than one million fold. In addition to the preceding considerations, it is well known that upon an accurate record of deaths numerous questions of life insurance and successions of property frequently hinge. A stranger dies in New Orleans; he leaves a widow and several children; he also leaves a policy in a life insurance company. The payment of the policy to the destitute widows and orphans depends absolutely upon the establishment of the proofs of death, including date, place and cause. The records of the Board of Health furnish the necessary particulars. Hundreds of thousands of dollars annually depend upon the truth and accuracy of these records. Again, it is of the utmost importance that the ballot-box should be kept sacred and free from fraud. The daily mortuary records of New Orleans furnish the data by which the list of voters is constantly purged of what might be called literally "Dead Heads" in contradistinction of the dead-heads and deadbeats of sailor boarding-houses, corner groceries, unoccupied vacant lots and the charity wards of the eleemosynary institutions.

2. It is impossible to over-estimate the value of accurate records of births and marriages upon the welfare of the citizens; the simple records of births or deaths may decide, upon one side or the other, the suit for valuable possessions, and either establish

or destroy the claim to honorable and untainted birth.

3. Questions relating to age, sex, race, occupation and nativity can alone be studied of

well-recorded and classified mortuary and vital statistics.

4. Upon the proper action of the Honorable Mayor and the City Administrators of New Orleans, in providing the necessary means for the payment of the Sanitary Inspectors, and in furnishing the necessary police, and the necessary disinfectants and the carts for their distribution, depends in a large measure the sanitary condition of the city of New Orleans. New Orleans has no system of sewers; the excrement from her 216,000 inhabitants, and from the masses of strangers that constantly crowd her streets, may be removed by her manual labor. It is horrible to contemplate the effect of hoarding up the vast accumulations of human filth in this damp, hot, semi-tropical climate. In the present condition of New Orleans the only method of dealing with this gigantic evil, which is a constant menace to the health and comfort to the people, is to clean the privies by mechanical means—by well-devised, odorless apparatus, and to keep them continually disinfected by cheap and reliable disinfectants accessible to all at lowest prices. As President of the Board of Health, after careful "investigation, I have recommended copperas (sulphate of iron) and carbolic acid as the cheapest and most reliable disinfectants.

The constant and systematic removal of the human and animal excrements, as well as the maintenance of a good sanitary condition of all private premises, must be based upon systematic house-to-house inspection.

Thorough inspection and thorough attention to domestic sonitation requires intelligent, faithful and honest sanitary inspectors, and efficient and honest sanitary police, sub-

jected to rigid discipline.

The organic acts of the Legislature make it imperative upon the honorable Mayor and Administrators of New Orleans to furnish an adequate police force to perform the sanitary offices indicated by the Board of Health as necessary to the preservation of the health of the people; and it is equally the duty of the municipal government to furnish the necessary funds for the payment of the sanitary inspectors and the supply of sufficient amounts of disinfectants. The continuous and efficient inspection of the shipping in the harbor of New Orleans should also be provided for by the City Council.

ESTIMATED RECEIPTS OF THE BOARD OF HEALTH, STATE OF LOUISIANA. (Receipts for the Ten Months Ending October 31, 1881.

Coal Oil Inspection—Amount fees gauging and inspection 2, Recording Births—Amount fees	506.00
--	--------

Digitized by GOOGLE

Recording Marriages—Amount fees. Marriage License—Amount fees. Record Certificates—Amount fees. Privy Permits—Amount fees. Body Permits—Amount fees. Building Permits—Amount fees. Interment Permits—Amount fees. Amount received from city of New Orleans for disinfectants. Amount divided from deposits in New Orleans Savings Institution. Total.	1,008 00 1,065 50 91 00 2,039 50 42 25 49 25 51 00 500 00 47 80— 26,039 66
(Estimated Receipts for Two Months ending December 31.)	
To Mississippi Station—Amount of fees from vessels via station	\$4,595 00 861 20 889 50 100 00 7 50— 6,253 20 \$38,151 77
To balance	98 71
Total	
DISBURSEMENT OF THE \$10,000 APPROPRIATED BY THE CITY OF N	- ,
THE USE OF THE BOARD OF HEALTH, STATE OF LOUISIANA, FOR	ITS EMPLOYMENT
OF SANITARY INSPECTORS AND POLICE, DURING 1881.	
January Five Sanitary Inspectors, at \$100 One Sanitary Inspector Six Sanitary Policemen, \$50 February and March—Amount of rolls, at \$675 April Six Sanitary Inspectors Thirteen Sanitary Policemen May Five Sanitary Inspectors, at \$100	\$500 00 75 00 300 00—\$ 875 00 1,750 00 575 00 425 00— 1,000 00 500 00
Une Sanitary Inspector Eleven Sanitary Policemen, at \$100. June	75 00 500 50— 1,125 000 1,125 00 1,125 00 1,125 00 1,125 00
OctoberFive Sanitary Inspectors, salary reduced to \$43 48 One Sanitary Inspector, salary reduced to \$32 60 November. Pay-roll same as October DecemberPay-roll same as October	917 40 32 60— 950 00 950 00 950 00
Total The receipts of the Board of Health for the year 1882 will be from the same and will not vary materially from the estimate of 1881, apart from the appropriation	sources as at present, by the City Council.
ESTIMATED EXPENDITURES OF THE BOARD OF HEAL	TH.
(Expenditures for the Ten Months ending October 31, 1881.)	
By Mississippi Station—	\$15,355 6 9
By Atchafalaya Station	
Paid salary resident physiciau 450 00 Paid wages boatmen 240 00 By Coal Oil Inspection 200 00) 690 00
Paid Inspectors' salaries) ⊢ 2,096 75
By Court Deposits— Amount deposited in court	19 00
By General Expenses— Paid salaries officers and employees	•
Paid sundries	11,593 41 -\$31,500 81
By Mississippi Station— Paid salaries physician and boatmen	\$1,786 64
By Coal Oil Inspection— Paid salaries Inspectors. Paid sundries . \$400 0 Paid sundries	0
By Gereral Expenses— Paid salaries officers and employees. Paid printing and lithographing annual report.	1,926 64 1,530 00—\$5,663 28
6 Digitized	Coogla

LIABILITIES.		
Relance due Woodward & Wight, supplies Mississippi Station	\$190 96	
Balance due G. R. Finlay & Co., supplies to Board	935 78	
Balance due G. R. Finlay & Co., supplies to Board	144 85 15 40-	- 1,286 99
Total		\$38,250 48
RECAPITILATION		400,200 10
Expenditures for ten months Estimated expenditures for two months Liabilities	\$31,300 21	
Estimated expenditures for two months	5,663 28	****
Receipts for ten months	1,256 99 31,898 51	_\$38,250 48
Estimated receipts for two months.	6,253 20	- 38,151 77
Probable deficit	•	\$98 71
Control Control		
STATEMENT OF SUMS NECESSARY FOR THE MAINTENANCE OF THE		TINE AND
SANITARY OPERATIONS OF THE BOARD OF HEALTH DUR	LNG 1882,	
TO MISSISSIPPI QUARANTINE STATION.	8 5.000 00	
Salary Resident Physician	\$5,000 00 2,000 00	
Wages of watchman	540 00	
Wages of coxawain	540 00 .1,920 00	
Wages of four boauten	.1,920 00 900 0u	
Two hospital nurses at \$50 per month	1,200 00	
Hospital cook	720 00	
Medicines and hospital supplies	1,000 00 200 00	
This infectants.	1.500 00	
Food, bedding and supplies for sick	2,000 00	
Shipchandlers' supplies, oil for lamps, etc	500 00	
Expenses of telegrams	250 00	
Panaira of huildings	1,000 00 2,000 00	
Salary Assistant Resident Physician Wages of watchnan. Wages of coxawain Wages of four boatmen. Druggist and hospital steward. Two hospital nurses at \$50 per month. Hospital cook Medicines and hospital supplies. Repairs of boats. Disinfectants. Food, bedding and supplies for sick Shipchandlers' supplies, oil for lamps, etc Expenses of telegrams. Inspection expenses, towage of infected vessels. Repairs of buildings Steam launch and crew	2,500 00	_
TO RIGOLETS QUARANTINE STATION.		—\$2 3,770 00
Salary Resident Physician	\$ 900 00	
Wares of heatman	480 00	
Wages of watchman	300 00	
Purchase of grounds and erection of buildings for sick and discharge of cargo	3,000 00	
Disinfectants	300 00 500 00	
Wages of watchman Wages of watchman Purchase of grounds and erection of buildings for sick and discharge of cargo. Disinfectants. Supplies for sick, medicines, etc Repair of boats, shipchandlers' supplies	500 00	
TO ATCHAFALAYA QUARANTINE STATION.	•	5,980 00
Salary Resident Physician Wages of bostman Wages of watchman Purchase of grounds and erection of buildings	\$450 00	
Wages of boatman	240 00	
Wages of watchman	240 00	
Purchase of grounds and erection of buildings	2,000 00 200 00	
Disinfectants Telegrams and inspection service	250 00	
TO OFFICE AND GENERAL EXPENSES.		3,380 00
	\$2,400 00	
Salary of Secretary and Treasurer	2.000 00	
Salary Deputy Recorder Births, Deaths and Marriages	1,200 00	
Salary Assistant Recorder Dirths, Deaths and Marriages	1,000 00	
Salary Messenger and Collector	480 00	
Salary Porter	1:20 00	
Salary Quarantine Inspector, Port Eads	600 00	
Salary Coal-Oil Inspectors	2,404 00 600 00	
To printing annual report	1,200 00	
Salary of President Salary of Secretary and Treasurer Salary Deputy Recorder Births, Deaths and Marriages Salary Assistant Recorder Births, Deaths and Marriages Salary Clerk Board of Health Salary Messenger and Collector Salary Porter Salary Quarantine Inspector, Port Eads Salary Coal-oil Inspectors Salary Attorney To printing annual report To telegraphing same To telegraphs, publication, transmission to health authorities of special reports.	400 00	
To telegrams, publication, transmission to health authorities of special reports	500 00 500 09	
To lithographing same. To telegrams, publication, transmission to health authorities of special reports To books (record of births, deaths, marriages) and stationery To publication, distribution of sanitary circulars, health laws, quarantine proclama-	JUU 109	
tions	500 00	
To publication, distribution of same tions To rent of office of Coal oil Inspectors To bungs, corks and glue	100 00 130 00	
To dungs, corks and gild	130 00	15,300 00
		•
ESTIMATE OF EXPENDITURES FOR THE CONDUCT OF THE SANITARY CITY OF NEW ORLEANS FOR THE YEAR 1882, UNDER THE CONTRO	AFFAIRS	OF THE
OF HEALTH OF THE STATE OF LOUISIANA.	UL OF TH	E BOARD
OF DEALIN OF HIM STATE OF LOUISIANA.	45 000 00	

\$7,900 00 1,500 00 1,200 00

9.900 00

Disinfectants— 30 pounds Copperas to each house (40,000), total Copperas 1,200,000 lbs at 1½c per lb. 1,000 gallons Calvert's No. 5 carbolic acid at \$1 20 per gallon. 25,000 pounds sulphur at 2½c per pound. 500 barrels lime at \$1 10 per barrel 15 barrels chloride of lime at \$12 per barrel 5 barrels sulphate of zinc at \$21 per barrel.	687 50 550 00 180 00	
Miscellaneous-		4,592 50
Printing and distribution of circulars	500 00	
Printing and distribution of circulars	500 00	
Vaccine matter for schools and colleges and citizens	500 00	
Disinfecting apparatus, pots, pans, etc., warehouses, shipping, dwellings, etc	500 00	
		2,000 00
Total	-	\$16,422 50

In addition to the above the Honorable Mayor and Administrators of the city of New Orleans should furnish the Board of Health the following policemen and force for house-to-house inspection and disinfection:

•	•
First District, Sanitary Policemen 4	Third District, Carts with Drivers and Teams for
Second District, Sanitary Policemen	the distribution of Disinfectants
Third District, Sanitary Policemen 3	Fourth District, Carts with Drivers and Teams for
Fourth District, Sanitary Policemen 3	the distribution of Disinfectants
Fifth District, Sanitary Policemen 2	Fifth District, Carts with Drivers and Teams for
Sixth District, Sanitary Policemen 1	the distribution of Disinfectants
Seventh District, Sanitary Policemen 1	Sixth District, Carts with Drivers and Teams for
First District, Carts with Drivers and Teams for	the distribution of Disinfectants 1
the distribution of disinfectants 2	Seventh District, Carts with Drivers and Teams for
Second District, Carts with Driver and Teams for	the distribution of Disinfectants 1
the distribution of Disinfectants 1	

The cost to the city of an epidemic of yellow fever has been estimated at not less than \$15,000,000 (fifteen millions of dollars). The estimate which, as President of the Board of Health, I have made for the conduct of the sanitary affairs of New Orleans, is not more than one-thousandth part of the cost of a single epidemic. In the conduct of the sanitary affairs of New Orleans the organic acts of our Legislature have made the City Council responsible for the prompt supply of the necessary funds for the payment of the Sanitary Inspectors, and for the purchase of the necessary disinfectants, and for the detail of the necessary police. The prompt fulfillment of these important duties by the Honorable Mayor and City Council will establish the fullest confidence in surrounding communities, and will promote the highest and best interests of the city and State in protecting foreign and internal commerce from unnecessary quarantine, and above all, in protecting the lives and promoting the health of the people.

OUTLINE OF THE QUARANTINE AND SANITARY OPERATIONS OF THE BOARD OF HEALTH OF THE STATE OF LOUIS_IANA FOR 1882.

MISSISSIPPI QUARANTINE STATION.

The total number of vessels inspected at the Mississippi Quarantine Station during the year 1882 were: Steamships, 615; ships, 53; barks, 160; brigs, 28; schooners, 142. Total. 998.

The total number of vessels held in quarantine was 117, distributed thus during the months: May, 16; June, 22; July, 8; August, 12; September, 28; October, 26; November, 5. The quarantined vessels came from the following ports, in the numbers specified: Rio Janeiro, 8; Havana, 49; Vera Cruz, 25; Minatitlan, 2; Celou, 11; Tampico, 2; Martinique, 5; St. Jago de Cuba, 3.

Some vessels arrived with sick on board at the Mississippi Quarantine Station on the following dates: May 8, June 21, September 3, September 29, October 4, October 15, November 16.

The total number of sick was twenty-one, with three deaths. The cases were referred to the various forms of malarial paroxysmal fover; no case of yellow fever occurred at the Mississippi Quarantine Station during 1882.

RIGOLETS QUARANTINE STATION.

Total number of vessels boarded and inspected at the Rigolets Quarantine Station, during 1882 was 933, the great majority of which were schooners.

The season of quarantine restriction at this station lasted from May 1 to November 1, and during this period no case of sickness of any nature was observed at the Rigolets Quarantine Station.



ATCHAFALAYA QUARANTINE STATION.

During the quarantine season, at the Atchafalaya Station, first of May to first of November, 1882, 129 steamships, 59 schooners and 6863 passengers were inspected. Ten ships hailed from infected ports.

QUARANTINE STATION AT ENGLISH LOOKOUT.

The Board of Health established and maintained a quarantine station, with one medical inspector and two sanitary policemen, at English Lookout, on the Mobile Railroad. from the latter part of August until the close of October, and all passengers and baggage were subjected to inspection.

QUARANTINE OBSERVATION AT PORT EADS, AT THE MOUTH OF THE MISSISSIPPI.

A quarantine officer was maintained at the mouth of the Mississippi River, from the first of May until the first of November, and vessels entering the mouth of the Mississippi River were subjected to inspection and observation.

HOUSE-TO-HOUSE INSPECTION AND NUMBER OF NUISANCES ABATED DURING 1882.

-	No. of Inspec- tions made.		No. of Nuis- ances abated.
First District	15,981	10.091	8,639
Second District	7.995	3,646	3,172
Third District	12.160	4.822	3,066
Fourth District		2.839	2.814
Fifth District		578	650
Sixth District		1,156	813
Seventh District		566	••••
Total	57,040	23,698	19,174

In the First District, 3828 premises were disinfected, and a proportionate number in the other districts. Where contagious diseases were reported to the Board of Health, the premises were disinfected and fumigated.

MORTALITY OF NEW ORLEANS DURING 1882—MORTALITY IN THE DIFFERENT DISTRICTS IN NEW ORLEANS DURING 1882.

	Whites.	Colored.	Total.
First District. Second District. Third District Fourth District Fifth District. Sixth District. Soventh District.	1,381 606 732 493 67 216 67	820 468 570 200 89 115 78	2,201 1,074 1,302 693 176 331 145
Total	3,582	2,340	5,922

DEATH-RATE PER 1000 INHABITANTS PER ANNUM IN THE VARIOUS DISTRICTS DURING 1882.

DISTRICT.	White.	Colored.	Total.		
First. Second. Third	31.87	58.04	38:31		
	19.31	35.18	24:04		
	21.70	49.45	28:56		
Fourth	16.09	28.94	18.46		
	17.32	23.20	19.87		
	18.07	28.20	20.65		
	13.44	25.06	23.24		

First District—Maximum death-rate: White, December, 44.87; lowest, September, 26.59. Colored—Maximum, April, 67.95; lowest, February, 43.32. Colored and white—Maximum, December, 49.29; minimum, July, 32.79.



Second District—White: Maximum, May and June, 24.48; minimum, March, 14.15. Colored—Maximum, May, 55.03; minimum, December, 27.96. White and colored—Maximum, May, 33.82; minimum, September, 20.14

Third District—Maximum death-rate: Whites, April, 27.39; minimum, November, 17.72. Colored—Maximum May, 80.16; minimum, August, 30.19. Total white and colored—Maximum, April, 39.85; minimum, August, 21.58.

Fourth Listrict—Maximum: White, December, 26.25; minimum, September, 9.79. Colored—Maximum, December, 41.67; minimum, March and September, 15.63. Total white and colored—Maximum, December, 29.09; minimum, September, 10.87.

Fifth District—Maximum, May, 33.45; minimum, June, 9.55. Colored—Maximum, 46.93; minimum, February and March, 12.51. Whites and colored—Maximum, July, 29.80; minimum, February and March, 12.19.

The death-rate grown phthiais pulmonalis in the different districts (per 1000 inhabitants)

The death-rate rrom phthisis pulmonalis in the different districts (per 1000 inhabitants per annum) was as follows: First District, 5.01; Second District, 3.71; Third District, 3.01. The death-rate from malarial fevers: First District, 1.94; Second District, 1.36; Third District, 0.55.

MORTALITY BY MONTHS AND BY RACE.

************	Des	ths.	Total
MONTHS.	w.	c.	Deaths:
January. February March April May June July August September October November	256 256 308 330 335 288 267 239 306 322	186 151 209 231 259 296 172 176 161 183 184	468 417 465 539 589 561 460 443 400 489 506 585
Total	3582	2340	5922

ESTIMATED POPULATION OF NEW ORLEANS.

Whites	163.606
Colored	
Total	

DEATH-RATE OF NEW ORLEANS, PER 1000 INHABITANTS, DURING 1882.

MONTHS.		Death Rate per 1000 per annum.			
	w.	C.	W. & C.		
January		37.23	25.12		
February	19.51	30.22	22.38		
March	18.77	41.83	24.96		
April	22.59	46.23	28.31		
Ж ау		51.84	31.61		
June	24.57	45.23	30.11		
July		34 . 42	24.69		
August		35.23	23.77		
September	17.53	32.22	21.47		
October		36.63	26.24		
November		36.80	27.16		
December	28.09	40.43	31.40		

Death-rate during first six months of 1882: whites, 21.72; colored, 42.10; total, 27.18, Death-rate during last six months of 1832: whites, 22.06; colored, 35.96; tatal, 25.79.

Death-rate for the entire year 1882: whites, 21.89; colored, 39.03; total, 26.45. Sex: Whites: males, 2104; females, 1478. Colored: males, 1225; females, 1115. Total

males, 3329; total females, 2593.

Of the total number of deaths, 3605 were natives of Louisiana, and 977 of other States, and 1240 of foreign countries; Germany heads the list, with 441 deaths, then follows Ireland, with 420 deaths, and next France, with 187.



The deaths in public institutions numbered 1127; of which 805 occurred in the Charity Hospital. The deaths reported by the coroner numbered 1028. The deaths in public institutions, together with those reported by the coroner, amounted to 2155.

Of the total deaths occurring in New Orleans during 1882, only 3767 received medical

attention in their homes and residences.

It is evident from the preceding statistics that the death-rate of the white inhabitants of New Orleans, if calculated upon a basis of actual inhabitants, exclusive of foreigners and strangers, and laborers from the levees of the Mississippi River and from the various lines of railroads, crowding the hospitals, prisons and asylums, would not exceed 15 per 1000 inhabitants per annum.

The white population of New Orleans manifested a lower death-rate (if the calculation be made upon the basis just indicated) than that of any other city of the same size

and similarly situated in the civilized world.

Average daily mortality in New Orleans during the year 1882, 16.22,

Lowest daily mortality in first six months of 1882, January 19, when only six deaths occurred.

Highest daily mortality in first six months of 1882, April 29, when thirty-four deaths occurred.

Lowest daily mortality of last six months of 1882, on August 11 and October 1, when five deaths were recorded upon each of the days specified.

Highest mortality during the last six months of 1882, October 14, when thirty deaths occurred.

The highest daily mortality occurred on April 29, and the next highest on October 14. The lowest daily mortality occurred on August 11. October 1, and January 19.

MORTALITY OF NEW ORLEANS DURING 1882, COMPARED WITH THE MORTALITY OF PRECEDING YEARS.

YEAR.	l	Death-rate per 1000 population per annum.					
	Whites.	Colored.	Total.				
1845		22.50	24.32				
1847		37.08	62.03				
1849		62.91	77.44				
1850		52.10	59.80				
1852		43.04	62.90				
1853	124.68	48.98	110.09				
1856		35.66	33.89				
1857		38.07	35.49				
1858		80.37	72.70				
1859	. 33.58	86.98	41.53				
1860	41.99	52,79	43.51				
1861	. 31,58	37.16	31.87				
1863		59.53	41.35				
1864		81.75	49.86				
1865		60.88	38.99				
1866		65.56	42.52				
1867		47.80	54.69				
1868		38.97	28.60				
1869		44.80	31.73				
1870		52.20	88.61				
1871		42.76	31.32				
1872		41.93	31.17				
1873		51.42	37.73				
1874		45.44	33.75				
1875	•	40.25	30.00				
1876		42.56	30.31				
1877		49.02	32.11				
1878	•	39.94	48.81				
	*	32.41	23.91				
1879	2204	34.38	26.05				
	1 22 1	38.95	29.31				
1881		39.03	26.45				
1882	.1 21.09	39.03	20.45				

During the period of thirty-two years, embraced in the above table, with the exception of the year 1879, the death-rate among the whites was the lowest in 1882. The average death-rate for the thirty two years among the whites, was about 39.6. Among the colored population the death-rate of 1882 was greater than that of 1845, 1847, 1856, 1857, 1861, 1868, 1879, 1880 and 1881; whilst it was less than the death-rates of 1849, 1850, 1852, 1853, 1858, 1859, 1860, 1863, 1864, 1865, 1866, 1867, 1869, 1870, 1871, 1872, 1873, 1874, 1875, 1876, 1877 and 1878.

The average death-rate per annum during the thirty-two years specified amongst the

colored population was about 47.1.

During the period of thirty-two years the death-rate of the total population was lower than that of 1882, during only three years; namely, 1845, 1879 and 1880.

During the four years, 1879, 1880, 1881 and 1882, the minimum death-rate amongst the whites was 20. 85, and the maximum 25.79; whilst the minimum death-rate amongst the colored race was 32.41, and the maximum 39,03; in the total population during the same period, minimum 23.78, maximum 29.31.

The mortality amongst the whites during the last four years has been less than ever before in the history of New Orleans; and the result must be mainly attributed to the

following causes and conditions:

1. The absence of any marked or great prévalence of pestilential diseases.

The small number of deaths from yellow fever in 1879 exerted no appreciable influence

npon the general death-rate.

2. The freedom of New Orleans from yellow fever during the past three years, 1880, 1881 and 1882, must be attributed to the executiom of the quarantine laws, and to the sanitary measures enforced by the Board of Health-measures embracing the isolation and disinfection of the first cases of yellow fever.

The prevalence of yellow fever on the east at Pensacola, Florida, and on the west at Brownsville, Texas, during the autumn of 1882, would indicate that the absence of yellow fever in the epidemic form, was not due to any peculiar climatic conditions within and

around New Orleans.

3. Systematic house-to-house inspection and domestic sanitation, carried forward un-

der the direction of the Board of Health.

4. The prompt removal of the garbage and fœcal matters of the city, and the systematic discharge of the same into the Mississippi River, in accordance with the provisions of Acts 14 and 84, of 1877.

The attempt of the honorable City Council to improve the drainage of the city was limited chiefly to the First District, and was too circumscribed in its nature to admit of

a definite calculation of its effects upon the public health.

Nevertheless, the work of deepening and cleansing the drainage canals of New Orleans should be continued under the direction of skillful engineers and faithful and honest city officials.

The subject of the drainage of New Orleans was fully discussed in the annual report of 1881, and it is evident that the facts and observations need not be repeated, as the arguments for the perfection of the drainage system of New Orleans are unanswerable

YELLOW FEVER IN 1882.

The official mortuary records of the Board of Health of the State of Louisiana contain four certificates which assign the cause of death to yellow fever; one death was reported in June, one death in July, and two in August. The subjects were all of the white race.

The interests of science as well as the advancement of the material interests (commercial, manufacturing and sanitary) of New Orleans and of the State of Louisiana demand the record of the measures devised by the Board of Health for the arrest of yellow fever in 1882.

This record possesses an especial interest and value, in that yellow fever in 1882 invaded Brownsville, Texas, in the West, and Pensacola, Florida, in the East.

The Board of Health of the State of Louisiana devised and executed the measures for the arrest of yellow fever in New Orleans during the year 1882.

FIRST CASE OF YELLOW FEVER IN NEW ORLEANS IN 1882— HENRY FORBES.

SPECIAL MEETING OF THE BOARD OF HEALTH, HELD AT 1 O'CLOCK P. M., JUNE 27, 1882.

The President, Dr. Joseph Jones, stated that he had convened the board in special session, open to the representatives of the press and of the medical profession, and, in fact, to all respectable citizens, in order that the people here, and in all surrounding

Digitized by GOOG

States, should receive a full and accurate statement of all the facts with reference to the

Occurrence of the first case of yellow fever in 1882.

On the morning of June 26, the following communication was received from Dr. A. W. de Roaldes, Surgeon in charge of the Charity Hospital:

CHARITY HOSPITAL, STATE OF LOUISIANA, New Orleans, June 26, 1882,

Dr. Joseph Jones, President Louisiana State Board of Health:

Dear Doctor—My attention was called this morning to a patient, coming from Havana, in ward 27 of the hospital, After a careful examination, I find the case a very suspicious one, to say the least.

I would earnestly request you to call at the hospital at your earliest convenience, when I shall take pleasure in seeing the case with you.

Your most obedient servant, DR. A. W. DEROALDES, House Surgeon.

I repaired immediately to the Charity Hospital, and ascertained the following facts at

the bedside of the patient, and from the hospital register.

Henry Forbes, aged 20, native of England; has resided about ten days in New Orleans; entered Charity Hospital (ward 27, bed 396) at nine o'clock a. m., Sunday, 25th, instant.

The patient gave the following history:

"Left Montevideo on Spanish brigantine Ritta, for Havana, via Costa Rica. On board this vessel was a passenger recovering from chills and fever, contracted in Rio de Janeiro.

Length of passage from Montevideo to Havana, fifty-four days.

"Was in Havana five days, during which time he was on shore a day and a-half, but did not pass a night on shore. Came from Havana to New Orleans on steamship Marco Aurelio. Was eight days from Havana to New Orleans, including the detention at the Mississppi Quarantine.

"Arrived in New Orleans on Sunday, eighteenth instant, and was discharged on Tuesday, and went to boarding house 98 Old Levee street, near corner of Enghien street, where

he remained until Wednesday, twenty-first.

"Wednesday morning, went on board of steamship "Commander," of London, and was set to work painting the ship. On Thursday, twenty-second, at 8 a. m., was taken with a chill, followed by fever. Returned to boarding-house on Old Levee street, and remained there until Sunday morning, twenty-fifth instant, when he was sent to the Charity Hospital. At the time of admission to Charity Hospital appeared jaundiced and weak."

The following is the record, as detailed by the hospital student and entered upon the

Hospital Register:

"9 a. m., Sunday, twenty-fifth instant: Appeared jaundiced and weak; had rather intense fever, nauses and vomiting, diarrhea, tongue coated with whitish fur, headache, no backache; tenderness and pain on pressure over stomach, spleen and liver; tendency to epistaxis; small amount of blood vomited—may have been from epistaxis; general appearance of vomit was bilious. Ten grains each of calomel and soda given; also one onnee of liquor cinchonidiæ. Half at 11 a.m., remainder at 8 p. m.

June 26, 5:30 a. m.: Patient ejected a considerable amount of black vomit; temperature 100° F. in axilla; pulse frequent and weak; 12 m. tincture of digitalis given.

8:15 a. m.: Temperature in axilla 103.2°; pulse 108 and weak; patient rational, but

deaf from effect of abscess of ear, which occurred some weeks ago.

Passed no urine since 9 o'clock last night; at 8 a. m., June 26, catheter was introduced, and about four ounces of urine drawn, which contained an immense amount of albumen, and a considerable quantity of urates; tongue very red, with dry, brownish fur in center; gums congested; epistaxis, palpebral conjunctiva distinctly injected; sclerotic yellow; photophobia; patient burning, with a dry skin of a yellowish hue over trunk.

Great tenderness over region of epigastrum, over spleen and liver, but no enlargement

of these organs; black vomit continues.

Temperature at 9:40 a. m. 102.5°, pulse 105.

The preceding notes were recorded by Mr. H. B. Williams, resident student, Charity

Hospital.

Dr. C. Faget, Sanitary Inspector of the Second District, and visiting physician of the Charity Hospital, also furnished the following statement to the President of the Board of Health.

NEW ORLEANS, June 96, 1882.

Information received from patient Henry Forbes, sick in Charity Hospital, ward 27. Henry Forbes arrived from Havana on board steam-bark Marco-Aurelio on Sunday, June 18, now lying at Algiers. He was taken sick June 22, on board steamer Commander, which has now departed for Liverpool. Seen today in Charity Hospital, ward 27, throwing up black vomit (coffee ground), red and yellow anfusion of eyes and skin, pain in epigastric region, pulse rapid and weak, slight delirium (prognosis unfavorable).

Upon careful examination of Henry Forbes at 10:30 o'clock a. m., I found the patient with a temperature of 102.5°; full but soft pulse, 100 per minute; jaundice; capillary congestion of surface and conjunctiva; ejection of black vomit at short intervals; urine impid contained albumen and casts. The urine and black vomit were examined imme-



diately at my office. The black vomit contained masses of hamatin, altered blood, corpuscles, cells of the mucous membranes of the stomach and mucous corpuscles. casts of the tubuli uniferi in the urine were opaque and filled with granular matter.

In reply to a dispatch asking full particulars as to the sanitary condition of the steamship Marco-Aurelio, the Assistant Physician at Mississippi Quarantine Station replied as follows:

MISSISSIPPI QUARANTINE STATION, } JUNE 26, 1882,

To Dr. Herrick:

The new iron steamship Marco-Aurelio was in fine sanitary condition. Three days from Havana and three days here, total six. All well whon she left here, June 17; thoroughly fumigated and disinfected here. She is a cattle boat, and thoroughly ventilated,

G. P. WILKINSON.

I next visited the locality from whence the seaman, John Forbes, had been removed to

the Charity Hospital.

Mrs. Viana, residing at No. 98 Old Levee street, stated that Henry Forbes came to her house on Monday, the nineteenth. On Wednesday, the twenty-first, he took his clothing and went on board the "Commander," and commenced painting the ship. Slept aboard the "Commander" Wednesday night.

Was seized with a chill Thursday morning, and returned to her house. The man appeared to be in good health on Monday and Tuesday.

When he returned ou Thursday his eyes were bloodshot, and he complained of a severe headache. On Friday had fever; was very restless, and drank much water, and vomited at intervals. Finding the man ill. and having no means with which to employ a physician, he was sent to the Charity Hospital on Sunday morning.

Mrs. Viana is forty-eight years of age, native of Germany; has resided in New Orleans thirty-six years; has one child, thirteen years of age. Her premises are clean. She stated that the room in which Henry Forbes had lain sick had been thoroughly cleaned

and left open, and I found the door and window open and the floor clean.

The adjoining premises, corner Old Levee and Enghien streets, are occupied by Madam De Bly, who has lived in New Orleans twenty-eight years, and has had yellow fever; daughter twenty-one years of age, native of New Orleans; has two children, one of them an infant at the breast. The front portion of her house is occupied by Mrs. Mary Jalet, age thirty, who keeps a grocery. This woman was suffering with neuralgia of the right side of the face, to which she has been subject.

In the other portion of the back premises resided a man and his wife and three healthy children. In a small room in the rear of that occupied by Henry Forbes resided an old

It is evident, therefore, that fifteen souls occupied the front, rear and side premises. which surrounded a small yard or court. Inspection of the houses in the immediate vicinity failed to reveal any cases of sickness

The following instructions were issued to Dr. Mioton, in person, by the President of

the Board of Health.

Dr. E. J. Mioton, Sanitary Inspector, Third District:

Sir-You will proceed immediately to inspect, disinfect and fumigate the house No. 98, corner of Old Levee and Enghien streets, occupied by Mrs. Viana, from where Henry Forbes, seaman from steamer Marco Aurelio, was removed to the Charity Hospital on the twenty-sixth. Thoroughly fumigate the rooms and all clothing with sulphurous acid gas, and disinfect the privies and drains with copperas and carbolic acid. All unpainted wood-work should be whitewashed.

Proceed in this manner until the entire block and the block on the other side of Enghien street, have been thoroughly cleansed and disinfected; then continue in same

manner for the blocks in the rear and on either side of the row mentioned.

Hold the entire neighborhood under close surveillance.

Detail Officer Evans for this special duty.

Your sanitary office has been amply supplied with disinfectants, by the Board of Health.

for all present emergencies.

The Auxiliary Sanitary Association will furnish two carts and four men for the distribution of the disinfectants of the Board of Health, as you will observe from the enclosed communication of the Sanitary Director.

Have a careful sanitary inspection made of the immediate vicinity, and report the re-

sults to the Board of Health

I shall continue to inspect the locality in person. The Board of Health demands that

your action should be prompt and vigorous.

Detail Officer Nowell to the disinfection and fumigation of the steamship "Marco Aurelio," now lying directly across from the United States Mint, near the Third District ferry-landing. Furnish her with all necessary disinfectants and apparatus.

JOSEPH JONES, M. D.

President Board of Health, State of Louisiana, .

STEAMSHIP MARCO AURELIO.

I visited the steamship Marco Aurelio, lying about two blocks above the Third District ferry-landing; thoroughly inspected the ship, and mustered and examined her officers and crew.

The steamship Marco Aurelio was built at Greenock, Scotland, for the cattle trade. Her first trip was on August 21, 1881, to Kingston Jamaica; and since that time she has been running between Havana (Cuba), and Truxillo (Spanish Honduras), engaged in the cattle trade.

Laid at Truxillo at anchor from May 16 to June 6; reached Havana on the ninth of June; laid at auchor half a mile from shore, about abreast of Casa Blanca. The only time that she communicated with the shore was when her cargo of cattle was landed, then moved out in harbor half a mile from shore. Took in some coal from a barge alongside of her.

Took no cargo, no ballast at Havana; in fact, her ballast is simply water ballast.

Remained two days at the port of Havana.

Had twenty-eight men when she arrived; twelve men left, and four new men were shipped, including Henry Forbes. These men came on board on the tenth and eleventh of June. Henry Forbes, who came on board on the tenth, was used as an assistant to the cook. The names of the men shipped at Havana were, Thomas Martin, Lars Pedersen and Peter Pedersen. These men were discharged after their arrival in New Orleans, and are now in the city.

CONDITION OF CREW.

Careful inspection of each of the crew, the mate, engineer. the firemen and sailors,

revealed them in perfect health. Appended is a detailed list.

The following detailed statement was drawn up on the deck of the steam vessel; the facts being elicited by direct inquiries and personal examination of the officers and

Steamship "Marco Aurelio" (English), Thos. Morgan, Captain. was built at Greenock in 1880, and has been in the cattle trade between Truxillo (Spanish Honduras) and

Havana since that time.

From May 16 to June 6, 1882, she was lying at Truxillo, when she left for Havana with a cargo of cattle, arriving there June 9. On June 11, after discharging cargo, she left Havana in ballast, and arrived at the Mississippi Quarantine Station at 11 o'clock p. m., June 14. Here she was detained three days (the time prescribed by the proclamation of the Governor), leaving the station at 9:39 p. m., June 17, and arrived at Algiers at 9:30 a. m., June 18.

From Truxillo to Havana she carried altogether twenty-eight men; twelve of these left there and four new hands were engaged, leaving her only twenty men, with which number she arrived at New Orleans. Since her arrival here three of these men have already left the port on other vessels, eight are still working in the ship, and four (among which is the man "Forbes") are on shore. Three of these board at a house on St. Peter, between Chartres and Royal streets, kept by Mr. John Ward. The following gives their names and history :

Lars Pedersen, age thirty-two years and six months, native of Norway, has sailed in hot climates for the past twelve years; has had what he considers yellow fever on the

coast of Africa; was ashore in Havana on and off for about eight or nine days.

Peter Pedersen, age thirty-five years, native of Denmark, has sailed between the Western Coast of South America and Australia. Came last from Montevideo to Havana, where he boarded for eight or nine days in a house near the Gasworks; has never had

Thomas Martin, age thirty-four years, native of Liverpool, has been sailing between New Orleans and Liverpool for the last eighteen years; has never had yellow fever.

The following is a list of the men remaining on board ship:

Thos. Morgan, captain; Wm. A. Gaw, first mate; Jno. Ballawitch, second mate; A. L. Shaw, chief engineer; Theod. Clark, steward; Stephen Valero, watchman; A. Lazarowich, seaman; B. Judewich, seaman; J. Beriat, seaman; Manuel Peralto, fireman; Benito Dusse, fireman; Seraphina Espanio, fireman; Douglas Thompson, carpenter.

All of these men are thoroughly acclimated, except perhaps the three seamen (Austrians), and these have had what they call "Tampico" fever.

Henry Forbes, the man now sick at the Charity Hospital, is a young man about twenty years of age, and a native of England. Two months ago he shipped as seaman on the Spanish brigantine "Rita," bound from Montevideo to Havana, stopping on her way at Porto Rico. At Havana Forbes left the "Rita" and boarded ashore near the Gasworks for eight or nine days, when he shipped on the steamship Marco Aurelio. After arriving at New Orleans and being paid off, he went to board at No. 98 Peters street, Third Diatrict, June 19. Made arrangements to work his passage to Liverpool on the steamer Commander, and was engaged on this ship, painting, until Thursday, June 32, when he came to his boarding house sick with fever and a severe headsehe. Not having much money, no physician was called in to attend to the man, but, growing worse, he was sent to the Charity Hospital on Sunday, June 25.

CONDITION OF VESSEL.

The vessel is one of the cleanest that I have ever inspected. The forecastle has been thoroughly painted, and she is being refitted and painted throughout.

I placed Officer Nowell in charge of the vessel, and directed him to thoroughly fumi-

gate and disinfect all parts.

The three men were next visited on St. Peter near Chartres street, and carefully ex-

amined with the following result:

Lars Pedersen, native of Norway, has been sailing in tropical seas for many years, and has had vellow fever on the coast of Africa.

Peter Pedersen, native of Denmark, has been in New Orleans and the West Indies for the last fourteen years, but has not had vellow fever.

Thomas Martin, Englishman, has been in New Orleans on and off during the last

twenty years. The following communication has been addressed to Dr. C. Faget, Sanitary Inspector, Second District:

C. Faget, M. D., Sanitary Inspector, Second District:

Sir—Hold the men, Lars Pedersen, Peter Pedersen and Thomas Martin, now in a boarding house on St. Peter, between Chartres and Royal streets, under close observation.

Fumigate and disinfect their clothing and the premises which they occupy. Inspect and disinfect the entire block upon which they are now located.

Act immediately and promptly.

The Board of Health has furnished your district with ample supplies of disinfectants. Respectfully

(Signed)

JOSEPH JONES, M. D.

President Board of Health.

After the President had stated these facts he directed the attention of the Board of Health to the fact that both the house in which Forbes had died and the Marco Aurelio had been taken possession of by the officer of the Board of Health, Dr. Eugene Mioton, Sanitary Inspector of the Third District, who had thoroughly fumigated the house and premises No. 98 Old Levee street, disinfected the rooms, yard, drains and privy, and burnt up the clothing, bed and bedding of Forbes.

The Marco Aurelio was under his direction also thoroughly disinfected and fumigated. The work of disinfecting every yard and house in the square in which Forbes lay sick, as well as those in surrounding squares, was progressing under the direction of the Sani-

tary Inspector of the Third District.

Upon the conclusion of the report of President Jones, Hon. Edward Booth offered a resolution that the Board approve the action taken by the President, and that they rely confidently upon the experience and skill of the medical staff of the Board to give the official force to the necessary repressive and preventive measures which a first case will naturally suggest and justify.

This was unanimously adopted, and the following dispatch was read:

BATON ROUGE, June 27, 1882.

President Board of Health:

Assemble the Board of Health and recommend the extension of quarantine to not less than twenty days.

S. D. McENERY.

The President stated that he had telegraphed His Excellency, Governor S. D. McEnery, all the essential facts of the case of Forbes, and the preceding telegram was in response to his telegram.

The Governor's telegram coming up for action, Dr. Pratt said he was in favor of increasing the detention at quarantine of vessels arriving from infected ports, from ten to twenty days, as the Governor recommended, believing the same to be a wise precaution, and necessary under the circumstances.

Dr. Formento said that, with all due respect to the Governor, he would ask the Board to forget the source of the telegram, and act upon the question to the best of their judgment as a body of intelligent sanitarians. In his opinion, time was of less consequence in preventing the appearance of yellow fever than the mode of treatment at Quarantine.

Dr. Kells was in favor of an amendment that the Quarantine physician be instructed to exercise more vigilance.

Dr. Pratt said the period of incubation of yellow fever was unknown. In Forbes' case, he was taken lick twe've days after he went on board the Marco Anrelio.

Dr. Formento desired to be informed of the meaning of the words "an infected ship,"

Dr. Kells moved that further consideration of the question to extend the quarantine to

twenty days be postponed until the regular meeting to-morrow evening.

Mr. Bosworth favored immediate action. The public mind was agitated over this one case of yellow fever, and he thought it but right that the Board should allay this excitement by increasing the time, as the Governor recommended.

The yeas and nays being called on postponement, Drs. Formento, Von Gohren and Kells, and Messrs. Marks and Booth voted in the affirmative, and Dr. Pratt and Mr.

Bosworth in the negative.

Hon. Edw. Booth, after citing the case of the Excelsior, offered the following reso-

lution:

Resolved, That the President of the Board take immediate steps to return the steamship Marco Aurelio to Quarantine, there to await the further orders of the Board.

Dr. Jones considered it unnecessary to send the vessel back to quarantine, as she had

been thoroughly disinfected, under his orders to Dr. Mioton, and is isolated.

Dr. Formento said he should oppose the passage of the resolution for these reasons, and also if there was any danger the mischief was done already, as she had been at Algiers nine days and had been visited by various persons who cannot now be found.

Mr. Booth believed in the Board doing what it could, if it could not do what it would. Dr. Jones said the cases of the Excelsior and Marco Aurelio were different. On the former the men sickened on board, and she had a cargo, while no sickness has occurred on the latter, the Marco Aurelio having no cargo on board and coming in with water ballast.

Dr. Formento said he did not consider the Marco Aurelio an infected vessel.

Dr. Pratt considered it possible that she might be so.

Mr. Booth believed in the Board taking action as if she was, and sending her back to

Dr. Formento said the man evidently contracted the fever at Havana, and not on board the vessel.

Dr. Pratt said, under the circumstances, it must not be presumed that the Marco Aurelio was free from infection simply because there was no sickness on board.

Mr. Booth said that the ship that brings a case of yellow fever from an infected port must be held responsible as a sanitary criminal, and must be treated accordingly.

Dr. Formento said he was unable to see any criminality, sanitary or otherwise, in the

case of the Marco Aurelio, she having broken no quarantine rule or regulation. Mr. Marks referred to the vessel which sent a cargo of sugar in lighters to Brooklyn, and one of the crew being taken sick with yellow fever in that city, and the vessel and man were sent back to quarantine.

The yeas and nays being called for on the passage of the resolution, Drs. Pratt and Kells and Messrs. Marks and Booth voted in the affirmative, and Drs. Formento, Von Gohren and Mr. Bosworth in the negative.

Dr. Jones asked for the views of the board in relation to returning the unacclimated members of the crew to quarantine with the vessel.

Dr. Pratt was in favor of sending the men back with the vessel.

Mr. Booth suggested that they be kept under surveillance by the sanitary inspectors. The Board of Health then adjourned.

Immediately after the adjournment of the Board of Health, the following orders were issued:

> OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, ? New Orleans, June 27, 1882.

Captain Thomas Morgan, Master Steamship Marco Aurelio, New Orleans, La. :

Sir-Your attention is directed to the following resolution of the Board of Health of the State of Louisiana:

[Extract from Minutes of Board of Health, special meeting held June 27, 1882].

"By Mr. Booth-

"Resolved, That the President of the Board take immediate steps to return the steamship Marco Aurelio to quarantine, there to await the further orders of the board."

This resolution was offered in consequence of the death by yellow fever this morning in the Charity Hospital of New Orleans, of Henry Forbes, who was shipped on board the Marco Aurelio at Havana, and brought by said vessel to this port on the eighteenth of

You will also cause the return of all seamen and officers who were present on board the Marco Anrelio at the time of her leaving Havana, on the eleventh of June, 1882, including Lars Pedersen, Peter Pedersen and Thomas Martin, now residing at No. 40 St. Peter street, at a house now kept by Mr. John Ward, to the Mississippi Quarantine Station.

Therefore, in behalf of the public safety, and in obedience to the acts of the General Assembly, establishing and regulating quarantine for the protection of the State against the importation of fever and postilence, you are hereby commanded to return your vessel, the Marco Aurelio, to the Mississippi Quarantine Station or to any point without the waters of Louisiana.

(Signed)

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New Orleans, June 27, 1882.

To the Civil Sheriff of the parish of Orleans, Greeting:

Whereas, due and sufficient proof has been adduced before the Board of Health of the State of Louisians, that the steamship Marco Aurelio did, on or about the eighteenth day of June, 1882, bring a seaman named Henry Forbes to the port of New Orleans, and that the said Henry Forbes sickened with yellow fever June 22, and died on June 27 of yellow fever, in the Charity Hospital of New Orleans: At the special meeting of the Board of Health, held this day, June 27, 1882, it was

Recoived, That the President of the Board take immediate steps to return the steamship

Marco Aurelio to quarautine, there to await the further orders of this board.

Now, therefore, this is to command you to remove, forthwith, said steamship, with her officers and crew, including Lars Pedersen, Peter Pedersen and Thomas Martin, now boarding at No. 40 St. Peter street, at the house kept by Mr. John Ward, to the Mississippi Quarantine Station, subject to the further orders of the Board of Health, in accordance with the laws of the State of Louisiana, instituted for the protection of the State against the introduction of foreign pestilence.

Given under my hand and the official seal of the Board of Health of the State of Louisiana, in the city of New Orleans, this twenty-seventh day of June, 1882.
(Signed)
JOSEPH JONES, M.

President Board of Health, State of Louisiana.

CORRESPONDENCE OF BRITISH CONSUL.

BRITISH CONSULATE, NEW ORLEANS, June 28, 1862.

Dr. Joseph Jones, President Board of Health, New Orleans, La.:

Sir.—The captain of the steamship "Marco Aurelio" has laid before me your letter to him, dated yesterday, in which he is commanded to return his ship to the Quarantine Station, "in obedience to the acts of the Senate and House of Representatives, regulating quarantine for the protection of the State."

I respectfully beg to be referred to the section under which this command is made.

(Signed)

I have the honor to be, sir, your obedient servant.

A. DE G. DE FONBLANQUE.

BRITISH CONSULATE, NEW ORLEANS, June 26, 1993.

Sir.—The master of the British steamship "Marce Aurelio" has laid before me your letter to him of the twenty-seventh instant, in which you required him to cause the return of all seamen and efficers who were present on board of her on the eleventh of June, 1889, including Lars Pederson. I have the honor to inform you that the entire orew of this steamship were paid off and discharged before me on the twentieth instant, and that consequently the master has no authority over them.

With regard to returning the ship to Quarantine Station. I await your reply to the question put in my first letter of this day, Begging you will have the goodness to refer me to the Revised Statute of the State for any legislation prior to March 14, 1870.

I have the honer to be air ware challent account.

I have the honor to be, sir, your obedient servant,
A. DE G. DE FONBLANQUE.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, NEW ORLEAMS, June 28, 1882.

Ron. A. de G. de Fonblanque, Consul of Great Britain:

Sir—I have the honor to acknowledge your communication of this instant, and in accordance with the request of the British Consul, enclose extracts from the Organic Acts of the Legislature of Louisiana, relating to the case of the steamship. Respectfully your obedient servant.

(Signed) President Board of Health, State of Louisiana

[Extracts from the Acts of the General Assembly establishing quarantine for the protection of the State.]

NEW ORLEAMS, June 29, 1862.

Joseph Junes, M. D., President Board of Health, New Orleans, La.:

Sir-I have the honor to acknowledge the receipt of your letter of the twenty-eighth instant and im init—I have the mean when are a superior to be conclusive as regards the ship.

I have the hence to be, six, your election servant.

A. DE G. DE FOXBLARQUE.

EXECUTIVE DEPARTMENT, STATE OF LOUISIANA, RATOR BOWER, June 17, 1882.

Dr. Joseph Jones, President Louisiana Board of Health:

Duar Sir...In view of existing danger, I respectfully recommend that the period of detention at Quarantine be extended not less than twenty days, and that the full powers of the Board of Health be employed in assuring the safety of this and and neighboring Sintes.

Very truly, yours,

S. D. McKNERY, Governor.

LETTER OF PRESIDENT OF BOARD OF HEALTH TO GOV-ERNOR MCENERY, INCLOSING ORDER RELATING TO THE RETURN OF THE "MARCO AURELIO" TO MISSISSIPPI QUARANTINE STATION.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New Orleans, June 29, 1862.

His Excellency, S. D. McEnery, Governor State of Louisiana, Baton Rouge, La.:

Dear Sir-I have the honor to inclose for the information of your Excellency, the cosential facts relating to the case of yellow fever which terminated fatally, in the Charity Hospital, on the twenty-seventh instant; also, the orders issued to the captain and Civil Sheriff for the removal of said vessel to the Mississippi Quarantine Station.

This case furnables a striking illustration of the necessity of legislative action, fixing a definite period of quarantine detention of not less than ten (10) days, as in the original

aut of 1866.

This subject was urged by the President upon the General Assembly of Louisiana, in the annual report of the Board of Health for 1881 (see introduction and pp. 199, 120, 222), but up to the present moment, no action has been taken by the General Assembly with reference to this most important matter.

Every presention has been taken, and the necessary sanitary measures will be continued, and upon a calm review of the situation, I hope for a complete suppression of all

ill effects from this imported case,

With great respect and high estnem, I have the honor to remain,

Your obedient servant,

(Signed)

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

MISSISSIPPI BIVER QUARANTINE, }

Dr. S. S. Racrick, Sucretary Based of Bhalth, New Orleans:

There 60.—Budgesed please find rell for week emiting June 24, 1862, and checks 453-438 inclusive of condi-The new tree comments Marco Aurelio has been engaged during the past winter in carrying contile from Trumille to Harana. She arrived at this existion on June 14, at 100 check p. m., with all well on beard, and having had no sinkness on beard at all. Was fungingted and dissintent on the differenth. Every one being well on beard, on June 17, as 100 check p. m., she was released from here. The vessel is now lying at A brises and can be managerier there. Algiers, and can be imperted there-Your or estima servant.

C. P. WILKINSON. Assistant Resident Physician.

QUARANTINE STATION, June 33, 1888.

Pr. Jasepi James, President Beard of Health: r. Jacopi Janes, President Stand of Heater:
The Mar of Attribe, or a account of traites, and four deputy shariffs on beard, arrived last evening. Have
G. P. Williamski, M. D. demails distant

MISSISSIPPI RIVER QUARANTINE, June 29, 1882.

Dr. Joseph Jones, President Board of Health, New Orleans:

Nr.—About 7 o'clock p. m. yesterday, the steamship Marco Aurelio arrived here, having on board a crew of twelve men and four deputy sheriffs. The vessel was seized and sent away from New Orleans without giving any opportunity to the officers or crew to secure any provisions or bedding or meaquito bars. The aheriffs having come down on board of the steamer, and none of them having had yellow fever, I have detained them on board and subjected them to the same quarantine as the crew of the vessel.

About the same time of the arrival of the steamship the Norwegian bark Hans Nilsen Hange arrived at the station with a cargo of sugar from Havans and Cardenas. She lay thirty days in Havana. I respectfully suggest that discharge of cargo for purposes of better purification be ordered for this and similar vessels from Havana.

vessels from Havana Your obedient servant.

C. P. WILKINSON, Assistant Resident Physician.

NEW ORLEANS, July 7, 1862.

To J. F Finney, M. D.:

If satisfied that the Marco Aurelio is no longer a source of danger, and if officers and crew are in JOSEPH JONES, M. D.,
President Board of Health. good health, release her.

The preceding telegram was forwarded in accordance with the formal resolution of the Board of Health. In accordance with the petition of Thomas Martin, P. Pedersen and L. Pedersen, the Board of Health appropriated an amount satisfactory to these men, sufficient to reimburse them for their extra expense while upon the Marco Aurelio. Mrs. Vians was also reimbursed for articles destroyed by burning.

CASE OF LOUIS DESCHLER, OF NO. 1010 TCHOUPITOULAS STREET, DIED IN CHARITY HOSPITAL OF NEW ORLEANS, JULY 17, 1882.

CHARITY HOSPITAL, July 17, 1882.

Dr. Joseph Jones, President State Board of Health:

Dear Sir-A case of yellow fever died in ward 24 this evening at 1 o'clock. We will give you the history of the case. The body lies exposed for your examination. Very respectfully, A. B. MILES, M. D.

CLINICAL REPORT OF THE CASE OF LOUIS DESCHLER, AS FURNISHED TO THE BOARD OF HEALTH OF THE STATE OF LOUISIANA, BY DR. A. B. MILES, SURGEON IN CHARGE OF THE CHARITY HOSPITAL OF NEW ORLEANS.

Louis Deschler, aged 31 years, native of Germany, resident in New Orleans twelve years, entered the hospital, ward 24, at 9 a. m. Sunday, the sixteenth of July.

Patient's account of his early illness are conflicting. At one time he stated that he had been sick one week, with accessions of fever every second day; later he informed the student of the ward that he had fever every day. The temperature was not regis-

the student of the ward that he had fever every day. The temperature was not registered upon admission, but to the touch, seemed normal.

Condition at 7 p. m., July 16, noted by Dr. Jamison: Patient jaundiced; tongue pointed, with red edges; gums congested; epigastric tenderness; urinary bladder empty. Patient stated that no urine had passed since Friday, the fourteenth of July. Mind unsteady, patient responding incoherently. Temperature, 104° F.; Pulse, 120.

Monday, 17. 9 a. m.: Jaundice increasing: epigastrum more painful upon pressure.

Monday, 17, 9 a. m.: Jaundice increasing; epigastrum more painful upon pressure. Patient passed urine during the night (two ounces), which, upon examination, contained albumen (thirty-three per cent), hysline casts and large quantity of bile. When left alone, patient wandering and restless; when aroused answering correctly; Temperature, 105° F.; pulse, 120.

During the forenoon on Monday, the symptoms increased in severity. The temperature ranged between 105° and 106° F. Pulse rapid, excited by convulsive muscular movements; marked tenderness over the epigastrum; nausea, but no vomiting; a red, glazed tongue; gums congested, with some hemorrhage; conjunctive jaundiced and injected; and, withal, the facies, which we regard as almost characteristic. Before death, patient exhibited the nervous phenomena of nraemic poisoning, and died at 12:30 p. m. July 17, with a temperature of 109° F.

Diagnosis, yellow fever, indorsed by physicians in attendance, Drs. Veazie, Jamison

and Miles.



OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New Orleans, June 17, 1882.

Dr. Kelly, President Galveston Board of Health, also Presidents of Boards of Health of Tennessee, Mississippi, Alabama and Florida, and to the Associated Press:

This day (July 17), about 2 p. m., I was requested by Dr. Miles to examine a corpse lynig in the dead-house of the Charity Hospital. Exterior of body, golden colored; no marked mottlings of dependent portions. Unusual golden color of integuments; fibrous tissues and coats of vessels and serous membranes yellow from the diffusion of bile. Heart normal in size, firm in texture; under microscope transversed strim of muscular tissue distinct; no fatty degeneration of heart. Textures of heart and pericardium discolored by bile. Liver congested and of a browish red color, with portions of a lighter shade; under microscope, liver cells distinct, with no marked accumulation of oil globules, as in the liver of specific yellow fever. Mucous membrane of stomach highly congested; contained two fluid ounces of a reddish-colored liquid, congestable by heat and nitric acid, and abounding with epithelial cells of mucous corpuscles, with comparatively few blood corpuscles. Liquid of stomach contained bile.

The gall bladder contained about one and a half fluid ounces of a reddish albumenoid

liquid, congealable by heat and nitric acid, containing numerous epithelial cells.

Kidneys large and congested. Urinary bladder contained about one fluid ounce of golden-colored urine, containing a moderate quantity of albumen and golden-colored casts. Many of the casts were transparent, with little or no granular matter, indicating that Bright's disease may have existed before the supervention of jaundice and fever.

History of Case.—From the Hospital Register, as well as from a searching personal investigation, I gather the following facts:

Louis Deschler, age 31; native of Germany; resident of New Orleans twelve years; brewer by occupation; is said to have had yellow fever in 1878; has suffered with a large ulcer on left leg, for which he was treated in the surgical ward of the Charity Hospital from October, 1881, to twenty-ninth December, 1881. For some years worked in Canal Brewery, near Old Basin; on twenty-ninth December, 1881, entered brewery 540 Tchoup-itoulas and remained there until thirty-first March; twentieth June, 1882, entered brewery 1010 Tchoupitoulas street, near elevator. This house is the only one on the square, and is entirely isolated.

Habits like those of many brewers, intemperate. On Tuesday night, eleventh July, whilst drunk, lay during the night in open air; complained next day of sore throat, and wrapped ice around his neck. Dr. C. R. Schuppert, Jr., saw him on twelfth, and states that he was jaundiced and suffering from the too free use of alchoholic stimulants; prescribed a dose of Glauba salts; thirteenth, jaundice well marked, no fever; head cool; patient complained of chilly feelings; prescribed podophilin as a purgative. According to statements of landlady, on fourteenth (Friday) and fifteenth (Saturday) patient was

alternately up and obout and lying down, and drank two bottles of wine.

Admitted to Charity Hospital morning of sixteenth instant, and stated that he had suffered with access of fever every second day. Fever increased at 7 p. m.; temperature of axilla, 104° F; seventeenth, at 9 a. m., temperature 105°; 12 m., 107°; 1 c'clock p. m., temperature of axilla 109.5°. The patient died in less than twenty minutes after this rapid rise of temperature.

We have in this case a history embracing intemperance, intense jaundice, free purga-

tion, no vomiting, albumenania, congestion of internal organs, rapid rise of temperature, and death.

(Signed)

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

COPY OF LETTER FROM DR. CHAS. R. SCHUPPERT, WHO ATTENDED TO L. DESCHLER, ON TCHOUPITOULAS STREET.

NEW ORLEANS, July 18, 1889, 1 P. M.

To Edw. Booth:

The man who died at the Charity Hospital did not show any symptoms whatever of yellow fever.

My diagnosis is gastro-duodenites, brought on by over-indulgence in spirituous liquors and exposure.

I will gladly give any further information required.

It is as ridiculous as united to even surmise yellow fever in this case.

With great respect I am yours,

(Signed)

CHAS. R. SCHUPPERT.

In addition to this Dr. Schuppert was visited by a Picagune reporter yesterday. He stated that the patient, Deschler, was represented to be sick from lying out at night when intoxicated. On Thursday last, when Dr. Schuppert examined him, he says Deschler had no sign of fever whatever. He had a cold, clammy sweat upon him at that time, and his eyes were injected with bile. He complained of a pain in the stemach. For many days previous to this strack he was complaining of indigestion, with a slight pain in



Dr. Schuppert states that he prescribed for jaundice, caused by an inflammation of the stomach and duodenum, technically called duodenites.

Dr. Schuppert says he was informed that on the following evening, in addition to drinking spirituous liquors and beer. Deschler drank two bottles of red wine. The next morning he was conveyed to the Charity Hospital.

The men present at the autopsy were Dr Joseph Jones, President of the State Board of Heulth; Dr. S. S. Herrick, Secretary of the Board; Dr. S. E Chaillé, resident member of the National Board of Health; Dr. Thomas Layton, Vice President of the Board of Administrators of the Charity Hospital; Drs. A. B. Miles and D. Jamison, respectively, Chief and Assistant House Surgeons of the hospital

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New Orleans, July 18, 1882.

Dr. Mandeville, Sanitary Inspector Fourth District:

Sir-In consequence of the occurrence of a severe case of disease, attended with jaundice and high fever, at No. 1010 Tchoupitoulas street, and the fatal termination in the Charity Hospital, on the seventeenth instant, you will proceed at once to execute the following:

(a) Proceed at once with your sanitary officers to 1010 Tchoupitoulas street, and make

a thorough inspection.

(b) Proceed at once to disinfect and fumigate the premises.

(c) Keep the brewery, at No. 1010, near the grain elevator, under careful observation, and make inquiry as to prevailing diseases.

(d) Extend inspection and disinfection to the squares around 1010 Tchonpitonlas atreet.

(e) Act at once with energy, and report result to President of Board of Health. Respectfully,

(Signed)

JOSEPH JONES, M. D. President Board of Health, State of Louisiana.

NEW ORLEANS, LA., July 25, 1882.

Joseph Jones, M. D., President State Board of Health:

Str-I would respectfully state I did not understand that a report was desired to be made on the twentieth

own—I would respect this state I did not understant that a roport was desired to be made on the twenteen instant, as I was anxious to obtain all facts relating to the case of Louis Deschler before doing so.

On the eighteenth instant, in compliance with written instructions from you, I proceeded with my officers to the brewery, No. 1010 Tchoupitoulas street, and there fumigated throughly the room and bedding that had been occupied by Louis Deschler, after which the vault was disinfected with a solution of carbolic acid and found sulphate. The drains and gutters connected with the brewery were also cleaned and disinfected with the same material. Chloride of lime was sprinkled around the yard. The batture of the river front was also treated in a like manner.

All the vaults, drains and gutters from Washington to Toledano, and from the river front to Annunciation street, have been thoroughly cleaned and disinfected with the copperss and carbolic acid solution, all of which I superintended personally.

As regards the losning to the Sanitary Auxiliary Association of copperss, I would simply state that during my absence from the city. Dr. Bayley loaned them thirteen barrels of copperss, which has since been

ng my souther from the city. Display bands them thinteen barries of opposes, which has since been returned, and which we are now using.

A requisition was made from this district on the Board of Health for one barrel of carbolic acid. We received only twenty gallons. The Sanitary Auxiliary Association furnished the lime and one-half barrel of scid, also one cart and four men, the Administrator of Improvements giving us the use of one man and

wagon.

We are still disinfecting block by block, and by Saturday will have reached Laurel street. The health
of the inhabitants in this locality is good.

We have consumed twelve barrels of copperas, and have eight on hand. No copperas has ever been distributed gratuitously amongst the citizens in this district from this office, except when they called in person for it.

The Sanitary Auxiliary Association have, however, distributed packages through a portion of this

district.

All of the disinfection and fumigation which has been done in this district has been under the direct control and supervision of myself and officers. It is but just to ourselves that we should not allow the Sanitary Auxiliary Association to take all the credit upon themselves in this matter, for we have done the work, and can do as well without them as with them.

Very respectfully, Very respectfully, W. R. MANDEVILLE, M. D.

Sanitary Inspector Fourth District.

NEW ORLEANS, July 27, 1882.

Joseph Jones, M. D., President Board of Health:

Sir—In compliance with your verbal request of the twenty-sixth instant, I have the honor to make the following report regarding the case of Louis Deschler, No. 1010 Tehonpitoulas street:

Mr. Jacob Web, No. 1005 Tehonpitoulas street, testifies as follows: Knows Louis Deschler one year, says that he complained about eight or ten days before going to the hospital, thinks he went to the hospital in a street car, habits have been intemperate.

Mr. J. Jung, No. 1013 Tehonpitoulas street, says that he has known Mr. Deschler for three weeks before he went to the hospital, and told him that when he first saw him, that he had jaundice, and also says that he labits ware intemperate.

that his labits were intemporate.

Chas. Horning, barber, No. 1019 Tchoupitonlas street, says that he shaved Deschler several days previous to his sickness, and that he was then yellow; knows positively that for two months he had a vellow appearance, and that he never had any communication with the shipping; says that he went to the hospital in a street car.

Mrs. Bassimer, who lives at the browery, says that he worked there twenty-seven days, and in that time had no communication with the shipping: thinks that the statement of Dr Schuppert, as she read it in the paper, is the correct one.

Andrew Miller, of the same place, coincides with the above statement in every particular, These are all the facts that can be obtained in regard to this case, and can be swon to if required.

Very respectfully,

JOHN LOGAN

Sanitary Officer Fourth District.

Joseph Jones, M. D., President Board of Health:

NEW ORLEANS, La., September 13, 1889.

Sir—I enclose a condens d report of the case of Louis Deschler for your consideration, supposed to have died of yellow fever, in the Charity Hospital, on the seventeenth day of July, 1862. The testimony of the neighbors regarding his intemperate habits are so un nimous that I have not embodied their statements in this report. They can, however, be furnished in extense if necessary.

W. R. MANDEVILLE, M. D. W. R. MANDEVILLE, M. D

W. R. MANDEVILLE, M. D.,
Sanitary Inspector, Fourth District.

Louis Deschler, age 31 years, a native of Alsace, was admitted into the Charity Hospital, July 16, and
of this city for the past twelve years, was always a man of intemperate habits, drank freely of beer, and
was often drunk; has always worked in a brewery, and never on the docks or elevator. He was employed
was taken sick; fourteen days previous to his confinement to bed his friends noticed that he had a jaundiced
hue, and that he had been indulging freely in all kinds of ardent liquors, and slept in the brewery on ascks,
schuppert attended the man three days previous to his admission to the hospital; he prescribed a simple
purge, and looked upon the man as having an attack of jaundice.

On July 16 the man was removed to the hospital (in street car) and died the following day. His friends
of lemonade to quench his thirst.

A post mortem examination was held, the result of which was made amblic above.

A post nortem examination was held, the result of which was made public through the daily prints. A section of the liver, spleen and kidneys were furnished me for microscopic examination by the President of the Board of Health, and on careful examination there was nothing found to justify the suspicion of this being a case of yellow fever. I am now mounting stained specimens of these organs, and will furnish them for examination to those who desire to see them.

All of which is respectfully submitted.

W. R. MANDEVILLE, M. D., Sanitary Inspector, Fourth District.

CASE OF YELLOW FEVER.

JOHANNES STROH, NATIVE OF GERMANY; AGE, TWENTY-TWO YEARS; CIGAR_ MAKER; RESIDENT OF NEW ORLEANS TWO YEARS; ATTACKED WITH YELLOW FEVER JULY, 27, 1882, 10. P. M.; DIED AUGUST 17, 1882, 6 P. M. AT No. 25 ENGHIEN STREET, NEW ORLEANS, LA. MEASURES OF DISIN-FECTION TAKEN BY BOARD OF HEALTH.

About 2 o'clock Tuesday afternoon, August, 1, 1882, Dr. V. C. Frogue reported to the President of the Board of Health, that he had a suspicious case of fever at No. 25 Enghien street, Third District.

The President of the Board of Health, accompanied by Dr. Frogne, immediately visited No. 25 Enghien street, and found the patient Johannes Stroh, with the following symp-

toms:

Surface of face and body moderately jaundiced, of a light yellow color; Coma: eyes and mouth tightly shut; if an effort was made to open the eyelids by force, they were closely and strongly contracted, and considerable force failed to open the mouth; twitcheng of muscles and face. Temperature of axilla 103; pulse 116. Retention of urine. Introduced catheter and drew off about four ounces of high colored deep orange-red turbid urine, which proved to be albumenous, and contained numerous cylindrical yellow granular casts, and detached cells from the tubuli urinifori.

Upon careful examination, the President of the Board of Health ascertained the fol-

lowing facts concerning the history of this case.

Johannes Stroh, aged twenty two years, a native of Baden, Germany, came to New Orleans, April 28, 1880, and went immediately to Little Rock, whence he returned to this Orleans, April 28, 1880, and went immediately to Little Kock, whence he returned to this city in October of the same year. For several months he has worked in the mould department of S. Hernsheim & Bro's. cigar factory. Stroh resided at No. 25 Enghien street, with the family of Jacob Wipf, a shoemaker, which consists of five persons besides Stroh, namely, Wipf, fifty years old, who had yellow fever in this city in 1867; his wife, forty-two years old, German by birth, and a resident of this city since 1865, having passed through the epidemics of 1867 and 1878, but is not known to have had the fever; a daughter, Louise, sixteen years old, a native of New Orleans; a second daughter, Selena, ten years old, born in this city, and a third daughter, Lizzie, eight years old, also a native and known to have had the fever in 1878. The other two girls have conscantly a native, and known to have bad the fever in 1878. The other two girls have constantly resided in this city, but have not had yellow fever. The entire household is thus shown to have been acclimated, with the exception of Stroh, the lodger.

Mrs. Wipf states that Stroh came home on Thursday night, July 27, apparently well, but was taken sick about ten o'clock, saying he had taken cold. Friday morning, the twenty-eighth, he went to work, but came home at nine o'clock in the morning, with

Digitized by GOOGIC

burning fever, and remained at home during the day. On Friday evening Mrs. Wipf gave him a hot foot-bath and a dose of castor oil. He coughed a great deal, and said his trouble was caused by taking cold. On Sunday, fever continued, and the patient was delirious.

On Sunday morning, July 30, at nine o'clock, Dr. V. C. Frogne, of 77 Enghien street, was sent for. He found a temperature of 106 Fahrenheit, under the patient's tongue, and a pulse of 130. The patient's tongue was dry and coated, gums red and soft, no womiting, no signs of jaundice, urine scanty. Gave patient 8 grains of calomel, followed by quluine in five grain doses every two hours, until twenty grains had been taken. The same evening the patient's temperature was 105, pulse 110. Sunday night he vomited

bilious matter, was restless and dolirious.

On Monday morning the patient showed a temperature of 102 and a pulse of 112. He was delirious. Administered quinine in five grain doses every three hours, until twenty grains had been taken. Vomited bilious matter, flecked with brown or coffee ground particles, spit a little blood from gums, urine scant; did not see patient that night. On Tuesday morning the armpit showed heat of 102 with a pulse of 99. Patient vomited bilious matter, flecked with brown specks, and showed outward signs of jaundice, with eyes bloodshot. The attending physician then thought the case was so much like yellow fever that soon after noon he reported the matter to the President of the Board of Haalth.

At two o'clock, the President of the Board of Health was at the patient's bedside and found his temperature 162 and pulse 116. He was delirious, kept his mouth and eyes tightly closed and exhibited much nervous agitation. By means of a catcheter the bladder was emptied of four onnces of a high-colored, turbid urine, which being tested at the neighboring drugstore of C. F. Seeman, 513 Royal street, exhibited albumen, and showed a specific gravity of 1.020. The surface of the body was jaundiced, gums swollen.

Dr. Jones, at 5 o'clock, notified Dr. Faget, chairman, and Dr. Pratt, members of the Committee on Contagious Diseases, and the resident official of the National Board of Health, of the existence of the case, and requested the committee to examine it. Inspector Kohlhasse was instructed to keep in communication with Dr. Frogne, and report the progress of the disease.

The committee made the examination, and reported the case to be yellow fever. The

patient subsequently died during the night.

NEW ORLEANS, August, 1, 1882.

Dr. S. E. Chaillé, Supervising Inspector, National Board of Health:

Sir—A case of yellow fever at No. 25, Enghien street, name; Johannes Stroh; under investigation. Drs. Faget and Pratt notified.

Respectfully, JOSEPH JONES M. D.,
President Board of Health, State of Louisiana.

Mr. Kohlhasse reported that the patient died at 6 o'clock on Tuesday evening, and a post-mortem examination was arranged for Wednesday morning, at 9, o'clock, at which Drs. Jones, Faget and Pratt, of the State Board of Health, Dr. Chaillé, of the National Board, and Dr. Frogne, attending physician, and others, were present.

OUTLINE OF RESULTS OF POST-MORTEM EXAMINATION.

Surface of yellow color, dependent portions of spine, of trunk, neck and extremities mottled. Dura and pla mater of brain congested. Blood-vessels of cerebral substance congested. Lungs normal, mucous membrane of stomach highly congested and of a scarlet and purplish ecchymosed appearance over a considerable portion. Stomach contained about six fluid ounces of black vomit, which, upon careful microscopical examination, was found to contain blood corpusoles, mucous corpusoles, masses of hæmatin, epithelial cells from the mucous membrane of the stomach, bacteria, etc., and spores of fungi. Liver yellow, and in a state of "acute fatty degeneration." Microscopical examination revealed large numbers of fat globules within and around the heptic cells.

Heart of brownish yellow color, and softer than usual, and, upon microscopical examination, numerous oil globules were found, within and around the muscular fibrills of the heart. The strise of the muscular fibres were not as distinct as in the normal heart,

or in the heart of malarial fever.

Kidneys congested and ecchymosed. When sections were subjected to microscopical examination, many of the tubuli uriniferi were found filled with detached cells, granular matter and oil globules.

The physicians present were unanimous in regarding the lesions as characteristic, of

yellow fever.

Immediately after the post-mortem examination, on Wednesday morning, August 2, 1882, about eighteen hours after the case was seen by the President of the Board of Health, he sent to Dr. Atkinson, President of the Board of Health, Nashville, Tenn., to Dr. R. M. Swearingen, Health Officer of the State of Texas, at Austin, to Dr. W. D. Kelly,

Number of the Calveston Board of Health, to Dr. Johnston, Secretary of the State wand of the th of Mississippi, at Jackson, to Dr. Fournier, Health Officer of Mobile,

and to the en of minimiping at Jackson, to Dr. routine, mouse and to the transmission McNerry, at Baton Rouge, the following telegram:

'I came of redion fever reported at No. 25 Enghien street, Third District, yesterday, at the william fever reported at No. 25 Enghien street, Third District, yesterday, at the william during the night. The Board of Health has taken all necessary measures of distriction, function and isolation. No other case known in the bounds of the etc. ('It's healthy and in good sanitary condition. Death rate per 1000 whites, Mr. al. ('It's healthy and in good sanitary condition. Death rate per 1000 whites, Mr. al. ('It's healthy and in good sanitary condition.) President Board of Health.

The Kulhiwing instructions were issued:

NEW ORLEADS, August 2, 1882.

Yor W. 3. Minimus Summary Inspectors. Third District :

W. The Nanciary Inspector of the Third District will proceed to execute the follow-

the at oney

I have the and thinguly the house, yard and surroundings of So. 25 English street.

I have the his few the hed, hedding, hed circles and wearing appared of Johannes

style mal south withing in his ne a denses

A tive or cathering of people in and around So. 35 English street.

4 There the immediate burial of the bedy of Johannes Street.

5 Plant from otherwise in charge of No. 35 English street and of the surrounding hinds are rare for and himmally impressed and distributed already for a large of the section 4 speak

A The Norman Improved should attend to the execution of those measures in person. are sured at their immediately to the Proof of Fire 22.

, were more and cold, with one barrel carbolic acid, carbant barrel subject and four burnh informan. I have ordered Senitary Processon W. in and Bismobare to report to row to duck JUSTIE TURES II D.

President Beurd al Sientil. State et Louisse

Brane or Bratte, New Original August 2, 1982.

and a set in 1961 will examined a famile will

the W. "We street at a seek of you've from as To a Topical most a the members and their products expected appears. For a primary and the land member 14address of the terminal transmission is event to when

in the election is a neighboring speed of principal till the thereinties committee of the grandent. would allow an the pressure a the source a the Thire linear se and second So.

these motions of the

A direct in our community of their most is the Latters was going become instance action of which show and and anti-

I the second a first of basic ampainting and a branch on the transform and english plants in which the second with the should will be the second to the sec the state of the same of the control of the state of the same of t tions in really it is morrowith earthough

a for many and five more the electricities a free and after to present

Burners ! " our see our water State in stand out the first of the stands

which are an another in the contract of the property of the section of the sectio the state of the first the state of the stat distant a mark do a placet

where a " in the combination with the self-

is now among in it.

THE RESERVE AND ADDRESS OF THE PARTY OF THE

AL END YEARS THE the tip statement the man a bear many to the

we have many without to rade man by a transfer to be completed to Bridge ment of married a right half a policy and a profession of the second on the married the second of th . 1 %

were the second of the second and the second of the second o

the state of the s the second property and the second of the se

I advise the Honorable Administrator of Improvements to furnish at once to this section of New Orleans, embracing eight blocks on the river front and eight blocks in depth (sixty-four blocks), with Englien street as the centre, 128 barrels of lime (two barrels to each block) and thirty-two barrels of copperas, and eight barrels of carbolic acid. Respectfully, your obedient servant,

JOSEPH JONES, M. D.

NEW ORLEANS, August 2, 1882.

Hon. Albert Baldwin, President New Orleans Waterworks Company:

Dear Sir-I would respectfully urge upon the President of the Waterworks Company the necessity of opening the plugs along the river front for several squares back in the Second and Third Districts.

The occurrence of a case of yellow fever at No. 25 Eughien street calls for the active assistance and co-operation of the Waterworks Company in the efforts to improve the sanitary conditions of the central portions of New Orleans.

Respectfully, your obedient servant, JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

> MAYORALTY OF NEW ORLEANS, New Orleans, La., August 3, 1882.

Joseph Jones, M. D., President Board of Health:

Sir-His Honor the Mayor is in receipt of your communication of this date, and directs me to notify you that your suggestions meet with his approval, and he has directed the Administrator of Improvements to purchase the articles mentioned in your communication, and to have them distributed and used under the immediate direction of the Board of Health.

By direction of the Mayor,

E. L. BOWERS, Chief Clerk.

Dr. Bayley, Sanitary Inspector First District, and Dr. Mandeville, Sanitary Inspector of the Fourth District, were assigned to temporary duty in the Third District, to aid Dr. Mioton,

It was arranged that an inspector was perpetually on duty directing the sanitary operations in the Third District.

With reference to the origin of this case, the following is a brief summary of the facts:

The house in which Stroh died, 25 Enghien street, is on the north side of the street. between Decatur street and the levee, and two doors from the north corner of Decatur, It is an old two-story brick building, in which Stroh had a back room on the ground floor. The house in which Forbes, the sailor from Havana by the steamship Marco Aurelio, first showed symptoms of yellow fever, is on the same square, on the opposite side of the street, but in full view, and 250 feet away. The number of the house was given in previous statements as 100 Levee street, but being on a corner, its side doors is 4 Enghien street, so that the near proximity of the building may be seen at a glance. The neighborhood is inhabited almost exclusively by acclimated persons, except an occasional new comer, like Stroh. Several cases of malarial fever have occurred lately in that locality, but there was nothing particularly suspicious, as the patients have usually been acclimated persons.

No detailed connection between Stroh and Forbes, who died on the twenty-seventh of June, of yellow fever at the Charity Hospital, but the proximity of their respective residences creates a strong presumption of such communication, and investigation may es-

Inquiry of the Messis. Hernsheim developed the testimony from their books that their last importation of leaf tobacco and cigars from Havana, the sole articles they get from that port, was received here February 14 of this year. In June they also received several eigar hands direct from Cuba, but they did not work in the same department with Stroh, and nothing can be traced to the factory.

The case points to Forbes, the sailor, who died in the Charity Hospital, but was taken sick at his lodgings, No. 4 Enghien street, and from there, in all probability, the disease

has emigrated.

OFFICE SANITARY INSPECTOR, THIRD DISTRICT, NEW ORLEANS, LA., August 31, 1882.

Joseph Jones, M. D., President Board of Health:

Sir—The following brief report of sanitary operations performed in the Third District is respectfully submitted for consideration:

As is shown; he considering the tables amounted to this report, the work performed during the month has been consistentable notwitheneading the worm weather. But it must be remembered that during the month year amounts, values here have taken place one can at 2 language streed the other at 6 North Peters street are threatens are combined better the new time greater. Increased first by two modifical inquestions for English and the sent aminary officers of the Better of Hamilton has sum from the Op. Had any three two she Anythings Sandary Association.

Therein, the month SIX improvements were mode 405 notices to supersy prove combined and distincted also two squares or it houses whitemasked.

Since the saight a Augment as eather more of velocity from the free removant, and the hamilt at the district removance to be unrealisted. They remove them of the meant time two cases of sandapast.

They remove their columnities.

CASE OF TELLOW FEVER_MALACHIAS ENGLIND.

Ready of Esalve E al. August 11. 1992.

🥍 I. - Morre, Santago Ingenius Thire Thirms

And a will referre remove at once at the office of the Route or Health, as I desire to MARK WILL THE ALL MATTER AS BOOK INQUIREDAM. DISCOUNTED TO DESCRIPTIONS IN D.

To know was alterned that a man had been their site Ligible him I Sursh the early county have not a superior that a new Street streets at a convenient street with cities at 4 All segment states a 20 call many at the same that A 2 B a state of season meters and THE PARTY SEE AND A SECOND SEC The Business of the St. Mark Tollies of the Mill. The Market following with the Desire Laboration and the Market Policy of the Control of the

Manual 1 The Atlanta MALINE MAN SHIP THE SAME ALL THE SALE OF T AMERICAN CAMPAGE AS A SECOND NA SECONDA

the same it government which

. Time Alexand with the per sent to, being the terrible but from

Road to Strain a number 11. 1984.

second arrange, so existence are established products and a confidence of

THE THE STATE OF A PROPERTY OF THE PARTY OF THE PARTY OF THE PROPERTY OF THE PARTY THE AN ADDRESS OF THE PARTY OF the street entire in a companie with a second of the second of

Present report that there is the block as the boundary of the later than the later than the boundary of the later than the boundary of the bou and a war-assessed a there

Electro White I had by morney hours a Built.

RADIO OF FRENCH AND MAN IL THE

De ritter in a second de la companie
Seem that were sufficient to the state of the state of the control CALIFORNIA THE TAMESTOCK THE TENEVISION

Francisco de la consessa de Brancisco Brancisc 1500

-----LEME . REPORTED IN THE STATE OF
CASE OF MALACHIAS ENGLUND, WHO DIED OF YELLOW FEVER, IN THE CHARITY HOSPITAL, NEW ORLEANS, AUGUST 14, 1882.

CLINICAL REPORT, CHARITY HOSPITAL

NEW ORLEANS, August 9, 1882, iles) Time in the city two months moderate quantity of beer. Has not Malachias Englund, carpenter, aged 30 years, native of Cardiff (Wales) Time in the city two and a half, married; does not drink whisky, but occasionally drinks a moderate quantity of beer.

and a nail, married; does not drink whisky, but occasionally drinks a moderate quantity of oeer. Has not been exposed to the sun, as he works in carpenter shop. No. 85 Peters street. He went to bed feeling perfectly well last night, at an early hour. He awoke at 3 a. m. with a chill. When the chill passed off he was brought to the hospital at 8 a. m. First observation at 9.15 a. m.; temperature in mouth 103 9.59, pulse 92; face injected, eyes brilliant, conjunctiva red, acute cephalagia, general pains particularly in lumbar region; skin dry and hot Pulse full, hard and not fast; disposition to vomit, scant urine (no albumen); tongue red on edge, thickly coated and dry; great thirst, peculiar odor of breath, pulsations at epigastrium extremely

Patient states he has only been in the city two months and a half; he came from Cardiff (Wales), on teamship ______. Has not been unwell since he came here until 3 o'clock a. m., August 9, 1862. Says steamship -

it is only two blocks from where last case came from.

Temperature at 8:45 a. m., 103 2-5; temperature taken just after a bath. Been working for Mr. Hickey, 85 Peters street.

August 10—Temperature at 8 a. m., 103 F., pulse 69, respiration 17. Vomited some bilious matter this morning Gums somewhat congested. No hemorrhage; no epigastric tenderness. Urine examined at 9:45 a. m.; albumen to about one fourth of whole amount.

a. m.; albumen to about one-fourth of whole amount.

August 11—Temperature 104f; pulse 52, respiration 22. Patient this morning calm and resting easy; says he is suffering no pain whatever. Urine examined again this morning, one-fourth of which is found to be albumen. No tendency to suppression; no epigastric tenderness

August 12—Temperature at 12, 104; temperature at 6 p. m., 104; respiration, morning, 17; temperature, morning, 103½; evening, 104; pulse, morning, 92; evening, 80.

August 13—Temperature, morning, 101; evening, 102; pulse, morning, 69; evening, 64; respiration, 17.

August 14—Temperature, morning, 104½; respiration, 22.

August 10—At 10 a. m. urine one-fourth albumen.

August 12—Pulse, morning, 60; evening, 70; respiration, morning, 34; evening, 30; temperature, morning, 102; evening, 103.

August 13—Pulse, morning 60, evening, 70; respiration, morning, 24; evening, 30; temperature, morning,

103; evening, 103.

August 15—Pulse, morning, 62; evening, 74; respiration, morning, 26; evening, 28, temperature, morning, 103.5; evening, 103.6.

August 15—Pulse, morning, 100; evening, 110.5 temperature, morning, 104; evening, 105.

From August 10, when the urine was found to be highly albumenous (one-fourth, in volume), the temperature ranged between 103.5 and 104, until August 15, when the temperature was one degree higher than it had been at any other time.

After August 12 the patient became restless, tossing about constantly in bed. The symptoms enumerated at the first observation became intensified, and he died August 15, at 4 o'clock p. m., having been sick seven days and twelve hours. Death occurred without any protracted struggle, apparently from a uraemic comvulsion. Diagnosis: Yellow fever.

CHARITY HOSPITAL, August 16, 1882.

Dr. Joseph Jones, President Board of Health:

Dear Doctor—In compliance with your request, I berewith transmit report of the case of Malachias Rugiund, who died in the hospital of yellow fever.

(Signed)

Respectfully,
A. B. MILES, M. D., House Surgeon.

PATHOLOGICAL DEPARTMENT, CHARITY HOSPITAL, }

Dr. A. B. Miles, House Surgeon:

Dear Sir—I herewith present the report of the pathological condition of the organs of the body of Malachais Englund, as revealed by the autopsy.

The urine examined the day before death contained a considerable quantity of albumen, and also bile, besides great numbers of lencocytes (probably from the bladder), with epithelial cells from this organ, and a few granular cylinders from the kidneys. The same elements were found in the urine taken from the bladder of the death death. bladder after death.

The liver presented in its greatest part the so-called nutmeg appearance, while in some parts it showed a blue color, due to the congestion of its blood vessels; besides this, however, a decidedly golden color, due to the presence of bil· in the organ. The gall-bladder contained a quantity of dark-brown bile. The microscopical examination showed the hepatic cells infiltrated with a considerable number of larger and

smaller fat globules. The kidneys presented a dark, bluish-red color, both upon the outer and the cut surfaces, indicating a high state of congestion. Small yellow spots were observed upon the cut surfaces, which, upon microscopical examination, proved to represent uriniferous tubules, the epithelial cells of which contained larger and smaller fat globules. These fat globules appear to represent rather a fatty infiltration than true degenera-

tion The supra-renal bodies presented upon the section an abnormal appearance, the substance being very dark brown, due to the extravasation of free homoglobin.

dark brown, due to the extravasation of free homoglobin.

The stomach was large, and its nucous membrane appeared greatly swollen. Upon the internal surface of the latter were observed many blue patches, and also spots of ecchymoses, indicating previous congestion. The liquid found in the stomach after death centained great numbers of gastric epithelial cells, and also a number of decelorized colored blood corpuscles. Besides these elements, there were a small number of small masses, consisting of conglomerated, decolorized colored blood corpuscles, with free hemoglobin, imparting to the whole a yellow color. The latter elements were the only representations of the so-called black vomit met with in this fluid.

The critical reason was considerably enlarged by congestion and presented a death brown color.

The spleen was considerably enlarged by congestion, and presented a dark-brown color.

The pia mater of the brain was congested throughout, presenting very many patches of extravasation of the homoglobin. The substance of the brain was also congested. free hemoglobin. The substance of the brain was also congested.

The heart was quite large; microscopical examination showed the commencing fatty degeneration of its

muscular elements.

In taking the above stated pathological condition of the respective organs examined in this case into consideration, as a totality, I may fairly pronounce them as characteristic of yellow fever. The condition of the brain, and that of the heart, particularly, may, in this case, be looked upon as pathognomonic. In all my former autopsies, I have never met with a brain exhibiting more the congestion of this organ, in its typical form, than the case in question.

Yery respectfully,

H. D. SCHMIDT, Pathologist.

EXTRACTS FROM PROCEEDINGS OF THE BOARD OF HEALTH, AT THE MEETING AUGTST 17, 1882. RESOLUTIONS BY HON. I. N. MARKS AND THE HON. ED. BOOTH, RELATIVE TO UNITED STATES MARINE HOSPITAL SERVICE AND THE APPROPRIATION BY CONGRESS.

The regular weekly meeting of the Board of Health was held, Dr. Joseph Jones, President, in the chair, and Drs. Faget, Von Gohren, Pratt and Kells, and Messrs.

Marks. Booth and Bosworth present.

Dr. Jones referred to the continued healthy condition of the city, and reported that during the five days of the present week there were only forty deaths from all causes. This, with a population of over 220,000, was almost unparalled in this or any other country in mid-summer. There was not at present a single case of yellow fever in the city. Dr. Jones stated that he had received a copy of the printed circular issued from the

office of the Supervising Surgeon-General of the United States Marine Hospital Service. relative to the disposition of the hundred thousand dollars in the hands of the Secretary

of the Treasury in threatened or actual epidemics.
Under date of August 15, Dr. R. A. Bayley, Sanitary Inspector of the First District, reported that the front of the same, from Magazine street to the river, had been thoroughly inspected, disinfected and cleaned up.

Upon the written request of Dr. Bayley, he was granted a leave of absence for six

weeks, ill health of himself and wife being sesigned as the reason.

Dr. W. R. Mandeville, Sanitary Inspector of the Fourth District, was assigned as Sanitary Inspector of this district also, during the absence of Dr. Bayley.

Dr. Jones read a list of the amounts drawn to the thirty-first of July by the Board of Health against the appropriation of \$10,000 by the Common Council for the year 1:82, as follows: January, \$575; February, \$625; March, \$625; April, \$637 50; May, \$650; June, \$650; July, \$650. Also in July the sum of \$782 91 was paid by the city to G. R. Finlay & Co., and \$197 90 for stationary, on account of the Board of Health, making a total of \$5,393 31.

The monthly pro rata of the appropriation is \$833, and the pro rata for seven months to August 1, \$833 33, leaving a balance in favor of the board to that date of \$34 02.

Dr. Jones read an elaborate article on the subject of the public health and quarantine

under the laws passed by the last General Assembly.

The President stated that he had instructed Dr. Finney, the resident physician at the Mississippi Quarantine Station, to hold vessels from Mexican ports for observation till satisfied, as all Mexican ports were considered in the light of suspected ports.

A communication from Mr. N. G. Gunnegle and others, residing at McDonoghville, recommending that syphons be conveyed from the river over the levee, in order to produce a current of fresh water of sufficient force to cause the present stagnant water to recode, was referred to the committee on conference.

The committee reported recommending the petitioners to make their application to the

Administrator of Improvement.

A communication from the Produce Exchange was read, inclosing a copy of a resolution adopted yesterday, and asking that the Board of Health, in the event of any case of yellow fever occurring under its jurisdiction, report the same as soon as ascertained to the Exchange, to be posted on the bulletin boards for the information of all the members of the body. The request will be granted.

Mr. Marks offered the following resolution, which was unanimously adopted:

Whereas, the President of the United States and the Secretary of the Treasury have very wisely determined that the appropriation made by Congress in aid of State and local boards of health shall be expended by the Marine Hospital Service of the government, be it therefore

Resolved, That the State Board of Health of Louisiana will thoroughly co-operate with the Marine Hospital Service of the government in all measures having for their object the preservation of the public health and the improvement of the sanitury condition of s city and its territory.

Resolved, That the thanks of this board be tendered to the President of the United States, the Secretary of the Treasury and Surgeon-General Hamilton, for their wise, prompt and efficient action in aid of State and local boards of health.

Resolved, That the Secretary of this board be instructed to convey copies of these reso-

Intions to the President of the United States, the Secretary of the Treasury and Surgeon-

General Hamilton.

The following resolution, introduced by Mr. Booth at the previous meeting and laid over for one week, came up and was unanimously adopted, with an amendment inserted

that the Governer co-operate with the President of the Board.

Whereas, the Congress of the United States has generously appropriated the sum of \$50,000 in care of the National Board of Health, to be applied in aid of State and local boards, therefore be it resolved by the State Board of Health of Louisiana that the President in its name be instructed to apply for \$25,000 of said sum to be expended by this board under such regulation as may be deemed advisable by the Honorable Secretary of the Treasury, said disbursements to be devoted to the following objects:

Twenty thousand dollars to the improvement of the Mississippi River Quarantine

Station.

Four thousand dollars for the improvement of the Rigolets Quarantine Station. One thousand dollars for the improvement of the Atchafalaya Quarantine Station.

> OFFICE SANITARY INSPECTOR THIRD DISTRICT, New Orleans, La., October 1, 1882.

Joseph Jones, M. D., President Board of Health:

Sir—I have the honor to present for consideration the following brief report of sanitary operations performed in this office during the month of September, 1882;

The health of the community in this part of the city is very fair indeed, though variols still continues to be the prevailing disease, twenty-five cases of this malady having been reported this month. The character of this disease is of a mild type, there having been only four deaths from it during the month.

The public and private markets have been the object of a careful inspection, and it is my pleasant duty to report the same, with a few exceptions, in a fine and clean order—water supplies amply sufficient. Righteen hundred and six inspections were made, two hundred and sixty-five nuisances abated, and one hundred and seventy-seven notices to empty privy vaults served.

In the neighborhood of No, 312 Port street seven hundred and ninety premises were disinfected with line, copperas and carbolic acid. A special communication to the Street Commissioner, in order to clean gutters of that vicinity, was sent, which was responded to immediately.

Respectfully submitted.

E. J. MIOTON, M. D., Sanitary Inspector Third District.

ESTABLISHMENT OF QUARANTINE AGAINST PENSACOLA. BY THE BOARD OF HEALTH OF THE STATE OF LOU-ISIANA.

OFFICE OF BOARD OF HEALTH, & Pensacola, Fla. August 11, 1882,

Joseph Jones, M. D., President Board of Health, New Orleans:

Dear Sir-I return thanks for telegram regarding case of yellow fever at Charity Hospital, and beg leave to say that I shall transmit you to-morrow copy of the Pensacola Advance Gazette, containing detailed statement regarding suspicious cases in the Spanish bark Saleta, at Sullivan's wharf, Pensacola, ten days ago. Let me observe here in reference to those cases that to our experienced eye, notwithstanding no characteristic signs or symptoms were manifested during life, they would have been pronounced yellow fever. The one that died, on post mortem inspection of the body, untouched by the knife, showed bloody exudation in mouth and throat. I saw the case late in the evening of the ninth instant; one was nearly in extremis and died at 8 a. m., next morning. This is the case in which the sanguinolent effusion was observed. I could obtain no urine for examination. I ordered the captain to weigh anchor and proceed at once to the Quarantine Station for observation and treatment, but as she had received on board almost her whole cargo, captain concluded to put to sea. Very respectfully and faithfully yours

ROBT. B. S. HARGIS, M. D.

President Board of Health.

P. S.—The dead man was ordered to be buried at sea, as he was denied interment within city limits.

Yours, etc.,

R. B. S. H.

CHARITY HOSPITAL, STATE OF LOUISIANA, NEW ORLEANS, September 21, 1889.

Joseph Jones, M. D., President Board of Health, State of Louisiana. New Orleans:

Dear Doctor-In compliance with the request of the Board of Health, the following statements are fur



 Number of patients in the hospital, 646. Of the acute diseases the malarial fevers and the intestinal disorders predominate.

2. Our records show the case of Englund, admitted August 9, died August 15, the last case of yellow fever in the hospital.

3. The following case, rumored suspicious, of which you inquire, is copied from our records: "John Buckley, aged sixty years, homeless, was admitted into the hospital August 10, and died August 12 of chronic gastro enteritis."

At present no yellow fever, no suspicious case of fever, under our charge. Very respectfully,

A. B. MILES, M. D.

OFFICE OF BOARD OF HEALTH, & Pensacola, Fla., August 10, 1882.

At a meeting of the Board of Health, held this day, the following preamble and resolutions were adopted. In view of the fact of the unnecessary alarm created by the sending off, by the Board of Health, of a vessel having on board cases of sickness, in their opinion, of a suspicious nature, he it Resolved, That the Board of Health, as in honor and duty bound, as the guardians of the public health, will officially aunounce the existence of the very first case of yellow fever which may occur. It was

further

Resolved. That the public be notified that the board does not apprehend the breaking out of an epidemic, the city never being in a more healthy condition, and every precaution being taken to enforce a rigid and strict quarantine—the board taking every precaution, and, in every instance, giving the benefit of the doubt to the public and not to the shipping. oubt to the public and not to the snipping.
On motion, the above were ordered printed in the city papers.
R. B. S. HARGIS, M. D., President.

J. C. WHITING, M. D., Secretary.

[Telegram.]

PENSACOLA, FLA., August 25, 1862.

Dr. Joseph Jones, President Board of Health, New Orleans:

This morning the mate of Italian bark Tiacenso Accame, in the stream, died, and the case pronounced yellow fever; vessel sent to Quarantine Station, when post mortem was held. On opening stomach, showed indications of black vomit matter. The vessel has been in port sixty days and came from Port Elizabeth, where yellow fever does not exist. D. A. BRENT Chairman Executive Committee Board of Health.

[Telegrams.]

PENSACOLA, FLA., August 28, 1982.

Dr. Joseph Jones, President Board of Health, New Orleans, La.:

The board officially reports the existence of two cases of yellow fever in the city. No deaths.

J. C. WHITNIG, M. D., Socretary

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New Orleans, August 28, 1882.

Dr. Finney, Mississippi Quarantine Station; Dr. Carson, Rigolets Quarantine Station; Dr. Sigur, Mor gan City: Yellow fever at Pensacola. Subject all vessels from that port to ten days' quarantine. JOSEPH JONES, M. C.

PRECAUTIONS AGAINST PENSACOLA. THE PROMPT ACTION OF THE HEALTH AUTHORITIES IN KEEPING THE PESTILENCE AWAY FROM NEW ORLEANS.

New Orleans Picayune, August 30, 1882.]
The dispatches reporting a serious outbreak of yellow fever at Pensacola, for the first time made public on Monday, were the subject of much interested inquiry and anxious comment on Tuesday. Applications to Dr. Jones, President of the Board of Health, elicited some information of interest as to the pre-cautions which had been taken to guard against the introduction of the infection into this city from that quarter.

Dr. Jones showed from his official letter book, in the office of the Board of Health, that as early as August 11 he had been snapicious of possible danger from Pensacola, and on that date had issued to Dr. Finney, Quaran ine Officer at the Mississippi Station, and to Dr. Carson, who holds a like position at the Rigoletes, orders to hold all vessels from Pensacola subject to the orders of the Board of Health. The case of the bark Iria, which had been discharged from quarantine at Ship Island with yellow fever on beard, and so returned to Pensacola, was not calculated to strengthen confidence in that station, which was chiefly relied on by Pensacola as an outpost for the arrest and detention of infected ships visiting the waters of West Florida, and for that reason a close watch was set upon all water craft visiting this port from Pensacola.

The steamer Amite, sailing to Codar Keya, but suspected of having communication with the shipping at Pensacola, had been made the subject of strict observation and examination, "a was reported at the last meeting of the Board of Health. A further order had been telegraphed to all the Louisiana coast quarantine stations to subject all reseates from Pensacola to strict quarantine under the ten days regulations, and Dr.

stations to subject all vessels from Pensacola to strict quarantine under the ten days' regulations, and Dr.

stations to subject all resseds from Pensacola to strict quarantine under the ten days regulations, and Dr. Joues said he had little apprehension of dauger by sea.

As to communication by land, the doctor had relied heretofore on the fact that Pensacola had been quarantined and watched by Mobile and Montgomery, and it was scarcely possible for freight or passing rest this city without first passing an inspection before reaching Mobile; nevertheless, he had alrendy had a conference with Superintendent Harshan, of the Louisville and Nashville Railroad, and had delivered to him an order, of which the following is a copy:

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, NEW ORLEASS, August 99, 1889.

J. T. Harahan, Superintendent Louisville and Nashville Railroad:

Sic—You are hereby prohibited from bringing any cars, passengers, merchandise or beggage from Pussela within the bounds of the State of Louisians.

JOSEPH JONES, M. D.,

President Board of Hashth, State of Louisians

He further stated that the trains would be inspected.

The doctor said the entire matter will come up before the Board of Health on Thursday night, when further details will be arranged. In any case, he will relax no energies and neglect no precautions to protect the public health and keep the city in the excellent sanitary condition which has existed all through the summer so far.

Dr. Jones also exhibited the following correspondence on the subject of repairs to the government warehouse at Mississippi Station; it explains itself:

UNITED STATES CUSTOM HOUSE, New Orleans, August 29, 1882.

Dr. Joseph Jones, President Board of Health, New Orleans, La.:

Work on the Mississippi River Quarantine Station will begin at one

JOHN W. GLENN, Superintendent.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, NEW ORLEANS, August 29, 1882.

Gen. John W. Glenn, Superintendent United States Custom House:

–I desire to express the thanks of the Board of Health for the valuable efforts which you have made in behalf of the State quarantine, near the mouth of the Missiasippi River; and I feel assured that the action of the Honorable Secretary of the United States Treasury in his prompt response to the telegram of his Excellency, Gov S. D. McEnery, will command the thanks of the citizens of this State and of the entire valley

Respectfully, your obedient servant,

JOHN JONES, M. D.

PENSACOLA QUARANTINED-DR. JONES ISSUES ORDERS PO PROTECT NEW ORLEANS BY LAND AND WATER.

Times-Democrat, Wednesday, August 30, 1882.]

Yesterday the outbreak of vellow fever in Pensacola, Fla., was the principal matter under consideration at the office of the Board of Health. For some three weeks past, the quarantine physicians, under instractions of Dr. Jones, have been on the lookout for vessels from Pensacola. On August 11, Dr. Jones instructed them as follows:

Hold vessels from Pensacola subject to orders of Board of Health."

A few days later, August 16, Dr. Jones also instructed them, "exercise utmost vigilance with all vessels from Mexican ports. Yellow fever reported at Tampico and Tuxpan. In every case hold vessels from Mexican ports for observation until satisfied."

Upon learning of the fever at Pensacola, Dr. Jones instructed the physicians at the quarantine stations AUGUST 28, 1882.

Dr. Carson, Miller's Bayou:

Hold Henrietta Esche ten days. Fumigate and disinfect thoroughly.

JOSEPH JONES, M. D.

Dr. Finney, Resident Physician, Mississippi Quarantine Station:

Yellow fever at Pensacola. Subject all vessels from this port to ten days' quarantine

JOSEPH JONES, M. D. AUGUST 29, 1882.

AUGUST 29, 1889.

Dr. Sigur, Quarantine Physician, Atchafalaya Quarantine Station:

Yellow fever at Pensacola. Subject all vessels from this port to ten days' quarantine.

JOSEPH JONES, M. D.,

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, } NEW ORLEANS, August 29, 1682.

J. T. Haraban, Superintendent Louisville and Nashville Railroad:

Sir—You are hereby prohibited from bringing any cars, passengers, merchandise or baggage from Pensacola within the bounds of Louisiana.

JOSEPH JONES, M. D.

Mr. Harahan, who called on the Doctor bortly afterward, fully approved of the order, and will obey it to the letter. He informed Louisville, Pensacola, Montgomery and Mobile of it by telegraph, and also furthe necessary precentions to guard against the admission into the State of any person from Pensacola. He informed the different boards of health of his action.

> RIGOLETS QUARANTINE STATION, } FORT PIKE, La., August 29, 1882.

Joseph Jones, M. D., President Board of Health, State of Louisiana:

Dear Sir—I have the honor to acknowledge the arrival, this moment, 4:20 o'clock p. m. of your telegram of even date, informing this station of the presence of yellow fever at Pensacola, with instructions to detain all vessels from that port ten days in quarantine.

Very respectfully, your most obedient servant,

WM. H. CARSON, M. D., Resident Physician.

RIGOLETS QUARANTINE STATION, 3 FORT PIKE, La., August 29, 1882.

Joseph Jones, M. D., President Board of Health, State of Louisiana:

Dear Sir-I have the honor to acknowledge the receipt of your telegram of the twenty-eighth instant,

with instructions to detail the scheener Henrietts Fache ten days and cleave.

The vessel has already received one course of funigation and disinfection, and they are at present sambling and washing all parts of the vessel that can be reached. I will give her mother funigation before to chaing. All on board of the adolphe Flake and Henrietta Eache remain in good health and spirits.



were receive any analysised well sent of the channel, and there is no chance of any intercourse or danger to then the the while while interest to morrow evening (Wednesday) at 6 o'clock. She has been therefore, it is send to and to as chean a vector as one could wish.

I remain, air, very respectfully, your obedient servant,

WM. H. CARSON, M. D., Resident Physician. OFFICE BOARD OF HEALTH, STATE OF LOUISIANA. NEW ORLEASS, August 30, 1862. A bond with M 11 Sanitary Impertor Board of Health, State of Louisiana: in the boards, and eved to dute at Lockwel near the boundary of Louisiana and Mississippi, and the result of Post Post Post (1989). the control of the control of the control of the control of the state of Louisiana of all passes of the control colored has an Philoremen E. Behave and L. D. Allen to report to you at Point Lookset for JONERTH JONES, President Board Health, State of Louisisms. NEW ORLEANS, Amend 30, 1882. a since the important want of Brank Asset of Louisians The North American section is the Secretary Live of Leader-Te for special importion and the Secretary Live of Leanuage and Manifestry, and opposite the MERPE JOSES, M. D. NAM ORTHON NAMED IN PASS. the New 17 Toloreste Stant in Kind William of Liverage The same a more of the ten because the Kanderstin the special suspection and and man, he posterious the to eventuate son grantening and eliminate the PRESENTED IN D. . rest, word or rest. the control of the second control of the second second of the Fire Indiana second control of the control of the second second second control of the second s SEE ENNES M. D. with the first of the first of the property against * John in H. In Sand Date: Journe 500 000 CSUPERS E D ALA DETROIT FRANK AT MAN The same that I got a second m it is a law like to the second - ----THE STATE OF THE STATE OF

> * TT. "F 244

THE BOOK

of course pass these inspectors free over this read, and will assist them all that lies in our power. Mobile just informs me that your actions in quarantining against Pensacola assists them very much, and is very much appreciated by them. I think by co-operation everything will rnn amouthly.

Yours, very truly,

J.T. HARAHAN, Superintendent. Yours, very truly,

TO ALL AGENTS AND CONDUCTORS.

The Louisiana State Board of Health and the Mobile and Montgomery Boards of Health have quaran-The Louisians State Board of Health and the Mobile and Montgomery Boards of Health have quarantined against Pensacola. There is some fear that passengers may come to points on the New Orleans and Mobile division, and then return to those points that have quarantined. You will watch all strangers and suspicious persons, and where tickets are sold or persons get on the trains, notify the conductor of this, staring who the party is, giving the number of the ticket the party purchased, that they may be identified. Should no ticket be purchased, notify the conductor, giving him a description of the party. Conductors will notify the Board of Health Inspectors on their trains of the information given them, and will also notify me by wire from first open telegraph station. Good judgment must be displayed by agents and conductors that no unnecessary hardship may be imposed on innocent persons. Agents will ask all suspicious persons if they are from Pensacola, and should they have been there within the time prescribed by the Boards of Health, you will refuse to sell tickets to all points that have quarantined, informing the persons that quarantine has been established against them.

This is for your private information.

J. T. HARAHAN, Superintendent:

NEW ORLEANS, La., October 5, 1882.

Joseph Jones, M. D., President Board of Health:

Sir—I respectfully present this, my report for the month of September as Quarantine Physician, English Lookout, L. & N. R. R., Louisiana. Enclosed will be found a table showing number of trains inspected, passenger and freight, and number of persons detained in quarantine. I examined into the sanitary condition of the lake towns, and find that they have no local boards of health, under ordinary occasions, nor any quarantine regulations. The fœcal matter from the vaults is used as garden manure, and that every one is his own sanitarian.

At Biloxi there is constant and daily communication with Ship Island, by means of sailing boats, but they

are not allowed to enter the quarantine grounds.

Special praise is due Officers Allen and Bohner for the faithful and conscientious manner in which they discharged the delicate duties required of them; also to Mr. Victor Ward, the United States Customhouse officer, for kind assistance in enabling us to board ressels.

Very respectfully,

W. Rt MANDEVILLE, M. D., Quarantine Physician, English Lookout.

NEW ORLEANS, October 16, 1882.

To Joseph Jones, M. D., President Board of Health, State of Louisiana:

Dear Sir—I respectfully submit to you the following report of inspections of trains and passengers, made at English Lookout Quarantine Station, Louisiana. This is from October 1, 1882, up to and including October 1, 1882, up to an october 1, 1882, up to a ber 16, 1882.

On Saturday evening, October 7, 1882, I detained six sailors at Lookout Station; they had been at Ship Island. On Monday, October 9, 1882, these sailors were released from quarantine, by order of the President of Board of Health. The following is the history of the case:

The American schooner Susan Scranton cleared from the port of Havana, on August 12, with water ballast, and clean bill of health. She arrived at Ship Island on the twenty-second day of September, was fumigated and detained there ten days; left Ship Island on the third of October for Pascagouls; on October 4 went to Scranton

ber 4, went to Scranton, Mississippi.

The following are the names of persons of the Susan Scranton who were detained at Lookout: Capt. H. Schriever, who had yellow fever in Havana, about twenty years ago. Mate: John M. Lococh had yellow fever in Tampico. Sailors—Lewis Evenson, Henry Grard, Thomas Peterson, Christian Jackson. None of

sailors have had yellow fever.

There is a health officer stationed near Grand Bay, Miss., who examined all trains from Mobile, Ala. This is the form of certificate given to conductors:

FORM NO. 1.

SANITARY AND MEDICAL INSPECTION IN THE MISSISSIPPI VALLEY.

[Extract from the Proceedings Board of Health, July 13, 1889.]

THE BOARD OF HEALTH-REGULAR WEEKLY MEETING-THE HEALTH OF THE CITY GOOD-THE BOARD RESENT THE INTERMEDDLING OF THE OFFICERS OF THE NATIONAL BOARD OF HEALTH.

The regular weekly meeting of the State Board of Health was held last evening, Dr. Joseph Jones President, in the chair, and Drs. Formento, Faget, Von Gobren and Kella, and Messrs. Marks, Booth and Boxworth present

Dr Jones called the attention of the Board to the remarkably healthy condition of the city for this season of the year, and to the almost total absence of any contagious or infectious diseases. During the week ending Saturday last, there were only 102 deaths in New Orleans from all causes, and during the last five days, canding Thursday evening, but forty-six deaths had occurred, two of which were from scarlatins, one from small-pox, and one from malrial force. The steady high temperature which we have had of lets, was condenive to health.



Dr. Jones stated that he held under personal inspection the boase Ho. 26 Old Leves street, where Henry Forbes was first taken sick, and although there were fifteen persons in this and the adjoining house, six of whom were small children, not a single case of sickness had occurred among them to date, and all were in a perfectly health; condition.

perfectly health; condition.

In regard to amothems, Dr Jones said the Board and its officers had done everything in their power to prevent the apread of that disease, and regretted that vaccination was not made compalsory by law. Reference was made to the quarantine and health have passed at the recent session of the Legislature. The former was in substance the same law as that passed in 1855, with but slight change in the wording. The net requiring that all inhabitable rooms should be provided with a water capacity of 300 gallons, Dr. Jenes said was in the right direction, but this supply was insufficient.

A special report from Dr. Berret. Sanitary Inspector of the Fifth District, was read relative to the health of Abstern in connection with the overflow in the rear from the Live Oak greenage, showing that as yet no

Algoria in connection with the overflow in the rear from the Live Oak crevasse, showing that as yet no

of Agreen in connection with the overflow in the roar from the Live Oak crevance, aboving that as yet to between effects had remnited therefrom.

A communication from Dr. Finney, Resident Physician at the Mississippi Quarantine Station, was read, showing that all the vessels there were in a clean and healthy condition.

Mr Marks introduced the following resolution:

Whereon, the Memphia Roard of Health has adopted a resolution to the effect that on and after the Officeoch from, and until October 1, 1992, coffee, rice, segar, "changes, spices, and all tropical fruits, etc., while he prohibited from entering Memphia, coming from Scattern ports, and this extraordinary and prohibited from entering Memphis, coming from Scattern ports, and this extraordinary and prohibited from entering Memphis, coming from Scattern ports, and this extraordinary and prohibited from entering the opening the prohibited from entering the opening the property of the action of the Satesian Based in anticologic from the property of the action of the Satesian Based in anticologic from the property of the action of the Satesian Based in anticologic from the property of the action of the Satesian Based in anticologic from the property of the action of the Satesian Based in anticologic from the property of the action of the Satesian Based in anticologic from the property of the action of the Satesian Based in the property of the action of the Satesian Based in the property of the action of the Satesian Based in the property of the action of the Satesian Based in the property of the property of the property of the property of the action of the Satesian Based in the property of the pr ed for action can far an New (briegns is intercested) has been superreduced by the action of the act was been superreduced by the action of the sale was proposed in supposed in apportion service; and wherean the city of New Orleans is entirely free and is entirely free National Point to suspending its inspection service; and whereas, the city of New Orleans to entirely from from contents to the Union, and whereas, the effects of intimeletizes that are being mode to terrify Congress into making approxymations for the one-point of the National Board by declaring mode to terrify Congress into making approxymations for the support of the National Board by declaring mode to terrify Congress into the appeal of the Secretary of the National Board to the vincer shotgam, about mot assume the diagreeous from of the nanoceously distinction of consistence best therefore. Boothese That the State Board of Health of Louissian views with received and assumabment the action of the Reard of Resith of American the consistence of the Reard of Resith of Memphis, and respectfully requests that so far so thus city is concerned this action be reconsidered.

We Works now that if this neithes he the Memphis Beard was to provide the provide of that city from the Bornshoulum is not contaguous in intertheus disease, who was it that each articles of commerce as were newholself from New Ordensias after home anhorself to thereach distinction and a description of ten days neither provide in the quantum of the grant time of the provide of the contaguous and the quantum of the provided from New York with any one days describes as the quantum of the provided from New York with any one days describes as the quantum of the provided from the provide . ب بيرو جه . ه

The receives was unanhumaly adopted and the Secretary instructed to forward a copy to the Memphis trans or

Where is broadwised the following resolution:

We have been described the following resolution:

We have been an offer a broke made to have it appear that the broad of the people of New Orleans, of a sections and of the Bisecontrol Valley is being reconsisted by the Conference of the United Strices in reducing the constituent be about the appropriation for the the sale resolution for other is said in the National Bossel of Boaths; then whereas the 3-T Throws Sectional and resolution for the interest as be consisted it in the theorem the order of man Board a neural about the great in the control of the National Board of Ecological Strices in Manually, the control of the National Sound of Ecological Section is the following sological from the 3-T Throws Sections of the National Board of Boaths at Wash-Institute.

Vive meters to all consecuted to be recented to close in encountings on the fifteenth that and get all governments reported to the place on all closes messars. Nation in table . This is that is evering to Congress the interpretation of the place of the proposed to the control of the control that control the post of the place of with the times with the sea file

his allows methers on adjuncted transfer as a liber was the and appreciate Results

not allocate notices and an approach the product as a local print the and other State. States of Health, me I show the shall be built-only the local policy of the local States. The product and Katismal man a breakly the accordance to the energy and and a local product and between the shall be accordance to the energy of the local printing and the states the same the same that the accordance to the energy of the local printing and the same the same that the sam

the state of the the first material and the event and the event and the first material and the first state of the first state o

were resulted in the training of controls it when determine the training of the first fig. It the source.

Leading "The the Name Report agreement of the training of the result of the control of the control of source of the source of the training of the control of the training of the control of the training of the control of the training of the training of the control of the training of the control of the con

The meadates was adjusted to has the heart advantage

Statement from the proceedings of the France of Posits, State of Learnings regular manufage Fair St. 1992.] The following communicative free the Providence of the Values. Done is Tourist was read

NAMES AND ROOMS OF TRAINER OF THE PARTY OF T

And the second to the decimant is therefore the second to be breather to the second to in affirme to M. Mouse and accounts as a most of a service of a service to the Programme.

The manager of the Service of the s May by 5.6 more • • • . . . - THE AND A -The second second - n in

• .-1001.23 · ~ . "-- . md ---



me return David of Braids

Mr. Marks indignantly denied that the dispatch had been changed or manipulated in the office of any journal in New Orleans, and he was sure this charge was unjust. The Secretary of the National Board of Health had not given any distinguished evidence of his prudence and wisdom in writing letters about health

Health had not given any distinguished evitence of his prunence and wishom in writing severs about master and the Mississippi Valley.

A dispatch was read from Surgeon-General Hamilton, of the United States Marine Hospital Service, under date of July 17, to br. John Golfrey, at the Customhouse, in this city, empowering him to inspect vessels departing for ports up the river, on the request of masters of vessels, and directing him to refer the matter to the State Board of Health, which Dr. Godfrey had done, transmitting a copy of the dispatch from Surgeon-General Hamilton to the board.

Mr. Marks said in this connection: "It is a matter of great importance that wide publicity be given to this profier on the part of our government, not only because the service will be faithfully performed, and without cost to the steamboat interest, but because, above all else, it will command the confidence of the

without cost of the sessimous interest, our section, all sections that the costs of the inspection service on the National Board of Health has created the impression that the costs of the inspection service on rallroads and steamboats has been paid out of the appropriations of Congress, and in consequence of the failure of Congress at this session to make additional appropriations it threatened the dissolution of the service on the fifteenth of July, and would turn over this section of the country to the guardianship of the

This deception was perfectly in keeping with the past history of the National Board. It is well known to the officers of that institution that the inspection service was not dependent upon congressional appropriations. It was within their full knowledge that railroads and steamboats had been required to pay the costs of inspection, and that inspectors upon railroads had been drawing salaries of \$150 per month, paid

by the railroads themselves.

Why was this gross deception practiced upon the people? Why was a suspension of the inspection service threatened? The answer is simply this, because Congress required, in the opinion of the National Board officers, a certain amount of fright and intimidation.

"I trust that is will be generally made known that the inspection service is not, and has not been, contingent upon congressional aid or National Board deceptions."

Mr. Marks moved to adopt the offer of Surgeon-General Hamilton, and that the shipping inspector be directed to distribute copies of Dr. Godfrey's letter. Carried.

Extracts from proceedings of the Board of Health, State of Louisiana, at regular meeting, July 27, 1882.

The Board of Health assembled at their rooms in the St. Louis Hotel building at seven o'clock on Thursday evening, with the President, Dr. Joseph Jones, in the chair, and Mesars. Booth and Marks and Drs. Formento, Faget, Kells and Von Gobren present.

The President made a verbal report of matters before the Board, in the course of which he stated that under the new law providing for quarantine fees from vessels visiting this port he did not think the income would be more than \$20,000 for the year. In 1855 it had been \$45,000, but the tendency of commerce in this day is to increase the capacity of vessels at the expense of their number, and hence a system of fees besed on the number of such vessels showed a falling off.

He stated that all the cities of neighboring States had exhibited the utmost good feeling towards New Orleans, with perhaps the exception of Memphis and Vicksburg, but Memphis alone had made threats of quarantine Chicago, away off on the lakes, had also tried to create a public opinion against New Orleans, but that need soarcely be mentioned.

The relations of this city with St. Louis, Galveston, Mobile and other points were of the most satisfac-

The relations of this city with St. Louis, Galveston, Mobile and other points were of the most satisfac-

The relations of this city with St. Louis, traivestors, mountains the proposition from Surgeon General Hamilton, of the marine hospital service of the United States, to take charge of the inspection of vessels on the Mississippi river, he considered to be of the utmost importance, as it placed the inspection service in reliable and impartial hands. He had written to Surgeon General Hamilton conveying the high appreciation of the Board in the premises, and in view of the fact that Congress has made an appropriation for a marine hospital at this point he had ventured to suggest that it would be wise for the government to establish here a floating hospital in the river for the care and isolation

of cases of yellow fever, small-pox and the like, occurring among sailors.

Mr. George Pandely came in and handed the President a dispatch just received from a correspondent in Galveston stating that a disease resembling yellow fever, but not yet pronounced on by the physicians, had made its appearance at Matamoras, Mexico. It was resolved to telegraph promptly to get the facts.

Mr. Booth arose to protest against expressions made in some of the public prints to the effect that the members of this Board were the creatures and minions of its President, and only acted at his dictation. He then offered the following:

Resolved, That this Board is in full accordance with its President, Dr. Joseph Jones, as to the administra-Resolved. That this Board is in full accordance with its President, Dr. Joseph Jones, as to the administration of his office, and any attempt to single him out by name for animadversion, or to separate him from his fellow members as though they were opposed to, him but were somehow controlled to his support, falls far short of its intended object, and can only expose the animus of whoever, for their own reasons unfriendly to the Board, would thus seek to divide and conquer.

After a failure to lay on the table, the resolution was passed.

Mr. Marks arose to a question of privilege to defend himself against statements made in the Times-Democrat of last Sunday. He read from that journal a communication from Dr. S. E. Chaillé, of the National Board of Health, and also editorial remarks thereon, reflecting, as he thought, on himself. Mr. Marks said:

The communication, comment and publication arises out of statements made by me at the last meeting of the Read of Health.

the Board of Health.

the Board of Health.

The statements made that the railroad companies were paying the salaries of the inspectors were correct, and I had high railroad authority for making them. This I will show before I get through.

Buch being the case, why was the Memphis Board of Health, immediately under the supervision of the National Board of Health Inspector, permitted to lay an embargo upon the commerce of New Orleans, assigning as its reason the discontinuance of the inspection service on the fifteenth of July. Knowing, as they did, that the inspection service was to be continued, and at the cost of the railroad companies, they deliberately deceived the public, and did this solely with the view of advising Congress of the terrible danger the clean city of Memphis would be exposed to, in the event of the suspension of the pro-forms rail-road inspection service. road inspection service.

Road inspection service.

But let me review Dr. Chaillé's statement, and endeavor to get at the true inwardness of it.

He states that "during the year 1881 the total amount expended on the inspection service, under my control and for the benefit of New Orleans, was \$6372 80." As but \$440 was paid by the railroad, and nothing by river craft, the public would like to know in what manner the balance of the amount was expended in the inspection service. For this purpose I proposed to respectfully request the Supervising Inspector to reply to the following interrogatories:



- b. When the the inspection service commence on the Chicago and St. Louis Railroad and on the Louisville and Nashville Most in 1882? How long did it continue? How much did those reads pay? How much was paid by the National Board?
 - Heave there been any inspectors on the Morgan Texas Road in 1861 and in 1862! If not, why not?

 If there has been any inspection on this road in either year, by whom was it paid, and what amount?

 I have much the the steam boat inspection service cost in 1821 and 1822, and by whom paid?

 A few much has been paid out of the inspection service fand in 1881 and 1828 for the expenses of the

Ship Island Quarantine Station!

A flow moved has been paid out of the inspection service fund in 1981 and 1889 for the running and maintenance of the steam issued Day Dream! 4. New much has been paid out of the inspection service fund in 1881 and 1982, for the following items.

The salaty of the Patton, at the Missinsippi Quarantine Station
The salaty of the Sapervising Inspector.
The salaty or uncolorned to the resident member of the National Board.
The salaty or uncolorned to the resident member of the National Board.
The salaty of this State! If so, what amount, and where?

State any other items, charged to this fund

The other of these improves is to assertant how much in actually paid the impaction service at this point of the other of the inspection service. When this is formation is formation we shall be partially active of the second of the other of the second of the second of the other of the inspection service.

The water for this I will have some additional light upon the subject. When I found that the second of the second of the second of the the relative of the three was a determination of the second of t

The Chicago and St. Louis Road writes as fallows:

XXV ORLEANS, July 94 1888.

4 / Made By Member State Frank of Brakk 23 (http://www. New circles...

The We It the absence of he (Buck I had to neithborholds would of voor flows of this data, as to have on Room it. How't improveme we had the comment. I would say in regit, that we paid to the flow of work as two and have agreed to pay at the time of his pay mentile say in continuous the continuous continuous and commentation in the flow of the continuous continuous and commentation in the flow of the continuous continuous and commentation in the continuous c

The man is the same the improving secrete from Angine. It begins in the same weeks.

I have not such as it is took communities at a 1 and it is better the Memphin quantities.

Solve the second in the same of the properties from an other of the company time is the same of the company time in the same of the company time.

To a were at more built all Reme without the fallows.

ME A 15 CELLES VER

as moster on I spil chart I v

The other lines is the transportation requires that is. It would will not thus discrete the year 1988, the other is the lines that it is not the same of the lines that the lines to the lines that the l

the same of the name and and and analysis of the properties of the same of the

The when Benduse and Verdubers are little Real are as for most posted on the Kentines Board, that
the when Benduse are Verdubers are at one in the content of the content process of the content of the c

the bear the property of the second s

AND THE STATE OF T the state of the control of the cont

1 755 1.12 8 1 market form 1 State State & State

·- W --

A COLUMN TO SERVE Bee a d : compacted and a store on it could

· multipleme Jal 38 38

the state of the s

and the second of the second after a substance of the second seco

In this connection, you are informed that a copy of your dispatch has been forwarded by the Secretary of the Treasury to the Senate Committee on Appropriations, with the information that the facilities exist in the Marine Hospital Service for the proper inspection of vessels proceeding up-river from New Orleans, without any additional appropriation from Congress.

I have to further request that you will, at any time, suggest any method by which this service may aid the State Board of Health of Louisiana, so far as the treatment of sailors and persons employed on steam boats is concerned.

Very respectfully,

JOHN B. HAMILTON, Surgeon-General, U. S. M. H. S.

TREASURY DEPARTMENT,
OFFICE SUPERVISING SUEGEON-GENERAL, U. S. MARINE HOSPITAL SERVICE,
Washington, July 20, 1882.

P. A. Surgeon John Godfrey, U. S. Marine Hospital Service, New Orleans, La.:

Sir-I inclose for your information a copy of a dispatch this day received from Dr. Joseph Jones, President of the Board of Health of the State of Louisiana, and to inform you that the same has been laid before the Secretary of the Treasury, who directs that you inspect vessels leaving New Orleans for up river, on the request of the masters, and furnish a certificate of the result of the same without charge.

Dr. Jones has been informed of this action, and also that you will co-operate with him as far as is in your power.

Yours, very respectfully,

JOHN B. HAMILTON,

Surgeon-General, M. H. S.

U. S. MARINE HOSPITAL SERVICE, DISTRICT OF THE GULF, PORT OF NEW ORLEANS, Surgeon's Office, July 24, 1892.

To President Board of Health, State of Louisiana:

I have the honor to say that hereafter such up-river vessels as desire health inspection can have it done without cost, and obtain certificates of sanitary status of passengers and crew, if the masters thereof wil make application at my office in the Custom House. Assistant Surgeon Armstrong will inspect in person Very respectfully,

JOHN GODFREY,

Past Assistant Surgeon, M. H. S.

CIRCULAR—THREATENED OR ACTUAL EPIDEMICS.

TREASURY DEPARTMENT, OFFICE SUPERVISING SURGEON-GENERAL, UNITED STATES MARINE HOSTITAL SERVICE. Washington, D. C., August 9, 1882.

To Medical Officers of the Marine Service and Officers of State and Municipal Boards of Health.

I am directed by the Secretary of the Treasury to inform you that Congress, at its last session, enacted

"The President of the United States is hereby authorized, in case of a threatened or actual epidemic, to use a sum not exceeding one hundred thousand dollars, out of any money in the Treasury not otherwise appropriated, in aid of State and local boards, or otherwise in his discretion, in preventing and suppressing the spread of the same."

The Spread of the Same.

He further directs me to inform you that the President has decided to employ this contingent appropriation through the agency of the Treasury Department, and that, in case of a threatened or actual epidemic, immediate action will be taken, upon application, from the Governor of a State addressed to the Secretary of the Treasury.

JOHN B. HAMILTON. Secretary of the Treasury. Supervising Surgeon General United States Marine Hospital Service.

MISSISSIPPI QUARANTINE STATION, 1882—REPORT OF J. F. FINNEY, M. D., RESIDENT PHYSICIAN, MISSISSIPPI QUAR-ANTINE.

MISSISSIPPI RIVER QUARANTINE, LOUISIANA, } December 31, 1882.

To the Hon. President and Members Louisiana State Board of Health, New Orleans, La.:

Gentlomen-I respectfully submit this my report of this station for the year ending December 31, 1882. It is embraced in tabulated statements numbered one to four, whose

headings indicate the nature of each.

In reference to these statements, I would call your special attention to the fact, as shown by number four, that there has not been at this station during the past year a case of yellow fever; notwithstanding the fact that one occurred in New Orleans as early as June, and which would have been developed here if at that time there had been a quarantine detention of ten days for vessels arriving from infected ports.

I fail to see the wisdom of or benefits to be derived from a quarantine detention of three days for a short while, and then increasing it to ten days for the remainder of the

If it is the intention of your honorable body to quarantine vessels from infected ports during the summer for a minimum period of ten days, I would suggest that you so proclaim it from the beginning.

Last September we were visited by a terrible cyclone which did considerable damage. The grounds were submerged by sea water for three days, the fencing and water closets blown down and much of the fencing and loose articles washed away, the painting on all the buildings was either washed off or discolored, and considerable plaster fell from the walls and ceilings. Since then, however, with the limited means at hand, I have managed to have the grounds and buildings thoroughly cleansed and disinfected, the latter being necessary on account of the number of drowned animals and decayed vegetable matter left by the subsiding waters, the fences repaired as far as possible and levees put in good condition, with the exception of fascining, which is very necessary, and the walls and ceiling replastered.

I have made the following estimate of the material and repairs needed and cost: Lumber, \$105; barb wire and staples, \$45; labor, \$50; painting exterior of buildings, two costs in oil and whitewashing fences and outbuildings, \$500. Total, \$700. With this small outlay the buildings will be preserved and the station present a commendable appearance.

In conclusion, I would ask your honorable body to allow me the employment of a man as hospital steward, the same to be a competent druggist, to take charge of and care for the hospitals and their effects, compound medicines, and perform such other duties as may be required of him by the Resident Physician. Such an officer is essential for the proper management of this station.

Very respectfully, your obedient servant,
J. F. FINNEY, M. D., Resident Physician.

[No. 1.]	VES	BELS .	ARRI	VED,	1882.		[No. 2	.) COLLI	CTIONS,	1882.	
MONTHS.	Steanmahip.	Shipe.	Barke.	Brigs.	Schooners.	TOTAL.	MONTHS.	Tax Fee.	Fumigation.	Other,	TOTAL.
January February March April May June July August September October	36 41 59 51 30 24 45 61	6592522353	24 11 25 9 10 12 5 5	4 3 8 2 3 2	8 10 15 21 14 17 9 7	88 65 98 93 80 64 42 60 88 72	January February March April May June July August Septembor October	930 00 1379 50 1019 50 940 00 737 50 579 50 1509 50 1870 00	317 00 408 00 154 00 262 00 512 00	5 00	\$1285 00 930 00 1372 50 1012 50 1962 00 1150 50 726 50 1774 50 2387 00 9059 50
November December		4 7	14 27	2 2	11 12	105 143	November December	2102 50 3139 00			9907 50 3139 00
Total	615	53	160	28	142	998	Total	\$16986 50	\$2305 00	\$15 00	\$19306 50

· No. 3.

VESSELS QUARANTINED, 1202

	Rio Janeiro.	Havada.	Vera Cruz.	Minatitlan.	Colon.	Tampico.	Martinique.	St. Lago de Cuba.	Brazos St. Iago.	Pernambuco.	St. Thomas.	St. Ans, Mexico.	Pensacola,	Ē	24	Bahia.	Total.
MayJuneJulyAugustSoptomber		7 9 6 4 5	7 6 1 4 3	1	3 1 2 3	1	1 2	1 1	2	2		3	1	::		٠٠	16 22 8 12 28
October	2	13 5 49	25	2	11	2	 5	2	2	2	i 	3	1	1	:	i 	\$6 5

[No. 4] VESSELS ARRIVING WITH SICK ON BOARD, 1882.

May 8 Sch. J.G. W June 21. Sch. Tomas Sept. 3 Sch. Laura	EE.		No. of days on passage	No. of sick.	DISEASE.	Removed to hospital	Died.	Post-mortem examination	REMARKS.
Sept. 29 Sh.J.C.Rob Oct. 4 S.S. Prinz (Oct. 15 S. S. Explo	as T a Lewis B bertson C George M	ampico razos St. Jago. olon fartinique	5 8 18 8	6 4 2 3 4	Mal. fever. Mal. fever. Mal fever. Mal. fever. Mal. fever. Mal. fever.	0 0 0	1 1 1 0 0		Chronic. Chronic. Occurred while in quarantine. Chronic.

REPORT OF W. H. CARSON M. D., RESIDENT QUARANTINE PHYSICIAN, RIGOLETS STATION, FORT PIKE, LA., 1882.

To the Honorable, the President and Members of the Board of Health, State of Louisians:

Gentlemen—I have the honor to report the following duty performed at the above named quarantine station, from the first of May to September 14, 1892:

This station was promptty opened on the first of May last, by the Board of Health of the State of Louisiana, in compliance with the proclamation of His Excellency, S. D. McEnery, Governor of the State of

Every detail in the furnishing of the station was looked to, and the instructions given by the honorable President, Joseph Jones, M. D., fully attended to and carried out.

The station was thoroughly equipped as to its boarding and inspection appliances, and in every way prepared for any requirements incidental to a quarantine station.

The total number of vessels (in the great majority schooners) noted, undergoing boarding and inspection. amounted to (933) nine hundred and thirty-three.

During the period of inspection no case of sickness of any nature was observed, nor was there any other

During the period of inspection no case of sickness of any nature was observed, nor was there any other feature creating or requiring any concern or unusual attention.

I may here mention that, during the quarantine season, I was repeatedly notified and forewarned by telegram from President Jones of the approach of suspicious vessels.

However, none were discovered to be infected, and they were released after undergoing rigid inspection, funigation, the other disinfective measures and ten days' detention, under daily observation.

The question in regard to quarantine fees, the difficulty and uncertainty of collection, still require due consideration and solution: my views, as expressed in my annual report of 1881, I yet entertain, and from subsequent experience know of no peason to change or modify them.

I again recall attention to the increased importance of the station, and its removal to some locality in the immediate neighboorhood of the railroad crossing of the Rigolets, so as to inspect and control communication both by rail and water.

W. H. CARSON, M. D., Quarantine Physician, Rigolete Quarantine Station, Louisiana.

Rigolete Quarantine Station, Louisiana.

REPORT OF N. L. SIGUR, M. D., RESIDENT PHYSICIAN ATCHAFALAYA QUAR-ANTINE STATION, LOUISIANA, 1882.

MORGAN CITY, January 19, 1882.

To the President and Members of the State Board of Health, New Orleans, La.:

Gentlemen-I have the honor to forward you my report for the operations at this station during the secsion of 1882

sion of 1882. It is misest that I should first speak of the overflow which, last year, afflicted this entire country, and of its influence here over the public health and navigation. I shall call your attention to the fact that, whilst the flood lasted, and even after its withdrawal, few deaths occurred from disease; these, were chiefly the result of accidents, such as drowning. It was only two or three months afterward that sickness commenced to prevail; dysentery and malarial fevers became rife, and the death-rate among infants from malnutrition and intestinal derangements grew unusually large. Yellow fever, however, failed to put in its appearance, showing that something else besides the great revolutions of nature is requisite for its production

duction.

I shall not mention the ravages perpetrated by the waters, nor the houses, cattle and even human beings that they have carried away. This, however interesting, would perhaps appear foreign to my subject. Suffice it, therefore, for me to state that owing to the removal of the Morgan wharf and the cessation of railroad travel, the steamships of the line did not visit this place before May 28. The return of schooners was even more retarded; the ourrent proved, for many weeks after, too streng to be stemmed. In addition, their trade, which consisted for most part of timber and cross-ties, had suffered considerably. These had been washed away in great quantities. This accounts for the notable reduction in the number of steamships, schooners and passengers as compared with the preceding year.

In making a summary of all my weekly rolls, I find that, during the whole past season, one hundred and twenty-nine steamships, fifty-nine schooners and six thousand eight hundred and sixty-three passengers have come under my observation. Out of these ships, ten hailed from infected ports, two were from Vera Cruz, the others from Corpus Curisti. I have dealt with them all, according as your instructions and circumstances required. Whenever they allowed me some margin, I always made it a point to be guided by expediency, and to comply with the spirit of the law, rather than with its letter. I must congratulate myself upon this course of conduct, since it has been my good fortune, so far, to give satisfaction to all without ceasing, at the same tire, to preserve the public health.

I am, very respectfull j, your obedeint servant,

I am, very respectfully, your obedeint servant, N. L. SIGUR, M. D. Quarantine Officer, Atchafalaya Station, for 1882. OUTLINE OF THE QUARANTINE OPERATIONS OF THE BOARD OF HEALTH OF THE STATE OF LOUISIANA FOR 1883. TRANSFER OF QUARANTINE STATION FROM FORT PIKE TO RABBIT ISLAND, EAST BIGOLETS, BY THE BOARD OF HEALTH OF THE STATE OF LOUISIANA.

By a rigid system of economy, and by husbanding the resources, the Board of Health was able in the month of April, 1883, to empower the President to erect the necessary buildings, wharfs and boat-house on Rabbit Island, and to transfer the Quarantine Station to this locality from

The total expenditures by the Board of Health at the Rigolets Quurantine Station during the quarantine season of 1883, extending from 1 May, to 1 November, was \$3762 64, whilst the receipts were only \$238, 50.

In response to the request of the President, the Finance Committee, composed of Hon. I. N. Marks, Colonel A. W. Bosworth and Hon. Ed. Booth, visited and inspected the Louisiana Quarantine Station on Rabbit Island, and reported as follows: To the Board of Health, State of Louisiana:

Gentlemen-The Finance Committee, in company with the President, have visited the quarantine station at the Rigolets.

They inspected the buildings recently erected, and find them well constructed and conveniently adapted for the purposes intended.

The new site at Rabbit Island (United States Government property) is far superior to the old one at Fort Pike, commanding, as it does, both the Rigolets, East Louisiana and the railroad. The money spent upon this work has been well expended.

I. N. MARKS, Chairman,
A. W. BOSWORTH,

ED. BOOTH.

NEW ORLEANS, June 14, 1883.

QUARANTINE.

OFFICE BOARD OF HEALTH, New Orleans, April 18, 1883.

Captains and masters of vessels, shippers and ship agents, and all parties concerned, are hereby notified that, in accordance with official action of the Board of Health of the State of Louisiana, the quarantine station has been removed from Fort Pike to Rabbit Island, East Rigolets. After the first of May, 1883, vessels entering East and West Pearl Rivers and Rigolets will report at Louisiana Quarantine Station on Rabbit Island, East Rigolets.

(Signed)

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

QUARANTINE PROCLAMATION, BY SAMUEL DOUGLAS MCENERY, GOVERNOR OF LOUISIANA.

EXECUTIVE DEPARTMENT, STATE OF LOUISIANA. Whereas, On the eighth day of March, 1883, the Board of Health of the State of Louisiana did request the Governor of the State to issue his annual proclamation of quarantine, and did advise in regard to the terms and conditions of the same. Now, therefore, in accordance with law, and upon the recommendation of said Board of Health, I hereby

issue my proclamation that quarantine take effect from and after the first day of May, 1883, with the following specifications:

All vessels, together with their crews, passengers and cargoes, arriving at the several quarantine stations of the State from the Mexican ports of Matamoras, Tampico, Tuxpan, Vera Cruz and Minatitlan, from all ports on the islands of Cuba, Hayti or Sam Domingo, Porto Rico and Jamaica, and from the Brazilian ports, Rio de Janeiro, Bahia and Pernambuco, to be detained ten full days, and the vessels and cargoes to undergo cleans-

ing and disinfection.
Also, that vessels from other West Indian Islands and from ports along the Isthmus of Panama and the coast of South America as far south as Brazil be subjected to inspection and such cleansing, disinfection and detention as the Board of Health may direct; particular reference being had to the Islands of Barbadoes, St. Thomas, Martinique, Guadeoupe and Trinidad, and to the ports of Colon, Carthagena, Savanilla, Baranquilla, La

Guayra, Georgetown, Cayenne and Paramaribo.

The quarantine officers at the several stations are specially charged and directed to enforce strictly the execution of this proclamation, and the Board of Health is requested to prosecute vigorously all violations of the same, or of the quarantine laws of the State.

Given under my hand and the seal of the State of Louisiana, at the city of Baton

Rouge, this fourth day of April, 1883.

(Signed)

S. D. McENERY.

[SEAL].

By the Governor.

OSCAR ARROYO, Assistant Secretary of State.

PROTECTION OF NEW ORLEANS FROM THE INTRODUCTION OF FOREIGN PESTILENCE, THROUGH EAST PEARL RIVER AND BY WAY OF PEARLINGTON, MISSISSIPPI.

In accordance with the formal resolution of the Board of Health, Dr. William H. Carson was appointed Quarantine Inspector at English Lookout, on the fifteenth of May, 1883:

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New ORLEANS, May 14, 1883.

In accordance with the action of the Board of Health at the last regular meeting on the tenth of May1883, Dr. William Hunter Carson is appointed Quarantine Inspector at Lookout Station, Parish of OrleansLa.. and will be respected and obeyed accordingly.

Dr. Carson will execute the following duties, in obedience to the direction and in accordance with the
powers of the Board of Health, State of Louisiana:

1. Boarding and inspection of all vessels entering Lookout.

2. All vessels from infected ports must be directed to report to the Louisiana Quarantine Station, on
Rabbit Paland Rigolata

Rabbit Island, Rigolets

3. Dr. Carson will report all violations of the Quarantine Laws of Louisians to the President of the Board of Health. He will also communicate all facts of importance relating to vessels from infected ports included in the Governor's Proclamation, to Dr. Adams, resident quarantine officer at Rigolets.

4. Dr. Carson will report promptly to the President of the Board of Health the entrance of a vessel or vessels from an infected port into the waters of Mississippi.

5. Dr. Carson will also hold supervision over the railroad trains, and allow no passengers or baggage from an infected port to enter Louisians.

an infected port to enter Louisians.

(Signed)

JOSEPH JONES, M. D. President Board of Health, State of Louisiana.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New ORLEANS, May 14, 1883.

Capt. Ward, United States Customhouse, Lookout, La, :

Dear Sir.—The bearer, Dr. William Hunter Carson, has been appointed Quarantine Inspector at Lookout Station, and I would respectfully request that you extend to him the same kind courtesy exhibited to the State health officer during the quarantine against Pensacola in 1882.

The object is to exclude foreign pestilence, and the quarantine service will be facilitated if the Customhouse officer would permit Dr. Carson to accompany him in his boat in boarding vessels.

Respectfully, your obedient servant,

President Board of Health, State of Lonisiana.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New ORLBANS, May 14, 1883.

J. T. Harshan, Superintendent Louisville and Nashville Railroad:

Dear Sir-In order to perfect, as far as practicable, the quarantine system of Louisiana. and guard all the avenues from the approach of foreign pestlience, the Board of Health have assigned the bearer, Dr. William Hunter Carson, to Point Lookout.

I respectfully request that the railroad, which you represent with so much ability, grant Dr. Carson, a free pass between Mobile and New Orleans.

It may be necessary to order an investigation at any time, and at any point on your road.

Respectfully, your obedient servant,

President Board of Health, State of Louisiana.

[From Regular Monthly Meeting Board of Health, May 10, 1883].

Dr. Jones stated that he thought an officer should be placed at Lookout Station. as vessels from infected ports passed that station on their way to Pearlington. He thought the Board of Health of Louisiana should co-operate with the State of Mississippi in maintaining quarantine, and to that end communicated to the authorities of the State of Mississippi that the Board of Health of Louisiana would permit infected vessels to come to Rabbit Island Station, and there be disinfected before proceeding to Pearlington.

The Board of Health having, by formal resolution, authorized the President to confer with the health thorities of Mississippi most nearly connected with the quarantine system of Louisians, the following correspondence will give the results of his visit and personal interview with the President and members of a Board of Health of Hancock county, Miss., on the sixteenth of May, 1883.

BAY ST. LOUIS, MISS., May 13, 1883.

S. S. Herrick, M. D., Secretary Louisiana State Board of Health:

Deer Doctor—Yours of the twelfth instant, informing me of action of your board, and that Dr Joseph Jones, President of the same, would visit the bay, etc., was received this morning. You will please state to Dr. Jones that I have called a meeting of our board for Wednesday nest, sixteenth instant, and would be pleased if he could so time his visit as to be present. Time of meeting 7 o'clock p. m., at courthouse. I will be pleased to meet Dr. Jones and confer with him in regard to the English Lookout Quarantine matter, and I hope that some mutual understanding can be arrived at, as I consider it the only way, successfully, to protect your city and Pearl River from infection by that channel, from any vessel which may endeavor to avoid quarantine elsewhere.

Will be pleased to meet you when you visit the bay.

Yours truly,

A. PARKER CHAMPLIN,

President Hancock County Reard of Health.

President Hancock County Board of Health.

COURTHOUSE, HANCOCK COUNTY, MISSISSIPPI. BAY ST. LOUIS, May 16, 1883.

By the Board of Health of said County-

Resolved. That the propositions of Dr. Joseph Jones, President of the Louisiana State Board of Health. be and the same are hereby adopted, as follows: "The Board of Health of Louisiana desires to co-operate with the Hancock County Board of Health, in the event of vessels coming from infected ports and entering the waters of East Pearl River, with the design of loading lumber at Pearlington; that they be requested to undergo inspection and disinfection at the Quarantine Station at East Rigolets. The object of this regulation would be to give security to New Orleans in her intercourse with Pearlington or any point along the Gulf coast in Hancock County." Provided there is no expense to vessel for such service.

A true copy.

J. A. MEAD, Secretary Hancock County Board of Health.

The complete record of the labors of the Board of Health of the State of Louisiana, in the operations which successfully excluded yellow fever from entering New Orleans from the Mississippi Gulf coast, would cover much more space than could be devoted to this section of the quarantine of 1883; the following official orders and correspondence will, however, illustrate the character of the operations of this branch of the service:

NEW ORLEANS, June 29, 1883.

Mesars, Poitevent & Favre, Pearlington, Miss.

Gentlemen—A communication from the President of the Hancock County Board of Health informs us that a vessel presumed to be infected is now lying at Ship Island, and is about to receive a cargo of lumber. by means or lighters, from the Pearl River Mills—At its meeting last night this Board agreed to co-operate with the Hancock County Board, through its officers at the Rigolets and English Lookout, and will, at the request of that Board, disinfect and cleanse any lighters which may have communicated with vessels from infected ports.

It is proper to add that this Board feels bound to use all the means in its power for the protection of our city and State from foreign infection, and that any laxity along the Mississippi coast or on Pearl River will compel us to observe special measures of self-protection in those directions.

Respectfully, your obedient servant,

JOSEPH JONES, M. D.,

JOSEPH JONES, M. D., President Board of Health,

NEW ORLKANS, June 29, 1883.

Dr. W. H. Carson, Quarantine Inspector, English Lookout:

Deer Sir-This Board has agreed to assist the Hancock (Miss.) County Board of Health in the cleansing and disinfection of vessels from injected ports, and particularly of lighters communicating with such vessels. You are therefore requested to perform this duty whenever required by these authorities. Dr. Adams will send you all the materials needed for this purpose—sulphur, copperss, carbolic acid, and two

You are also requested to exercise the utmost vigilance with reference to all such vessels, both seagoing and lighters, especially as we have intelligence that there is now a vessel at Ship Island from an infected port, which has come for a cargo of lumber, to be received by lighters. This vessel has a case of yellow Respectfully,

ATHE OR BOARD.

JOSEPH JONES, M. D. President Board of Health.

NEW ORLEANS, July 2, 1883.

A. Parker Champlin, M. D., President Hanoock County Board of Health, Bay St. Louis, Mississippi:

A. Parew't campina, M. D., President Hancock County Board of Health, Bay St. Louis, Mississippi:

Deer Peeter Enclosed please find copy of telegram from J. B. Hamilton, Surgeon General, United States Marine Respital Service; also telegrams from the Roard of Health of the State of Louisiana, addressed to Mears. Policyent & Favre, of Prarlington, Dr. Carson, Lookont Station; J. W. Adams, M. D., Quarantine Physician, Rabbit Island, Rigulet Station; also copy of letter of Mesers. Poivevent & Favre, of June 20. Please farmish this Buard with prompt information relating to occurrence of yellow fever in shipping. We desire tall and specific information in reference to the following points:
In whose charge is the quarantine at Ship Island!
Has the Mississippi State Board of Health any representative on Ship and Round Islands!
Who are the health officers or quarantine physicians at Pass Christian, Biloxi, Mississippi City Ocean

Springs and Pascagoula!

llars these places any afficient quarantine regulatione!

In this amorgany, when the coust of Mississippi is seriously threatened with an invasion of yellow fever, the Mouri of Iresta of Louisians desire to cooperate freely and efficiently with the Health authorities of Mississippi, for the exclusion of foreign postsionee Respectfully, year obodiest servant,

JUSEPH JONES, M. D., President Board of Health



NEW ORLEANS, July 2, 1883.

Peitevent & Favre, Pearlington, Miss.:

Your letter of thirtieth received. If you allow your lighters to communicate with infected vessels and with vessels from infected ports, and refuse to conform to the agreement between the Louisiana and Hancock County Boards of Health of May 16, this Board of Health will institute quarantine against Pearlington. The following telegram has been sent to Drs. Carson and Adams: Norwegian bark Alms, with two cases of yellow fever, sent from Pascagoula to Ship Island on June 27. Inspect all vessels from Pascagoula and Ship Island; if they have communicated with any infected vessels, direct them to proceed to Rigolets Quarantine Station Investigate all facts as to the existence of yellow fever at Pascagoula or Ship Island, or any point on the coast of Mississippi. and report immediately to the Board of Health.

JOSEPH JONES, M. D., President Board of Health.

Dr. Adams, Rigolets Quarantine Station; Dr. Carson, Lookout Station, La.:

Norwegian bark Alms, sent from Pascagoula to Ship Island with two cases of yellow fever June 27. Inspect all vessels from Pascagoula and Ship Island; if they have communicated with any infected vessel, direct them to proceed to Rigolets Station. Investigate all facts as to the existence of yellow fever at Ship Island or Pascagoula or any point on the coast of Mississippi, and report immediatly to the Board of Health. (Signed)

| Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication | Communication

NEW ORLEANS, July 7, 1883.

Wm. H. Carson, M. D., Quarantine Inspector, English Lookout:

-I have ordered Sanitary Officers Allen and Bohuer to report for duty at English Lookout, under the following instructions.

1. To aid Dr. Wm. H. Carson in the execution of the following labors ordered by the board.

(a). Fumigation of vessels.

(b). Inspection of all trains passing from Mississippi into Louisiana.

The inspection of all trains passing from Mississippi into Louisiana.

The inspectors should in order to avoid interrupting trains proceed on the out-bound train as far as necessary say to Passagoula, Biloxi or Bay St. Louis, and return with the train bound for New Orleans and inspect the passengers.

inspect the passengers.

(c) Where passengers have been subjected to proper quarantine detentions at the regular Quarantine Stations and their baggage fumigated, they may be allowed to proceed to New Orleans at the discretion of the Quarantine Inspector: said discretion being exercised as to the efficiency of the quarantine and the actual state of health of the passengers.

(d.) The Board of Health of the State of Louisiana demand that the Inspector at English Lookout should exercise the utmost vigilance, and allow no passenger or seaman to enter the State of Louisiana who has left an infected port, in any vessel, whether infected or not, without having been subjected to quarantine.

(e.) Furnish this Board of Health with written weekly and if necessary daily reports: also telegraph at once every evasion of quarantine and every point of interest.

Respectfully,

President Board of Health State of Louisiana.

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

ERECTION OF BUILDINGS, WHARF AND HOUSE AT ATCHAFALAYA QUAR-ANTINE STATION BY THE BOARD OF HEALTH OF THE STATE OF LOUISIANA.

In accordance with the formal resolutions of the Board of Health, the President visited Morgan City, and, in company with the quarantine physician, Dr. J. H. P. Wise, inspected the quarantine grounds and agreed upon the necessary plans for quarantine buildings.

The said buildings were erected in accordance with the specifications, and, after being duly accepted by the President, were paid for by the Board of Health, as will be seen by the following receipt:

State Board of Health

MORGAN CITY, La., May 5, 1883.

To Drews' Planing Mill, Dr. (Gus Drews, Proprietor.)

To building wharf and house at Atchafalaya Quarantine Station To 1 cistern	\$525 00 30 00
To 1 sign	4 00 3 00
-	

Paid.

(Signed)

GUS DREWS.

THE UNITED STATES HOSPITAL SERVICE INDORSED BY THE BOARD OF HEALTH OF THE STATE OF LOUISIANA-RESOLUTIONS BY HON. I. N. MARKS.

The Board of Health held a special meeting at their rooms, cerner of Royal and St. Louis steeds, on Thursday evening, April 19, at 70 clock, with the President, Dr. Joseph Jones, in the chair, and Messrs. Bosworth, Booth, Faget, Formento, Marks, Pratt and Von Gohren present.

The President stated that the meeting had been called at the request of the Chairman of the Finance

Committee.



Mr. Marks, chairman of the committee, stated that the object of the meeting was to bring before it a matter which was thought to be of sufficient importance to call the Board together. The Miscissippi Valley Sanitary Council, in its late session at Jackson, had manifested a great desire, and had made strenuous sefforts to secure possession, for the National Board of Health or some other body in alliance with it, of the sum of \$100,000 appropriated by Congress, and now in the hands of the Secretary of the Treasury at Washington, to be used for the suppression of epidemic contagious diseases.

This Board, he said, was only interested in having the Mississippi Valley protected from the ravages of disease and as far as the handling of the Congressional appropriation is concerned, it was desired to see it placed in the care of those who will use it with due hohesty and efficiency for the great objects to be attained. There is a service of the government which can be most asfely and fitly intrusted with these important duties, and it was desirable that this Board should put itself on record as indorsing that service. Therefore, he offered the following:

important duties, and it was desirable that this Board should put itself on record as indorsing that service. Therefore, he offered the following:

Whereas, the Congress of the United States, at its last session, placed at the disposal of the President the aum of \$100,000, to be used under his direction for the suppression of epidemic contagious diseases; and Whereas, it is of paramount importance, with a view to the protection of the sanitary condition of the country, that the munificent appropriation of Congress be disbursed, if the exigency arises, through that branch of the public service recognized for its age, experience, economy and practical utility, and through which the representatives of the people designed and intended it should be disseminated;

Be it therefore resolved. That the State Board of Health of Louisians respectfully but carnestly request-the President of the United States to place at the disposition of the Marine Hospital Service of the government the entire appropriation of Congress, in the event that its use should unfortunately become nec-

ment the entire appropriation of Congress, in the event that its use ahould unfortunately become nec-

Resolved, That the State Board of Health of Louisiana unequivocally indorse the Marine Hospital Service, and points with pride and satisfaction to its good record last summer in Texas, to the liberal arrangement it made for the protection of Pensacola, and the practical experience and economical administration of its im

Resolved, That the President of the United States can rest assured that the sentiments contained in these resolutions are a true reflex of the public opinion of the people of Louisiana.

Resolved, That the President of this board transmit to his Excellency the President of the United States a

Recolved, That the President of this board transmit to his Excellency the President of the United States a copy of these resolutions.

They were unanimously adopted.

The President reported that on the thirteenth instant, he had received notice from Dr. Finney, quarantine officer at the Mississippi Station, that the three-masted schooner Ajax had passed the Quarantine Station without stopping for examination. The President has caused the captain to be arrested and the vessel to answer for the violation of the law. The captain, Northrup, and the agents, Mesers. A. K. Miller & Co., appeared, and the captain made outh that he had never before entered the Mississippi River, but he had sailed up to Port Eads on the twelveth instant, and had signaled for a pilot and towboat, but getting none, and having a fair wind, he sailed up the river to a point within twenty-five miles of this city. wheat the wind changed and he came to anchor. He passed the Quarantine Station because he knew nothing about it, but knowing from the papers that the quarantine season did not begin until the first of May, he had no idea of violating any law or regulation of the State, his vessel having sailed direct from New York, and tonching at no point on the way.

The matter having been considered by the board, the fine in such case was remitted on the payment of the usual coest of court.

the usual costs of court.

A letter from Dr. Wise, quarantine officer at the Atchafalaya Station, reports the construction of the new wharf and new buildings there as progressing favorably. Like opports were received from the work on the improvements at the East Rigolets Station.

The President reported that in obedience to a resolution of the Board, in company with Dr. Formento and Mr. Booth, he had called on Mayor Behan, in reference to the need of the city for more sanitary police officers. The Mayor had received them courteously, and had placed at the disposal of the board sanitary policemen, who, with those already on duty, make up atotal of twenty on inspection duty with the several District Inspectors.

After some general discussion, the heard sligging and another than the construction of the construction of the several discussion, the heard sligging and the construction of the construction of the several discussion, the heard sligging and the construction of the construction of the several discussion, the heard sligging and the construction of the construction of the several discussion and the construction of the construction of the construction of the several construction of the constr

After some general discussion, the board adjourned.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New ORLEANS, April 20, 1889.

His Excellency Chester A. Arthur, President United States of America, Washington, D. C.:

Dear Str-I have the honor to enclose resolutions unanimously adopted by the Board of Health of the State of Louisians, at the regular meeting held April 19, 1883.

With great respect, your obedient servant,

JOSEPH JONES, M. D., President Beard of Health, State of Louisians.

TREASURY DEPARTMENT, OFFICE SUPERVISING SURGEON-GENERAL, U. S. MARINE HOSPITAL SERVICE, WASHINGTON, May 24, 1883.

Joseph Jones, M. D. President State Board of Health of Louisiana, New Orleans, La.:

Dear Sir—I have the honor to acknowledge the receipt of the resolutions passed by the Board of Health of the State of Louisians complimentary to this service, under date of April 19, 1883, and to respectfully tender you the thanks of the Bureau for the same. The courtesy shown this service by the Board would long ago have been acknowle leged, but almost every day it was supposed that a decision would be made in the matter of the epidemic appropriation, which was the subject of the resolutions, and I am now happy to Inform you that the disposition of the fund for the prevention of the spread of epidemic diseases has been placed in the direction indicated by your Board.

Thanking you for the kindness and hearty support you have given this service, and on behalf of the

sauring you of its sympathy, I am, Very respectfully, your obedient servant,

JOHN B. HAMILTON Surgeon-General, M. H. S.

tion of His Excellency, Governor S. D. McEnery, and of the General Assembly of Louisians, of during the session of 1862 to the important subject of quarantine, and more especially to the a the quarantine laws of the State by C. A. Whitney, President of the New Orleans Auxiliary =elation, representing Morgan's Louisians and Texas R∗ilroad Company, and by certain other dippers, and ship agents and brokers



Great service was randered the State by the firm support yielded by the General Assembly to the quar antine laws of Louisiana, and their enemies received a well merited and severe rebuke by the passage of Act No. 69, "To fix and regulate quarantine charges at the Missiasippi River Station, to establish a lien and privilege on vessels inspected in favor of the Board of Health for the same, and to provide for their enforcement and collection by provisional seisure."

Had the enemies of the Board of Health succeeded in convincing the Legislature that this bill, introduced into the House of Representatives of Louisiana by the honorable Chairman of the Committee on Health and Quarantine, "plainly and palpably violates at least two provisions of the United States Constitution, and in its tendency to prejudice our growing commerce is materially subversive of the great interests of Louisiana," the city of New Orleans, the State of Louisiana, and the entire Mississippi Valley would have been thrown open to the ravages of yellow fever.

The representatives of the people assembled in Congress manifested their want of confidence in the National Board of Health, and provided ne adequate means for the protection from foreign pestilence of the Atlantic and Gulf coasts; and if the General Assembly had not defeated the designs of those immediately interested in the shipping of the port of New Orleans, and their representatives in the daily press, the scenes of suffering, pestilence and desth witnessed in Pensacola on the East, and Brownsville on the West, would have been enacted upon a dreadful scale in New Orleans.

The decision of Judge Munroe, in the case of the Morgan's Louisiana and Texas Railroad Company against the Board of Health, No. 7001 of the docket of the Civil District Court for the Parish of Orleans, enjoining the board from collecting any fees under the quarantine laws of the State of Louisiana, practically declared the quarantine system of Louisiana, established by the act of 1885, illegal, unconstitutional, an

As President of the Board of Health of the State of Louisiana, I have endeavored impartially to execute the quarantine laws, and have exerted every lawful means for the preservation of the city and State from the introduction of foreign peetilence.

EXCLUSION OF VESSELS INFECTED WITH YELLOW FEVER. AND VESSELS FROM PORTS IN WHICH YELLOW FEVER WAS PREVAILING FROM THE WATERS OF LOUISIANA.

The efforts of the Board of Health of the State of Louisiana, during the year 1883. which resulted in the exclusion of yellow fever from the State, and from the Mississippi

Valley, are worthy of record.

It will be seen from the following record, that although yellow fever was brought into the Mississippi River and cases landed at the Mississippi Quarantine Station on the eighth of July, and then subsequently other cases were brought by infected ships from Vera Cruz, nevertheless the city of New Orleans, the State of Louisiana, and the entire Mississippi Valley were protected by the efforts of the Board of Health.

MISSISSIPPI RIVER QUARANTINE, LA., { July 10, 1883.

To Dr. Joseph Jones, President Board of Health, New Orleans, La.;

Sir—I have the honor to report that the Swedish bark Berna, from Vera Crus, arrived at this station on the morning of Sunday, July 8, 1883, entering the Mississippi River by way of S. W. Pass, having on board four cases of yellow fever.

four cases of yellow fever.
The history of the vessel is as follows: Arrived in the harbor of Vera Cruz, from Cardiff, on April 26, 1863, with the following crew:

1. Nyberg, captain, Swede.
2. Hugberg, mate, Swede.
3. Heick, second mate, Swede.
4. Hanson, carpenter, Norwegian.
5. Bergren, cook, Norwegian.
6. Larger staward Dane.

4. Hanson, carpenter, Norwegian.
5. Bergren, cook, Norwegian.
6. Larsen, steward, Dane.
7. Rosenbloom, seaman, Norwegian.
8. Magnersen, seaman, Norwegian.
9. Sedenwald, seaman, Swede.
10. Abramson, seaman, Swede.
11. Halberg, seaman, Swede.
12. Person, seaman, Swede.
13. Person, seaman, Swede.
14. In the seaman, Swede.
15. Person, seaman, Swede.
16. All remained well, with the exception of some mild intestinal affections, until June 20, when serious illness occurred, necesitating the presence of physician on board. The following list will show the dates of illness, and, as far as the captain knows, the nature of the disease:
1. Person, June 20, sick three days, fever, now on board.
2. M. Nyberg, June 21, sick three days, fever, black vomit, died in Vera Crus.
1. Johansen, June 23, sick four days, fever, black vomit, died in Vera Crus.
1. Rosenbloom, June 23, sick four days, fet in hespital in Vera Crus.
1. Sedenwald, June 24, sick five and one-half days, now on board, well.
1. Mate Hugberg, June 25, sick four and one-half days, now on board, with yellow fever
1. Manguersen, June 28, now on board, with yellow fever.
1. Halberg, July 2, now on board, with yellow fever.
1. Halberg, July 2, now on board, with yellow fever.
1. Halberg, July 3, now on board, with yellow fever.
1. Halberg, July 3, now on board, with yellow fever.
1. Halberg, July 3, sick three days, new on board, well.
1. Lagagren, July 3, sick three days, new on board, well.
1. Halberg, July 3, sick three days, new on board, well.

Digitized by Google

Thus of the original crew, all have been sick, either in Vera Crus or since leaving there, with the exception of Bergren, the cock, and Ambramson, seaman. The latter was indisposed in Vera Crus, but for only a few hours. Lagagren joined the ship the day before she left Vera Crus (June 29), but had been sick in the hospital at Vera Cruz for three days, and was said to have had fever. The captain supplied the places of hes absent men by shipping Lagagren and four negroes, and started for Fronters on June 39. Sickness everywhing some of the crew, he changed his course for Pensacola, but finally put in to Southwest Pass, and was immediately towed up to this station, arriving here on the tenth day after leaving Vera Crus, having an heard aring on board

having on beard

Lersen, in the tenth day of sickness.

Mrs. Nyberg, in the seventh day of sickness.

Haiberg in the seventh day of sickness; convalescent.

Haiberg in the third day of sickness.

All the rest wall. Mrs. Nyberg and Haiberg entering the convalescent stage, and Hugberg, so far, pregressing flavorably toward recovery.

I have the honor to be your obedient servant,

J. F. FINNEY, M. D., Resident Physician.

THE RARK BERNA-STATEMENT BY DR. JONES CORRECTING SOME FALSE STATEMENTS.

NEW ORLEANS. July 14, 1882.

Billian of the New Orleans Picayune:

Four St.—I would not trespace upon your valuable time, so fully and intelligently devoted to the advancement of the best interests of our State, to notice malicious and sourcileus attacks on personal grounds; but the external in the City Item of July 13, contains statements of a nature to be used by those unacquainted with the character of their author, and by the onemics of Louisians in Chicage, Memphis, Violabourg and other places in Ithinsis. Twansesse and Mississippi, for the purpose of injuring the sanitary and commercial

other phores in Blineis. Tennessee and Ministrippi, for the purpose of injuring the sanitary and commercial reputations of New Orienna.

The Item is an editorial of the thirteenth instant, states that "On Friday, July 4, the Swedish bark Bernia, nine days out from Vera Cruz. entered the river at Southwest Pass, having lest a number of the crew by yellow lever, and with four men than sick and several others convaluation. She was taken in tow by one of the tage of the Orean Line and brought up to Quarantine.

"Bur arrival in the river and her condition were premptly reported to Chicago on the sixth. A dispatch was remembrately addressed from that city to Mr. K. K. Couverse, and received by him on the seventh, asking if the reports were true. As he had beard nothing of them, he sent past-haste to the effice of the Beard of Health for information.

"It: Jesses was absent as usual, and there was no one about who had heard the news, which had already traveled to Chicago many hours before.

"It also were absent as usual, and there was no one about who had heard the news, which had already traveled to Chicago many hours before.

"It also been paramitted to come up to quarantine, and some three days after her entry into Southwest Pass Dr. Jones flurily set to work issuing orders, to follows."

The estatement of the chief operator of the Orean Twebset Telegraph Company, and of Hen. R. K. Conversa, President of the New Orleans Produce Exchange, herewith inclosed, fully expose the infimmous and couraltons sherications of the City Item.

With great respect and high cotes a trely yours, JOSEPH JONES, M. D.,

OCHAN TOWBOAT LINE TELEGRAPH SERVICE, NO. 190 COMMON STREET, 3 NEW ORLHARS, July 14, 1883.

I hereby certify that no dispatch relative to the arrival of the bark Burn at the mouth of the Mississippi Error was received at this office until the seventh of July, 1863.

This is the only line communicating by electric telegraph from New Orienns to the mouth of the Mississippi Ever at Pert Rads and Pilot Town.

The Finner's telegram was received at this office on the eighth of July, and was transmitted to the Prost.

ppe Ever at rest mass and Phist Town.

It: Finner's telegram was received at this office on the eighth of July, and was transmitted to the Presinat of the Beard of Health on the evening of the eighth instant, and reached Dr. Joseph Jones after
to distance of this office.

The statement in the (Ny Item. of the thirteenth instant, is incorrect, as the Berna was not sighted at
the Seathwest Pass until the seventh of July, and the disease was reported as climatic fever.

No despatch was received directly from the officers of the vessel, and no dispatch was sent from this office.

go.

secondarying records from the books will give the dates of dispatches received concerning WILLIAM WHANS, The a

Chief Operator, Ocean Towbest Line Telegraph Company.

numets from record and books of Ocean Towbeat Line Telegraph Service: makeout Pasa, July 7, 9 a. m. 1852 - A bark (Berna) anchored to west of bar, with Jack for pilot, THURP.

Part Ends July 7.—Ella Andrews left at 2.30 p. m. to now a bark (Borna) from Southwest Pass to

Quartariase Sunt Page 1 Nev ? 1882 6 p. m.—Ella Andrews tewing back Berna. Inside.
Manuscript Quartarias Station. July & 1883.—Ella Andrews arrived up at 1.30 a. m. with a back (Borna) and anaborred as.

NEW ORLEANS, July 14, 1889.

Dr. Jeograf Jesse

Busy So.—In reply to your bequiry. I received no dispatch from Chicago in relation to fover at all, nor in reference to any fever skep activing at the months of Missassippi River. Reports of firms here from Chicago subling if vellow fever skep activities in New (victure, to which receivers of these dispatches replied, "City partherly bookly." Upon suggestion of Division to which receivers of these dispatches replied, "City partherly bookly." Upon suggestions of Division to Peard of Divisio, Chicago, despring the rumer. Before unading I tend to bripping you, saking the question but finding Board of Realth has no telephone, I sent to Mr. I. N. Marky, who inderested me you had sent his offer, remarking. "No yellow fever and even no unabried."

Bespecifically.



MISSISSIPPI QUARANTINE, July 18, 1883.

To Dr. Joseph Jones, President Board of Health:

Steamship Buteshire arrived last night from Vera Cruz, where she had six cases of yellow fever, two of whom died there. She has had seven cases since, one of which died evening before last at sea. I removed three to the hospital this morning, one of whom will die this evening, the others are so far doing well. The Steamship Merchant arrived day before yesterday from Vera Cruz, having lost one of her crew at sea from yellow fever; everybody well since.

[Signed]

J. F. FINNEY, Resident Physician.

Copy of telegram to Dr. Finney relative to the above:

To Dr. F. Finney, Mississippi Quarantine Station:

NEW ORLEANS, July 18, 1882.

Isolate, disinfectand fumigate steamships Buteshire and Merchant. Execute all rules and regulations of Board of Health. Hold these vessels subject the orders of the Board of Health.

Keep the Board advised by telegram.
[Signed]

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

NEW ORLEANS, July 19, 1883.

His Excellency, Samuel Douglas McEnery, State Capital, Baton Rouge, La.:

Dear Sir-I have the honor to enclose for the consideration of your excellency the following:

1. Table L, Illustrating the Progress of Population in Louisiana During the Past Century, Including Census of 1880. Upon the data furnished in this letter must be based the calculations of vital and mortuary statistics in all the various parishes,

2. History and Theory of Quarantine—A Defence of the Quarantine Laws of Louisiana. This is the most vital and important of all questions with reference to the future prosperity of Louisiana.

3. Report of Conference Committee

Two more vessels have arrived at Mississippi Quarantine Station, with yellow fever aboard. No case and no suspicious cases reported in this city. The situation however, is grave. We are surrounded with yellow fever. Every vessel leaving Vera Cruz, Havana or Rio de Janeiro is more or less infected.

I shall advise the most stringent measures at the meeting of the Board of Health this night, and I will urge the passage of an ordinance prohibiting the passage of any vessel from any Quarantine station to the city of New Orleans. The cargoes can be sent down on lighters, and the vessels depart from the Quarantine Station, Respectfully,

JOSEPH JONES, President Board of Health, State of Louisiana.

BOARD OF HEALTH PASS ADDITIONAL QUARANTINE REGU-LATIONS (JULY 19, 1883).

Extract from minutes of Board of Health, regular meeting, evening of July 19, 1883.]

In conformity with previous action of the Board, the President announced that he had written to the Governor of the State representing the danger of any species of communication between quarantine stations and the surrounding country during the existence of yellow fever there, and in reply he had received the following:

EXECUTIVE DEPARTMENT, STATE OF LOUISIANA, ? BATON ROUGE, La., July 18, 1883.

In accordance with a preamble and resolution of the Louisiana State Board of Health, adopted July 12, 1883, a copy of which is hereto annexed, and in consideration of the imminent danger that the city of New Orleans, the State of Louisiana, and the Mississippi Valley are now in from the arrival at quarantine of infected vessels, any unnecessary intercourse between the Mississippi Quarantine Station and other quarantine stations and the city of New Orleans is hereby strictly prohibited, and any permission for that purpose heretofore granted is hereby revoked. The laws of Louisiana and the rules and regulations of the Board of Health must be rigidly enforced and obeyed in this and all respects while danger continues. Intercourse between the quarantine stations and New Orleans must be under the exclusive control of the Board of Health. I invoke the vigilance and co-operation of all good citizens during this season of threatened calamity.

This order will be communicated by the Board of Health to all persons concerned S. D. McENERY, Governor, therein.

The following paper was then read. The President stated that it was an addition to the quarantine regulations of this port, providing increased precautions for the protection of the city and State against the invasion of yellow fever. It provides the complete exclusion of yellow fever ships from this port, and for the inspection of railways. Its proposition will be seen in detail as follows: OFFICE BOARD OF HEALTH, STATE OF LOUISIANA.

Whereas, the Mexican ports of Matamoros, Tampico, Tuxpan, Vera Cruz and Minatitlan; all ports on the islands of Cuba, Hayti or San Domingo, Porto Rico and Jamaica, and the Brazilian ports of Rio de Janeiro, Bahia and Pernambuco are now infected with yellow fever; and

Whereas, no proper system is enforced to prevent the spread of the pestilence to the adjoining coast, many towns and villages of which are in hourly and daily unrestricted intercourse with said infected places, thus rendering them liable to momentary infection, even if the disease does not exist there now; and

Whereas, Asiatic cholera is now prevailing in certain ports of Asia and Africa, and reports of its spreading to European ports are prevalent, from which contagion might be introduced by vessels arriving at this port therefrom;

Whereas, Section 4, of the act of the State of Louisiana, approved March 18, 1858, and section 1 of the act of March 24, 1876, and section 7 of the act of April 20, 1877, vest in the Board of Health of the State of Louisiana the power and authority in cases of emergency to issue proclamation of quarantine and enforce the same, as against ports other than those named in the proclamation of his Excellency the Governor of Louisiana, the said board issues this its proclamation that quarantine take effect from the date hereof as against all places and towns adjacent and contiguous to the Mexican ports of Matamorous, Tampico, Tuxpan, Vera Cruz and Minatitlan, and the Brazilian ports Rio de Janeiro. Bahia and Pernambuco, and between which and said infected ports unrestricted intercourse is allowed and no rigid quarantine enforced, and all vessels coming therefrom shall be detained ten days and fumigated and cleaned as in cases of vessels coming from infected ports named.

Also, that all vessels or persons holding intercourse or having personal contact with any or all vessels, or the crew, passengers or inmates thereof, quarantined, at Ship Island or any other point on the Mississippi coast or any of the quarantine stations, shall not be allowed to enter the State of Louisiana unless detained at the nearest quarantine station for the space of ten days, and after being cleansed, fumigated and disinfected.

That all vessels or the crews thereof, actually infected with yellow fever or Asiatic

cholera, arriving at the quarantine stations, will not be allowed under any circumstances to come to the city of New Orleans; but all such vessels having cargoes for or desiring to load from said port, will be required to discharge and receive cargo by lighters and barges, in conformity to such rules and regulations as may be from time to time adopted by the Board of Health.

That all railroads conveying passengers and freight in and to the city of New Orleans will be required to stop any and all trains at the quarantine stations established on their respective routes a sufficient length of time for proper inspection, under such rules and regulations as may be from time to time adopted by the Board of Health in relation

thereto.

The quarantine officers at the several stations are specially charged and directed to enforce strictly the execution of this proclamatiou, and to exercise the utmest vigitance in exacting the strictest conformance thereto, and the Board of Health of the State of Louisiana will apply the most summary methods accorded by the laws of the State of Louisiana in punishing any violation or evasion of its provisions.

Issued by order of and under the seal of the Board of Health of the State of Louisiana,

at the city of New Orleans, this --- day of --, 1883.

The paper excited some debate, Dr. Formento demanding non-intercourse with Vera Cruz and Havana as long as yellow fever exists at those places.

Mr. Marks moved that it be adopted.

Dr. Formento said it contained too much and not enough. It took in several countries He thought a clause should be introduced requiring complete non-intercourse with Vera Cruz and Havana for the present. We cannot be too strict with these localities.

Mr. Booth said that non-intercourse was the refuge of fear.

He did not think such a step should be taken at once without consideration. Quarantine meant investigation. He said the vessels arriving had been notoriously bad so far as their condition was concerned. He could not give his consent to so severe a measure as non-intercourse. There are fair vessels coming from these ports. He favored the railroad quarantine spoken of in the proclamation. Railroads had brought every inland town to the borders of the sea.

Mr. Marks favored the adoption of the proclamation, and said the Board never before stood in such a responsible position. He strongly favored the clause preventing the coming to the city of vessels on which fever cases may have shown themselves. They should be kept at the quarantine station, and should discharge their cargoes there if the consignees so desired. Every avenue should be closed between the station and here to prevent contagion from entering. This might require a sacrifice on the part of commerce, but this was necessary.

Mr. Booth said the importance in a commercial point of view was very great. This proclamation would cut off certain vessels from our wharves. The Board had never gone so far before, and the community might not like so much extra zeal.

The proclamation was then unanimously adopted.

Mr. Booth urged that this board should execute the laws as it finds them. Quarantine does not mean non-intercourse, but restrained intercourse in the interests of public

The regulations were adopted as read.

Deputy Inspector of Shipping Dr. Stanhope Jones reported for May: vessels inspected 73, seamen 1636, passengers 271; total persons 1997.
Inspected for June—Vessels 65, seamen 1285, passengers 350, total persons 1625; vessels

ten days in quarantine 34, vessels five days in quarantine 5, total vessels in quarantine 39 Inspected in July to 19th inst.—Vessels 34, seamen 609, total persons 703; vessels ten

days in quarantine 7, vessels five days in quarantine 2, total 9.

Total vessels inspected 172, total seamen 3530, total passengers 705, total persons 4535 total vessels ten days in quarantine 41, total five days 7, total vessels that have passed through quarantine 48. He also reports the river front has been carefully watched, and all vessels arriving have been inspected. Vessels which have been detained in quarantine, on reaching this city are inspected, re-visited and watched. The condition of all such vessels showed upon arrival that they had been thoroughly fumigated, disinfected and cleaned at Quarantine Station.

He also reports that the basins have been constantly visited and the water craft therein inspected. All have been found in good condition. Up to July 19 there has not been

in the shipping in port a single case of yellow fever or a suspicious case.

Under the head of new business, Dr. Formento called up his resolutions of co-opera-

tion, laid over from the last meeting. Amended by Mr. Marks they read as follows:
"Whereas, the combined efforts of all the citizens of New Orleans are absolutely necessary, in order to improve the sanitary condition of our city and render it both healthy and attractive.

"Whereas, hygienic measures of any magnitude cannot be accomplished without large sums of money, which in the present financial condition of our city and State Governments, must come from the voluntary contributions of the people.

"Whereas, the public good should be our sole aim, and to that end all partisan and

technical considerations should be discarded.

"Whereas, it is of vital importance to pe feet this coming season our system of local sanitation, in order that the vast concourse of people from all parts of the Union who will attend the World's Cotton Centennal Exhibition should be favorably impressed with the sanitary condition and general appearance of the city; be it therefore

Resolved, That the Board of Health of the State of Louisiana, responsible guardians

of the public health, recognizes the absolute necessity of co-operation and concert of action with all citizens and associations having at heart the welfare and sanitary improvement of the city, and hereby expresses its desires and readiness to adopt any plan of action conducive to the public good, without, in any manner, delegating to others its constitutional authority; be it

Resolved, That to better secure such desirable co-operation and assistance the Conference Committee of this Board of Health be duly instructed to meet in consultation the Conference Committee of the Auxiliary Sanitary Association and all other volunteer organizations desirous of promoting the sanitary improvement of the city, whenever such association shall have endorsed and commend to public confidence the State Board of Health of Louisiana."

Dr. Formento resisted the amendment, and his motion to lay it on the table was defeated by the following vote: To lay on table—Formento and Van Gohren, 2; noes-Booth, Bosworth, Kells, Marks and Pratt, 5

The debate on the resolutions which then came up for adoption was interesting. Mr. Marks showed that the Sanitary Association had invariably allied itself to bodies authorized and unauthorized, that had been habitual slanderers of this board, enemies of the quarantine system and Board of Health of the State of Louisians, had always been. received with open arms by the New Orleans Auxiliary Sanitary Association.

Mr. Booth contended that the Sanitary Association did not ask any co-operation from this board, and he did not see why the board, representing the law and vested with all the power in matters of health, should unasked seek co-operation with a volunteer body of citizens, unless there was some assurance that the volunteer body wanted co-operation. For the purpose of securing some such assurance on the subject he voted for Mr. Mark's amendment. The resolutions as amended were then adopted.

Mr. Marks then offered the following:

"Whereas, Dr. J. H. Rauch, the Secretary of the Board of Health of the State of Illinois, has recently visited New Orleans and directly interfered and tampered with the health operations of the State Board of Health of Louisians; and



"Whereas, since the dissolution of the National Board of Health there has been an effort made by illegal bodies to assume to perform its pernicious functions and mis-

chievous tendencies:

"Be it resolved, That the President of this board be and he is hereby requested to respectfully suggest to his Excellency the Governor of Louisiana to confer with his Excellency the Governor of Illinois on the propriety of confining Dr. J. H. Rauch to health operations within his own State, and to instruct him to cease his designing efforts to impair public confidence in the State Board of Health of Louisiana."

The resolutions were adopted, after vigorous and emphatic speeches by Messers. Marks and Booth, reciting in detail the interferences of Dr. Rauch with the operations to this

beard.

The board then adjourned.

PROCLAMATION.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA.

Whereas, the Mexican ports of Matamoros, Tampico, Tuxpan, Vera Cruz and Minatit-Porto Rico and Jamaica, 2 or San Domingo, Porto Rico and Jamaica, and the Brazilian ports of Rio de Janeiro, Bahia and Pernambuco are infected with yellow fever; and

Whereas no proper system of quarantine is enforced to prevent the spreadof the pestilence to the adjoining coast, many towns and villages of which are in hourly and daily unrestricted intercourse with said infected places, thus rendering them liable to momentary infection, even if the disease does not exist there now; and

Whereas, several vessels from said districts of country infected with said disease are now lying in close proximity to the seacoast of Mississippi and the Mississippi Quaran-

tine Station; and
Whereas, Asiatic cholers is now prevailing in certain parts of Asia and Africa, and
reports of its spreading to European ports are prevalent, from which contagion might

be introduced by vessels arriving at this port therefrom; and

Whereas, Section 4 of the act of the State of Louisiana, approved March 18, 1858, and section 1 of the act of March 24, 1876, and section 7 of the act of April 20, 1877, vests in the Board of Health of the State of Louisiana the power and authority in cases of emergency to issue proclamation of quarantine and enforce the same, as against ports other than those named in the proclamation of his Excellency the Governor of Louisiana;

The said board issues this its proclamation, that quarantine take effect from the date hereof as against all places and towns adjacent and contiguous to the Mexican ports of Matamoros, Tampico, Tuxpan, Vera Cruz and Minatitlan, and the Brazilian ports of Rio de Janeiro, Bahia and Pernambuco, and between which and said infected ports unrestricted intercouse is allowed and no rigid quarantine enforced; and all vessels coming therefrom shall be detained ten days and fumigated and cleaned, as in cases of vessels coming from the infected ports named.

Also, that all vessels or persons holding intercourse, or having any personal contact, with any or all vessels, or the crews, passengers or innates thereof, quarantined at Ship Island or any other point on the Mississippi coast or any of the quarantine stationsshall not be allowed to enter the State of Louisians unless detained at the nearest quarantine station for the space of ten days, and after being cleansed, fumigated and disin,

fected.

That all vessels or the crews thereof actually infected with yellow fever or Asiatic cholera arriving at the quarantine stations will not be allowed, under any circumstances, to come to the city of New Orleans.

That all railroads conveying passengers and freight in and to the city of New Orleans will be required to stop any and all trains at the quarantine stations established on their respective routes a sufficient length of time for proper inspection, under such rules and regulations as may be from time to time adopted by the Board of Health in relation

The quarantine officers at the several stations are specially charged and directed to enforce strictly the execution of this proclamation, and to exercise the utmost vigilance in exacting the strictest conformance thereto, and the Board of Health of the State of Louisiana will apply the most summary methods accorded by the laws of the State of Louisiana in punishing any violations or evasions of its provisions.

Issued by the order of and under the seal of the Board of Health of the State of Louisiana, at the city of New Orleans, this twenty-third day of July, 1883.

JÖSEPH JONES, M. D.,

President Board of Health, State of Louisians.

A true copy: S. S. HERRICK, M. D., Secretary.



CITIES AND LOCALITIES NON-INTERCOURSE WITH IN FECTED WITH YELLOW FEVER OR ASIATIC CHOLERA.

[Extracts from Proceeding of the Board of Health, State of Louisiana, held Monday evening, July 23, 1883.]

On Monday evening, at 7:30 o'clock, there was a special meeting at their rooms, corner of 8s. Louis and Royal streets, of the Board of Health to confer with a joint committee representing the commercial bodies of this city.

Of the Board of Health were present: President Joseph Jones, M. D.; Drs. Faget,

Formento, Pratt and Von Gohren, and Messrs. Booth, Bosworth, Kells and Marks.

Of the joint committee were Messrs. J. J. Stewart, A. Schreiber, J. V. Moore; of
the Stock Exchange were C L. C. Dupuy, H. W. Connor and H. Neugass; H. D. Coleman and W. G. Wheeler, of the Mexican Exchange; Fendel Horn, L. H. Joseph and W.
M. Burrell, of the Chamber of Commerce; also Messrs. A. A. Woods. A. Leblanc, Col.
J. W. Glenn, Capt. Joseph H. Lawler, Dr. W. G. Austin, and other citizens.

The President of the Board of Health read a telegram from Surgeon General Hamilton
falls Mexical Hamilton.

of the Marine Hospital Service at Washington, announcing the existence of Asiatic

cholera at London. He also read the following letter from Gov. McEnery:

EXECUTIVE DEPARTMENT, STATE OF LOUISIANA, Baton Rouge, July 20, 1883.

To the Louisiana State Board of Health:

Gentlemen - Owing to the number of infected vessels with sick crews and dangerous cargoes arriving in the Mississippi and detained at Quarantine Station, that station has become practically an infected port, and especially dangerous from its proximity. This causes great and rapidly increasing alarm at home and in adjoining States, as well as throughout the Southern Valley of the Mississippi.

While a stupendous calamity threatens the lives of our people, all rational measures of self-protection become just and imperatively necessary. The safety of our city and State and the highest public interests now demand stringent precautionary measures.

Therefore I suggest and urgently recommend that from this date until the first of

November no vessels infected or vessel with sick crew or passengers be permitted to enter the Mississippi River, and that all infected vessels and vessels with sick crews now at Quarantine Station be sent out of the river as soon as practicable to some convenient locality.

The action of the Board of Health in this regard will be maintained to the full extent. 8. D. McENERY, Governor.

Mr. Schreiber of the Joint Committee then presented the resolutions adopted at the

meeting of the Cotton Exchange on Saturday.

Resolved, That the State Board of Health be requested to petition the Governor of the State to have all infected vessels now in the waters of this State removed out of the same, and that he issue his proclamation that henceforth no vessel from any port be permitted to enter the waters of this State.

Resolved, That the Board of Health be requested to reconsider and rescind its action of eighteenth instant, relative to loading cargoes of infected vessels at Quarantine

Station.

Resolved, That the commercial bodies here represented have confidence in the State Board of Health and in its efficiency, and believe it is entitled to the confidence of the people throughout the Valley of the Mississippi.

Mr. C. L. C. Dupuy spoke, declaring the importance of the policy embodied in these

resolutions.

Mr. Burwell spoke as to the importance of protecting our trade relations with the tropics by all possible safe-guards against disease, but at the same time to beware of the efforts of communities north of us who are interested in breaking down by every possible means the commerce of New Orleans in the interest of Eastern railways.

Col. F. C. Zacharie, counsel for the board, read a legal opinion on the power and with the orleans in the interest of Eastern railways.

rights of States to exclude infected shipping from their ports.

The President then spoke of the work of this board, as at present organized, since With stinted means at its command it had undertaken to guard the entire coast of Louisiana, and so far no epidemic of foreign pestilence has made its appearance in this city or State.

During the present year the three principal quarautine stations of the State had been improved and made more adequate to the uses they were intended for, and every effort had been made to render the service if possible more efficient. The station at the Rigolete had been removed to Rabbit Island and had been greatly improved. It is so situated as to command the entrance to Pearl River, and it is working in connection with the authorities of Harrison county, Mississippi, for the protection of all points on Pearl River. The Rigolets station protects the back door of New Orleans; two thousand ves-. els enter the city annually from the Lake.

He spoke also of the vessels in the river from Vera Cruz. The Buteshire has been completely isolated from communication with the city, and is about to depart, while the Merchant, which has had no sickness while in quarantine, has sailed.

At the last meeting of the board stringent regulations had been adopted for the treatment of infected ships. The State of Louisiana and the Mississippi Valley had been protected from yellow fever by the rigid and intelligent execution of the quarantine laws of Louisiana, which the President conceived to be ample for the present and all future emergencies.

Mr. Marks then offered the following:
Resolved, That the State Board of Health of Louisiana fully indorses the resolutions adopted by the committee of the conference held at the Cotton Exchange on the twenty-

Resolved, That the Governor of Louisiana be and he is hereby requested to issue a proclamation of non-intercourse with ports infected with yellow fever, namely [list to be added]; and to order all infected vessels out of the waters of the State, as recommended by him in his letter of the twentieth instant to this Board.

The resolutions were favored by Mesars. Marks, Formento and Von Gohren.

Mr. Booth said he could not support them. They destroyed all scientific quarantine.

Quarantine was not the blockading of a port, but the detention under wise regulation of infected persons and ships. Quarantine meant originally forty days. We could detain vessels and persons as long as might be necessary to give protection, but he was opposed to the barbarous processes of exclusion. We had protested against the merciless shotgun quarantine as applied to us, but we now propose to apply it to ships in distress. Hospitality has its just demands as well as commerce, and to listen to the counseling of a blind panic is not the part of the guardians of the public health.

The resolutions were put to a vote and adopted, Mr. Booth alone voting no. The following, offered by Dr. Formento, was adopted:

Whereas, there is danger of yellow fever being introduced into New Orleans through unrestricted communication between Ship Island and the coast of the State of Mississippi; be it

Resolved, That the Governor of the State of Louisiana be requested to call the attention of the Governor of Mississippi to this fact, and urge him to take stringent measures to

put a stop to this dangerous intercourse; be it

Resolved, That the general government be requested, through the proper authorities. to order that no communication should be held between Ship Island and the Mississippi coast.

Dr. Jones said that since the station at Ship Island had passed into the hands of the Marine Hospital Service it has been guarded wirh great strictness, and he did not believe there was any justice in attacks on it. He believed that Surgeon General Hamilton and his assistants were exerting their utmost to isolate the place, and he felt sure it was being The State Board of Health of Mississippi does not take proper care of the sea coast line of the State, which is left to local sanitary authorities.

The meeting then adjourned.

NEW ORLEANS, July 24, 1883.

His Excellency, Samuel Douglas McEnery, Governor State of Louisiana, Baton Rouge, La.

Dear Sir-I have the honor to inclose herewith resolutions adopted by the Board of Health, of the State of Louisiana, at the special meeting held last evening, for the purpose of considering the communication of your Excellency; also copy of resolutions of joint conference of meeting of official committees of New Orleans commercial bodies.

With great respect your obedient servant,

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

OFFICE SECRETARY OF STATE, STATE OF LOUISIANA, BATON ROUGE, July 24, 1882.

Dr. Joseph Jones, President Board of Health, New Orleans:

My Deer Doctor—I am directed by the Governor to transmit to you, herein enclosed, his proclamation, in pursuance with the resolution of the Board of Health, with the request that you will give it as much publicity as you can, in view of the importance of the subject matter.

Very respectfully, your obedient servant,

OSCAR ARROYO,
Assistant Secretary of State.

ADDITIONAL QUARANTINE PROCLAMATION.

EXECUTIVE DEPARTMENT, ¿ STATE OF LOUISIANA.

Whereas, at a meeting of the Board of Health of the State of Louisiana, held in the city of New Orleans, on the twenty-third day of July, 1883, the following resolution was adopted:

Digitized by Google

Resolved, That the Governor of Louisiana be and is hereby requested to issue a proclamation of non-intercourse with ports infected with yellow fever, to wit: Vera Cruz, Rio de Janeiro, Havana, and such other ports as may become infected with yellow fever, and to order all infected vessels out of the waters of the State, as recommended by him in his letter of the twentieth instant to the board."

Now, therefore, I, Samuel D. McEnery, Governor of the State of Louisiana, by virtue of the authority in me vested by law, and in pursuance of the above resolution, do hereby order and direct that all vessels now at the Quarantine Stution, on the Mississippi River, which are infected with yellow fever, be removed without unnecessary delay " and I do hereby further order and direct that all vessels from the ports above named, and such other ports as may become infected with yellow fever, be prohibited from entering the waters of the State of Louisiana.

The Quarantine officers at the Quarantine Station are especially charged and directed

to enforce strictly the execution of this proclamation, and the Board of Health is requested to prosecute vigorously all violations of the same.

Given under my signature and the seal of the State of Louisiana, at the city of Baton S. D. McENERY. Rouge, this twenty fourth day of July, A. D., 1883. By the Governor: Governor of Louisiana.

OSCAR ARROYO, Assistant Secretary of State.

EXECUTIVE DEPARTMENT, STATE OF LOUISIANA, }

Dr. Joseph Jones, President Louisiana Board of Health:

Sir—Respecting the vessels sent away from the Mississippi River, it is obvious that their future course and destination are entirely beyond the control of State authorities. It is for their owners or masters to send them to the ports whence they came or to a nearer temporary refuge. They will naturally for the most part he sent to the nearest refuge station. Such infected vessels as may go from the Mississippi River to Ship Island will be received at the United States Refuge Station there, of which I have the direct assurance of the Hon. Chas. J. Folger, Secretary of the Treasury, by telegraphic dispatch dated July 27. Masters of vessels sent away should be informed of this privilege, with or without counsel in the matter from the Board of Health, as the latter may see proper. The clearing of the Mississippi River from infection is a measure of puramount necessity. While we endeavor to mitigate the incidental hardships resulting from its execution, we assume no new responsibility.

I have abiding confidence in the vigilance, energy and wisdom of our State Board of ealth. Yours very respectfully, S. D. McENERY, Health.

Governor State of Louisiana.

QUARANTINE, July 25, 1883.

Joseph Jenes, M. D., President Board of Health:

No new cases. Only three convalescents; balance well. Have had no sickness on any vessel here, except bark Berna and steamship Buteshire. The following vessels are here: Brig Ana Faura, steamship Gracia, ship Angelita, steamship Emiliano and schooner Susan Scranton, from Havana; schooner Alice C. Noyes, from Carthagena, and steamship Architect, from Colon, and bark Berna, from Vera Cruz, which will leave shortly.

J. T. FINNEY, M. D., Resident Physician.

QUARANTINE, July 26, 1883.

Joseph Jones, M. D., President Board of Health, State of Louisiana:

Does Governor's proclamation apply to vessels nearly ten days here, and which have been perfectly healthy! Does it include vessels arriving from all the Cuban ports, or only vessels from Havana direct? J. T. FINNEY, M. D.

PORT EADS, July 25, 1883.

Dr. Joseph Jones, President Board of Health:

E. D. Sidbury in sight, from Vera Cruz. If sickness on board, what steps shall I take? HART, Inspector.

NEW ORLEANS, July 25, 1883.

Dr. G. H. G. Hart, Board of Health Inspector, Port Eads:

Anchor Sidbury and await further orders, and allow no communication whatever JOSEPH JONES, M. D.

THE BOARD OF HEALTH RESOLVES NOT TO PERMIT THE STEAMER EMILIANO, FROM HAVANA, TO COME TO THE CITY.

The Board of Health met at their rooms corner of St. Louis and Royal streets, on Friday afternoon at 1 o'clock, July 27, 1883, with President Joseph Jones, M. D., in the chair, and Messrs. Booth, Bosworth, Kells, Marks and Drs. Formento and Von Gohren present.

Digitized by Google

The board then went into executive session and so continued for nearly an hour. About 2 o'clock the doors were opened, when the President read a number of communications, the most important of which were the following:

A telegram from Dr. Finney at the Mississippi Quaratine Station:

QUARANTIE STATION, May 25, 1883.

Joseph Jones, M. D., President of the Board of Health:

No new cases of yellow fever; only three convalescents, balance all well; have had no sickness on any vessels here except bark Berna and steamship Buteshire. The following vessels are here: Brig Anna Faura, steamship Gracia, ship Angelita, steamship Emiliano, also the schooner Susan Scranton from Havana, schooner Alice C. Noyes from Carthagena and steamship Architect from Colon. The bark Berna from Vera Cruz will leave shortly.

The bark Berna from Vera Cruz will J. T. FINNEY, M. D.,

Resident Physician.

Also the following from Dr. G. H. J. Hart, medical officer at the Jetties:

JETTIES, July 25.

Dr. Joseph Jones, President of the Board of Health

Steam schooner Sidbury in port, at anchor, from Tampico, previously from Vera Cruz, HART, M. D. Inspector.

Also, the following from the clerk of the Commissioner of Police:

DEPARTMENT OF POLICE AND PUBLIC BUILDINGS, ¿ New Orleans, July 27, 1883.

Sir-I am directed by Commissioner Mealey to ask you if you would be kind enough to request the Sanitary Inspectors of the different districts to visit the markets and examine the meats offered for sale, and he will instruct the inspectors of the markets to be under the control of your inspectors.

There appears to be a strong desire to correct the abuse of selling unwholesome food in the markets, and he asks that you and your inspectors help in this matter.

Yours, etc., D. M. McCARTHY, Chief Clerk.

Also the following, which is a copy of instruction sent to the medical officer at the jetties :

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New Orleans, July 26, 1883.

Dr. G. H. G. Hart, Quarantine Inspector, Port Eads:

Sir-Inclosed I herewith forward for your information and guidance, additional quarantine proclamation of His Excellency, Samuel Douglas McEnery, of July 24, 1883; also proclamation of Board of Health of State of Louisiana, of July 23, 1883.

Show the proclamation of His Excellency, Gov. S. D. McEnery, to the captain or

master of vessels from ports infected with yellow fever informing him that in accordance with the orders of the Governor of Louisiana, he will not be permitted to bring his

vessel with her crew and cargo within the waters of this State.

Proceed in a similar manner with all vessels coming from the ports named in the Governor's proclamation. In the event that a vessel should arrive from any other port in which yellow fever or Asiatic cholera is prevailing, or in the event that any vessel has had yellow fever or Asiatic cholera, in the ports from whence she sails, or on the voyage, proceed in the same manner.

Allow no vessel from the ports mentioned, or from any port infected with yellow fever

or Asiatic cholera, to enter the Mississippi River.

Inform the pilots of the provisions of the Governor's proclamation, and report any violation of the laws of Louisiana by the pilots, or any seaman, traveler or citizen, to the Board of Health. Respectfully, JOSEPH JONES M. D., the Board of Health. President Board of Health, State of Louisiana.

Mr. Marks then stated that the chief business of the meeting was to act on the retition of A. K. Miller & Co., stating that the Spanish steamship Emiliano, from Cienfuegos, Cuba, via Havana, had arrived at Quarantine Station at 11:45 p. m., twenty-third instant, with all well on board. He asked that this vessel, an iron steamship, in ballast, be permitted to come up the river after the ordinary quarantine observations. as she had arrived previous to the declaration of the non-intercourse policy.

He did not see how the board could admit any ship from the infected ports named in the proclamation of non-intercourse, as it was the presence in the waters of the State of these very ships that had caused the public alarm that had given rise to this policy of

Mr. Marks then offered the following.

Resolved, That under existing proclamations concerning quarantine, the Board of Health cannot grant the request made in behalf of the steamship Emiliano.

Dr. Formento, one of the prime movers of the original resolutions on non-intercourse, now advocated the granting of the petition of Messrs. Miller & Co., and offered

the following:

Resolved, That the steamer Emiliano, which arrived in the Mississippi River before the issuance of the Governor's non-intercourse proclamation, and is not an infected ship, be detained at the Quarantine Station until such time as the Board of Health may con-

sider proper to allow her to come to the city.

Mr. Marks said a vessel from an infected port is in public opinion an infected vessel, and in the opinion of the people of the Mississippi Valley a subject of alarm, and this Board cannot trifle with such a matter. The presence of yellow fever of a virulent type at Havana and Vera Cruz had excited such general alarm that leading commercial bodies and citizens of all classes had demanded the entire exclusion of all vessels coming from those ports attempting to enter here. The vessels in the river at Quarantine Station from those ports had caused the general outcry for their exclusion.

This Board cannot afford to pass resolutions of non-intercourse and then set them aside

for any considerations of friendship or commercial profit.

Mr. Booth said he was not surprised that the severity of the rule of non-intercourse, even at this early day, was found to be oppressive by its promoters and originators. He, for his part, had opposed such a policy. He had thought that this Board, by means of its excellent and thorough arrangements for detention and disinfection, was able to cope with the dangers of infected shipping; but absolute exclusion of all shipping arriving from certain ports had been insisted on, and that policy had become a law to bind this Board. Now there was nothing left to this Board but to execute that law with the numest strictness. It had been said by another, General Grant, he believed, that the best way to do away with an obnoxious law was to enforce it with stern impartiality, and there is no other way to act in the present instance.

Dr. Formento's substitute for Mr. Marks's resolution was put to the vote, and lost by

the following:

Ayes—Formento and Von Gohren—2.

Noes-Booth, Bosworth, Marks and Kells-4.

Mr. Marks's resolution to exclude the Emiliano was then adopted.

MATTERS AT QUARANTINE—GOVERNOR MCENERY MAKES FINAL DISPOSITION OF DR. PATTON—A STUBBORN SKIPPER—A FEVER SHIP OUTSIDE THE BAR.

The following dispatches passed yesterday:

NEW ORLEANS, July 31, 1833,

Dr. J. F. Finney, Resident Physician, Mississippi Quarantine Station:

The quarantine powers of the National Board of Health having expired, and Dr. G. Farrar Patton being a representative neither of the National Board nor of the United States Marine Hospital Service, the order permitting him to remain at the Mississippi Quarantine Station is hereby rescinded, and the said Patton, formerly Inspector of the National Board of Health, is hereby ordered to leave the Mississippi Quarantine Station, and will be subjected to such quarantine, isolation, detention and disinfection as may be in accordance with the rules and regulations of the Board of Health of Louisiana.

S. D. McENERY, Governor of Louisiana.

Mississippi Quarantine Station, }
July 31, 1883.

Dr. Joseph Jones, President Board of Realth:

The captain of schooner E. D. Sidbury refuses to leave here unless he is permitted to discharge his cargo. Everybody perfectly well here.

J. P. FINNEY, Resident Physician.

[Answer.]

NEW ORLEANS, July 31, 1883.

To Dr J F Finney, Resident Physician Mississippi Quarantine Staiton:

Inform captain of the E. D. Sidbury that he will not be allowed to discharge his cargo; neither will he be allowed to come up to the port of New Orleans. I have seen Gov McEnery, and this is his decision, in accordance with that of the Board of Health. The Governor of Louisiana will use every means, moral and physical, to sustain the provisions of his proclamation for the protection of the State of Louisiana and the Mississippl Valley from the introduction of yellow fever and Asiatic cholers.

JOSEPH JONES, M. D., President Board of Health, State of Louisians.

PORT EADS, July 31, 1883.

To Joseph Jones, M. D., President Board of Health:

Steamer ——, four days from Vera Cruz. One case sickness on board. Anchored one mile to sea. G. H. J. HART, M. D., Inspector.

NEW ORLEANS, July 31, 1882.

To Dr. G. H. J. Hart, Quarantine Inspector Port Bads:

I have consulted Gov. McEnery. He will maintain his proclamation by force if uccessary. If steamer —— attempts to enter the waters of Louisiana telegraph me immediately, in order that proper measures may be instituted. Warn all pilots and captains of towboais that if they disobey the proclamation of the Governor of Louisiana the Board of Health will take immediate measures for their arrest and punishment according to law. They are prohibited from piloting or towing any vessel from ports infected with yellow fever or Asiatic cholera. Report immediately any violation of proclamations of Board of Health and of Governor.

JOSEPH JONES, M. D., President Board of Health.

UNITED STATES MARINE HOSPITAL SERVICE AND SHIP IS-LAND—RESOLUTIONS OF HON. I. N. MARKS, REAFFIBM-ING HIS PREVIOUS RESOLUTIONS ESTABLISHING NON-INTERCOURSE WITH PLACES INFECTED WITH YELLOW FEVER.

[Extract from proceedings of the Board of Health of the State of Louisiana, regular meeting, August 2, 1883.]

Dr. John Godfrey, of the Marine Hospital Service, being present, was invited to speak as to the arrangements for the isolation of the Quarantine Station at Ship Island, under the control of his office.

Dr. Godfrey said that when the Marine Hospital Service took charge of the station at Ship Island it was intended to make it a refuge station for infected vessels, and to provide all the means and appliances under the most comprehensive and stringent regulations that experience and science had taught were necessary to guard the coast from the invasion of foreign infection.

Some time ago the Louisiana Board of Health had passed resolutions implying that there was uninterupted intercourse between the Quarantine Station at Ship Island and the coast of Mississippi. The speaker denied that there had been such intercourse since the station had been in charge of the Marine Hospital Service. The most thorough regulations for the isolation of the Quarantine Station had been in force all the time. At night all the boat oars on the infected ships were put under lock and key, so that desortions in small boats would be impossible. A patrol boat passes around the infected ships, day and night, to intercept any attempt to communicate between the vessels and shore. No bedding, clothing or other articles of the kind were permitted to be cast into the sea from the ships. All such matter as was to be destroyed was conveyed ashore and burned, and clothing and other textiles that were to be disinfected were boiled thoroughly with cloride of lime. As to stories told of bedding found floating in the water along the Mississippi coast, he could say it did not come from the Quarantine Station or the vessels under detention at Ship Island. There is no intercourse except official, under strict regulations. The Marine Hospital Service has at its disposal ample means and these were being used under thorough and skillful management to fence out foreign infection from the ports of the country, and so far they have been used effectually.

Col. John W. Glenn, United States Superintendent of Public Buildings, said he had personal knowledge of the regulations in force at Ship Island Quarantine, and they were strictly and faithfully executed. He had the testimony of parties who had seen the floating mattresses complained of by some persons as having possibly been thrown from ships, and the information was obtained that they were not ships mattresses, and were not stipe mattresses, and were not stipe in the nort used at sea. He explained also that there is a great difference between Ship Island station and Ship Island anchorage. The anchorage, which is several miles from the island, is a place were ships may be in water of four or five fathoms in depth, protected from the force of the open sea. This anchorage is reserted to by ships which carnot enter the shallow ports along the coast, and has nothing to do with the island and no connection with the quarantine fleet, which has nothing to do with the island.

The President expressed his entire confidence in the wisdom and efficiency of the Marine Hospital Service, and was sure it is accomplishing a good work in protecting the country from foreign disease. Since this service had become known to the public by its work there had been a greater sense of security and an almost complete absence of such sensational rumors as had obtained at this season in former years. Nearly every port on the coasts of the country had been threatened by yellow fever, but the thorough and prompt arrangements that had been made to meet it had been such as to win and justify public confidence in spite of the hostility of interested parties.

Dr. Formento said he had been the author of the resolutions implying that there was unrestricted intercourse between Ship Island and the adjacent coasts. He made the statement on the representations of Commodore Maginuis and Dr. Austin, but this inter-course might have taken place before the regulations of the Marine Hospital Service were put into execution. At any rate, he now has confidence in the service and faith in the strong arm of the Government as perhaps the only rightful authority competent to

exercise and enforce quarantine on the coast.

Mr. Booth protested against the assumption by the last speaker that the State Government had no right to declare and enforce quarantine it its waters. He claimed this right for the States, but recognized the value of the General Government to settle questions where the interests of the States might not harmonize in matters of quarantine.

The President reported that the record of deaths showed sixty-seven deaths in the past four days, five of which are from small-pox and four from malarial fevers. Mr. Marksquoted Dr. Miles, House Surgeon at the Charity Hospital, for testimony as to the unusual freedom of the city from malarial fevers, and Dr Formento said the private prac tice of all the physicians in the city showed the same fact.

The President read several communications from Hon. Warner P. Sutton, U. S. Counsul General at Matamoros, Mexico, protesting against the quarantine restrictions against

his city, which is healthy.

Letters were rend from Messrs. G. Corral & Co. and others, asking that the Spanish steamer Gracia and the barks Angelita and Anna de Faura be allowed to come up to the city from quarantine, where they now are. Also from Smith Bros. & Co., asking a cargo of Mexican coffee on board the schooner Sidbury be permitted to be landed at quarantine and after disinfection be brought to the city.

Mr. Marks then ordered the following:

"Whereas, as a measure of full public safety for the health and lives of the people of Louisiana, the Valley of the Mississippi and the surrounding States, the Governor has issued a proclamation of non-intercourse with the yellow fever infected ports of Vera Cruz. Havana and Rio de Janeiro: and

Whereas, next in importance to the protection of the health and lives of the people comes the preservation of the commerce, interstate and inland, of the city of New Orleans upon which during the summer months the commercial prosperity of this city

depends

And whereas, good faith to the Governor of this State, proper respect and regard to the expressed opinions of the commercial exchanges of New Orleans and undoubted security against the admission of foreign pestilence, imperatively demand that no vessel from a yellow fever infected port shall enter the harbor of New Orleans during this

summer, load or unload at any of the quarantine stations of this State.

Be it therefore resolved That the President of this board be and is hereby instructed not to permit any vessel now in the waters of Louisians, from any yellow fever infected port, either to load or unload cargo at any quarantine station of the State, or proceed from such station to the city of New Orleans."

Mr. Marks urged the importance of the emergency which required such action, and the great responsibility resting on this board.

Dr. Formento advocated admitting the vessels now at quarantine.

Mr. Marks' resolutions were adopted.

Mr. Booth offered a supplementary resolution specifying the names of the vessels now at quarantine as included in the prohibitory proclamation of the Governor, which was

adopted.

A letter from the postmaster at New Orleans was read stating that a package of mail marked Buras, and bearing evidence of being foreign mail matter, had been received at the postoffice. It had been referred to Dr. Finney, quarantine officer at the Mississippi Station. His reply was read, stating that this mail consisted of letters written by two acclimated and healthy passengers of the schooner Sidbury, from Tampico. The foreign mail brought by the Sidbury is still in the ship detained at quarantine.

The board then adjourned.

NEW ORLEANS, September, 7, 1882.

His Excellency Samuel D. McEnery, Governor State of Louisiana, Baton Rouge, La.:

Dear Str.—I have the honor herewith to enclose resolutions unanimously adopted by the Board of Health of the State of Louisiana, at the regular meeting, September 8



1883, requesting your Excellency to withdraw the Quarantine Proclamation of July 24, said withdrawal to take effect on the fifteenth of September, 1883; the original procla-

mation of the fourth of April remaining in full force.

The thanks of the State Board of Health of Louisiana are respectfully tendered to your Excellency for thorough co-operation with the Board, and for the firm maintenance of the quarantine laws of Louisiana.

Respectfully, your obedient servant, JOSEPH JONES, M. D.,
President Board of Health, State of Louisians.

COPY OF RESOLUTIONS BOARD OF HEALTH, STATE OF LOUISIANA.

By Mr. Marks:

Whereas, in the month of July last, it became necessary for the preservation of the health and lives of the people of Louisiana the surrounding States and the Mississippi Valley, to proclaim non-intercourse with yellow fever infected ports of Havana, Rio de Janeiro and Vera Cruz; and

Whereas, this measure was not only demanded by the exigencies of the situation, but was imperatively called for by the various commercial representative bodies of New

Orleans; and

Whereas, believing that the period has been reached, with the close of summer, when commerce with the proclaimed ports can be relieved from the rigorous, though necessary, interference to which it has been subjected; he it therefore

interference to which it has been subjected; be it therefore

Resolved, That the State Board of Health of Louisiana respectfully request his Excellency Governor S. D. McEnery to withdraw his proclamation of non-intercourse of July 24, 1883; leaving in full force the proclamation of detention previously issued.

Resolved, That the thanks of the State Board of Health of Louisiana be and they are hereby tendered to his Excellency Samuel D. McEnery, Governor of Louisiana, for his thorough co-operation with this Board, and for his firm maintenance of the quarantine laws of Louisiana.

A true copy.

S. S. HERRICK, M. D., Secretary Board of Health, State of Louisiana.

EXECUTIVE DEPARTMENT STATE OF LOUISIANA.

Whereas, at a regular meeting of the Board of Heath of the State of Louisiana, held in the city of New Orleans on the sixth day of September, 1883, the following resotion was adopted:

"That the State Board of Health of Louisiana respectfully request His Excellency, Samuel D. McEnery, to withdraw his proclamation of 'non-intercourse' of July 24, 1883, on the fifteenth instant, leaving in full force the proclamation of detention previously

issued."

Now, therefore, I, Samuel D. McEnery, Governor of the State of Louisiana, by virtue of the authority in me vested by law, and in pursuance to the above resolution, believing that the period has been reached, with the close of summer, when commerce with the proclaimed ports can be relieved from the rigorous, though necessary, interference to which it has been subjected do hereby withdraw my proclamation of non-intercourse of July 24, 1883, said withdrawal to take effect on the fifteenth instant, the original proclamation of the fourth day of April, 1883, remaining in full force and effect; and the quarantine officers at the quarontine stations are specially charged and directed to enforce strictly its execution, and the Board of Health is requested to prosecute vigorously all violations of the same.

Given under my signature and the seal of the State of Louisiana, at the city of Baton

Rouge, on this eightb day of September, A. D., 1883.

(Signed)
By the Governor:

S. D. McENERY,

WILL. A. STRONG, Secretary of State.

NEW ORLEANS, September 12, 1883.

His Excellency Samual Douglas McEnery, Governor State of Louislana, State Capitol Baton Rouge, La.

Dear Sir—I have the honor to acknowledge the letter of your Excellency of the eighth instant, euclosing copy of note from the diplomatic representative of Spain, communicating the complaint of parties interested against the Board of Health of the State of Louisiana; also letter of Hon. John Davis, Acting Secretary of State, bearing date Washington, D. C., September 9, 1883.



In accordance with the request of your Excellency, I herewith return the said documents; and also present the enclosed copies of the acts of the Board of Health, relative to the Spanish brig Ana Faura, the Spanish Corvette Angelita, and the Spanish steamer Gracia.

(a). Certificate of arrival of brig Ana Faura and ship Angelita.

(b). Certificate of arrival of steamship Gracia.

(c). Permission to coal ateamship Gracia.

- (d). Authority to coal steamship Gracia at Port Eads, under direction of Dr. Hart.
- (e). Certificate issued by President of Louisiana Board of Health to brig Ana Faura (f). Certificate issued by President Louisiana Board of Health to steamship Angelita.
- (g). Communication to Dr. Finney, Resident Physician Mississippi Quarantine Station.
 - (h). Extracts from minutes of Board of Health. Resolutions adopted August 3, 1883.

(i). Extracts from minutes Board of Health, August 3, 1883.

(j). Letter of President Louisiana Board of Health to Hon. Pedro de Solis, Consul of

Spain, August 4, 1883.
(k). Letter of President Louisiana Board of Health to Messrs. Miller and Finney attorneys at law, August 4, 1883.
(l). Letter from His Excellancy S. D. McElery, Governor of Louisiana, to President

Board of Health, July 23, advising the policy of non-intercourse.

(m). Extracts from minutes of meeting of Board of Health, July 23, 1883. Action,

with reference to non-intercourse with infected ports.

(n). Extracts from minutes of meetings Board of Health, August 2, 1883, with reference to interpretation of non-intercourse proclamation; also with reference to steamship Angelita, steamship Gracia and brig Ana Faura.

(o). Additional quarantine proclamation of His Excellency S. D. McEnery, July 24, 1883.

(p). Original proclamation of His Excellency S. D. McEnery, April 4, 1883.

- (q). Proclamation of His Excellency S D. McEnery, September 8, 1883, withdrawing non-intercourse proclamation of July 24, 1883.
- (r). Reports of conference committee of Board of Health, with reference to British steamship Plessy, refused entrance to mouth of Mississippi, August 29, 1883.

(s). Report of meeting of Board of Health, July 23, 1883; action on non-intercourse

by Board of Health and commercial bodies.

(t). Extract from minutes of Board of Health, September 6, 1883, requesting His Excellency S. D. McEnery to withdraw proclamation of non-intercourse. In response to the request of your Excellency that I should present my views as to the action of the Board of Health with reference to the vessels specified by the Spanish Ambassador, I beg leave to submit the following in addition to the inclosed papers - a-t.

1. The following facts are well established and will apply to the proclamation of July 29, 1883, excluding vessels from ports infected with yellow fever and Asiatic cholera from the waters of Louisiana, and to all acts of a similar character which may in the future

be demanded for the preservation of the public health.

- (a). Quarantine regulations and restrictions relate to the preservation of the health and lives of the people, and are based upon the evident and inalienable right of self-preservation. The duty of each State to protect its citizens from the importation of foreign pestilence is clear and imperative.
- (b). The State of Louisiana has recognized these principles, and in her sovereign capacity has enacted laws and commissioned the proper officers, including the Chief Executive of the State, and the members of the Board of Health, duly confirmed by the General Assembly, and sworn to support the laws of Louisiana and of the United States, for the express purpose of exercising the police powers of the State for the exclusion of foreign pestilence and the protection of the health and lives of the people.
- (c) The power to establish and enforce quarantine regulations had been exercised by the individual colonies, and has never been surrendered to the General Government.
- 2. The establishment and enforcement of quarantine, and even the absolute exclusion of infected ships and ships from infected ports, is not a regulation of commerce in violation of the Federal Constitution and of foreign treaties; but it is simply the exercise of their police powers by the individual States which are inalienable, and which have not and which cannot be surrendered to the General Government, and which cannot be disregarded or violated by any domestic or foreign power.
- 3. In accordance with section four of "An act Supplementary to an Act Entitled 'An" Act Relative to Quarantine," approved March 18, 1858, "In case of emergency the Board of Health shall have power to issue proclamation of quarantine without reference to the Governor, and to enact all needful regulations for the enforcement of the same."

By the act of March 29, 1876, the time of quarantine detention was left discretionary with the Board of Health; the time of detention might be just sufficient for inspection, or it might be ten or twenty or 100 days.



By the act of April 30, 1877, "To Reorganize and Render More Efficient the Board of Health of the State of Louisiana." etc., section 17, it is ordained that the Board of Health "shall have power and authority to establish quarantine stations upon any of the approaches to the city of New Orleans whenever, in its discretion, such stations may be rendered necessary to protect the health of the city of New Orleans or the State, and to make all needful rules and regulations with reference to the management and police of such stations.

In virtue of the preceding organic acts of the General Assembly, the Board of Health of the State of Louisiana has established quarantine stations at the most impertant points on the confines of Louisiana, viz., Port Eads and the mouths of the Mississippi; English Lookout, on the borders of Mississippi.

At both stations ships, passengers and railroad trains are admitted or excluded from the limits of the State, in accordance with the orders of the Board of Health.

No infected person or ship is allowed to enter the State.

During the non-intercourse proclamation, at the mouths of the Mississippi River, vessels from ports infected with yellow fever were allowed to ride at anchor in the waters of the Gulf, to proceed to any port they may desire, and all the necessary wants were supplied under the supervision of the officers of the Board of Health, but in this time of danger and peril they were not allowed to jeopardize the health of the State and of the Valley of the Mississippi by entering the waters of Louisiana.

4. The right to exclude vessels from infected ports, for the protection of the public health is recognized and practiced by all civilized nations, and by no nations more freely

than Spain and England

At the present moment Egypt and the neighboring countries of Europe and Asia and Africa, furnish examples of the most despotic and rigorous systems of non-intercourse for the arrest of asiatic cholera, and the Spanish government has called loudly upon England for the enforcement of the most rigorous measures of quarantine and non-intercourse.

Numerous examples might be cited of the exercise of forcible protection against contagion, but the following will illustrate the mode in which States have dealt with infected

ships and towns.

In 1748, the Adam, a Dutch ship, carrying rice from Damietta to Marseilles, was cast on the shore of the Island of Majorca in a tempest. The inhabitants (Spaniards) refused to permit the crew to land, as they feared the plague, from the fact of the ship sailing from the Levant. As the ship could not be removed, the Spaniards set her on fire, having previously furnished the crew with five boats, in which to save themselves and part of the cargo

In 1719, the captain of the Grand Saint Antoine, a French ship, returning to Marseilles from the Levant, and having lost some of his crew from the plague, fraudulently pre-tended that they had died of bad provisions, and neglected to go into quarantine. This cruel fraud was the cause of the death of half the inhabitants of the city. By order of

the Minister the vessel was burnt.

When Valetta was attacked by the plague, in 1813, Sir Thomas Maitland ordered a cordon sanitaire to be drawn around the town, and every person who attempted to pass it to be shot.

5. The action of the Board of Health of the State of Louisiana, in excluding vessels from ports infected with yellow fever from the waters of Louisiana, was taken at a time when yellow-fever stricken ships were scattered along the Atlantic and Gulf coasts and the State of Louisiana and the entire Mississippi Valley were menaced by yellow fever.

By the exclusion of vessels from the City of New Orleans, which had sailed from the infected ports, Havana, Vera Cruz and Rio de Janeiro, commerce was protected, and the health of Louisiana and the Mississippi Valley protected by the exclusion of yellow

fover. The Spanish marine and nation have been and will be benefited by the prompt and energetic action of the health authorities of Louisiana.

With great respect and high esteem, I have the honor to remain your obedient servant,
JOSEPH JONES, M. D.

President Board of Health, State of Louisiana.

MISSISSIPPI QUARANTINE STATION-REPORT OF DR. FINNEY, 1883.

QUARANTINE STATION, MISSISSIPPI RIVER, Louisiana, January 3, 1884.

To the Hon. President and Members of the Louisiana State Board of Health, New Orleans, La.;

Gentlemen-I would respectfully submit the enclosed report of the work done at this station during the year ending December 31, 1883. In addition to the repairs suggested by me in my last annual report, and which have not been made so far, I would advise that the present wharf and boat-house be extended at least sixty feet further into the river, as at present it is impossible, in low river, to get near the boat-house in our boat.



Speaking of boats, I think, in the interests of the shipping and to facilitate the work at this station, your honorable body could not invest money to better advantage than in purchasing a suitable steam launch for the purpose of boarding vessels with and for making the necessary daily inspection of the fleet that is in quarantine during the summer months. During the past summer I had as many as fourteen vessels in quarantine at one time. These vessels must have a good and safe anchorage, and consequently have to be some distance apart. That being the case, it is impossible to make a daily inspection of so many vessels and perform the other necessary duties of boarding, disinfecting and fumigating with a boat propelled by oars. I would also ask that you gentlemen allow this station a druggist, who should act as hospital steward as well. Hoping you will take action in these matters as soon as possible,

I remain your obedient servant.

J. F. FINNEY, M. D., Resident Physician.

TABLE NO. 1.—REPORT OF VESSELS BY MONTHS PERMITTED TO PASS THE MISSISSIPPI RIVER QUARANTINE STATION WITH THE AMOUNTS COLLECTED AND CLASSIFICA TION OF VESSELS.

MONTHS.	Steamship.	Sail Ships.	Barks.	Brigs.	Schooners.	Steam Tugs	Total.	Tax Fees.	Fumigation Fees.	Total Fees.
January February	57	8	25 30	3 2	14 16	0	112 112			\$2,195 00 2,180 00
March	82 59 53	5	14 32 12	4 5	16 16 21	0 1 0	121 116 92		\$533 00	2,315 00 2,180 00
May June July	36 32	Ô	7	2 2	11	4	66 47	922 50 752 50	316 00 305 00	2,180 50 1,238 50 1,057 50
August	29 57	0 2	2 1	3 0	10 6	Ö	44 66	565 00 1,355 00	99 00 224 00	664 00 1,579 00
November	76 62 82	10	10 25 32	1 4	13 17 10	0	104 118 133	2,167 50 2,227 50 2,860 00	470 00	2,637 50 2,227 50
Total	687	46	194	34	157	7 \	1,125	\$21,367 50	\$1,947 00	2,860 00 \$23,314 50

TABLE NO. 2.—REPORT OF VESSELS QUARANTINED AT MISSISSIPPI RIVER QUARANTINE STATION BY MONTHS AND CLASSIFICATION OF VESSELS.

MONTHS.	Steamships.	Sail Ships.	Barks.	Brigs.	Schooners.	Steam Tugs.	Total.	
May	17	1 0	4	4	2	0	28 26	
June July	 8 9 3	1 0	4	1	8	0	18	July 24, non-intercourse proclamation.
August	 3	0	0	2			5	
September	 9	0	0	0	2	0	11	September 12, non-intercourse proclama- mation modified to ten days detention.
October	 16	1	5	1	3	0	26	
Total	 62	3	19	10	18	2	114	

TABLE NO. 3-REPORT OF PORTS QUARANTINED, WITH NUMBER OF VES SELS FROM EACH, BY MONTHS.

Port.	May.	June.	July.	Angust.	September.	October.	Total.
Havana .	15	7	10		1	10	43
Vera Cruz	4	5	5	:	1	4	19
Colon		2	3	2	3	4	17
Campeche	2	5		1	2		11
Barbadoes		3	• • • • • •			4	8
Tampico	2				1		3
Port de France		2				,	3
Kingston				l. 		[1]	1
Matanzae					1		1
Pernambuco							1
Porto Rico						1	1
Progresso				1	1		1
Samana Bay		1					1
St. Luces				. 	1		1
St. Thomas				1			1
Trinidad		1	· • • • • • • • • • • • • • • • • • • •			•••••	1
Total	28	26	18	5	11	26	114

INSPECTION OF SHIPPING IN PORT OF NEW ORLEANS, 1883.

New Orleans, November 1, 1883.

Dr. Joseph Jomes, President Board of Health, State of Louisiana:

I respectfully submit the following report, as Deputy Inspector of Shipping for the port of New Orleans, from May 1 to November 1, 1883.

DATE-1883.	Number Vessels Inspected.	Number of Seamen.	Number of Passengers.	Total Seamen and Passengers.
May	73	1,636	271	1,907
June		1,285	340	1.625
July		1,032	272	1,625 1,304
August	43	'908	230	1,138
September		1,570	490	2,060
October	· · · · · · · · · · · · · · · · · · ·	1,740	240	1,980
Totals	351	8,171	1,843	10,014

All vessels along the river front and water-craft in the New and Old Basins have been found in a uniform cleanly condition, and the health of the men composing the crews of vessels in this port has been good. No case of contagious or infectious disease has oc-curred in the shipping up to date. Very respectfully, curred in the shipping up to date.

STANHOPE JONES, M. D. Deputy Inspector of Shipping Port of New Orleans.

ATCHAFALAYA QUARANTINE STATION-REPORT OF DR. WISE, 1883.

MORGAN CITY, LA., November 1, 1883.

To the President and Members Louisiana State Board of Health:

Gentlemen-I have the honor to submit the following report of my action at the Atchafalaya Quarantine

Gentlemen—I have the honor to sabmit the following report of my action at the Atomicalya Quarantine Station during the past season:

On the fifth day of April last, in company with Dr. Joseph Jones, the President of the State Board of Health, I visited the Quarantine grounds, and together we selected a site for a warehouse and wharf, situated upon the school lands, the property of the state of Louisians, upon the right bank of the Atohafalaya, near Wax Bayou. The plans for the same were approved, and the building erected the same month, together with a substantial wharf. These improvements were very necessary, as during the past few years the boatman at the stati a had no shelter, neither was there any provision rade for the care of sick.

During the season I have issued permits to two hundred and thirty-three vessels, as will be seen in the bulated statement herete annexed.



But two vessels were detained at the Quarantine station during the past season, viz., the scheoners Millie Williams and Mary E. Clarke, both from Tampico. No sickness occurred on board at any time from date of departure from Tampico until they were released. They were detained tea full days, theroughly cleaned and disinfected.

cleansed and disinfected.

One case of small-pox was removed from the tugboat S. C. Hall, from New Orleans. The case was isolated and provided with a nurse, as directed by the board. The man died on the third day.

I have found it impossible to collect the quarantine fees from vessels not quarantined. Many ship masters have expressed a willingness to pay nominal fees to cover expense of boarding, etc., but as I was not authorized to accept any other than full dues, it was declined.

The quarantine property is in good order, and I would recommend the employment of a keeper during the winter, otherwise the property may be carried away or destroyed.

A plain substantial fence is also necessary.

In conclusion, I desire to call your attention to the growing importance of this station. The rapidly increasing lumber trade with Mexico from this port will necessitate the exercise of great vigilance every season, and the same may be said of "Calcasieu Pass," the outlet of the Lake Charles region.

I append a tabulated attement of all vessels arrived during the past esason, and an inventory of property, supplies, etc., on hand.

I am, gentlemen, very respectfully.

J. H. P. WISE, M. D.,

Resident Physician, Atcharlaya Station.

Resident Physician, Atchafalaya Station.

REPORT OF VESSELS ARRIVED DURING SEASON 1883.

			1				er ersons.	тот	AL.	
MONTHS:	Steamships.	Schooners.	Total Vessels	Total Tonnage	Crew.	u	Total Number	Fees due.	Fees	Collected.
May	23	24	47	18,447.84	867	304		\$855		
June	25	18	43	18,552.07	863	309		862		
July		31	50	15,598.29	727	193				15 00
August	15	27	42	11,015.41	585	191	776	645	00 .	
September	9	14	23	6,096.45	2×3	104	387	302	00	
October	12	16	28	9,276.02	455	303	758	493	00	
Total	103	130	233	78.986.08	3,780	1,404	5,184	\$3,877	50 \$	22 50

REPORT OF VESSELS QUARANTINED SEASON 1883.

DATE.	Name.	Class.	Where from.	Days out.	Bill health.	Crew.	Passengers.	Sanitary condition.	Remarks.
	Millie Williams. Mary E. Clarke.								

INVENTORY OF MOVABLE PROPERTY AT ATCHAFALAYA QUARANTINE STA-TION, OCTOBER 31, 1883.

One yawl boat, in good repair. One pair oars. Two cot-beds.

Two furnaces.

Two iron pans. One lot kitchen utensils.

One yellow flag (worn).
One piece yellow bunting.
Nine and one half barrels copperas.

Two barrels roll sulphur.

Two barrels foil surprus.

Thirty gallons carbolic acid.

I certify that the above is a correct inventory of movable property on hand at Quarantine Station.

J. H. P. WISE, M. D., Resident Physician.

REPORT OF W. H. CARSON, M. D., QUARANTINE INSPECTOR OF THE BOARD OF HEALTH OF THE STATE OF LOUISIANA, AT ENGLISH LOOKOUT, LA. (ON THE LOUISVILLE AND NASHVILLE RAILROAD AND ON EAST PEARL RIVER, THE SOUTHEASTERN BOUNDARY LINE OF THE STATE OF LOUISIANA.

NEW ORLEANS, La., October 5, 1883.

To the President and Members of the Board of Health, State of Louisiana:

Gentlemen—I have the honor to submit the following as my official report of the "Quarantine Season,"

commencing at English Lookout Station, on May 15, and ending October 1, 1883.

(Signed)

On the date of receiving my commission, May 14, 1883, I received the following written instructions from President Joseph Jones, with orders to execute them in obedience and in accordance with the powers of the Board of Health of the State of Louisiana.

 Boarding and inspection of oil vessels entering English Lookout.
 All vessels from infected ports must be directed to report to the Louisiana Quarantine Station, on Rabbit Island, Rigolets

3. Dr. Carson will report all violations of the quarantine laws of Louisiana to the President of the Beard of Health. He will also communicate all facts of importance relating to vessels from infected ports included in the Governor's Proclamation, to Dr. Adams, Resident Quarantine Officer at Rigolets.

4. Dr. Carson will report promptly to the President of the Board of Health any entrance of a vessel from an infected port into the waters of Mississippi.

5. Dr. carson will also hold supervision over the railroad trains, and allow no passengers or baggage

from an infected port to enter Louisiana. JOSEPH JONES, M. D.

President Board of Health, State of Louisiana.

In accordance with these instructions, twenty-forr vessels were boarded, and their crews, numbering 114 men, were inspected up to the closing of the station. October 1, 1883

These ressels, the great majority of which were schooners, were engaged in the carrying of lumber from mills in the interior and adjacent to Pearl River (East) to foreign vessels lying in Mississippi Sound. The great danger to be feared was the possible intercourse or contact, direct or indirect, of these vessels with the infected shipping undergoing quarantine at the Ship Island Quarantine Station. It is proper to state, however, that I never had any ground for suspicion that any such intercourse occurred or was probable during the administration of quarantine regulations by the United States Marine Hospital Service. Not withstanding, all vessels on their return were rigidly inspected and stateded to before going up East Pearl River to the interior country.

None of these vessels encaged in lightering required any long detention, nor was there any case of sick.

River to the interior country.

None of these vessels engaged in lightering required any long detention, nor was there any case of sickness that came under my observation, and I am reliably informed that no disease of a contagious or infectous nature occurred in the interior country that could be attributed to their intercourse with outside shipping.

It is to the credit of Messrs. Potevent & Favre, of Pearlington, Miss., extensive mill owners on East Pearl River, that they gave every assistance in the furtherance of our quarantine regulations, and whose vessels were at all times extremely careful to avoid ships on the outside whose health status and ports of learance were not known. I was at all times well informed as to name, location and health of the vessel that they were having intercourse with.

On the seventh of July, 1883, a detail of two sanitary officers was ordered by President Jones to report for duty at English Lookout, and under the following instructions:

1. To aid Dr. W. H. Carson in the execution of the following labors ordered by the board:

(a), Funigation of vessels.

(a). Fumigation of vessels.

(b). Inspection of all trains passing from Mississippi into Louisiana.

The inspectors should, in order to avoid interrupting travel, proceed on the out-bound train as far as necessary, say to Pascagoula, Biloxi, or Bay St. Louis, and return with the train bound for New Orleans and inspect the passengers.

(c). When passengers have been subjected to proper quarantine detention at the regular quarantine station, and their baggage fumigated, they may be allowed to proceed to New Orleans at the discretion of the quarantine officer, said discretion being exercised as to the efficiency of the quarantine and actual state of the passenger.

(d). The Board of Health of the State of Louisiana demand that the inspector at English Lookout, exercise the utmost vigilance, and allow no passengers or seamen to enter the State of Louisians, who have left an infected port, in any vessel, whether infected or not, and without having been subjected to quar-

(e). Furnish this board with written weekly, and if necessary, daily reports. Also telegraph at once any evasion of quarantine and any point of interest.

(Signed)

JOSEPH JONES, M. D. President Board of Health.

In accordance with these instructions all trains, both passenger and freight were subjected to a most thorough inspection. The evening express was boarded at Bay St. Louis. Miss., about thirty miles distant and beyond English Lookout, thus affording the quarantine officials ample time to satisfactorily examine a

In this branch of the service we were at all times courteously and efficiently assisted by the railroad suthorities, in their respective departments, of the Louisville & Nashville Company. On several occasions passengers by rail, en route to New Orleans, were discovered as having come from proscribed ports and localities, and, with but one exception, left the train graciously to seek, for the time being, some more hospitable and appreciative locality.

All morning trains were inspected at the quarantine station (English Lookout); the way bills, the care and caboose of freight trains all received a close examination.

It cannot be doubted, from the above retrospect, that the selection of this locality as a quarantine inspection station was most judicious.

The satisfactory and gratifying results of the season just closed, as well as its previous though shorter season in 1882, the year of its inaugural, go far to substantiate its importance.

In conclusion, it affords me pleasure to commend the promptness, energy and intelligence manifested by your detail of sanitary officers L. D. Allen and Bohner in the discharge of their fatigning duties.

I also take occasion to specially acknowledge the manifold courtesies on the part of Captain A. V. Ward, the United States customs officer at English Lookout, La., with whom I had pleasant quarters during the season, and to whom I was oftentimes indebted for assistance in the boarding of vessels.

I am, sir, very respectfully, your obedient servant;

W. H. CARSON, M. D.,

Quarantine Inspector.

INFECTED VESSELS FROM RIO.

The discharge of the cargoes of coffee ships from Rio, was conducted by order of the Board of Health during the years 1880, 1881, 1882 and 1883. This course was necessitated by the presence of yellow fever in Rio during this period, as will be seen from the report of the United States Consul General of Rio.



CONSULATE GENERAL OF THE UNITED STATES. Rio de Janeiro, Brazil, January 30, 1884.

Dr. Joseph Jones, President State Board of Health, New Orleans -

Dear Sir—Your esteemed favor of October 12, was duly received as also a copy of the annual report of Board of Health Louisiana, 1882-3, for which I am very thankful; but I would be glad of a copy for the succeeding year. I delayed sending your return. of deaths from yellow fever, that I might give them complete for 1883; and I now beg to hand you a table showing the number of deaths from that disease in this city each year since and including 1850. However, I am able to give them for each month only from and including 1873. And the deaths from all causes, I am able to give only from and including 1872. If I can secure any official medical publications I will send them to you. I send you regularly, a monthly report of the mortality in this city, which I hope is duly received.

Very respectfully, yours, .

C. C. ANDREWS, Consul General.

REPORT OF DEATHS FROM YELLOW FEVER AT RIO DE JANEIRO, EMPIRE OF BRAZIL.

The following table gives the number of deaths from yellow fever, 1850-1883, inclusive (thirty-four years), and shows the same by mouths since and including 1872; also shows the total number of deaths from all causes since and including 1879:

U. S. CONSULATE GENERAL, Rio de Janeiro, January 8, 1883.

Years.	January.	February.	March.	April.	Мау.	June,	July.	August.	September.	October,	November.	December.	Total from all Causes.	Total, Yellow Fever.
1850														4160
1851													· · · · · · · · · ·	475
1852	1		1										•••••	
1853													•••••	853
1854														21
1855														21
1856														
1857														1425
1858							. A.							1 220
1859				ı										500
1860	1				l									1249
1861		l			l l								• • • • • • • • •	
1862									 					12
1863													• • • • • • •	
1864		١.,	l						l		ll	. .		
1865		l		. .										
1866														
1867				. .									· · · · · · · · · · · · · · · · · · ·	
1868														l
1869														272
1870		,												1117
1871														3
1872	1				1	3	1		1	8		71	. .	102
1873		1087	008		180	83	20	3	2 1	5 6	2	13		3467
1874	16	51	168	297	165	69	25	5			10	13		826
1875	23	168	3 85	301	244	104	36	10	5	4	3	8		1291
1876	122	319	1357	946	375	129	41	12	6	4	4	2	- 	3317
1877	3	10	39	23	22	11	• 4	15		8 10	18	53	. 	219
1878	77	326	264	99	42	19	18	4	8	10	18 2 9	11		880
1879	127	204	226	160	69	53	42	26		8 5	9	18	10,556	950
1880	150	489	465	268	103	48	18	8	5	5	10	14	11,057	1583
1881	31	54	43	25 13	24 6	13 3	13 1	6	1	2	4	3	9,875	219
				1.5	451	341	31						1/1/2/5	ാരം
1882 1883	8	3 84	11 325	542	274	107	65	31	12	5	12	29	10,365 13,992	

C. C. ANDI:EWS, Consul General.

· Digitized by Google

With the terrible experience of the past, it is evident that in a city situated on the borders of the Gulf of Mexico, between the twenty-ninth and thirtieth degrees of north latitude, separated by only a few hours' steam navigation from the great centres charged with the perennial development of yellow fever, quarantine laws must be rigid, and must be adapted to the geographic, topographic and climatic conditions and relations.

The first object of importance in this inquiry relates to the geographical position, cli-

mate and medical history of Rio de Janiero, as far as it relates to yellow fever.

The city of St. Sebastian, or, as commonly called, the city of Rio de Janeiro, dates its foundation from about the middle of the sixteenth century. It is now the oldest as well as the largest city in America south of the equator, and is computed to have at the present time a population of 330,000 inhabitants.

This city, the capital of Brazil, is situated in latitude 22° 55' south, and longitude 43° 09' west from Greenwich, on the western shores of an extensive bay, the extreme diameter of which is about twenty miles, more or less. This sheet of water is pear-shaped. and broken in many places by islands of considerable size. The background is formed of precipitous mountains, varying in height from 1500 to 3000 feet, and clothed with the luxuriant vegetation of the tropics. Its geographical position makes it a commercial centre for trade with India, Oceanica, South America and Europe. Ships of almost every nation are found, in the course of a year, landing or unloading cargoes at this port.

The site of the city is a marshy plain, studded by lofty hills of granite or granitic gueiss. When the city was commenced, on the Punta Calabouca, the vicinity was almost constantly overflowed by pools of stagnant water, which was supposed to be prejudicial to the general health of the population. Intermittent fever prevails at all seasons along the shores and upon the islands of the bay, especially among those of the population who are imperfectly nourished and sheltered. Occasionally it is severe and

fatal in its effects.

Placed immediately beneath the tropic of Capricorn, Rio de Janeiro is under all the

climatic influences common to equatorial and intertropical regions.

The granite hills around the city, as well as the expanded surface of the bay, constitute reflectors of the caloric rays which augment the temperature and humidity. The atmosphere is more or less impregnated with vapors, and sometimes covered with clouds, which hamg about the mountain peaks, and cause on some days a suffocating heat, called by Brazilians mormaco-a stitry time-which is so debilitating as to deprive one of the appetite for intellectual or muscular exercise, as well as the powers of digestion, and lead to a belief that the temperature is much higher than indicated by the thermometer.

CLIMATE OF RIO DE JANEIRO.

Meteorological observations made during thirty years by Benito Sanchez Dorta, in the last century, show that the annual mean temperature of Rio de Janeiro was 73°04, whilst the more recent hourly observations of A. M. de Mello, made during the present century, show an annual average increase of 2°11, the temperature for the year being now 75º 151.

This augmentation of the annual mean temperature is attributed to the clearing of the forests in the interior and in the vicinity of the city, which not attracting rain as frequently as formerly, the atmosphere and earth are not washed as often by summer showers; besides, the land wind not receiving exalations from the multiplicity of the leaves, the air is not so much freshened as when the forests were abundant, and for this reason it is supposed that the temperature has been greater.

The mean annual temperature of New Orleans is 69°48.

The mean summer temperature of New Orleans is 82°53; of Havana, 84°2; of Vera Cruz, 81°5,

The average spring and winter temperature of those places in which yellow fever is said to be indigenous or perennially present, are as follows:

Havana, Cuba: Spring, 75° 7; winter, 68° 4; Kingston, Jamaica: spring, 78° 1; winter, 76° 1; Matanzaa, Cuba: spring, 78° 9; winter, 73° 4; Nassau: spring, 77° 7; winter, 70° 7; Rio de Janeiro: spring, 74° 7; winter, 70° 1; Vera Cruz, Mexico: spring, 77° 8-78: winter, 77° 79-8.

In New Orleans, on the other hand, the average temperature of spring is 69° 58, and

12 degrees above that of winter, 57° 04.

It will be noted from the preceding data that the annual mean temperature of New Orleans is about six and a half degrees colder than that of Rio de Janeiro. The winter in New Orleans is marked by far lower temperature, the average temperature being 57° 04, while the average mean temperature of the winter in Rio Janeiro ranges above 70°01. The winters of New Orleans are invariably cold enough to arrest yellow fever.

On the other hand, the winters of Rio de Janeiro are not sufficiently severe to arrest yellow fever. Hence this disease may prevail during every month of the year, as it does in Havans, the climate or both places being in their relations to bealth and yellow fever similar.



MORTALITY OF THE CITY OF RIO DE JANEIRO FROM YELLOW FEVER DURING THE YEARS SPECIFIED.

	1850.	1851.	1852.	1880	1881.
January	11	243	150	133	31
February	37	70	176	484	54
March	60	303	142	468	44
April	165	403	153	274	23
May	98	325	82	105	24
June	28	189	73	56	13
July	9	93	26	No report.	9
August	7	62	29	9	5
September.	4	62	7	4	1
October	19	37	7	No report.	2
November	26	47	6	No report.	
December.	8	109	2		No report.
Total	475	1943	853	1546	206

The reports for 1862 have not yet been completed, owing to the length of time necessary for their transmission; but to the date of the last report, in July, deaths from yellow fever have occurred during every month.

It follows from the preceding facts that yellow fever prevails during every month in

the year in Rio de Janeiro.

It is evident that during the past three years the port of Rio de Janeiro has been dangerously infected with yellow fever, and that deaths from yellow fever have occurred in every month.

Dr. Candido asserts that the dwellings of Rio de Janeiro, in a majority of instances,

are better adapted to Lapland or Greenland than to the tropic region.

They are erected in rows, often upon a level below that of the streets and gardens. Their dimensions are small. The roofs of tile are low; often a wooden floor rests upon a damp soil, and is constantly in a state of decay. They are badly lighted and illy ventilated.

In the houses of the opulent are spacious saloons which are reserved for the reception of guests, while the wealthy inhabitants sleep in a close alcove covered with mosquito

nets or bars. The walls are covered with paper which retains the humidity of the air.

In the greatest yellow fever epidemic of this city, New Orleans was without a Board of Health, and the quarantine restrictions practically valueless; therefore, the exact origin of this epidemic has been a matter of dispute, but it was established by the testimony of Mr. Lonsdale, one of the largest dealers in coffee, that nearly all the vessels that arrived here from Rio, after the first of April, 1853, had suffered more or less from yellow fever after leaving that port.

Thus the ship Siri, Capt. Higgins, arrived at New Orleans on the tenth of May, and took position at post 13. The captain had lost his wife, son and some of the crew before leaving Rio. The ship Mary Kendall arrived from Rio on the twenty-fifth of June, via Jamaica, where she had put in on account of distress from yellow fever; she left Rio on

the twenty-fifth of January.

The origin of the epidemic has also been referred to the ship Camboden Castle, from Kingston, Jamaica, which arrived at New Orleans on the seventeenth of May, 1853, and took position at post 27. It is evident, however, that the arrival of the infected ship Siri, from Rio de Janeiro, was some days in advance of the Camboden Castle.

The public safety demands that cargoes from this port should be deemed infected, and as subject to fumigation, aeration or disinfection.

The climate of Rio de Janeiro cannot enjoy the reputation of being very salubrious, on account of its tropical position, the nature of the locality and the mode in which the houses of the masses of the people are built. Paludal fevers, of the intermittent and remittent form, sometimes complicated with ataxic or adynamic phenomena, cause the

greater part of the mortality, principally after the evaporation of the waters of summer, ordinarily in the months of February, March and April.

A comparison of the present sanitary condition with that of more remote periods shows an increase of phthisis, diarrhoa, scarlatina, typhoid, pernicious and malarial fevers and yellow fever. Some practitioners affirm that yellow fever is endemic in Rio de

Janeiro, modified by the condition of the atmosphere.

THE INTRODUCTION OF YELLOW FEVER FROM RIO JANEIRO IN 1880, BY THE BARK EXCELSIOR.

The circumstances connected with the appearance of yellow fever upon the Swedish bark Excelsior have been fully recorded in the annual report of the Board of Health for 1880, pp. 34-43.



The circumstances of special interest in connection with the present inquiry are

briefly these:

The bark Excelsior sailed from Rio on the tenth of May, 1880, with a cargo of 3600 sacks of coffee, and a crew consisting of three officers and nine seamen. She arrived at the Mississippi Quarantine Station on June 24, having been on the voyage about forty-six days. She was released from quarantine and arrived at New Orleans on the fifth of July. No case of sickness occurred on the voyage or at the Mississippi Quarantine Station. About sixty hours after the vessel reached New Orleans, and after the discharge of her cargo, James Kenney, one of her crew, was attacked with yellow fever and died in the Touro Infirmary, after throwing up black vomit, on the eleventh of July.

The case was not reported to the Board of Health until the tenth of July, when the

crew were mustered and ordered to remain on board.

The bark was forcibly returned to the Mississippi Quarantine Station, by order of the

Board of Health.

Cases of yellow fever occurred on board the Excelsior on the twelfth, thirteenth and fourteenth of July, and deaths from this disease occurred in the Quarantine Hospital on the seventeenth and eighteenth of July.

The Board of Health retained the Excelsior at Quarantine Station for over one month

after the removal of the last case from the vessel on the fourteenth of July.

It is but just to conclude that the prompt action of the Board of Health in sending the Excelsior back to the Mississippi Quarantine preserved the city of New Orleans and the Mississippi Valley from an epidemic of yellow fever in 1880. Nevertheless, it is true that never before in the history of this country were such efforts made to create alarm in the surrounding States.

The vindication of the health and good sanitary condition of New Orleans, and its freedom from yellow fever during 1880, are matters of history, as well as the illegal and unconstitutional usurpation of power by agents of the National Board of Health, pro-hibiting the shipment of coffee from New Orleans.

In like manner the rigid quarantine maintained by the Board of Health during 1880, 1881, 1882, and 1883 against various ports of the Antilles and along the coast of Mexico, Central and South America, has been fully

justified by statistics.

Dr. Mainegra, of New Orleans, who was commissioned by Surgeon-General Hamilton to reside at Vera Cruz during the summer of 1883, upon the recommendation of the President of the Louisiana Board of Health, has furnished the following valuable statistics with reference to the presence and prevalence of yellow fever in Vera Cruz, Mexico, during the past three years:

MORTALITY OF THE CITY OF VERA CRUZ DURING THE YEARS 1881, 1882

		188	31.			18	882.		1883				
Month.	Yellow Fever.	Pernicious Fever.	Remittent Fever.	Gastro Ent. Fever.	Yellow Fever.	Pernicious Fever.	Remittent Fever.	Gastro Ent. Fever.	Yellow Fever.	Remittent Fever	Pernicion Fever.	Gastro Ent. Fever.	
January	28 21 27 28	4 6 3 8	1 3 1	2 3 2 6	1 1 2	5 4 4 3	2	1 2 5	5 3 7 16	9	2	1 1 1 5	
MayJune	94 234	11 19	1 4	10 3 7	5 11	3 9	1	2 3 4	90	9		1	
July August September	132 39 22	16 12 9	4 4 2	7 5 4	7 14 8	8 11 10	5 5 7	4 3 5	200 67 34	10 10		7	
October	24	14 15	5 1 3	3 2	5 5 12	9		7 2	29				
Totals	671	123	32	48	72	76	21	36	•712	*53	*20	*17	

acomplete.

Digitized by Google

The nature of the quarantine labors of the Board of Health of the State of Louisiana, during the years 1880, 1881, 1882 and 1883, have been illustrated by the preceding statistics, and they may be viewed in a more comprehensive manner by the consideration of the following abstract of the quarantine reports:

TABLE GIVING THE NUMBER AND CLASS OF THE VESSELS INSPECTED AT THE MISSISSIPPI QUARANTINE STATION DURING FOUR YEARS, 1880, 1881, 1882 AND 1883.

YEARS.	Steamships.	Sailing Ships.	Barks.	Brigs.	Schooners.	Steam Tugs.	Total.
1880	614 541 615 687	92 53	356 244 160 194	33 28	141 132 142 157		1,271 1,042 998 1,125
Total	2,457	312	954	134	572	7	4,436

This large fleet, numbering 4436 vessels (more than one-half or 2457 of which were large ocean-going steamships), exceeding 8,000,000 (eight million) tons, were inspected by the officers of the Board of Health at the Mississippi Quarantine Station, together with their passengers, crews and cargoes, during the years 1880, 1881, 1882 and 1883.

During this period not less than 100,000 seamen and passengers passed

through this station.

Notwithstanding the prevalence of yellow fever in Vera Cruz, Havana and Rio during this entire period, and notwithstanding the prevalence of yellow fever at Brownsville, Texas, and at Pensacola in 1882, and at the Naval Reservation and at Brewton, Alabama, in 1883, and notwithstanding the presence of yellow fever at the Mississippi Quarantine Station in 1880 and in 1883, New Orleans and the Mississippi Valley have been free from this terrible scourge.

During the same period (1880, 1881, 1882 and 1883) 479 vessels from ports infected with yellow fever, or suspected of being infected, were held

in quarantine, disinfected and fumigated.

At the Atchafalaya Station alone 1,064 vessels (about one-half of which were ocean-going steamships), with about 20,000 souls, crew and passengers, were inspected. At the Rigolets Quarantine Station about 4338 vessels, chiefly schooners, with about 24,000 seamen and passengers, were inspected during the years 1880, 1881, 1882 and 1883.

During the period specified, therefore, the Board of Health of the State of Louisiana, through its faithful, experienced and energetic officers, inspected in round numbers about 10,000 vessels, which carried not less than

150,000 seamen and passengers.

The grand conclusions which we reach from these practical operations are:

1. Yellow fever is not indigenous to New Orleans.

2. Yellow fever can be excluded from New Orleans and the Mississippi

Valley by a rigid and effective quarantine.

3. Quarantine, to be effective, must embrace not merely inspection and detention, but discharge of infected cargoes thorough ventilation and fumigation.

MAINTENANCE OF THE QUARANTINE LAWS OF THE STATE OF LOUISIANA.

RELATIONS OF NATIONAL AND STATE QUARANTINE-INTERSTATE QUAR-ANTINE-RE-ESTABLISHMENT OF THE MARINE HOSPITAL AT NEW ORLEANS-FLOATING HOSPITAL IN THE MISSISSIPPI RIVER FOR THE ISOLATION AND TREATMENT OF CONTAGIOUS AND INFECTIOUS DISEASES.

HISTORY OF QUARANTINE IN LOUISIANA.

Resistance of the Maritime Associations of New Orleans to the Quarantine Laws of Louisiana—Relations of the Quarantine Established by the State of Louisiana in 1855 to Public Health and Commerce—Progress of Population and Commerce in Louisiana During the French Domination, 1683 to 1763, During Which No Quarantine Existed—Progress of Commerce and Population in Louisiana During the Spanish Domination, 1763 to 1802, During Which Period the Province Was Without Quarantine Restrictions and Laws—Progress of Commerce and Population and Outline of Epidemic Visitations in Louisiana During the American Domination, 1803 to 1883, in Which Quarantine Has Been Established and Maintained at Various Periods—General Conclusions—History of Quarantine 1855 to 1883—History of the Epidemic of Yellow Fever of 1878 in the Mississippi Valley—Resistance of the Quarantine Laws of Louisiana by Morgan's Louisiana and Texas Steamship and Railroad Company.

DECISION OF THE SUPREME COURT OF LOUISIANA SUSTAINING THE BOARD OF HEALTH AND THE QUARANTINE LAWS AND INSPECTION FEES OF THE STATE OF LOUISIANA.

RELATIONS OF NATIONAL AND STATE QUARANTINE.

The important character of the issues involved in the controversy between the State and National Boards of Health will best be shown by the following extracts from the proceedings of the Board of Health at the regular meeting March 9, 1882.

PROPOSED CONGRESSIONAL ACTION ON THE SUBJECT OF QUARANTINE AND THE NATIONAL BOARD OF HEALTH.

At the regular meeting of the Board of Health, March 9, 1882, the President submitted the following cor respondence:

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, STATE HOUSE, New Orleans, February 14, 1882.

Hon. J. Floyd King, House of Representatives, Washington, D. C.:

Dear Sir—I would respectfully request the honorable Representative from Louisiana to favor this board with the complete text of his "bill relating to quarantine, the National Board of Health, and the protection of the United States from yellow fever." I quote from newspaper reports, and therefore may be in error as to the title of the bill of the Honorable Representative.

The members of Congress representing the State of Louisiana will confer a favor and promote the cause of sanitary knowledge by forwarding to the President of the Board of Health all bills discussing and papers relating to domestic and foreign quarantine.

An early reply is respectfully requested.

Your obedient servant,
JOSEPH JONES, M. D.,
President Board of Health, State of Louisians.

Digitized by Google

HOUSE OF REPRESENTATIVES, Washington, February 27, 1882.

Joseph Jones, M. D., President Board of Health, State of Louisiana, New Orleans:

Dear Sir—I have mailed you the bills that are before the Committee on Public Health, in accordance with your request. Please notify me if they reach you. I will be glad to get your views on any points in any of them.

Very respectfully yours,

OFFICE BOARD OF HRALTH, STATE OF LOUISIANA, STATE HOUSE, New Orleans, March 4, 1989.

Hon. J. Floyd King, House of Representatives, Washington, D. C.:

Pear Sir—I have the honor to acknowledge the receipt of your favor of the twenty-seventh of February, together with the accompanying bills numbered respectively 3032, 4043 and 4290.

In accordance with your request that I should give my "views on any points in any of them," I begins leave

respectfully to submit the following:

respectfully to submit the following:

1. The bill (Forty-eventh Congress, first session, H. R. 3032) entitled a bill to amend an act entitled "An act to prevent the introduction of contagious or infectious diseases into the United States," introduced by Mr. Van Aernam, January 16, 1889, and the bill 4043, entitled "A bill to prevent the introduction of contagious and infectious diseases into the United States," introduced by Mr. Van Aernam on the sixth of February, 1882, are essentially the same, with the exception that the latter has the following additional clause under section two: "But if it shall appear to the President that such detail cannot be conveniently made, and such decision shall be notified by him to such Board, the latter shall be authorized to appoint such medical officer at its discretion, and if so appointed his salary shall be defrayed from the appropriation under its control" The phraseology of section three is altered, whilst the intent and fosse remain the same The two bills of Mr. Van Aernam may be regarded as almost identical.

The bill (Forty-seventh Congress, first session, H. R. 4290) introduced by Mr. King on the thirteenth of Pebruary 1892, and entitled a bill to amend an act entitled "An act to prevent the introduction of contagious or infectious diseases into the United States," is essentially the same in language and apirit with the bills of Mr. Van Aernam. We fail to discover any essential difference between the bill of Mr. King, interoduced on the thirteenth of February, and the bills previously introduced by Mr. Van Aernam on January 16 and February 6, 1892.

troduced on the thirteenth of February, and the bills previously introduced by Mr. van Aerham on Santary 6 and February 6, 1882.

I have been thus explicit in order that the observations on the spirit of one bill will apply to all.

2. The bills of Mr. Van Aerham and of Mr. King have evidently been drawn up in favor of the National Roard of Health for the enlargement of its powers, and for the subjection of the entire quarantine system of the United States and the suberdination of all State Boards of Health and all State quarantine establishments to the control of the said National Roard of Health.

The bills of Mr. Van Aerham and Mr. King place the President of the United States under the control of the National Board of Health in certain sanitary matters, and erect the said beard into an arbitrary and despotic sections a clothed with plenary powers to mass its continue upon the quarantine regulations of any State,

Inhments to the control of the said National Roard of Health.

The bills of Mr. Van Aernam and Mr. King place the President of the United States under the control of the National Board of Health in certain sanitary matters, and erect the said beard into an arbitrary and despotic bribunal, clothed with plenary powers to pass its opinions upon the quarantine regulations of any State, port or municipality; and induce the President of the United States to order the legally constituted authorities appointed and elected, and commissioned by the people of the individual State to make, adopt, and enforce such rules and regulations as the National Board of Health may present. If the sanitary authorities of the States and municipalities should exercise the rights of freemen, as conferred upon them by the constitution of the United States or by the will of the people, and fail or refuse to enforce the rules and regulations promulgated for their instruction and guidance by the National Board of Health, then the President shall detail an officer or appoint a proper person for that purpose.

3 The bills of Mresare Van Aernam and King prescribe rules and regulations for foreign shipping in foreign ports, and subject all vessels to a fine, not to exceed \$1000, (one thousand dollars), which do not conform with the provisions of these bills at the ports of departure. Whether the jurisdiction of the United States extends in sanitary matters to all ports, of all the world, is a question of maritime law. Whether the United States will he rich enough to supply the vest aums required to maintain sanitary inspectors, conduct fumigations and enforce sanitary rules in all the chief ports of the world, must be ultimately determined, by the people who bear the burdens of taxation.

1. Section five of the bills of Mesars. Van Aernam and King places the regulation of quarantine in the hands of the National Board of Health, which have not been embodied in the constitution of quarantine in the hands of the National Board of Health, and prover

We fird in Brightly's Digest, p. 810, under the head of Quarantine and Health Laws, an act of Congress passed February 25, 1779. By the third section of this act it is provided that "there shall be purchased or erected, under the orders of the President of the United Stares, suitable warehouses, with wharves and inclosures, where goods and merchandise may be unladen and deposited from any vessel that may be subject to a quarential or other restraint, pursuant to the health laws of any State as aforesaid, at such convenient place or places therein as the safety of the public revenue and the observances of such health

It is avident that this provision has reference to the safety of the revenue and not to the enforcement of quarantine law. That the subject of quarantine is held to be a State and not a United States matter.



will appear evident from the whole tenor of this law. Thus the first section provides that the quarantine laws of the States shall be observed by the Federal officers; and that the Secretary of the Treasury is authorized to extend the time for making entries, etc., when a conformity to such health laws shall require it. Section two provides that vessels prohibited by the health laws of any State from coming to at ports of delivery, may unload elsewhere; the cargo to be warehoused, and special permits granted, etc. Sections four, five, six and seven, provide for the removal of Custom-house officers, prisoners, public officers, and the Supreme Court from unhealthy to healthy places, and section eight provides that the costs of such removal shall be removaled to Congress.

Sections four, five, aix and seven, provide for the removal of Custom-house officers, prisoners, public officers, and the Supreme Court from unhealthy to healthy places, and section eight provides that the costs of such removal shall be reported to Congress.

Throughout the whole of this law it is evident that the authority of the States to enact quarantine laws is fully recognized. The injunction it contains upon Federal officers to aid in the execution of such laws confirms and strengthens this view.

In the case of Gibbons vs. Ogden (Wheaton's Reports, vol. 9) Mr. Webster, in his opening argument, says: "When, until now, have they (the States) interfered with the navigation of the country! The pilot laws, the health laws, or quarantine laws, and various regulations of that class which have been recognized by Congress, are no arguments to prove, even if they are to be called commercial regulations (which they are not) that other regulations, more directly and strictly commercial, are not within the power of Congress." "The truth was," he thought, "that all these things were, in their general character, rather regulations of police than of commerce, in the constitutional understanding of that term. Quarantine laws, for example, may be considered as affecting commerce, yet they are in their nature health laws. In England we speak of the power of regulating commerce as in Parliament, or the King as arbiter of commerce, yet the city of London enacts health laws. Would any one infer from that circumstance that the city of London had concurrent power with Parliament or the Crown to regulate commerce! Or that it might grant a monopoly to navigate the Thames! While a health law is reasonable it is a health law, but if, un der color of it, enactments should be made for other purposes, such enactments might be void."

Mr. Emmett agreed with Mr. Webster that quarantine laws are not within the competency of Congress. The Attorney General, Mr. Wirt, viewed quarantine laws as police and not commercial regulations. (Chief J

parts of the same."

parts of the same."

"No such general power over these subjects is granted to Congress, and consequently they remain subject to State legislation."

These opinions of the most eminent legal minds of the United States seem fully to settle the question as to the source from whence quarantine laws must emanate.

6. The letter and the spirit of the bills of Messra. Van Aernam and King are in direct opposition to article four, section one, of the Constitution of the United States, which ordains that "Full fath and credit shall be given in each State to the public acts, records and judicial proceedings of every other State. And the Congress may, by general laws, prescribe the manner in which such acts, records and proceedings shall be proved and the effect thereof." Constitution of the United States of America, article four, sec-

The Legislature of Louisiana, as the representative of the people of this State, has passed organic acts establishing a Board of Health, clothed with certain powers, for the regulation of quarantine and the protection of the State against the introduction of foreign pestilence.

The President and Cengress of the United States are bound by the constitution to give full credit and support to the acts of the Legislature of Louisiana, which in no manner violate the constitution of the United States.

Support to the scenario and the Acquisitative of Louisians, which in no manner violate the constitution of the Louisians will pardon the frank and earnest manner in which I have met his request to express my views with reference to the bills relating to quarantine and the National Board of Health now before Congress.

I hold it to be the duty of the Representatives in Congress to sustain the will of the people of Louisiana as expressed in the organic acts of her General Assembly. The Board of Health should be the first to acknowledge any just or good work or measure for the perfection of the sanitary and quarantine affairs of Louisiana by her Representatives in Congress.

It is well known that previous to the recent civil war the learned and patriotic Representatives in the national halls accomplished much good for the State of Louisiana and for the entire Mississippi Valley by securing from Congress a liberal appropriation for the erection of a commodious freproof warehouse at the Mississippi Quarantine Station; but subsequently to this great calamity the labors of the honorable Representatives of this province have as yet yielded no result that has tended to strengthen the hands of those charged by the laws of the State with the conduct of her sanitary and quarantine affairs.

It is but too true that since the civil war the legislation and decisions of the United States Courts have tended to weaken and derange the quarantine system of Louisiana, and to strengthen the hands of those who, for mercenary reasons, oppose the legislative enactments for the exclusion of foreign postilence.

With great respect I have the honor to remain your obedient servant.

JOSEPH JONES, M. D.,

JOSEPH JONES, M. D.,

President Board of Health, State of Louisiana.

A true copy from the minutes of the meeting of the Board of Health, State of Louisiana, held March 9, S. S. HERRICK, M. D., Secretary. 1882.

INTER-STATE QUARANTINE.

The President of the Board of Health has, at various times during the existence of the present Board of Health strenuously advocated:

The passage of a joint ordinance by the Board of Health and City Council, imposing severe tines upon any railroad corporation or official, and upon any captain or officer of a steamboat, who shall bring within the limits of New Orleans any case of small-pox or other contagious disease. The process should be so simple and withal so summary, that parties bringing small-pox or any other contagious disease within the limits of New Orleans, should be immediately arrested and punished. Similar laws should be enacted by

Digitized by GOOGLE

the Legislature for the entire State, thus protecting Louisiana from the contagious diseases of surrounding States. No State in this Union has been more exposed to the pestilences of surrounding States, cities and countries than Louisiana, and no State has been more generous or noble in her ministrations to the sick.

The vast burden which has been imposed upon the State of Louisiana, and more especially upon the medical profession of New Orleans, in virtue of the position of this State at the mouth of the Mississippi River, and in virtue of the vast number of strangers, merchants and emigrants, passing this gate-way of the Mississippi Valley is

shown by the following facts:

During the past forty-five years Louisiana has cared for and treated in the Charity Hospital a grand total of 340,411 sick; of this vast number, foreign countries furnished 290,128, and the various States of the Union, 80,289; England contributed 15,907, France 19,788, Germany 43,435, Prussia 6,880, Scotland 5,432, Spain 3777, Sweden 2,350, Switzerland 4,649, Canada 2,693, Ireland 137,099 patients to the Charity Hospital. Total from these countries, 252,945.

During this period Louisiana furnished only 17,013 patients to the Charity Hospital. Louisiana, in addition to the 260,128 foreigners (during the period specified, 1830-1880), has cared for 53,570 sick and destitute poor within the walls of Charity Hospital, the vast proportion of which came from such States as Alabama, Ohio, Kentucky, Iowa, Pennsylvania, New York, North Carolina, Mississippi, Tennessee and Missouri; 11,611 natives of New York and 7,462 natives of Pennsylvania have been treated within the Charity Hospital.

Ireland alone has furnished eight times more patients to the Charity Hospital than

Louisiana.

If the annual cost of maintaining the Charity Hospital is placed at \$100,000, then the total amount expended by the State of Louisiana in caring for and treating the sick and burying the dead of this grand total of 340,411 human beings, from all countries and from all States, was \$4,500,000. Of this amount the natives of Louisiana received about one-twentieth, or about \$225,000, while the natives of foreign countries and of the surrounding States composing the American Union received \$3,225,000.

In view of the preceding facts illustrating at once the vast mass of human sickness and suffering which has been relieved by the State of Louisiana, so ably represented by her self-sacrificing and learned physicians, it is surely remarkable that the surrounding States should strive incessantly to injure the fair name of Louisiana, and more especially of the members of the medical profession, by reiterating the slanders that the existence of postilence in New Orleans has been repeatedly ignored for the purpose of promoting the needs of commerce; and it is still more astounding that men claiming to represent Louisiana in sanitary and quarantine affairs, should be active agents in the promulgation of the slander.

RE-ESTABLISHMENT OF THE MARINE HOSPITAL OF NEW ORLEANS.

The greatest danger to New Orleans from small-pox has been the absence of a marine hospital for the cure of infectious and contagious diseases among that class for whose care and treatment the United States government is alone responsible. It is a remarkable fact that, with all the perpetual agitations, with reference to the public health, by the National Board of Health during the past three years, the United States government should be without any hospital for the treatment of seamen suffering with contagious and infectious diseases at the great port of New Orleans.

In the year 1798 a law was enacted by Congress imposing a tax of 20 cents per month on seamen employed on American vessels engaged in the foreign and coasting trades, to be collected by the several collectors of customs; and out of the funds thus created the President of the United States was authorized to provide for the temporary relief and maintenance of sick and disabled seamen in hospitals, or in such other manner as he should direct; provided, however, that the moneys collected in each district should be

expended therein.

The same act provides that when there should be a sufficient surplus, after defraying the expenses of temporary relief to seamen, it should be used in erecting marine hos-

pitals.

For nearly forty years after the establishment of marine hospitals the expense attending the maintenance of sick and disabled seamen had to be met out of the funds created by the tax on seamen. The demand for relief far exceeded the resources at command.

Those who engaged in the commerce of the Western rivers were subjected to climatic changes that were very pernicious. The numbers who perished in the long-descending voyages of the flat-bottomed boats, which left the upper waters of the Mississippi and its tributaries in summer and early autumn, to find a market for the fruits of their toil at New Orleans, were very great. Nothing was more common than for two out of the five hands who generally managed these boats to die, and it sometimes happened that the whole crew perished from disease and that the boat with its cargo was left deserted.

Digitized by GOOGLE

The steamboats ascending the Mississippi and its tributaries brought up every year a great number of deck passengers, chiefly the sons of farmers, returning from that flat-boat voyage, many of whom died on board, while others were left on shore at the river towns, helpless among strangers. The cholera epidemic of 1832 and 1834 added greatly to the catalogue of ills. Moved by a feeling of common humanity for the large class of young men who have surmendered the comforts of home and embarked in the daring, precarious and toilsome interest of commerce, and sensible also of the suffering attendant upon such an improvident life, whole communities, both on the seaboard and in the interior districts, petitioned Congress for additional appropriations and the enactment of laws providing increased facilities for the relief of this unfortunate class appeals were heeded by the representatives of the people, and Congress passed an act, which was approved March 3, 1837, authorizing the Secretary of War to appoint a Board of Medical Officers of the Army to select and purchase sites for marine hospitals on the Mississippi and Ohio rivers and Lake Eric.

HOSPITAL AT MACDONOUGH'S, OPPOSITE NEW ORLEANS, (SOLD).

In the year 1837 a site upon which to erect a Marine Hospital for the port or New Orleans was purchased at MacDonough's, on the right bank of the Mississippi River, and opposite New Orleans. The hospital was commenced in 1838 and completed in 1849 at a

total expenditure of \$122,772 70.

The hospital was first opened for the reception of patients in 1842, and was continued in use until early in June, 1858, when it was abandoned, and the patients were removed to the United States Barracks, below the city of New Orleans, in consequence of an inundation of the Marine Hospital grounds by the overflow of the Mississippi River. Such remnants of the building as remained after the close of the war were sold in 1866 for the sum of \$300, but the amount does not appear to have been paid into the treasury.

SECOND HOSPITAL AT NEW ORLEANS, UNFINISHED AND OCCUPIED BY CITY

AS AN INSANE ASYLUM.

Five years after the hospital of MacDonough, which had required about twelve years to complete, was first occupied, and while it was in successful operation, a site for a second Marine Hospital for New Orleans was selected in a swamp back of the city, and the erection thereon of an immense cast-iron building was commenced in 1856. Netwithstanding the preparation for a foundation for the building by the driving of piles, the walls for a portion of the structure sank about two feet before completion and had to be reconstructed.

The work on the hospital building was suspended in July, 1860, after more than half a million of dollars had been expended. During the war a large amount of work was done on the building by the Quartermaster Department of the army to fit it for a military hospital, including the erection of a kitchen and the flooring of the entire building. Notwithstanding the inauguration of a system of drainage and the improvement of the grounds, resulting from the filling up with decaying vegetation, during these seventeen years, which had elapsed since the military command of Gen. Butler, the site still remains unhealthy. To complete the building it is estimated that it would require an additional expenditure of \$200,000. The building has never been occupied as a Marine Hospital, and is at present used by this city as an Insane Asylum.

This building after extensive advertisement by the United States authorities, was offered for sale at public auction. There was but one bid for the property, and that so far below its real value that the Secretary rejected the bid.

New Orleans, therefore, was during 1880, 1881, 1882 and 1883, without any Marine Hospital, the patients being treated in wards of the Hotel Dieu and Touro Infirmary from

which all such infectious and contagious diseases as small-pox are excluded.

From the annual report of the supervising surgeon-general of the Marine Hospital Service of the United States, for the fiscal year 1881, we gather that the receipts from all sources were \$386,059 81, and the net expenditures \$400,404 46; and during the year 32,613 patients received relief from the service.

Notwithstanding the expenditure of this large sum, the United States has been without any proper hospital for the treatment of small-pox in New Orleans. The seamen afflicted with this horrible disease are allowed to depend upon the provisions of the city

of New Orleans and the Board of Health for their isolation

It was urged that the Representatives of Louisiana in Congress should be instructed by the Governor and General Assembly to endeavor to cause the passage by Congress of the necessary bills and appropriations for the erection of a suitable Murine Hospital at New Orleans, in order that their constituents in Louisiana might be protected from those contag ous and infectious diseases, as small-pox and yellow fever which are disseminated to a great extent by the seamen of the United States.

This subject was urged by the President of the Board of Health, upon the representatives of Louisians in the United States Senate and House of Representatives; and it is held, that the agitation of this subject, resulted in the passage by Congress of the act approved August 7, 1882, appropriating for the purchase of a site and the erection of a marine hospital at New Orleans, of \$100,000.

A site has been selected at New Orleans by Supervising Surgeon General John B. Ham-

ilton, consisting of twenty-two acres of ground and the batture. Plans for the building have been prepared under the direction of Col. John W. Glenn, Supervising Architect, and approved by Supervising Surgeon General Hamilton, of the United States Marine Hospital Service.

We have been informed that the hospital will be completed in 1884.

EFFORTS OF THE LOUISIANA BOARD OF HEALTH TO SECURE THE PAS-SAGE OF AN ACT OF CONGRESS FOR THE ESTABLISHMENT OF A FLOAT-ING WARD OR HOSPITAL IN THE HARBOR OF NEW ORLEANS

> OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, } NEW OBLEANS, October 12, 1882.

To the Representatives of Louisiana in the United States Senate and House of Representatives:

Gentlepenese to thousand in the United States estated to the Constitution of the State of Louisiana to establish quarantine stations at the various approaches to the city of New Orleans," etc 3 "An act to organize, support and maintain a floating ward or hospital in connection with the United States Marine Hospital at this port."

You are earnestly requested by the Board of Health of the State of Louisiana to urge the passage of these acts upon the Congress of the United States at the next session, commencing December 3, 1882.

You are also most respectfully and cordially invited to appoint such time and place in the city of New Orleans as may suit your convenience and pleasure to meet the Board of Health in conference concerning the important measures embraced in the proposed acts.

I have also taken the liberty to enclose a copy of my letter to Hon. R. N. Ogden, Speaker of the House

the important measures embraced in the proposed acts.

I have also taken the liberty to enclose a copy of my letter to Hon. R. N. Ogden, Speaker of the House of Representatives, dated May 30, 1883, relative to the subject of quarantine in Louisiana for the exclusion of foreign postilence from the State and Valley.

With great respect and high esteem I have the honor to remain your obedient servant, (Signed)

President Board of Health, State of Louisiana.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, } NEW ORLEANS, November 23, 1882.

Hon. B John Ellis, New Orleans, La.:

Dear Sir—In accordance with your request I have the honor to enclose the following:
(a). An act to construct, maintain and support a floating ward or hospital connected with the United States Marine Hospital at New Orleans.
(b). Copy of letter of Surgeon General Hamilton, of the United States Marine Hospital Service, relative

to said act, marked (a).

(c). An Act to authorize the State of Louisiana to establish quarantine stations, to inspect and disinfect

(c). An Act to authorize the State of Louisians were seed and to collect an inspection fee.

vessels, and to collect an inspection fee.
(d). Opinion of Col. F. C. Zacharie, relative to the quarantine laws of Louisians.

In presenting the preceding (enclosed) acts, for the action of Congress, the Board of Health of the State of Louisians desires that you should exercise your discretion as the honorable representative of this State.

With great respect and high esteem, your obedient servant,

[Signed]

President Board of Health, State of Louisians.

TREASURY DEPARTMENT,
OFFICE SUPERVISING SURGEON-GENERAL, U. S. MARINE HOSPITAL SERVICE,
Washington, November 6, 1889.

Washington, November 6, 1889.

Joseph Jones, M. D., President Board of Health, State of Louisians, corner of Royal and St. Louis streets, New Orleans, La.:

Siv—I have the honor to acknowledge receipt of your letter of the third instant, inclosing for suggestion a draft of a bill to construct and maintain a floating ward or hospital in connection with the Marine Hospital at the port of New Orleans, and return the draft herewith, with certain verbal alterations, some of which, perhaps, are not important, but seem necessary. It seems to me that section two might be shortened without detracting from its stringency, inasmuch as the statutes cover the manner in which public works shall be advertised for, etc. I have therefore stricken out in pencil such sentences as I think could be dispensed with, and made an amendment to section two. In section three I have added "Revenue Marine, and of the Marine Hospital Service," instead of the Marine Hospital Service alone. The other alterations are merely verbal, in the interest of brevity, except section four, which I think should provide for the care of foreign sailors, who are, under the Revised Statutes, admitted to marine hospitals on the application of consuls of the nations to which they respectively belong. Also, the words "Secretary of the Navy," wherever they occur, have been changed to read "Secretary of the Treasury," as this bureau is one of the so-called "independent" bureaus under the direction of the Secretary of the Treasury, which, until the formation of the National Board of Health, was intrusted with the execution of all laws affecting commerce and requiring action by the Federal anthorities.

I refrain from making any indorsement of the proposed act, at this time, as it will doubtless, in the course

I refrain from making any indorsement of the proposed act, at this time, as it will doubtless, in the course of business, be referred to the Secretary of the Treasury by the committee of the House of Representatives having the matter in charge, and such report as I may have to make upon it will be made at that time. It is proper to say, however, that I have embodied your suggestions as to the construction of a floating ward in the annual report of this service, which will be issued in a few weeks, and will report the same favorably when it is referred as above stated. Very respectfully,

JOHN B. MAMILTON, Supervising Surgeon General.



AN ACT.

To construct, support and maintain a floating ward or hospital, in connection with the United States Marine Hospital, at the port of New Orleans, in the State of Louisians, for the purpose of isolating and maintaining sailors, mariners and United States Marine Hospital patients afflicted with contagious or infectious diseases; to provide a steam launch therefore, and to appropriate the sum of thirty thousands dollars for the construction, organization and maintenance of the same, under the direction and control of the United States Marine Hospital Service.

SECTION 1. Be it enacted by the House of Representatives and the Senate of the United States, in Congress Assembled, That the sum of thirty thousand dollars be and is hereby appropriated from moneys not otherwise appropriated from the Treasury of the United States for the purpose of constructing and maintaining a floating ward or hospital at the port of New Orleans, Louisians, in connection with the United States Marine Hospital at that port.

SEC. 2. Best enacted, etc., That immediately after the passage of this act the Surgeon General of the United States Marine Hospital Service shall cause to be prepared plans, designs and specifications for the building of said floating ward, which shall be submitted to the Secretary of the Treasury for his approval and adoption, and that on the approval and adoption and that on the approval and adoption by the Secretary of the Treasury of said plans, designs and specifications, the building shall be constructed under the direction of the Supervising Architect, in accordance with existing law.

and specifications, the building shall be constructed under the direction of the Supervising Architect, in accordance with existing law.

SEC. Be it enacted, etc., That on the completion of the same the Secretary of the Treasury shall cause the same to be inspected by an officer of the Revenue Marine and of the United States Marine Hospital Services, who shall report in writing the condition thereof and whether the terms and specifications of the contract have been faithfully complied with, and the Secretary of the Treasury, on a favorable report being made, shall receive the same and turn it over to the United States Marine Hospital Service.

SEC. 4. Re it enacted, etc., That the Surgeon General of the United States Marine Hospital Service shall assume control thereof, and see that the same is properly provided for the reception, treatment and maintenance of all United States Marine Hospital patients and of foreign sallors admitted thereto, suffering from contagious or infectious diseases, and shall cause said patients to be thereto removed, from time to time, and isolated and maintained separate and apart from the other United States Marine Hospital patients and from communication with persons from the shore, save those necessary to the conduct of said floating ward and hospital, and then under such rules and regulations of the United States Marine Hospital Service, or such as may be established by the Surgeon or Surgeons, Physicians or Physician in charge, under the Mississippi River, at such point or points as the Board of Health of the State of Louisians may direct, so as to best avoid the danger of infection or contagion to the shores thereof, and best subserve the proper conduct and administration of said ward.

SEC. 6. Be it enacted, etc., That so much of the balance of the appropriation herein made as may not be

conduct and administration of said ward.

SEC. 6. Be it seasted, etc., That so much of the balance of the appropriation herein made as may not be used in the building, constructing, furnishing and finishing of the said floating ward shall be devoted to the purchase of a suitable steam launch of such build and design as shall be approved by the United States Marine Hospital Service, to be used in conveying patients and supplies to said floating ward, and in the necessary business thereof, and the remainder of said appropriation, if any there be, shall be applied to the maintenance of said floating ward; and the funds appropriated shall be drawn and expended in the manner now provided by the laws and rules of the United States Marine Hospital Service, and the laws and rules and regulations of the Department of the Treasury of the United States.

HISTORY OF QUARANTINE IN LOUISIANA.

The first great practical and permanent advance in sanitary science by the Representatives of the people of Louisiana in General Assembly convened, was made in March, 1855, when an act was passed "To establish quarantine for the protection of the State."

This valuable act, in its twenty-ninth section, provided not merely for the maintenance of an effective and enlightened system of quarantine, but also established and clothed with ample powers a Board of Health, com-

posed of nine enlightened citizens of the State.

The Legislature of 1877, which superseded the Radical rule, passed four acts of importance, which reorganized and rendered more efficient the Board of Health, provided for the disposition of offal, garbage and night soil and dead animals in the parishes of Jefferson, Orleans and St. Bernard, regulated the cleaning of vaults and privies, and provided for the gauging and inspecting of coal oils and illuminating oils, or fluids derived wholly or in part from coal or petroleum.

By act No. 80, approved April 20, 1877, the registration of births, deaths and marriages in the parish of Orleans was confided to the Board of Health; by act 14, approved March 23, 1877, the present system for the disposal of offal, garbage, night soil and dead animals, at certain designated nuisance wharves or landings, and by suitably constituted boats, was inaugurated. The former act increased the revenues of this Board, and tended to render more accurate the record of the vital statistics of New Orleans, whilst to the latter must be attributed results of the greatest

importance to the sanitary improvement of the city in daily removing and effectually disposing of the refuse and excreta of 230,000 inhabitants by

consigning them to the bosom of the great Mississippi.

Without doubt no measure of greater moment to the State of Louisiana and to the Mississippi Valley was discussed and acted on by the General Assembly of 1882 than that which related to the regulation of quarantine charges at the mouth of the Mississippi River.

Great legal difficulties were involved in the question of quarantine charges, and without a fixed and definite revenue the maintenance of an efficient quarantine on this great river for the protection of the State and

valley was impossible.

It is, therefore, of importance that a clear statement should be made, for the guidance of future legislatures and boards of health, of the questions involved and the arguments advanced during the discussion of questions relating to the maintenance of quarantine by the State of Louisiana.

THE MAINTENANCE OF QUARANTINE ON THE MISSISSIPPI RIVER AND AT OTHER POINTS ON THE MAIN CHANNELS OF COMMERCE BY THE STATE OF LOUISIANI.

The quarantine act of 1855 appears to have been in operation, without "legal" opposition, until 1874, when Charles Morgan, John H. Clark, C. H. Mallory et als., and Fred. Baker, commenced legal proceedings, to enjoin the Board of Health from collecting the quarantine fees, in accordance with the organic acts of the Legislature of Louisiana, approved March 15, 1855, and March 18, 1858.

The action of the Board of Health, with reference to this matter, is of importance; as the interior and failure to rehealth have of Louisiana, resulting operating oper

to its indecision and failure to uphold the laws of Louisiana, regulating quarantine, un-

to its indecision and failure to uphold the laws of Louisiana, regulating quarantine, unnecessary burdens were imposed upon the tax-payers, and great damage wrought of to the quarantine system instituted by the Legislature of 1855 for the protection of the valley from the importation of foreign pestilence.

At a meeting of the Board of Health, on the twentieth of May, 1874, upon motion of Mr. Burwell, seconded by Mr. Heath, it was "resolved that, with reference to the injunction brought against the board by Charles Morgan, restraining the board from exercising the provisions of the act of quarantine, approved March 15, 1855, and the amendment thereto, be referred to the President, C. B. White, to take such action, after consultation with the attorney of the board, C. S. Rice, Req., as he might deem necessary in the premises."

It appears that this injunction was not resisted by the Board of Health, and that, instead of pressing this important question to a final decision, the Legislature was petitioned

of pressing this important question to a final decision, the Legislature was petitioned for funds to conduct the Mississippi quarantine, and thut an appropriation was made in warrants, which yielded in cash \$18,000. This same Board of Health had, in 1869, obtained from the Legislature \$19,258 85 in cash. How large a sum in warrants, and how many thousands of dollars were saddled upon the taxpayers of Louisians by these trans actions is unknown, in the absence of the books of the Auditor and Treasurer.

The President of the Board of Health, Dr. C. B. White, in the report for the year 1873, states that "the appropriation (by the Legislature) last year was but seven thousand dollars, instead of twelve thousand, as considered necessary by the board, and owing to the pressure of creditors, the warrants were immediately sold, and resulted in an addition to the funds of the board of but thirty-one hundred dollars and eighty-six cents, whilst its indebtedness was over five thousand dollars, thus leaving about two thousand five hundred dollars to be paid out of quarantine receipts of 1873."

"In estimating the revenues of the board, and as partly explanatory of the yearly expenses over receipts, it is to be considered that the receipts at the Mississippi Quarantine Station have decreased from twenty-five thousand in 1869, to eighteen thousand in 1873, although the receipts from the Atchafalaya Station having increased about one thousand dollars per annum, as compared with 1868."

It is estimating the revenues of the board, and as partly explanatory of the yearly expenses over receipts from the Atchafalaya Station having increased about one thousand dollars per annum, the actual decrease of receipts is about six thousand per annum, as compared with 1868."

It is evident, from the preceding statement, that the warrants issued to the Board of Health by the Legislature were worth less than half their face value.

Dr. C. B. White, in his report of 1874* to Gov. William Pitt Kellogg, thus states the

Digitized by Google

^{*}The Board of Health, in 1774, was thus constituted: Members—G. W. B. Bayley, Esq., C. E.; Edward Heath, Esq.; Thomas J. Woodward, Esq.; Will'am M. Burwell, Esq.; A. W. Smythe, M. D.; S. M. Bemiss, M. D.; F. B. Gaudet, M. D.; James F. Finney, M. D.; C. B. White, M. D. President. Secretary and Treasurer, S. C. Russell, M. D.; Altorney, Charles S. Rice, Esq.; Chemist, S. S. Herrick, M. D.; Clerk, Issac Stathem; Sanitary Inspector, First District, S. S. Herrick, M. D.; Second District, James F. Newman, M. D.; Third District, Gustavus Devron, M. D.; Fourth District, Joseph Holt, M. D.; Fifth District, Charles H. Young, M. D.; Sixth District, George Kellegg, M. D.; Seventh District, George K.

financial condition of the Board of Health and the effects of the injunction obtained by Morgan and others, restraining the collection of quarantine fees at the Mississippi Quarantine Station.

"The neglect of the General Assembly, at its session of 1874, to provide by appropriation for the usua annual deficiency in the revenues of the board, and the additional pecuniary embarrasament caused by the action of certain ship-owners in enjoining the Board from collecting quarantine dues, threatened the whole quarantine system of the State with immediate dissolution. To bring this important matter promptly and clearly before the only authority competent to remedy this unfortunate and dangerous condition of affairs, a special report was submitted to the Legislature immediately upon its assemblage. Heing of permanent

a special report was submitted to the Legislature inducatory upon the accountage. The special report was submitted to the annual report, and now follows:

"The Board of Health respectfully submits a special report.

"This report exhibits the receipte and expenditures of the Board of Health during the year 1874, its liabilities at the present date, the considerable decrease during the present year of the revenue which supports the quarantine system and the Board of Health, and the probable total annihilation of that revenue in the near future." nne in the near future.

This report shows that during the year 1874 the total cash received from vessels, via the Mississippi Station, was \$19,237 60; and the entire revenue from all quarantine stations, including the sum just mentioned, was \$20,438 72.

The account shows that this entire sum was expended, and that the liabilities of the Board of Health of the State of Louisiana, on the twenty-first day of December, 1874, amounted to \$10,826 36.

Dr. C. B. White thus enumerates the causes of the large indebtedness of the Board, as shown by the statement of the Secretary:

"The deficient appropriation by the General Assembly at its session of 1873, which left debts of the Board unliquidated amounting to \$2500.

"2. The Legislature of the session of 1874 made no appropriation whatever for the ralief of the Board, which consequently began the year with the burden of seven thousand dollars of debts.

"3. The receipts of the Mississippi quarantine Station have decreased from twenty-five thousand dollars

in 1860 to nineteen thousand dollars in 1874.

"4. The cost of carrying on the operations of the Board is somewhat enhanced by the increased price of supplies in general, while quarantine dues, not being, as formerly, paid in gold or its equivalent, their purchasing power is, to a corresponding extent, diminished.

5. While the revenues of the Board have thus seriously decreased, its expenses, even with constant

"5. While the revenue of the Board have thus seriously decreased, its expenses, even with constant efforts at economy, have decidedly increased.

"The General Assembly is respectfully reminded that, previous to the act of March 11, 1870, increasing the powers of the Board, and consequently its duties, this body was in effect merely a Quarantine Board, and its duties and powers as a Board of Health practically nothing.

"Previous to that date there were no meteorological or other observations made, no extended or systematic or continuous recording of the facts of epidemics and epidemic diseases, no laboratory work or expenses, no vaccine furnished to physicians of the city and State, no prochases of scientific instruments or use made of them, no house-to-house inspection with its attendant expenses. Whatever reports were made to the Legislature consisted of a few pages containing some valuable facts, but no way comparable with the accurate, extended and complete reports which are now annually presented, and whose value is distinctly recognized by all experts in sanitary matters throughout the United States.

"As has been stated, the Board of Health began its fiscal year with a debt of seven thousand dollars. To increase its financial difficulties, Charles Morgan and other steamship proprietors procured, in the United States Court, an injunction ferbidding the Board to collect quarantine dues from vessels belonging to the before-mentioned persons. The diminution of the revenues of the Board from this cause, during the

to the before-mentioned persons. The diminution of the revenues of the Board from this cause, during the year just closed, amounts to the sum of twenty-six hundred dollars.

"In April, upon the recommendation of this Board, Dr. Alfred W. Perry was appointed quarantine physician at the Mississippi Station.

"In Parry males a content with the Board and
physician at the Mississippi Station.

Dr. Perry made a contract with the Board to accept salary at the rate of thirty-five hundred dollars per annum, instead of five thousand dollars, and to furnish an assistant at five hundred dollars per annum, instead of five thousand dollars, and to furnish an assistant at five hundred dollars per annum, instead of two thousand, as salaries are allowed by law. In addition to these reductions, he brought down the pay-roll of the station, by the discharge of employes, not required by the necessities of the station, and by reducing its supplies used, so that the expenses of the Mississippi Station were reduced from about twelve hundred to seven hundred and thirty dollars per month; and at the date of his arrival had laid before the Board a proposition, whilst increasing the salary of the assistant physician, to bring the total expenses of the station to six hundred and ninety dollars per month, being at the rate of, say, eight thousand five hundred dollars per annum, instead of fourteen thousand six hundred dollars, as under his predecessor.

"Much to the regret of the Board of Health, on the fourteenth of October, Dr. Perry was superseded by Dr. Howe, who held the position about five weeks, during which period all attempts at economy were dischained, and the expenses brought up to the former rate of about fifteen thousand dollars per annum.

"At the request of the Board of Health, made in consequence of this official extravagance, and also because of disobedience to positive instructions of the Board, directing disinfection of vessels from infected ports, Dr. Howe, on November twentieth, was superseded by Dr. Julius Clark. By Dr. Clark the plans of the Board for the economical management of the Mississippi Quarantine Station are cordially and completally carried out, the rate of expenditure at the present time being somewhat less than under the administration of Dr. Perry.

of Dr. Perry.

"It is evident therefore that the receipts of the Board have therefore been so managed that, had the action of the courts not deprived it of a portion of its usual revenue, they would have very nearly provided for its expenses. The indebtedness of the Board, December 31, 1873, seven thousand dollars, and its loss of revenue by injunctions, two thousand ask hundred dollars, approximate closely to the ten thousand dollars indebtedness of the Board, December 31, 1874. This debit will require an appropriation by the General Assembly

equivalent to ten thousand dollars in cash.

outvalent to ten thousand doltars in cash.

"As was suggested in the opening sentence of the report, it is almost certain that all revenues of the Board of Health will be taken away very early in the year. If the mainteinance of quarantine and the continued existence of the Board of Health be esteemed desirable by the Legislature, action to that end is necessary. The amount of appropriation necessary for the support of quarantine and the Board of Health during 1875 is twenty-six thousand dollars. The small amount of three hundred dollars to nails and paints is necessary to prevent the rapid and serious deterioration of the quarantine buildings. The work and repairs could be done by the cuployes of the Station."—Annual Report of the Board of Health, to the General Assembly of Louisiana, 1874, Session at New Orleans; printed at the Republican office, 95 Camp street, pp. 9-17.



It will be observed from the foregoing statement of Dr. C. B White, President of the Board of Health, that a complete and unconditional surrender of the questions at issue which related to the maintenance of the quarantine system of Louisiana by the organic

acts of the Legislatures of 1855 and 1858 was made by the Board of Health.

The President held that it was "almost certain that all revenues of the Board will be taken away very early in the year;" therefore, instead of defending the quarantine laws and exhausting all legal measures to settle this important question, the injunction against the Board of Health was allowed to remain in the lower court, in which it originated, and the responsibility of maintaining the Board of Health and quarantine was referred to legislative action, and ten thousand dollars solicited to pay the indebtedness of the Board, and twenty-six thousand dollars asked for the support of quarantine and the Board of Health during 1875.

This appeal was not without its effect, and Dr. C. B. White, in his annual report for 1875, informs "His Excellency, William P. Kellogg, Governor of the State of Louisians," that the appropriation made by the General Assembly, session of 1875, for the maintenance of health and quarantine, together with the receipts from the Mississippi Quarantine Station, have greatly relieved the financial embarrassment of the Board of Health, and but for circumstances beyond its control the relief would have been com-

plete, and the Board at the close of the year been entirely out of debt."

From the report of the Treasurer, S. C. Russell, M. D., we gather that the Legislature appropriated \$24,000 to the Board of Health, as per act No. 17, of 1875. Eighteen thousand dollars of this appropriation, together with \$13,735 50 were received from fees on vessels at the Mississippi Quarantine Station during the year 1875. The total receipts of the year 1875 were \$33,180 02; this entire amount was expended, and still the liabilities of the Board, on the thirty-first of December, 1875, were \$4530 50.*

Dr. Felix B. Gaudet was elected President of the Board of Health in 1876, and no

report was issued for this year.

After the overthrow of the Packard government, the reorganization of the Board of Health was effected under act eighty of the Legislature, on the first of May, 1877.

Dr. Samuel Choppin, in his report to His Excellency, Francis T. Nicholls, forthe year 1877, thus alludes to the questions at issue with reference to the resistance to the

Dr. Samuel Choppin, in his report to His Excellency, Francis T. Nicholls, for the year 1877, thus alludes to the questions at issue with reference to the resistance to the collection of quarantum fees by certain ship agents and owners:

I take occasion here to point out the necessity for legislative action in some important particulars, for the benefit of our quarantine system. The successful resistance of a number of ship owners to quarantine exactions has seriously diminished the resources of the board, and it is likely to produce still greater damage in the future, unless the basis of charges be modified so as to obviate the constitutional provision forbidding State authorities to levy taxes on tonnage. It is suggested that the fees should be graduated according to work performed; that is to say, proportioned to number of the vessel's company, when visited and inspected by the quarantine physician; and besides a charge for disinfection, when found necessary, which might be graduated upon the same basis.

"While it is desirable to reduce these charges, the board are restricted, in the present terms of the law, from curtailing one principal item of expense; that is, the salaries of the resident physician and his assistant at the Mississippi Quarantine Station. The salaries of these two officers are fixed by law, and amount of \$700, while there is no doubt that the board might, if empowered to make the selection, obtain equally good service, and save from \$2000 to \$2000 annually in salaries. Another reason for leaving this appointment to the board is that they are held responsible to the public for the proper administration of quarantine; and, indeed, the principle insisted on is recognized with the other stations, in giving the board full control over the choice and compensation of officers.

"The Board of Health carnestly urge upon the Legislature the importance of memorialising Congress upon the absolute necessity of passing a law authorizing the State to levy tax for quarantine purposes upon all shippings a

"It is necessary to adopt some other basis than tonnage for forming a scale of quarantine fees. The revenues from the Rigolets and Atchefalaya stations are utterly insignificant, owing to the refusal of the owners and masters of vessels to pay any fees, unless they actually have sickness on board. In this course they are sustained by decisions of the Federal courts, and we have no remedy, without modification of the law. I would suggest that the number of people carried by a vessel be made the basis of a scale of fees. Then there would be no tax on tonnage, but an inspection fee granted according to the works actually performed."—Annual Report of the Board of Health of the State of Louisiana to the General Assembly for the year 1879 (Session 1880), pp. 25-36.

Digitized by Google

[&]quot;Of the total amount, \$33,180 02, expended by the Board of Health during the year 1875, the following sums were paid for printing and stationery: Paid John W. Madden for printing annual report of 1872, \$900: lithographing 2000 charts for annual report of 1872, \$500; paid for printing and stationery, etc., in full, for the year 1873, \$760 30; paid for printing 1000 copies of annual report of 1873, \$900; lithographing 2000 charts for annual report of 1873, \$300: lithographing 2000 charts for annual report of 1873, \$750; printing, stationery, etc., forgibe years 1874 and 1875 in full, \$1502 30; total, \$0332 90.

From the preceding statements by the late Dr. Choppin, it is evident that, during the years 1877, 1878, 1879, to April, 1890, the Board of Health received no specific legislation on the subject of quarantine, and took no steps to raise the injunction obtained, in 1874, by Morgan and others, or to probe the difficulty to the bottom, by conducting the case to the Supreme Court of the United States.

In accordance with the provisions of the Constitution of 1879, the Board of Health was reorganized in April, 1890, after the adjournment of the General Assembly of 1879-1880; and it was impossible to obtain any modification of the existing quarantine law previous

to the meeting of the Legislature in May, 1882.

The President, however, brought the subject at issue before the Board of Health, and urged immediate and persistent prosecution of the cases up to the Supreme Court of the United States. A correspondence was conducted by the President with the Chief Executive and quarantine and health authorities of the individual States, in order to obtain all possible information as to the nature and mode of execution of the quarantine laws in the Atlantic and Gulf and Pacific ports of the United States.

The first occasion which offered, for the invocation of legislative action, namely, the Extra Session of 1881, was embraced, and His Excellency, Governor S. D. McEnery, was respectfully urged to bring the subject before the General Assembly; it was, however, wisely decided by the Chief Executive of Louisiana, that the question of quarantine demanded for its consideration and discussion the necessary time and opportunity afforded

by the regular sessions prescribed by the Constitution.

The following extracts from the official records of the Board of Health will place in a clear light the efforts which were made by the President to sustain the quarantine laws of Louisiana, and to secure the important and essential support of his Excellency, Governor S. D. McEnery, and of the General Assembly of the State.

To accomplish the most important result, namely, the proper framing of such an act as would remove objectionable expressions and at the same time increase the force and render more effective the quarantine laws of Louisiana, the necessity of employing able legal counsel was urged, and sustained by the Board of Health, as will be shown by the following correspondence:

RESISTANCE OF THE MARITIME ASSOCIATION OF NEW ORLEANS TO THE QUARANTINE LAWS OF THE STATE OF LOUISIANA.

LETTER OF THE PRESIDENT OF THE BOARD OF HEALTH TO HIS EXCELLENCY, 8, D MCENERY, GOVERNOR OF THE STATE OF LOUISIANA, RELATIVE TO THE NECESSITY OF LEGISLATIVE ACTION.

NEW ORLEANS, December 8, 1883,

Dr. Joseph Jones, President of the Board of Health of this port:

Deer Sir—Herewith we respectfully call your attention to a copy of a communication hereto annexed, and which was submitted to the New Orleans Maritime Association at their meeting lass evening and approved, with instructions to us to carry out the suggestions made therein. We deem it proper to first address you on the subject, explaining that the Maritime Association does not wish to interfere in the least with the quarantine officers or their rights or duties, but they do desire that the expenses of examining and passing healthy vessels on their arrival at Quarantine Station shall be paid by the State, where it legally belongs, as customary in other United States ports, and not to be a tax upon vessels and their owners, as imposed upon them in this port. We further add, that we are informed by good sutherity that for several years past vessels of a certain line coming to this port have not, and still up to this day do not, pay the fees for examining such vessels arriving between sunrise and sunset, as charged for and collected on vessels consisted to us. signed to us.

We, therefore, respectfully ask that you will cause all such unjust collections to cease, and grant to such vessels the same rights and privileges as now enjoyed by the vessels referred to by the preferred party.

Awaiting your reply, we remain yours respectfully.

COMMITTEE ON ABUSES Per Robert Oerlein, Chairman.

Bobert Cerlein, Esq., Chairman Committee on Abuses, New Orleans Maritime Association:

Sir—At the present time, and for many years past, the State quarantine officers have been sollecting fees from all vessels consigned to us, regardless of condition or port from which they sailed. We believe this illegal and an injury to our port, and ask you to investigate this matter.

We suggest that if the Governor, being informed of this fact, declines to ascertain the legality of such concrous fees, and order such collections to cease, that you proceed to take steps to obtain an injunction against collections that are unconstitutional

against collections that are unconstitutional. New Orleans, November 24, 1881.

NORTON & BELL. Ship Agents.

A. K. MILLER & CO., Ship and Steamship Agents.

HALL & VAUGHN, Ship and Steamship Agents.

FORSTALL. ROSS & CLAYTON, Ship and Steamship Agents.

JOS. F., LOVELL & CO., Ship Agents.

SILAS WEEKS & CO., Ship and Steamship Agents.

NEW ORLEANS, December 19, 1881.

His Excellency, Governor S. D. McEnery, Governor of the State of Louisiana:

His Excellency, Governor S. D. McEnery, Governor of the State of Louisiana:

Dear Sw.—I have the honor to submit to your Excellency the enclosed communication from the New Orleans Maritime Association of December 18, signed by Robert Cerlein, Egg., Norton & Bell, A. K. Miller & Co., Hall & Vaughn, Forstall, Ross & Clayton, Jos. F. Lovell & Co., and Silas Weeks & Co., ship agents.

It will be seen that the gentlemen composing the New Orleans Maritime Association have determined to resist the laws of Louisiana regulating the entire subject of quarantine.

The law now in force, and upon which the Board of Health has acted since its organisation, is as follows:

"An act supplementary to an act entitled an act relative to quarantine," approved March 15, 1855.

BEC. 2. Be it further snacted, etc., That the Resident Physician at the Quarantine Station on the Missisaippi River shall receive a salary of \$5000 per annum, and shall be appointed by the Governor of the State, with the consent of the Senate, and shall be removable at the will of the Governor. It shall be the duty of the Resident Physician or his assistant to visit and inspect every vessel entering the port of New Orleans through the Mississippi River. Vessels free from disease and not in a foul condition, and not from an infected district, which shall be decided upon by the Resident Physician, shall be furnished with a certificate of health, and allowed to proceed to the city. The Resident Physician shall require for every certificate thus furnished the following fees:

Every sailing vessel of 1000 tone and over shall pay \$30; every ship of 1000 tone or less shall pay \$20; every sailing vessel of 1000 tone and over shall pay \$30; every shall pay \$10; every steambent (tow-boats excepted) shall pay \$5; every steamship from Florida, Alabama, Mississippi or Texas shall pay \$10; every steamship from other ports shall pay \$10; every schooner shall resurt to the Secretary of the Beard of Health a weekly list of all vessels inspected by him, as well as all fees coll

shall form a fund for the support of quarantine.

WM. W. PUGH, WM. W. FUUR.
Speaker of the House of Representatives.
C. H. MOULTON,
Lieutenant Governor and President of the Senate.
ROBT. C. WICKLIFFE.
Governor of the State of Louisiana.

A true copy:
ANDREW S. HERRON, Secretary of State.

It will be seen that the gentlemen composing the New Orleans Maritime Association pronounce the laws of the State of Louisiana unjust, and demand that the collection of the fees at the Misssippi Quarautine

or the State of Louisiana injust, and demand that the collection of the fees at the Missssippi Quarautine Station shall cease.

The statement with reference to certain lines of vessels, or vessels of a certain line, refers to certain suits against former Beards of Health. Thus, the following cases were entered in the United States Circuit Court in New Orleans:

cuit Court in New Orleans:

Charles Morgan vs. Board of Health, No. 7236, in 1874.

John H. Clark et als. vs. Board of Health, No. 7241, in 1874.

C. H. Mallory & Co. et als. vs. Board of Health, No. 7268, September 11, 1874.

Fred. Baker vs. Board of Health, No. 7267, September 11, 1874.

In these cases judgment was rendered pro conjesso, no defense having been set up by the Board.

At the present moment the former steamship line of Charles Morgan, now represented by Charles A. Whitney & Co., hold an injunction against the Board of Health, but, nevertheless, during my term of conce, it has paid a considerable amount toward the support of quarantine.

In view of the preceding facts, I would respectfully submit the following:

- 1. The commercial prosperity of New Orleans, and of the entire Mississippi Valley, demands that an efficient quarantine should at all times, and all seasons of the year, be maintained at the mouth of the Mississippi River.
- 2. The protection of New Orleans, the State of Louisiana and the entire Mississippi Valley from the introduction of foreign pestilence, as Asiatic cholera, Oriental plague, ahip or typhus fever, small-pox, leprosy and yellow fever, depend absolutely upon the maintenance of a rigid quarantine at the mouth of the Mississippi River.
- 3. If the quarantine of the Mississippi be allowed to fail, either by a combined effort of the merchante, shipmasters and enemies of quarantine and the health and prosperity of the State, the port of New Orleans will be hermetically sealed during six months of the year.
- 4. New Orleans is becoming a great railroad centre, and the vast interests of the great States concentrating here demand a rigid and thorough system of quarantine.

The President was authorized to employ the services of Col. Frank Zacharie as his special counsel, and at the earliest practical moment all laws and acts relating to quarantine in this and other States were placed in his hands, and in due time the form of a bill to be presented to the General Assembly, together with his legal opinion, were perfected and laid before the Board.

The form of the bill: "To fix and regulate quarantine charges at the Mississippi River Station; to establish a lien and privilege on vessels inspected in favor of the Board of Health for the same, and to provide for their enforcement and collection by provisional seizure, was adopted by a unanimous vote of the Board of Health, and the President was authorized to present the said bill to the General Assembly for adoption.

The President of the Board of Health visited Baton Rouge in person on the tenth of May, 1882, two days after the organization of the General Assembly, and delivered the bill relating to quarantine charges at the Mississippi River, to His Excellency Governor S. D. McEnery, to Hon. George L. Walton, President pro tem. of the Senate, and to Hon. Robert N. Ogden, Speaker of the House.

The bill was accompanied by the letter which was published in the Official Journal of the House of Representatives:



OFFICE BOARD OF HEALTH, STATE OF LOUISIANA ... New Orleans, May 8, 1882.

Hon. Robert N. Ogden, Speaker House of Representatives, State of Louisiana, Baton Ronge:

Dear Sir-The attention of the Honorable Speaker of the House of Representatives is respectfully directed to the enclosed bill, entitled "An act to fix and regulate quarantine charges at the Mississippi River Station : to establish a lien and privilege on vessels inspected in favor of the Board of Health for the same, and to provide for the enforcement and collection by provisional seizure."

The necessity for prompt and decided action on the part of the General Assembly for the regulation of the quarantine fees for the protection of the State and Mississippi Valley from the importation of foreign pestilence has been fully demonstrated in the annual

report of the Board of Health (pp. 103-109).

The bill now submitted has received the unanimous approval of the Board of Health.

The commercial prosperity of New Orleans and of the entire Mississippi Valley demands that an efficient quarantine should at all times, and at all seasous of the year, be maintained at the mouth of the Mississippi River. The protection of New Orleans, the State of Louisiana, and the entire Mississippi Valley from the introduction of foreign pestilence depends absolutely on the maintenance of a rigid quarantine at the mouth of the Mississippi River.

If the quarantine of the Mississippi be allowed to fail by the combined efforts of the merchants, ship-masters and enemies of quarantine, the port of New Orleans will be hermetically sealed during six months of the year.

New Orleans is fast becoming a great railroad centre, and all the vast interests of the great States concentrating here demand a rigid and thorough system of quarantine.

Former Legislatures, by their organic acts, have based the support and maintenance of the various quarantine stations of the State absolutely and wholly upon the fees derived from vessels entering the waters of Louisiana.

Two items alone, the salaries of the quarantine physician and his assistant. amount annually to the large sum of \$7000. Add to this the pay of the necessary boatmen. watchman and hospital stewards, nurses, etc., necessary to the proper care of the buildings and sick, and the necessary fumigation, ten men at \$50 per month, equal to \$500 per month, or \$6000 per year; annual repairs and supplies for sick, ship chandlers' supplies, disinfectants, ets., at \$10,000, and we have a total of about \$23,000, actually required to maintain the Mississippi Quarantine Station alone.

The actual receipts from the fees collected at the Mississippi Quarantine Station during 1880, were \$21,872. This sum was inadequate to the support of the quarantine establishments of Louisiana. In 1881, the receipts amounted to only \$18,052, whilst the repairs alone upon the Mississippi Station reached \$6000, and no provision has been made by the Legislature to meet the necessary expenditures of the Board of Health, for the maintenance of an effective quarantine.

The exports of 1880 reached \$102,528,376, and the imports \$11,809,977; total exports and imports for the year 1880, \$14.338,353.

The total amount collected during 1880 from this vast sum for the protection of the commerce and health of New Orleans and the Mississippi Valley was \$21,872, and in 1881 the amount was only \$18,052, and owing to the gambling operations in cotton and the failure of the grain crop, the quarantine fees of 1882 will fall short of those of 1881.

The preceding facts relate solely to the mercantile and money value of the question-During the years 1853, 1854 and 1855, New Orleans lost 12,780 of her citizens by yellow fever, an imported pestilence, and in 1878 she lost 4056 souls and about \$15,000,000 by the same scourge.

The State of Louisiana has a right to demand that commerce, which benefits the entire valley, and derives its richest rewards from the cotton, sugar and grain of these great Southern and Western States, should pay a sufficient amount for such a system of inspection and disinfection and quarantine as will prevent the introduction of foreign pestilence.

It is but just that the immigrants from foreign countries should be taxed a sufficient sum for their proper protection from disease and their proper treatment when sick within the limits of the State.

During the past forty-five years Louisiana has cared for and treated in the Charity Hospital a grand total of 340,411 sick.

Of this vast number foreign countries furnished 260,128 and the various States of the Union, 80,289,

Of this vast multitude, equaling more than one-third of the present population of the State, Louisiana furnished only 17,018.

The Board of Health of the State of Louisiana relies with confidence upon the wisdom and justice of the General Assembly for the enactment of such laws as will effectually maintain the health of the Mississippi Valley by the efficient support of the quarantine establishments.

I have the honor to remain, with great respect, your obedient servant,

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

In order to expess and defeat the efforts to overthrow the quarantine system of Louis' ians, by the owners and agents of steamships and other vessels, and certain parties employed in undermining, misrepresenting and defaming the legal and constitutional labors of the Board of Health of the State of Louistans, the President addressed the following communication to His Excellency S. D. McEnery, and to Hon George L. Walton, President pro tem. of the Senate, Hon. Robt. N. Ogden, Speaker of the House.*

THE RELATIONS OF THE QUARANTINE ESTABLISHED BY THE STATE OF LOUISIANA IN 1855 TO PURLIC HEALTH AND COMMERCE.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, New Orleans, May 30, 1882.

Hon. R. N. Ogden, Speaker House of Representatives, Baton Rouge, La.:

Dear Sir—The Official Journal of the House of Representatives of the State of Louisiana (twelfth day's proceedings, published in the daily Capitolian-Advocate of May 24, 1882, contains a memorial from certain owners and agents of steamships and other vessels,† certain statements of which demand critical examination.

The memorialists affirm that the bill introduced into the House of Representatives of Louisiana by the honorable chairman of the Committee on Health and Quarantine, entitled "An act to fix and regulate quarantine charges at the Mississippi River Station, etc., plainly and palpably violates at least two provisions of the United States Constitution, and in its tendency to prejudice our growing commerce, is materially subversive of the best interests of Louisiana."

It has been shown in the annual report of the Board of Health of the State of Louisiana for 1881 (Introduction, p. 8), and also by the learned connect of the board in a legal opinion now in the hands of the honorable Committee on Health and Quarantine, that the quarantine laws of Louisiana are not in conflict with the Constitution of the United States, and that they form part of that immense mass of legislation which embraces everything in the territory of Louisiana not surrendered to the General Government. It has been shown that inspection laws, quarantine laws, health laws of every description as well as laws for regulating the internal commerce of a State, and those which respect turnpike roads, ferries, are regulations of police rather than of commerce in the constitutional understanding of that term.

This feature of the proposed act to fix and regulate fees at the Mississippi Quarantine Station having been referred to the Judiciary Committee of this honorable body, will not be further discussed; but we will confine our attention chiefly to the assertion made by certain owners and agents of steamships in New Orleans, that this bill tends to prejudice our growing commerce, and is materially subversive of the best interests of Louisiana, and imposes heavy additional charges against an interest already heavily burdened.

In this emergency, service of no ordinary value was rendered by the Daily New Orleans Picayune in the prompt publication of the exposition of the relations of quarantine to commerce, and the distribution of the views held by the Beard of Health as to its official duties and powers on this important subject, to every member of the Senate and House of Representatives.

^{*} This protest was signed by the following ship and steamship agents in New Orleans: R. B. Post & Son, Agents Tampa St amship Company; Charles A. Whitney & Co., Morgan's Louisians and Texas Railroad and Steamship Company; Forstall, Ross and Clayton, Agents French Canadian Line of Steamships; Silas Weeks, Ship and Steamship Agents; A. K. Millor & Co., Ship Agents; Edw. A. Yorke, p. p. Richard H. Crawford, Agents New York, Havana and Mexican Steamship Line; Alfred Moulton & Co., Cromwell Steamship Line; Norton & Bell, Ship and Steamship Agents; L. LaCombe & Co., Ship and Steamship Agents; Lucas E. Moore & Co., Agents Harrison's Line; T. & G. Forweod, agents W. L. and P. Steamship Line; Ed, F. Stockmeyer & Co., Agents Horrison's Line; T. & G. Forweod, agents W. L. and P. Steamship Line; Bd, F. Stockmeyer & Co., Agents North German Lloyd; Shults & Co., Ship Agents; A. B. French & Co., Steamship Agents; Louis Ranger & Co., Agents Kesamship Line; S. A. Cosulich, Ship Agent; Jos. T. Lovell & Co., Ship and Steamship Agents; Joseph Kelly, Ship Broker; S. Oteri; Macheca Bros., Managers N. O. and B. R. M. Steamship Line; Hall & Vaughan, Steamship and Ship Agents.

4. This communication was referred to the Committees on Health and Operanting in the House and Senate

[†] This communication was referred to the Committees on Health and Quarantine in the House and Senate and was not read, and did not appear upon the official journal of the General Assembly. Not pithstanding that the memorial of the ship agents and maritime men of New Orleans, attacking the quarantine system of Louisiana, together with the protests against the substitutes for the quarantine bill, by various members of the General Assembly, were read and published in full in the official journal of the House of Representatives.

It has been well said that no city in the world occupies a more important commercial position than New Orleans. Situated on the most important point on the Mississippi between the shores of the Gulf of Mexico and the borders of the great lakes, New Orleans holds communication with all the great ports of Europe and America, and furnishes them with the vast supplies drawn from the great valley, bounded by the Alleghanies and the Rocky Mountains, comprising an area of 2,455,000 square miles, extending through thirty degrees of longitude and twenty-three of latitude.

No city in the world has suffered more obloquy than New Orleans in relation to health, and more especially in regard to its epidemics of yellow fever; and however devoid of sanitary laws and hygienic regulations, and however filthy and neglected the towns and cities situated within the Valley of the Mississippi and its tributaries have been in times past, they have ever sought to lay their own devastating epidemics at the door of this

great commercial centre.

The rapidly advancing millions of the great valley look with increasing interest upon

the sanitary condition and quarantine laws and regulations of New Orleans.

It will not be beyond the bounds of truth to affirm that, but for yellow fever, New Orleans, even at this day, after the ravages of civil war, and the ruthless plundering of her hostile rulers, would have exceeded every other city of America in the magnitude of her imports and her exports.

5. The former Lesislatures, by their organic acts, have based the support and maintenance of the various quarantine stations of the State absolutely and wholly upon the fees derived from vessels entering the waters of Louisians. Two items alone, namely, the salaries of the quarantine physician and his assistant, amount annually to the large sum of \$7000. Add to this the pay of the necessary beatmen, watchmen and hospital stewards, nurses, etc. necessary to the proper care of the buildings and sick, and the necessary fumigation, ten men at \$50 per month, equal to \$500 per month, or \$6000; annual repairs and supplies for sick, ship-chandlers' supplies, disinfectants, etc. \$10,000; and we have a total of about \$23,000 actually required to maintain the Mississippi Quarantine Station alone.

The actual receipts from the fees collected at the Mississippi Quarantine Station have been during the past year (1880) \$31,872. This sum has been inadequate to the support of the quarantine establishments of Louisians; and for the repairs of 1881, amounting to \$6000, for the Mississippi Quarantine Station, no adequate provision has been made by the Legislature.

The exports of 1880 reached \$102,588,376, and the imports \$11,809,977; total exports and imports, \$114,338,353. The total amount collected from this vast sum for the protection of the commerce and health of New Orleans and the Mississippi Valley was \$91,872.

It is not true that the quarantine charges and expenses are higher in New Orleans than any other port in the United States.

the United States

the United States.

The proceding facts relate solely to the mercantile and money view of the question. But when we remember that during three years—1863, 1854 and 1855—New Orleans lost 12,780 of her citizens by yellow fever, an imported pestilence, and that only four years ago she lost 4056 souls, and about \$15 000,000 by this same scourge, the action of the Maritime Association with their aids and abottors, in their attempt to destroy the quarantine system of Louisians, is seen in its true light.

But arguments and explanations avail nothing with men who are willing to resist the laws, and thereby avoid the pay ment of the just quarantine dues established by the General Assembly of Louisians, and who are willing to break down every barrier against the importation of foreign pestilence and to utterly destroy at once the health and commercial prosperity of the State, in an effort to avoid the payment of a few dollars.

dollars.

The State of Louisiana has a right to demand that commerce, which benefits the entire Valley and derives its richest reward from the cotton and grain of these great Southern and Western States, should pay a suffi-cient amount for such a system of inspection and disinfection and quarantine as will prevent the introduc-

cient amount for such a system of inspection and disinfection and quarantine as will prevent the introduction of foreign pestilence.

It is but just that the immigrants from foreign countries should be taxed a sufficient sum for their proper protection from disease and their proper treatment when sick, within the limits of the State.

During the past forty-five years Louisians has cared for and healed in the Charity Hospital a grand total of 340,411 sick. Of this vast number foreign countries furnished 260,120, and the various States of the Union 90,260. Of this vast multitude, exceeding by more than one-half the present population of this city, Louisians furnished only 17,913. The State, in addition to 260,220 foreigners, has cared for 53,570 sick and destitute poor within the walls of her charitable institutions, the vast proportion of which came from such States as Alabama, Kentucky, Lows, Ohio, Pennsylvania, New York, North Carolina, Virginia, Mississippi, Tennessee, Missouri; 41,611 natives of New York and 7462 natives of Pennsylvania have been treated within the Charity Hospital.

In conclusion, I would most respectfully suggest that, if it should be deemed necessary to produce the

In conclusion, I would most respectfully suggest that, if it should be deemed necessary to prolong the extra session of the Logislature, that your Excellency should embrace in the call the important subject of

the quarantine.

The question will be solved by the united wisdom of the Chief Executive and General Assembly, and I feel assured that it will be possible to devise means by which the quarantine laws may be either promptly vindicated or so modified as to render their induction and invasion upon any technical terms utterly im-Possible.

With great respect and high esteem, I have the honor to remain your obedient servant.

JOSEPH JONES M. D., President Board of Health, State of Louisiana.

OFFICE BOARD OF HEALTH, STATE HOUSE, STATE OF LOUISIANA. NEW ORLEAMS, December 12, 1881.

Robert Oerlein, Esq. :

Sir—In refly to your communication of the eighth instant, inclosing a resolution by the New Orleans Maritime Association, signed by Norton & Bell, A. K. Miller & Co., Hall & Vaughn, Forstall, Ross & Clayton, Jos. F. Lovell & Co., Silas Weeks & Co., I have the honor to refer you to the enclosed organic act of the Legislature of Lonisians.

Respectfully yours, JOSEPH JONES M. D., President Board of Health.

The vast burden which has been imposed upon the State of Louisians, and more especially upon the medical profession of New Orleans, in virtue of the position of this State at the mouths of the Mississippi



River, and in virtue of the vast number of foreign emigrants passing through the gatoway of the Mississippi Valley, is clearly shown by the statistics recorded in the tables, marked Λ and B.—Annual Re-

port, 1881.

The table marked B exhibits the foreign countries and States of the American Union from which the patients annually admitted into the Charity Hospital of New Orleans have come, and the number from each, during a period of forty-five years—1830-1830—and in addition to the facts stated in the preceding letter to his Excellency, S. D. McEnery, it should be noted that England contributed 15,907, France 19,789, Germany 45,435, Prussis 6830, Scotland 5438, Spain 3777, Sweden 2350, Switzerland 4649, Canada 2693 and Ireland 137,659 patients to the Charity Hospital. Total from these countries, 252,645.

Ireland alone has furnished eight times more patients to the Charity Hospital than Louisiana. If the annual cost of maintaining the Charity Hospital is placed at \$100,000, then the total amount expended by the State of Louisiana in caring for, treating the sick and burying the dead of this grand total of 340,411 human beings from all countries and from all States was \$4,500,000 (four millions five hundred thousand dollars). Of this amount the natives of Louisiana received about one-twentieth, or about \$250,000, whilst the natives of foreign countries and of the surrounding States composing this American Union received \$3,225,000.

At the same time the sole revenue which the State of Louisiana derives from foreign countries and the

At the same time the sole revenue which the State of Louisiana derives from foreign countries and the various States of the Union for the prevention of the introduction of foreign postilence and the relief of the sick at the various quarantine stations, and for the protection of the commerce of the Mississippi Rivor, is derived from the inspection fees originally levied in 1855 and 1858 by the General Assembly of the State of

derived from the inspection fees originally levied in 1835 and 1858 by the General Assembly of the State of Louisians for the support of quarantine.

In view of the preceding facts, illustrating at once the vast mass of human sickness and suffering which has been relieved by the State of Louisians, so ably represented by her self-sacrificing and learned physicians, it is surely remarkable that the surrounding States should strive incessautly to injure the fair name of Louisians, and more especially of the members of the medical profession, by reiterating the slander that the existence of pestilence in New Orieans has been repeatedly concealed for the purpose of promoting the needs of commerce; and it is still hore astounding that men claiming to represent Louisians should be active in the propagation of this slander.

Upon consultation with His Excellency, Governor Samuel D. McEnery, and with Col. I. N. Marks, the former Chairman of the Finance Committee, and then Edward Booth, Chairman of the Finance Committee, and other members of the Board of Health, the suggestion of the President that able counsel should be employed for the thorough investigation of all points at issue with reference to the execution of the quarantine laws of Louisians was fully indorsed.

The appointment, as additional counsel, of Col. Frank Zacharie, received the cordial approval of His Excellency, the Governor.

Excellency, the Governor.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, NEW ORLEANS, December 90, 1881.

Col. Frank Zacharie, No. 24 Exchange Place:

Dear Sir—Enclosed please find the following documents:

1. Letter of President to His Excellency, Governor S. D. McEnery, of date December 19, 1881. Said letter relates to the subject of the resistance of quarantine fees by the New Orleans Maritime Association.

2. Communication from New Orleans Maritime Association to President of Board of Health.

3. Data furnished by S. S. Herrick, Secretary of the Board of Health, relating to the state of the suits

3. Data furnished by S. S. Herrick, Secretary of the Board of Health, relating to the state of the suits urged by Morgan and others against former Boards of Health.

4. Letter of the President of the Board of Health to Col. I. N. Marks.

5. Letter of President to Robert Cerlein, Esq.

Judge Kennedy will, without doubt, be able to furnish additional information.

It is desired that you should make a thorough investigation of this entire subject. It will be necessary to examine the court records, and to obtain accurate information at the outstep. Mr. F. A. Woolfley, Clerk of the United States Circuit Court, might give material aid.

No more important question can be considered than that of the powers of the Legislature to regulate efficiently her quarantine affairs.

Please suggest and course as you may think will best protect the interests of the State, and best cover

Please suggest such course as you may think will best protect the interests of the State, and best cover all the points at issue.

all the points at issue.

Action should be prompt and efficient. I have directed Dr. S. S. Herrick, Secretary and Treasurer of the Board of Health, and Mr. L. O'Donnell, Attorney of the Board, to render all possible assistance.

The question of the liability of Chas. A. Whitney & Co. and of Alfred Moulton, for past quarantine fees, should be thoroughly investigated, as well as the ability of the Board to remove their former injunctions.

Respectfully, your obedient servant,

President Board of Health, State of Louisians.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, NEW ORLEANS, December 17, 1881.

Dr. Joseph Jones, President Board of Health:

Dr. Joseph Jones, President Board of Health:

Sir—In reply to your request concerning the injunction suits against the Board brought by certain shipping men some years since. I would offer the accompanying copies from the minutes.

I learn from C. S. Rice, Esq., former Attorney of the Board, that the following cases were entered in the United States Circuit Court in this city:

Charles Morgan vs. Board of Health, No. 7236, in 1874.

John H. Clarke et als. vs. Board of Health, No. 724i, in 1874.

C. H. Mallory et als. vs. Board of Health, No. 7268, September 11, 1874.

Fred Baker vs. Board of Health, No. 7267, September 11, 1874.

In these cases judgment was rendered pro confesso, no defense having been set up by the Board.

I have written to Mr. F. A. Woolitey, Clerk of this Court, to ascertain whether final judgment has been pronounced in the above, and he has promised to send an answer, but none has yet come.

Messrs. Politerent & Favre also applied for and obtained an injunction from the Superior District Court in 1874, restraining the Board of Health from the collection of quarantine fees.

I have asked Mr. O'Donnell, our attorney, to aid in ascertaining the legal status of these suits, and hope he will soon report to you. if he has not already done so.

Respectfully, your obedient servant,

S. S. HERRICK, M. D.;

Secretary Board of Health.

S. S. HERRICK, M. D.; Secretary Board of Health. 16

EXTRACTS FROM MINUTES OF THE BOARD OF HEALTH RELATIVE TO RE-SISTANCE TO PAYMENT OF QUARANTINE FEES.

The President stated that the object of the meeting was to consider the injunction brought against the Board by Charles Morgan, restraining the Board from exercising the provisions of the acts of quarantine, approved March 15, 1855, and the amendment thereto, against the steamers owned and controlled by Charles Morgan.

Upon consultation, the Board agreed to test the legality of the injunction.

Upon motion by Mr. Burwell, seconded by Mr. Heath, it was resolved that the President of the Board be advised to take such action, after consultation with the attorney of the Board, C. S. Rice, Esq., as may seem necessary to be taken in the premises.

NEW ORLEANS, August 16, 1877.

Dr. Samuel Choppin, President in the chair.

A letter was read from the Attorneys of the Board (Kennedy & Austin) in reference to the collection of quarantine fees at the Atchafalaya Station.

Col. Hardee moved that the attorneys of the board be authorized to make a test case, and to employ counsel at Morgan City.

NEW ORLEANS, September 27, 1877.

Dr. Samual Choppin, President, in the chair.

Major Austin, attorney of the board, was called upon to express his opinion relative to the decision recently rendered in the suits for collection of dues at Quarantine Stations. He urged the necessity of pushing the collection of these dues, as swners of vessels had been exceedingly lax in their settlements.

I hereby certify that the above are true copies.

S. S. HERRICK. M. D., Secretary Board of Health.

COMMITTEE ON LEGISLATION.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, STATE-HOUSE, NEW ORLEANS, December 12, 1882.

Hon. I. N. Marks, Member Board of Health, State of Louisiana:

"Dear Sir—I have the honor to appoint you a member of the Committee on Legislation; said committee has not been organized at an earlier date from causes well known to yourself.

It is important that the subject matter of the resolution of Mr. Booth should be attended to, but it is of It is important that the subject-matter of the resolution of Mr. Booth should be attended to, but it is of paramount importance to the welfare of the State of Louisisians and the existence of the entire quarantine system, that the enclosed communication from the New Orleans Maritime Association should receive immediate and thorough attention. I have already explained this matter fully to one of the leading members of this association, but the explanation availed nothing with men who are determined to resist the law, and thereby avoid payment of the just quarantine dues established by the Legislature of Louisians, and are willing to break down every barrier against the importation of foreign pestilence, and to utterly destroy at once the health and the commercial prosperity of the State.

As former Chairman of the Finance Committee, it is well known to you that the statements of these gentlemen are entirely incorrect.

tlemen are entirely incorrect.

No distinction has been made in favor of any one line. Whitney & Co. (formerly Morgan & Co.) have for years resisted the collection of quarantine fees imposed by the Legislature of Louisiana, and obtained an injunction against the Board of Health for the collection of these fees. One other line has also, in like

manner, resorted to the courts of justice.

No distinction has ever been made by the Board of Health, or by the Finance Committee, or by the President, during my term of service, except that which has been forced by legal proceedings by the partice

before named.

The statement that the fees are illegally collected is erroneous. The Quarantine Physician collects them according to the following acts of the Legislature:

At is also unjust to state that the quarantine fees are heavier here than in any other port in the United States. The ground upon which the decision was rendered against the Board of Health was, that our quarantine system instituted a tax on tonnage. In my opinion, it does not constitute a tax on tonnage, but we need legal advice on this subject. You know very well how much assistance I have received in this respect during my term of service as President of the Board.

I would respectfully suggest that the President of the Board of Health be empowered, immediately, to employ an active and learned legal adviser. It is also unjust to state that the quarantine fees are heavier here than in any other port in the United

The Committee on Legislation, of which the President of the Board of Health is Chairman, should, at the earliest practicable moment, agree upon a definite line of action.

With kind regard, truly yours,

JOSEPH JONES, M. D.

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

The opening of the great State of Texas to railroad trade and traffic, and the vast movement of grain and cattle inaugurated during the past three years, inspire all good and true citizens with renewed hopes of a brighter future, and solemnly warn the members of the General Assembly that the welfare of millions will be involved in the manner in which they may devise and execute the quarantine and sanitary laws for the exclusion of foreign pestilence from the Mississippi Valley. It is natural that men engaged in a special branch of business should be influenced by their interests and prejudices, and be incapable of judging impartially and reasoning accurately about those matters

ch relate to the health and welfare of the people, irrespective of trades, callings and

assions.



In order to demonstrate that the proposed act to fix and regulate fees at the Mississippi Quarantine Station, etc., is not prejudicial to the commerce of New Orleans, and is not subversive of the best interests of Louisians, and does not impose heavy additional charges on commerce, we will consider these questions in their broad relations to the remarkable political changes and revolutions, and epidemic visitations, which characterized this city and State.

I—PROGRESS OF COMMERCE AND POPULATION IN LOUISIANA DURING THE FRENCH DOMINATION, 1684-1763, WHEN NO QUARANTINE EXISTED.

For nearly a quarter of a century the French colonists endured a miserable existence, and nearly perished by starvation and disease on the barren sands of Ship Island and

the adjacent coast, within and around Biloxi.

A new era of prosperity and hope dawned when, in the spring of 1718, Bienville selected a site for a town on the banks of the Mississippi, and placed fifty men to clear off the ground for the location of the future capital of the province. Next spring the river overflowed its banks, the new settlement was completely inundated, and the site seemed to present an uncertain location for a city, and New Orleans remained for several years little better than a military post. In the beginning of August, 1723, Bienville removed his headquarters to New Orleans. In 1729 the white population of Louisiana, says La Harpe, amounted to about 1700 souls, and the black population to 3300.†

*A vessel from Havana, laden with provisions, brandy and tobacco, came early in January, 1709, to trade with the Colony of Louisiana. This was the first instance, ten years after the arrival of the French in Louisiana, of a vessel coming to trade with them.

In 1713, there were in Louisiana two companies of infantry, of fifty men each, and seventy-five Canadian rolunteers in the King's pay. The rest of the population consisted of twenty-eight families, one-half of whom were engaged, not in agriculture, but horticulture; the heads of the others were shop and tavernakeepers, or employed in mechanical occupations. A number of individuals derived their support by ministering to the wants of the troops. There were but twenty-three negroes in the colony; adding to these, king's officer and clergy, the aggregate amount of the population was 380 persons. A few Indians and children were domesticated in the houses of the white people, and groups of the males were incessantly sauntering or encamping around them.

The collection of these individuals into one compact spot could have claimed no higher appellation than that of a hamlet; yet they were dispersed through a vast extent of country, the parts of which were separated by the sea, by lakes and wide rivers. Five forts, or large batteries, had been erected for the protection of Mobile, Bilori, on the Mississippi, and at Ship and Danphine Islands.

Lumber, hides and peltries constituted the objects of exportation which the colony presented to commerce. Lumber was easily obtained around the settlement of Biloxi. After the year 1709, vessels from 8t. Domiugo and Martinique brought sugar, coffee molasses and rum to Lenisiana, and took its peltries, hides and lumber in exchange. The colonists procured some specie from the garrison of Pensacola, whom they supplied with vegetable and fowls.

These who followed this sort of trade, by furnishing also the officers and troops, obtained flour and salt provisions from the King's stores, which were abundantly supplied from France and

† Louis the Fourteenth, in the charter which he granted Crozat, bearing date September 26, 1712, announced that the attention the King had always given to the interests and commerce of his subjects, induced him, notwithstanding the almost continued wars he was obliged to sustain, since the beginning of his reign, to seek every opportunity of increasing and extending the trade of his colonies in America; that, accordingly, he had, in 1683, given orders for exploring the territory of the northern continent, between New France and New Mexico; and Lasalle, who had been employed in this service, had succeeded so tween New France and New Mexico; and Lasalle, who had been employed in this service, had succeeded so far as to leave no doubt of the facility of opening a communication between Canada and the Gulf of Mexico, through the large rivers that flow in the intermediate space, which had induced the King, immediately after the peace of Riswick, to send thither a colony and maintain a garrison, to keep up the possessions taken in 1683, of the territory on the Gulf, between Carolina on the east, and Old and New Mexico on the west. But, war, having broke out soon after in Europe, he had not been able to draw from this colony the advantages he had anticipated, because the merchants of the kingdom, engaged in maritime commerce, had relations and concerns in the other French colonies, which they could not relinquish.

The King declared that, on the report made to him of the situation of the territory now known as the province of Louisiana, he had determined to establish there a commerce which will be very beneficial to France, it being now necessary to seek in foreign countries many articles of commerce, which may be obtained there. For merchanduse of the growth or manufacture of the kingdom.

The King of France accordingly granted to Crosat the exclusive commerce of all the territory possessed

tained there, for merchandise of the growth or manufacture of the kingdom.

The King of France accordingly granted to Crosat the exclusive commerce of all the territory possessed by the Crown between Old and New Mexico and Carolina, and all the settlements, ports, roads and rivers therein—principally the port and road of Dauphine Island, before called Massacre Island; the river St. Louis, previously called the Mississippi, from the sea to the Illinois; the river St. Philip, before called Missouri; the river St. Jerome, before called the Wabssh, with all the land, lakes and rivers mediately or immediately flowing into any part of the river St. Louis or Mississippi.

The territory, thus described, is to be and remain included, under the style of the government of Louisiana, and to be a dependence of the government of New France, to which it is to be subordinate. The King's territory, beyond the Illinois, is to be and continue a part of the government of New France, to which it is annexed; and he reserves to himself the laculty of enlarging that of Louisiana.

The right is given to the grantee to export from France into Louisiana all kinds of goods, wares and merchandles during fifteen years, and to carry on there such a commerce as he may think fit. All persons natural or corporate, are inhibited from trading there, under pain of the confiscation of their goods, wares, merchandles and vessels; and the officers of the King are commanded to assist the grantee, his agents and factors in seizing them.

factors in seizing them.

The faculty is allowed him to send annually a vessel to Guinea, for negroes, whom he may sell in Louisi-

ana, to the exclusion of all others.



The growth of New Orleans had been very slow, and in fifty-one years after its foun dation the population amounted to only 3190 persons, of all colors, sexes and ages; and of this number 1265 were slaves. The number of houses was only 468, and the greatest part of them were in the third and fourth streets from the river. The commerce of New Orleans, and the province generally was exceedingly limited during the French domina-

Thus the exports of the province, during the last year of its subjection to France, was as follows

Indigo	••••	\$100,00
Deer Sking	***********************	80,00
Luuber		
Naval Stores		12,00
Rice, Peas and Beans		4,00
Tallow		4,00

\$250,000 An interlope trade with the Spanish Colonies took away goods worth. 60,000 The Colonial Treasury gave bills on Government in France for 300,000

The province afforded means of remittance for Few merchant vessels came from France, but the Island of Hispaniola carried on a trade with New Orleans, and some vessels came from Martinico. King's vessels brought whatever was necessary for the troops and goods for the Indian trade. The indigo of Louisiana was greatly inferior to that of Hispaniola, the planters being quite unskillful and inattentive in the manufacture; that of sugar had been abandoned, but some lanters near New Orleans raised a few canes for the market.

The navigation of the Mississippi from the Gulf to New Orleans was very tedious before the introduction of steam, and often occupied one month. The commerce of the

city was very limited during the French rule.

It is probable that La Salle and his men suffered with yellow fever in the West Indies as early as 1684, and they appear to have brought the yellow fever with them to the shores of the Gulf of Mexico. The next visitations of yellow fever were at Biloxi in 1701 and 1704. Iberville and 809 of his men died of yellow fever in the West Indies in 1706. The historian, Le Page du Pratz, states that six weeks before his arrival at Cape Francois, St. Domingo, in 1718, 1500 persons died of a distemper called the Siam disease, which was one of the French names for yellow fever.

It is probable that yellow fever caused the great mortality among the troops and convicts in 1718 on board the French ship, which had lost its reckoning and missed its description and proceed to be west of the worth of the West Single Policy and proceed to the worth of the West Single Policy and proceed to the worth of the West Single Policy and proceed to the worth of the West Single Policy and proceed to the worth of the West Single Policy and proceed to the West Single Policy and Policy an

tination, and passed to the west of the mouth of the Mississippi.

As early as 1726, eight years after the foundation of New Orleans, the severe fevers of the summer and autumn attracted the attention of the government. The force which Bienville assembled in 1736 for the subjugation of the Chickasaws consisted of upwards of 1200 whites and double that number of Indians and black troops. This comparatively large army unaccountably spent six months in making preparations for its march. the meantime, the troops lately out from France became unhealthy, many died, and the climate had an almost equally deleterious effect on those from Canada. In the Chickasaw war peace was purchased at the price of many valuable lives, estimated at 500, out of 1200 white troops not slain in battle, but destroyed by fevers of the climate.

Experience having shown that European troops could not stand the labors in the field, but sickened and died under the burning sun of Louisiana and the chilling fogs of night, the Western Company was, therefore, compelled to introduce African negroes to cultivate the plantations scattered along the bayous and rivers of the delta of the Mississippi, and for several years it furnished the agricultural interests of the colony with

several hundred annually—which was the origin of slavery in Louisiana.

We have failed to discover in the writings of La Harpe, Du Pratz, Charlevois, Martin, Gayarre and others, any facts sustaining the views advanced by some, that yellow fever was first imported into Louisiana during the French domination by the slave ships. The mortality on these ships was frightful, and was chiefly occasioned by bad diet, starvation, crowding, foul air, scurvy, diarrhea and dysentery.

NEW ORLEANS, February 26, 1884.

Dr. Joseph Jones, corner of Camp and Washington, city:

My Dear Sir—In a relation of the voyage of the Ursulines from Rouen to New Orleans, published in 1872, by Gabriel Gravier, a member of the Historical Societies of France and Normandy, and Secretary of the "Society of the Bibliophiles de Rouen." I have seen for the first time that Lawvolle died of vellow fever, in 1701. at the fort of Biloxi. I doubt the correctness of the statement, for in the numerous French doesnments whith I have examined nothing of the kind is mentioned. I take it for granted that the author resides in Regen. He might be written to with a view of ascertaining on what sutherity his statement is based. For greater security, the 1-titer to him might be addressed care of the publishers. Messar. Massonneuve & Co., Paris, Quar Voltaire, No. 15.

Yours faithfully, CHARLES GAYARRE.

II-PROGRESS OF COMMERCE AND POPULATION AND OUTLINE OF EPI-DEMIC VISITATIONS IN LOUISIANA DURING THE SPANISH DOMINATION 1763-1802, IN WHICH PERIOD THE PROVINCE WAS WITHOUT QUARAN-TINE RESTRICTIONS AND LAWS.

New Orleans during both French and Spanish rule, was without quaraatine regula-

tions and an organized board of health.

That the commercial relations of New Orleans were considerably extended under the Spanish rule, is evident from the fact that in 1802, 258 vessels with a tonnage of 23,725 tons, entered the Mississippi; and during the same year, there sailed from the Mississippi 265 vessels with a tonnage of 31,241 tons.

The rapid increase of the population of New Orleans under the Spanish rule, and the

great influx of strangers from the United States, from Spain, from Arcadia and the Canary Islands, formed a most important condition for the spread of yellow fever when

once introduced.

In 1769, the total population of Louisians amounted to 13,538, and that of New Orleans to 3190, while in 1803, total population of the province 49,473, and of New Orleans 8056; during the short period of thirty-four years the population had increased tenfold.

The fall of 1765 was very sickly in New Orleans as well as that of 1766, when the population of the city was reduced by an epidemic which is said to have closely resembled yellow fever. Yellow fever prevailed in Mobile in 1765, and according to Bernard Romans, was brought there by a regiment from Jamaica. The author, when describing the disease of the Floridas, says: "I am persuaded that where the yellow fever has made its appearance in the Floridas, it was imported from Jamaica or Havana, as was the case in 1765." Romans says that "the first visitation of yellow fever was in 1769. Since that time it has continued to be an almost annual scourge. It was introduced into this continent in the above year by a British vessel from the coast of Africa with a cargo of slaves.

Dr. Thomas fixes the first visitation of yellow fever in New Orleans in 1796, or about twenty years later. The army of 1400 men assembled by Galvez for an expedition against the English suffered considerable loss from the fevers incident to the climate.

Dr. Daniel Drake, who visited New Orleans and instituted personal inquiries, states that the first invasion of yellow fever of which we have an authentic account was in the year 1791. Dr. Drake's informant, Richard Relf, Esq., was one of the most venerable citizens of New Orleans.

On the ninth of May, 1794, Don Francisco Louis Hector, Baron de Carondelet, commenced the excavation of what is now known as the Old Canal Basin for the purpose of draining the stagnant water of the city and environs into the Bayou St. John, which he regarded as the cause of the epidemics which were so fatal to the prosperity of New Orleans. The great sanitary problem of New Orleans—drainage—engaged the attention of its governors for seventy-four years before the practical and valuable experiment of Baron Carondelet.

New Orleans was severely afflicted with yellow fever in the fall of 1796. In 1787 the population of New Orleans was 5384, with a total mortality of 338, one death in 15.04 inhabitants, a ratio per 1,000 inhabitants of 63.92.

In 1796 the population of New Orleans was 8756, with a total mortality of 638, one death in 13 57 inhabitants, and 72.86 per 1000.

In 1787, when there was no record of an epidemic in New Orleans, the mortality reached the proportion of one in fifteen of the inhabitants, and in 1796 this heavy mortality was still further increased by the yellow fever, to one death in 13.7 inhabitants. The mortality of both these years, 1687 and 1796, was in relation to the actual population, far heavier than that of the year 1878, which is memorable for its epidemic of yellow fever, and which stands as third in the list of great epidemics in New Orleans, from its foundation in 1718 to the present time. The total mortality for 1878 was 10,318, or one death in twenty inhabitants, or 50.17 per 1000 in twenty inhabitants, or 50.17 per 1000.

There are authentic works to show that yellow fever prevailed, or was present in New Orleans in 1794, 1795, 1796, 1797, 1798, 1799, 1801, 1802, 1803. In the light of such facts, it is but just to hold the view that New Orleans has been subject to pestilential fevers at various times since its foundation, and that the opinions as to its wonderful healthfulness from its foundation to 1796 are without foundation in fact.

As the yellow fever, more especially during the latter portion of the Spanish rule, during which period the commercial relations with the United States extended, attacked chiefly Americans; and as yellow fever ravaged during this period Philadelphia and New York, the contagionists of New Orleans accused the Americans of introducing the

The foreign importation of yellow fever during the Spauish domination was referred to increased commercial relations.

No quarantine restrictions were imposed upon the commerce of New Orleans during the Spanish and French dominions; under the former the progress of the colony was slow; under the latter the increase of commerce and population was more marked. Therefore, during the first century of the existence of the colony of Louisiana, quarantine did not enter as an element for the exclusion of foreign pestilence, or for the advancement or destruction of commerce.

III-PROGRESS OF COMMERCE AND POPULATION, AND OUTLINE OF EPI DEMIC VISITATIONS IN LOUISIANA DURING THE AMERICAN DOMINATION, 1803-1882, IN WHICH QUARANTINE HAS BEEN ESTABLISHED AND MAIN-TAINED AT VARIOUS PERIODS.

On the twentieth of December, 1803, the United States Commissioners and forces entered New Orleans and took possession of Louisiana, in accordance with the treaty

between Napoleon Bonaparte and the government of the United States.

In 1801 the yellow fever had, in the autumn, been very fatal in New Orleans, and in connection with other remarks on the subject, Governor Claiborne, in a message to the Legislative Council, on the seventeenth of December, 1804, called attention of that body to a plan devised by President Thomas Jefferson, to prevent the recurrence of such a calamity. Jefferson expressed the opinion that in building cities in the United States the people should take the checker board for their plan, leaving the white squares open and unbuilt forever and planted with trees.* Unfortunately the plan of Jefferson did not meet with favor in the gradual enlargement of New Orleans.

Louisiana was purchased by the United States from France by treaty, April 30, 1803, for about \$15,000,000. In 1811, it was admitted into the Union; and this year is also memorable for the building of the first steamboat at Pittsburg. At that time, the quantity of land within the State, adapted to the cultivation of the three staples, was estimated at 1812 and 1 timated as follows: Sugar, 250,000 acres; rice, 250,000; cotton, 2,400,000. The whole amount of sugar made in Louisiana in 1810, was about 10,000,000 pounds; in 1814, not less than 15,000,000; and in 1817, 20,000,000, or nearly one-third of the whole amount consumed in the United States.

Previous to the closing of Bayou Manchac by General Andrew Jackson, New Orleans was really situated on an island—the Island of Orleans—formed by the River Mississippi on one side, and the Lakes Pontchartrain and Maurepas, together with an outlet of the Mississippi, called Iberville, on the other about 160 miles long, and from three to fifty miles broad. The Island of Orleans produced sugar cane, maize, rice, indigo, cotton and tobacco, the peach, orange, three or four species of the fig, the banana, and most culin-

ary vegetables.

The circumstance, however, that rendered the political and moral picture of Louisians. peculiarly distinctive was that almost the total of the production of the industry of its inhabitants flowed to one common centre. And it was boldly predicted, after the country fell into the possession of the United States, that: "New Orleans alone will be forever, as it is now, the mighty mart of the merchandise and produce brought from more than a thousand rivers. Unless prevented by some great accident in human affairs, this rapidly increasing city will, in no distant time, leave the emporia of the Eastern world

*Referring to the probable growth of New Orleans, the President said:

"The position of New Orleans certainly destines it to be the greatest city the world has ever seen. There is no spot on the globe to which the produce of so great an extent of fertile country must necessarily come. It is three times greater than that on the eastern side of the Alleghanies, which is to be divided among all the sesport towns of the Atlantic States. There is also no spot where yellow fever is so much to be apprehended. In the middle and northern parts of Europe, where the sun rarely chines, they may safely build cities in solid blocks, without generating disease; but under the cloudless skies of America, where there is so constant an accumulation of heat, men cannot be piled one on snother with impunity. Accordingly we find this disease confined to the solid built parts of our towns, and the part on the water side, where there is the most matter for putrefaction, but rarely extending into the thin built parts of the towns, and never into the country. In these latter places, it cannot be communicated. In order to exten it, you must go into the local atmosphere, where it prevails. Is not this then a strong indication that we ought not to contend with the law of nature, but should decide at once that all our cities should be thinly built?"

After these introductory observations, the President expressed the opinion that in building cities, in the United States, the people should take the checker-board for their plan, leaving the white squares open and mbuilt forever, and planted with trees. "As it is probable," he observed to Claiborne, 'that New Urleans must soon be enlarged, I enclose this same plan for consideration. I have great confidence that however the yellow fever may prevail in the old part of the town, it would not be communicated to that part which should be built on this plan, because this would be like the thin built parts of our towns, where experience has taged that a person may carry it after catching it in its loc

far behind. With Boston, New York, Philadelphia and Baltimore on the left, Mexico on the right, Havana in front, and the immense Valley of the Mississippi in the rear, no such position for the accumulation and perpetuity of wealth and power ever existed."

Nearly three-quarters of a century ago Mr. Darby said: "By repeated admeasurement upon the best constructed maps the Mississippi River and its tributary streams drain more than 1,400,000 square miles. If this expanse was peopled only equal to Connecticut, in 1810, or about sixty persons to each square mile, the aggregate would be 84,000,000. It cannot be rashness to assert, if the present order of things continues to operate, that, at a period not more than two centuries distant, more than 100,000,000 of human beings will send the surplus fruits of their labor to New Orleans.

On the twentieth of December, 1803, the United States commissioners and forces entered New Orleans and took possession of Louisiana, in accordance with the treaty between Napoleon Bonaparte and the government of the United States.

In 1803, New Orleans had a military hospital and a charity hospital, with a few houses, yielding to it a revenue of about \$1500 a year. †

In 1802, two hundred and sixty-eight vessels (170 American, 97 Spanish and 1 French) of all kinds, with a tonnage of 23,725 tons, entered the Mississippi, eighteen of which were public armed vessels.

In the same year, there sailed from the Mississippi 265 vessels (158 American, 104

Spanish, 5 French) with a tonnage of 31,241 registered tons.

All the land on both sides of the Mississippi, from fifty miles below the city to Baton Rouge, had been granted to the depth of forty arpents, or one mile and a half, which is the depth of all original grants. Some had double and others treble grants, that is to say, a depth of eighty or one hundred arpents. A few grants extended as far as the sea, or a lake behind them. In other parts of the country the people, being generally settled on the banks of a river or creek, had a front of from six to forty arpents, and the grant generally expressed a depth of forty arpents.

No authority consus of the inhabitants of the province since that of 1788 is extent

No authentic census of the inhabitants of the province since that of 1788 is extant, but one made for the Department of State, by the Consul of the United States at New Orleans, from the best documents he could procure in 1803, presents the following re-

In the city of New Orleans, 8056; from the Balize to the city, 2388; at Terre-aux-Bœufs, 661; Bayou St. John and Gentilly, 488; Barataris, 101; Tchonpitoulas, 7444; parish of St. Charles, 2421; St. John the Baptist, 1950; St. James, 2200, Lafourche, 3098; Valenzuela, 1057; Iberville, 1300; Galvez (town), 247; Baton Ronge, 1513; Pointe Coupée. 2150; Attakapas, 1447; Opelousas, 2470; Washita, 361; Avoyelles, 432; Rapides, 753; Natchitoches, 1631; Arkansas, 368; Illinois and St. Louis, etc., 6028; Mobile, 810; Pensacola, 404; grand total, 49 473 810; Pensacola, 404; grand total, 49,473.

The annual produce of the province was supposed to consist of 3000 pounds of indigo, rapidly declining; 20,000 bales of cotton, of 300 pounds each; 5000 hogsheads of sugar, of 1000 pounds each, 5000 casks of molasses, of 50 gallons each.

There were but few domestic manufactures. The Acadians wrought some cotton into

quilts and homespun, and in the more remote parts of the province, the poorer kind of

people spun and wove wool mixed with cotton into coarse cloth.

There was a machine for spinning cotton in the parish of Iberville, and another in Opelousas, but neither was much employed. In New Orleans, there was a considerable manufacture of cordage, and a few small ones of hair powder, vermicelli and shot. There were near the city about a dozen distilleries, in which about four thousand casks of taffa, of fifty gallons each, were made, and a sugar refinery, which produced about

200,000 pounds of loaf sugar.

1805—In July, 1805, after James Pitot had resigned his commission as Mayor, and Watkins had been appointed in his place, the new City Conneil went actively and to plan improvements. It passed resolutions requesting the evacuation of the forts around the city, which were occupied by the troops of the United States, their speedy destruction, and the filling up of the ditches, which surrounded the forts of New Orleans. Claiborne partially complied with their request. In a communication of the

of delivery.

The first act of incorporation was granted to the city of New Orleans by the Legislative Council of the territory in 1805, under the style of the Mayor, Aldermen and inhabitants of the city of New Orleans. The officers are Mayor, a Recorder, fourteen Aldermen and one Treasurer. This year a branch of the United States Bank was established in New Orleans.



^{*}New Orleans is distant, by water, from the English Turn, 13 miles; Fort St. Philip, 70; Balize 102; the bar and sea, 105; Fort St. John, 5; Fort Petites Coquilles, 19; Mobile and Blakely, 164; Madisonville, over the Lake, 57; Natchez, 310; Bayou Sara, 160; Opelousas Church, 220; Natchitoches, 417; Hot Springs of Onachita, 645; Alexandria, 344, Mouth of the Olio, 1050, Falls of Ohio, 1409, Pittsburg, about 1900, 58; Louis, 1180; and the mouth of the Columbia River by St. Louis, 4700. By Land—Natchez, by Madisonville, 156; and by way of Baton Rouge, 224; Fort Stephens, 252; Fort Stoddard, 212; Nashville, by Madisonville, 480; Opelousas Church, 242; Philadelphia, by Knoxville, 1500; New York, by Knoxville, 1600; Natchitoches, 256; Nacogdoches, 437; St. Antonio, 744; City of Mexico, 1549; and Washington City, 1233 miles.

In 1804, the city of New Orleans was made a port of entry and delivery, and the Bayou St. John a port

second of August, he said to them: "I am strongly impressed with the opinion that the stagnant water which accumulates in the old fortifications must prove injurious to the health of the city, that I cheerfully consent to the levelling of all of them, except those of Forts St. Charles and St. Louis. These two forts are garrisoned by troops of the United States, and cannot be evacuated but in pursuance of orders emanating from the President. Desirous, however, of co-operating with the City Council in all measures which may conduce to the health of the city, I have no objection to the draining of the ditches in the vicinity of St. Charles and St. Louis, under an impression that it can be done without injury to the works."

1806—The population of Louisiana was 52,998; slaves, 23,544; free people of color, 3355; whites, 26,069; of these, at least 13,500 were natives of Louisiana, for the most part descendants of the French; about 3500 natives of the United States, and the residue Europeans. In the beginning of July, Claiborne departed from New Orleans, partly

to avoid a residence in the city during the sickly season.

GENERAL CENSUS OF THE TERRITORY OF ORLEANS FOR 1806.

County.	White Males Over 21.	White Males Under 21.	Females of	Col'd Males, Females and Children Free	Slaves.	Total.
Orleans	2,108	1,422	2,781	2,312	8,378	17.001
German Coast	555	647	972	229	3,285	5,688
Acadia	607	822	1,332	53	2,248	5,062
Iberville	362	461	731	71	965	2,590
Lefourche	586	977	1,335	25	610	3.533
Point Coupée	267	258	443	115	. 2.251	3,334
Attakapas	720	877	1.333	166	1,826	4,929
Opelousas	584	771	1,104	239	1,091	3,789
Rapides	488	513	746	15	716	3,478
Natchitoches	407	270	410	121	1,909	2,417
Ouachita	200	143	256		199	725
Concordia	163	182	236	5	873	1,450
Total	7,047	7,343	11.679	3,355	23,574	52,906

ARRIVALS AND DEPARTURES OF VESSELS IN THE PORT OF NEW ORLEANS.

	Mar. 1807	Apri l	Мау.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Jan. 1808	Feb.	Mar.	Total.
Arrivals, ships Departures, ships Arrivals, ships Departures barges and keel-boats.	90 96	34 49 106 8	30 44 173	20 27 44 0	34 26 4	38 19 2	8 10 0	11 11 0	20 14 0	35 20 5	37 51 0	92 11 0	8 0	314 350 340

N, B.—According to this tableau, 316 vessels have cleared loaded with products of Louisians or of imported goods. Vera Crus and Havana had a certain number. Florida and Attakapas also.

TABLE OF BIRTHS, DEATHS AND MARRIAGES IN THE CITY OF NEW ORLEANS from March, 1808, to March, 1809. Population October 30, 1808, 15,000.

		Bir	ths.		Dos	ths.	•	Marri	iages.
	1808.		ı —	Adı	nlts.	Lof	ants.		<u> </u>
		W.	C.	W.	C.	W.	C.	w.	C.
April	Catholic	923	80	2	16	4	4	1	-
May	Catholic	24	92	16	98	â	12	5	•
June	Catholic Protestant	9	26	4 5	. 9	6	19	3	
July	Catholic	25	61	9	19	5	9	2	
Aug.	Catholic Protestant	94	57	8	29	7	9	9	
Sept.	Catholic Protestant	19	47	9 19	14	3	13	3	
Oct.	Catholic	96	51	14 16	11	4	11	5	•
Nov.	Catholic Protestant	94	54	16 13	16	3	3	3	
Dec.	Catholic Protestant	15	22	9	11 3	9	3	9	
Feb.	Catholic	11	15	19	19 1	i	6	•	
Mar.	Catholic Protestant	6	16	19	14	2	5	4	• • • • •
To		137	319	318	296	56	109	80	-

FROM LAFON'S ANNUAIRE LOUISIANAIS OF 1809.

DOCTORS AND SURGEONS OF NEW ORLEANS.

J. B. Conrotte 27 St. Louis street.	Keene						
Conand	Y. Labie						
R. Dow10 Conde street.	G. Montegut 6 North Royal street.						
Deveze 16 Dumaine street.							
W. Flood 12 Customhouse street.	N. Robelet						
L. Fortin							
D. Fleitas 32 North Bourbon street.							
Henderson							
C. Gros							
APOTHE	CARIES.						
Anfoux	Leonard 5 Chartres street						
Blanquet							
Duffiloil							
DENTISTS.							
Gardeth	Roger						

1808.—In the month of March, the City Council requested the Governor to consent to the demolishing of Fort St. Louis and the filling up of the trenches surrounding it, "inasmuch as it impeded the communication between the town and the suburb St. Mary, and the trenches were receptacles of stagnant water and all manner of filth which engender disease—and the further request was that the material of said fort be left at the disposal of the Council of the city." Claiborne consented to the first part of the request, but ordered that the material of the demolished fort be left at the disposal of the military agent of the United States who would employ them elsewhere for public levees.—Execu-

tive Journal, p. 181, vol. 3; History of Louisiana, Am. Dom., Gayarre, p. 194.

Between the nineteenth of May, and the thirteenth of July, 1809, thirty-four vessels arrived from the Island of Cuba, with 5797 individuals, of whom 1828 were white, 1978 free blacks or colored persons, and 1991 slaves. These people had sought a refuge in that

island on the insurrection of the blacks in Hispaniola

On the second of November, 1808, the Secretary of War directed General Wilkinson to take measures, without delay, for assembling at New Orleans and its vicinity, a large portion of the regular troops, as circumstances would allow. General Wilkinson reached New Orleans on the pineteenth of April, 1809. The force which he found in the city was a little less than 2000 men, and one-third of it was on the sick list.

HOPITAL DE CHARITE.

L'ancien hôpital de charité fondé par les Français, fut entierement detruit par l'ouragan de 1779, Don Andres Almonaster y Roxas, Colonel des Milices de cette ville. Affarés Royal, Regidor perpétual et chevalier de Saint Charles, fonda celni qui existe anjourn'hui, en l'année 1786. Il le construisit entier à ses frais et dépends, le meubla de tous les uteusiles nécessaires au service et soulagement des malades, et lui legracinq esclaves à talent, en assignant pour les rents les boutiques au riz de chausée de l'encognure rue St. Pierre et de la Levée; Il fit aussi reparer à ses depends cinq petites maisons, propriété de l'ancien hôpital. Il en fut nommé patron, et a son décès ses enfants légitimes, et à defaut d'eux, les enfants de ses deux sœurs, ou en cas de maladie le colonel de milices.

La dotation est pour vingt-quatre lits destinés des maladies qui ne soieut ni incurable ni lépreux, mais pauvres et reconnus pour tels. Si quelquesautres maladies, n'étant point rangés dans la classe des pauvres, renlent s'y faire traiter, ils sont tenus à payer une redevance particulière, pour ne pas se faire prejudicier aux founds detaux. Cet fondation fut déclarée par le monarque sous sa protection royalle immediate, suivant l'institution et la volonté du fondateur, avec les privilèges et les droits attachés au patrontat.

MICHAEL ANTONIETTE LECONARDE ADMONASTER, Patron.

DON ANDRE FERNANDEZ, Majord.

JUAN XIMENS, Admis.

BLANQUET, Medecin.

—Annuaire Louisianais pour l'Annes 1809, par B. Lafon, Ingenierie Geographe a la Nouvelle Orleans de l'Imprimerie de l'Auteur.

He spent some time in reconnoitering the country ground in search of a gout four

He spent some time in reconnoitering the country around, in search of a spot, from which the troops might readily be brought into action, in case of an attack, and in which they might, in the meanwhile, enjoy as much health as the climate would allow. His choice fell on an elevated piece of ground on the left bank of the Mississippi, about eight miles below the city, near the point at which the road leading to the settlement of Terre-aux-Bœufs leaves that which runs along the river. The troops had hardly been three weeks encamped at Terre-aux-Bœufs when the most peremptory order from the Department of War, of the twenty-fourth of August, was received by General Wilkinson, directing him to embark his whole force, leaving only sufficient garrisons of old troops at New Orleans and Fort St. Philip. and to proceed to the high grounds in the rear of Fort Adams and Natchez. A difficulty in procuring boats, and other circumstances did not allow the troops to begin ascending the river, before the fifteenth of September;



their progress lasted forty-seven days, during which time, out of nine hundred and thirtyseven men who embarked, six hundred and thirty-eight were sick, and two hundred and forty died.

That yellow fever prevailed in New Orleans in 1809 is evident not only from the statements of Dr. Heustis, but also from the following facts communicated to Professor

Hosack, of New York, by a gentleman of New Orleans:

"It is well known to nearly all the inhabitants of La Fourche that in the year 1809 Captain Edward V. Turner and his wife, who resided at Point Houmas Plantation, lost their lives by opening a trunk of clothes, which had been sent from New Orleans during the prevalence of yellow fever; that they immediately sickened and died with black vonit, as did also the negro nurse who attended them."-An Account of the Yellow Fever as it Prevailed in the City of New York in the Summer and Autumn of 1822. By Peter S. Townsend, M. D. New York, 1823. Appendix, 345.

1809.—The revolution of St. Domingo had caused a French emigration into the Island of Cuba, and the ruthless invasion of Spain by France was a cause of another exodus of these same refugees, who sought in Louisiana an asylum which was denied them in that country, where they had become objects of hatred and suspicion. In the month of June, many of these emigrants had already arrived in New Orleans, some with their slaves and whatever other property they could bring with them, and others utterly destitute. Not-withstanding the hostility shown to them by a portion of the population of Louissana, the flood of emigration had continued to pour in, and on the eighteenth of July their number amounted to 5759, of whom 1798 were white people, 1977 free colored and black, and 1979 slaves. The perturbed state of the world at that time was the cause that many individuals, whose condition became unsettled, were looking around for places where they could better their fortunes, and not a few of them were daily arriving in New Orleans, from almost every quarter of the horizon which embrace the civilized portion of the earth, and particularly from Jamaica, Guade loupe, and the other West India Islands. British aggressions and conquests in those regions had disposed many of their French inhabitants to seek for refuge elsewhere. In consequence of the steady tide of emigration which was flowing toward Louisiana, chiefly from the shores of San Domingo, Cuba, Jamaica, and Guadeloupe, house rent in New Orleans and the price of provisions had become so extravagantly high, that in the month of November, 1809, families who had but limited resources began to find them drawing to an end, and the number of the poor destitute were daily augmented.

In consequence of the frequent ravages of the yellow fever, particularly in the autumn of 1809, Claiborne recommended to the Legislature the policy of making, some general health laws, which should enforce cleanliness, and subject the shipping entering the Mississippi to those quarantine regulations which at other places had proved salutary."-Executive Journal, vol. 4, p. 219. Louisiana-American Domination. Gayarre, pp. 220-

By a census taken in the year 1810, by the Marshal of the United States, under an Act of Congress, it appears that the population of the Territory was as follows: City and Suburbs of New Orleans, 17,242; Precincts of New Orleans, 7,310. Total,

Plaquemines, 1549; St. Bernard, 1020; St. Charles, 3291; St. John Baptist, 2990 St. James, 3955; Ascension, 2219; Assumption, 2472; Lafourche, 1995; Iberville, 2679 Baton Rouge, 1463; Point Coupée, 4539 Concordis, 2895; Ouachita, 1077; Rapides, 2200; Catahoula, 1164; Avoyelles, 1209; Natchitoches, 2870; Opelousas, 5048; Attaka pas **7369**. Grand total, 76,556.

We observe, therefore, that the population of the Territory of Orleans had been rapidly augmented by emigration from the United States, and in seven years (1803-1810) had increased from 49,473 to 76,536, and the City of New Orleans from 8056 to 24,552.

On the tenth of January, 1812, the inhabitants of New Orleans witnessed the approach of the first vessel propelled by steam which floated on the Mississippi, the New Orleans, from Pittsburg. The captain stated he had been but 259 hours actually on the way.— Martin's History of Louisiana, vol. 3, p. 311.

This speed seemed at this time to be marvelous, and the whole population flocked to

the river to examine the wonderful creation of the genius of man.

On the nineteenth of August, 1812, Louisiana suffered from a severe hurricane, the ravages of which exceeded those hitherto known by any one of the inhabitants. Several buildings were blown down in New Orleans, particularly a very large and elegant market-bonse.

1813 .- In this year Claiborne expatiated at length on the sufferings and losses of the planters on account of the overflows of the Mississippi, from the Parish of Concording down to the Parish of Plaquemines, inclusively. Even New Orleans had been partially inundated by a break in the levee at Kenner's plantation, some ten or twelve miles above the city. This overflow was not the only calamity which New Orleans was to suffer. It

was afflicted as much by fire as by water. Constant conflagrations had produced a feeling of despondency in the inhabitants, as no one was sure of a safe night's rest in his own house, which might be burned over his head before the next dawn of day. remedy this evil, Claiborne, on the twenty-sixth of June, offered a reward of \$1000 to any individual who should give such information as might lead to the discovery and punishment of these lurking incendiaries.—History La. Am. Domination. Gayerre,

Captain Edward Pelham Brenton records the interesting fact that the black soldiers of the West Indies, who comprised a portion of the British forces which invaded Louis-

iana the winter of 1814-1815, suffered severely from cold. Thus he says:

"Warm clothing for the black regiments had been urgently requested by Sir Alexander Cockrane, but none was sent; and these poor natives of a torried zone perished with cold on the shores of North America, where, on their arrival, they found the oranges frozen on the trees." "The weather was bad, the gales strong, and the cold intense. This fact is singular, and almost incredible, considering the latitude (29° N.) The soldiers, and particularly the black, suffered exceedingly."—The Naval History of Great Britain from the year 1783 to 1826. London, 1837. Vol. 2, pp. 530—532.

1815.—"On the evening of the eighth of January, 1815, the inhabitants of New Orleans witnessed the available of a long train of wounded prisoners where number

leans witnessed the arrival of a long train of wounded prisoners, whose number amounted to about 400. Immediately a large quantity of lint and old linen for dressing their wounds, of matresses and pillows and other articles for their comfort, were furnished by private contributions. All kinds of refreshments and every attendance which their situation required were liberally provided by the spontaneous action of the citi-The colored women of New Orleans have acquired an honorable reputation for the skillful nurses they supply during those fatal epidemics which have so often devastated that city. On this occasion several of them tendered their services gratuitously, and deserved the lasting gratitude of the numerous wounded whom they attended with the most humane disinterestedness."—History of La. Am. Domination. Gayarre, p. 478.

"The happy effect of peace was soon felt in Louisiana. On the sixteenth of March Governor Claiborne wrote to Mr. Monroe. Secretary of War: 'Great is the change which the return of peace has already made in this capital (New Orleans). Our harbor is again whitening with canvas; the levee is crowded with cotton, tobacco, and other articles of exportation. The merchant seems delighted with the prosperity before him, and the agriculturist finds in the high price for its products new incitements to industry."—Ibid, p. 535.

Near the close of the year 1815 the entire population of Louisiana did not exceed 90,000 souls, of whom one-half were black. The greater portion of this number were concentrated in the city of New Orleans and upon the river coast for thirty miles below and seventy miles above the city. The inhabitants of these river settlements were chiefly Creole French, with a small admixture of Anglo-Americans. It was only after the year 1815, when Louisiana was relieved from the dangers of foreign invasion, and began to reap the advantages or steam navigation on the river, that the State and New Orleans began to take the proud rank they now enjoy, in population, commerce, agriculture, and arts. In 1830, the State had increased to 215,740 persons, including 126,300 blacks. The census of 1840 gave an aggregate of 352,400 souls, including 168,452 slaves, which in 1845 had increased to more than 400,000. In point of agricultural and commercial importance, Louisiana had advanced to an elevated rank as early as 1830. In mercantile transactions, New Orleans in 1840 had attained a standing which placed her second only to New York, and the staple productions of the State were perhaps inferior in value to none in the United States

1817.—A gentleman of New Orleans communicated to Professor Hosack the fact that in 1817 a trunk of dry goods or clothes were forwarded to the Choctaw Agent, who caught the yellow fever by unpacking the trunk, and died with black vomit. This circumstance, as well as the name of the Choctaw Agent, was well known to Mr. Flower, of New Orleans.—An Account of the Yellow Fever as it Prevailed in the City of New York in the Summer and Autumn of 1822. By Peter S Townsend, M. D., p. 346.

A Medical Examining Board, "Comité Médical," having functions also of an advisory

character relating to the public health, was in active operation in 1817.

That a well-organized medical society, composed of accomplished and learned French physicians, existed in the years 1817 and 1819, is evident from the following observations relating to the epidemics of yellow fever of these years, which I have derived from various original sources, but chiefly from the records of the Societe Médicale:

1817.—The yellow fever committed ravages in New Orleans during the summer and fall of 1817, confining itself chiefly to Europeans and Americans. The epidemic declared itself during the month of July, but in the preceding month of June symptoms of the disease had been manifested in various portions of the town, but chiefly at the Civil Hospital, where it showed itself before the arrival of the schooner from Havana, which had lost part of her crew by the vomito. The disease continued its ravages dur-

Digitized by GOOGLE

ing July; assumed a greater degree of intensity in August, on account of the great number of Europeans who landed and Americans who came down the river. The epidemic diminished after a severe storm, which took place at the commencement of September. The weather was changeable until the twentieth of that month, then the south wind co mmenced blowing again; the heat increased, accompanied with dampness, and the disease attacked several individuals newly arrived in the city. At length it disappeared

in the month of October, except at the Civil Hospital, where it reigned for some time.

'MM. Gros and Gerardine, in their 'Rapport, Fait a la Societé Médicale, sur la Fièvre Jaune, qui a regné d'une manière epidemique, pendant l'Eté de 1817,' held that the disease was caused by the peculiar topography of New Orleans; abundant rains filling the stagnant marshes; excessive heat of the summer and influx of strangers. This disease of endemic nature has become epidemic on account of a concurrence of circumstances favorable to its progress and developement. It has not been contagious, but it is sup-

posed that, under certain circumstances, it may become contagious

1819.—Yellow fever visited New Orleans as usual in the autumn. "But a great part of her inhabitants had become almost reconciled to its ravages, from the frequency of its return. For these it had no more terror than had the ancients for the skull which used to figure among the roses, and other legacies that adorned their banqueting tables. There were even some who felt friendly to the scourge, as, in their opinion, it checked that tide of emigration which otherwise would have speedily rolled its waves over the old population, and swept away those landmarks in legislation, customs, language, and social habits, to which they were fondly attached."—History of Louisiana: American Do-

mination.

mination. Gayarre, p. 636.

1819.—The yellow fever of 1819 appeared on the seventh of May, when one, named John Gifford, was attacked and died. After this it manifested itself in another fatal case, continued in a sporadic form, augmenting progressively until the commencement of August, at which time the patients multiplied at such a rate at the hospital and in the town, that from that time it was regarded as an epidemic. It continued with great intensity until the commencement of August, at which time the patients multiplied at such a rate at the hospital and in the town, that from that time it was regarded as an epidemic. It continued with great intensity until the commencement of November, when the number of patients diminished in a sensible manner, until the middle of December, which was regarded as its definite termination. The committee of physicians appointed by the "Societé Médicale de la Nouvelle-Orleans" to investigate the origin and nature of this epidemic, state that the yellow fever of 1819, as well as that of 1817, manifested itself sporadically from the mouth of May, but it became, at an earlier date, an epidemic in 1817, as it was regarded as such in the month of July, whereas it was not so pronounced in 1819, until the commencement of August; which appears to indicate that the cause was more intense in 1817; however, the epidemic of 1819 lasted a longer time, terminating in December, while that of 1817 was considered as having terminated in October. The greater number of persons affected in both epidemics were Europeans or Americans, recently arrived. The Creoles of New Orleans, however, were not entirely exempt from the ravages of the fever. In 1817, not one negro is said to have been attacked by the disease, whereas in 1819 several died with yellow fever. Malarial and intercurrent fevers were more common in 1817. In 1819, yellow fever superseded all other diseases.

The committee referred the yellow fever in 1819 to the burning heats of July, August and September, frequent rains, and stagnant water in the marshes. They regarded the yellow fever of 1819 as constitutional, non-contagious, indigenous (of spoutaneous origin), and non-imported. Individuals contracting the disease in the city did not communicate it to their families in the country. Not one of the inhabitants of St. Domingo was attacked by the yellow fever of 1819. In fine the committee regarded the yellow

fever of 1819 as due to heat, humidity, and local causes.

1820.—A gentleman of New Orleans communicated the following facts to Professor Hosack, of New York, illustrating the contagious nature of the yellow fever of 1820:

"During the present season (1820) a Miss Onden, daughter of the watchmaker, who had lately arrived from France, and resided with a Miss Vignon, whose father lives near the Catholic Church, caught the yellow fever, and was sedulously attended night and day by her friend till given over by her physician, when, to avoid the distressing scene of her disease, Miss Vignon retired to the school of Mr. La Fort, up the coast, which till that moment enjoyed perfect health. Miss Vignon, a Creole, was not affected with the disease, and it did not occur to Mr. or Madame La Fort, that she could communicate it by means of her clothing, etc. Mark the result! She, who had been the bed-fellow of Miss Ouden, also slept with one or both of the Misses Glovereys, nieces of Madam La

^{*} Rapport Publié au nom de la Societé Médicale de la Nouvelle-Orleans, sur la Flévre Jaune qui 🔻 a regné é idémiquement, durant "Eté et l'Automme de 1819. Nouvelle-Orleans. The members of the committee vere Trabuc, "President de la Societé Médicale," Fortin, President du Comité, Martin. Command. mittee Vere Trance, Frencer to a la Secrétaire Rapporteur.

Fort, who both took the fever and died of its worst symptoms! Fortunately, the medical attendant in that institution is one of those liberal practitioners, who so far from seeking to persuade others that this disease is not infectious (and thereby being the means of its circulation), enforces every possible precaution; and at his instance the pupils were immediately dispersed to places of security, one orphan boy, John Rouve, of Bayou Same, only excepted and he having no place of refuge, fell a victim to the black vomit. Not one of those who left the seminary at that first alarm took the disease.

"If you are acquainted with that part of the upper suburbs called the Nun's Point (a little below Rousseau's plantation) you must have remarked its high and healthy situation, elevated several feet above the level of the city, at a great distance from the swamp and all stagnant water. There the inhabitants enjoyed the state of health to be expected from the purity of their atmosphere, entirely isolated from that of the city, till the following circumstances spread among them desolation and death. Next door to Robin de Logny's there is a very inferior kind of a boarding-house, kept by a man named Marsh, who it seems went to town in quest of sick boarders, and having found one (Gilfillan, of the State of Pennsylvania) with the yellow fever, he brought him to his house in a carriage, regardless of the safety of the other inmates. On the second or third day after his removal Gilfillan-died; next a Mrs. Jones, of Virginia; then Mr. Crane, Madam and Mr. Granville, all of Ohio; a young child of Mrs. Howell, and lastly, one of Marsh's own children, all died of black vomit. A Mrs. Vodridge and a mulatto woman likewise had the yellow fever; the former was saved by being removed to a female hospital, and the latter recovered. Marsh, his wife, and Mrs. Howell, who had the disease last year,

appear to be the only persons in that house who did not take the infection.

"There is a long red building opposite to Madame Nadian's, the property of John Mornay, which is divided into six tenements, and is usually occupied by as many fam-Mornay, which is divided into six tenements, and is usually occupied by as many families. In this building there were the following persons: Madame Odrigues, a Creole; Mr. and Mrs. Schofield, Mrs. Hill and her daughter, the widow Jones, both of which families had several children; Mr. Rodgers, chairmaker, and his wife; besides these there lodged at Mrs. Hill's a Mr. Napper, a carpenter, and a Madame Odrigues, also John Smith, a mason. The fever was first brought among them by Napper, who caught it in the city, and died at Mrs. Hill's; a negro woman caught it of him, and recovered; next Mrs. Jones, who also attended Napper, caught it in the city, and died at Mrs. Hill's; next Mrs. Hill, whose body being taken to the grave by John Smith he complained of the unusually offensive smell, and sickened and died also. All these were marked cases of vellow fever, and terminated in black romit. Two younger children of Mrs. Hill's and of yellow fever, and terminated in black vomit. Two younger children of Mrs. Hill's and two of Mrs. Jones' also had the disease, but recovered. In the same building Mr. Rodgers and his wife both had the yellow fever, and the latter died. Mr. and Mrs. Schofield likewise had it. Within gunshot of the same spot, in a kitchen of John Mornay's former abode, lives an honest German, usually called Dutch Joseph. This man being on board a German vessel in the river, infected with yellow fever, found an acquaintance extremely sick, and was induced by compassion to bring him to his own dwelling, where the man shortly died of that disorder, having first communicated it to Joseph's own wife and a young girl, both of whom also died, and but for the attention of Dr. Forsyth and the introduction of Guyton Morveau's fumigation it is probable the whole household would have perished.

"The above facts are not only confirmed by eye-witnesses among the survivors, but by Dr. Forsyth himself, who attended most of the above patients, and who has very properly taken notes of the circumstances, under the most solemn conviction that the above numerous cases of fever originated in the contagion communicated by the three

individuals respectively stated.

"In the meantime there are families within view of the three last described houses, and consisting of a dozen persons, unseasoned to the atmosphere of the city in the sickly months, who have remained exceedingly healthy and perfectly secure from malignant

diseases by vigilantly guarding against any communication with the sick.

"Having thus detailed to you the manner of the yellow fever being introduced by four infected individuals into as many different habitations, all of these situated in a pure atmosphere, free from every predisposing cause of disease, and shown that, including the pure that the infection of whom not less than the four first cases, about thirty persons have caught the infection, of whom not less than eighteen have died, I beg you to reflect on the probable consequence of four similar cases being introduced among the dense population of any city in the Union, and whether thousands would not have fallen victims unless effectual measures were adopted to interpose a barrier between the sick and the sound.

"There were one or two other striking instances of contagion that occurred below the city. An Irishman who went from town to General Wilkinson's plantation fell sick shortly after his arrival, and died with the black vomit. He was attended by a man who had not been to town during the season; he also caught the disease, and died.

"The yellow fever was likewise taken to Mr. Fleckner's plantation by a white man from town, who there died; also the negro nurse who attended him, and the nurse of that negro also.



"Mr. Livingston's overseer, who had not been near the city, visited one of those sick white men, and he also took the disease, and died with black vomit.—An account of the yellow fever as it prevailed in the city of New York in the summer and autumn of 1822 By Peter L. Townsend, M. D. New York, 1823, pp. 346-349.

1820—The deaths from yellow fever for the year numbered 400. Deaths from yellow fever in the hospital, eighty-two. First admission, July 21; the last, December 21.

In this year the physicians of New Orleans and its vicinity, "believing that a frequent interchange of opinions on subjects connected with their profession is the most effectual mode to promote its interest and extend their knowledge," formed a society or association known by the name of the Physico-Medical Society of New Orleans.*

ESTABLISHMENT OF THE FIRST QUARANTINE AND BOARD OF HEALTH IN NEW ORLEANS.

The City and State authorities, fully alive to the sanitary interests of New Orleans, enacted health laws of the most stringent and extensive character, on the sixth of March, 1816, and eighteenth of March, 1817. Although these acts appeared to exhaust the subject of hygienic legislation, they had no apparent effect on the march of yellow fever.

ject of hygienic legislation, they had no apparent effect on the march of yellow fever.

Dr. Bennet Dowler states that quarantine laws were enacted in the winter or before the hot season (Tableau of the Yellow Fever of 1853, p. 14), but Dr. W. M. Carpenter quotes the New Orleans Gazette to the effect that "In consequence of the positive proofs of the importation of the disease in the dreadful year of 1817, the Legislature of that winter passed a quarantine law which, though far from perfect in its structure, might have been considered as a pledge of more efficient precaution."—Sketches from the History of Yellow Fever, p. 17.

The mortality for August, 1817, was 487; September, 304; October, 172; total for the three months, 965. This record was taken from the various cemeteries. Dr. Bennet Dowler gives the mortality during five months, as white male adults, 760; white female adults, 63; a ratio of more than twelve times less than the former; total mortality for white months, 1142. The Physico-Medical Society, on the contrary, reported the deaths in August, 304; in September, 178; in October, 91; in November, 91; in December, 74. From these and various other data, Dr. Dowler estimated the deaths from yellow fever,

this year, at 800.

Governor J. Villeré, January 6, 1818, in his annual message, says: "That during the course of the last summer, the yellow fever had extended its ravages over the city, chiefly falling on newcomers, but many of our citizens were its victims." He thinks that the disease was imported, and regards quarantine laws favorably.

The yellow fever reappeared in New Orleans in 1818, and according to the estimate of some authors, the mortality amounted to 1151. Dr. Bennet Dowler gives the following statistics for 1818: Deaths, white male adults, 324; of female adults, 81; white children, 87; black male adults, 219; black female adults, 162; black children, 277. The mortality augmented in each month until September, in which 166 died. Total whites, 492; total blacks, 658; grand total, 1151. Dr. Barton does not include 1818 amongst the epidemic years, and the statistics given by Dr. Dowler evidently relate to all diseases.

An act approved March 6, 1819, repeals the act establishing a Board of Health in New Orleans, the health officer and all laws for the prevention of the introduction of pestilential, malignant and infectious diseases; directs the sale of the lazaretto and all its property; investing the Governor with authority to establish quarantine by proclamation at his sole discretion.

As we have seen, yellow fever prevailed as a destructive epidemic in 1819. The city proper had whites 13,604; blacks 13,592. The city and suburbs contained 45,958 souls. Mortality by mouths, beginning with January, 70; February, 102; March, 97; April, 78; May, 120; June, 130; July, 130. August, 292; September, 594; October, 513; November, 134; December, 109; total 2,369. It will be observed that the total mortality for August, September and October was 1,199, during the prevalence of the yellow fever, or over one-half of the entire mortality for the twelve months. These figures taken from the reports of the medical society and cemeteries apply probably only to the city proper. Mr. Nuttal, the naturalist, in his travels, estimates the victims to yellow fever for

Mr. Nuttal, the naturalist, in his travels, estimates the victims to yellow fever for this year in the city at from five to six thousand, an aggregate greatly exceeding probability.

In the official report of the United States Surgeon-General, it is said: "At New Orleans it was estimated that upwards of 3,000 died of yellow fever; and it was not until after the first of December that it was deemed prudent to return either to this city or Natches. The interior of the country, in the Southern States, seemed to suffer in a corresponding ratio. In the West Indies the fever exhibited a still greater mortality."

The grand total mortality, according to the report of the Medical Society (supposed to include only the incorporated limits) is but 1337; the males being 1142, the females 195; blacks, male adults, 182; female, 168. Deaths of blacks distributed almost equally

among the months of the year, and little if any increased during the three epidemic months, while the deaths of white adults increased from 64 in July to 485 in September. Six white men died for one white woman.

According to Dr. Bennet Dowler, the first two cases of yellow fever in 1819 occurred May 7 and 12, the last death December 9. And as we have previously shown, the Committee of the Medical Society, after minute inquiry, failed to trace the disease to other than local causes.

Dr. Carpenter, on the other hand, in his special pleading for importation and conta-

gion, says.

"In June, several vessels, with crows sickly with yellow fever, entered from Havana, and about the first of July cases began to appear among the shipping in the harbor. The Governor now proclaimed quarantine, by a power vested in his hands, by the act repealing the quaruntine law. The disease, however, had already made some progress, and the thing was given up, and the vessels continued to come in, and some from Martinique, which were known to have lost some of their men on the voyage, and even on their way up the river, with the worst type of the 'vonito prieto,' and not a voice was heard to prevent their mooring on the levee. The disease became epidemic before the middle of August, and assumed a character of the highest malignity; medicine lost its effects; the skill of the physician was baffled, and multitudes were carried to the grave."—New Orleans Gazette, January 7, 1820, Sketches from the History of Yellow Fever, p. 18.

It was held by some that the disease had originated in the city, before its introduction

in the way mentioned by Dr. Carpenter.
On the other hand, Dr. Dupuy de Chamberry, in his historical sketch of yellow fever, as it appeared in this city in 1819, says: I formerly believed the yellow fever to be contagious, but since I have been in the midst of it, my numerous practical observations have never been able to furnish me with one proof of this much dreaded attribute. In deed, the result has been quite the reverse; and I am now convinced that the disease is permanently fixed to the spot, and within the limits of the place which has created it. No one case occurred beyond the limits of the city, during its prevalence in the years 1817 and 1819, that could be traced to our innumerable patients, although daily intercourse was kept up with the people of the neighboring estates and plantations. Agreat number of our inhabitants who carried the seed of the disorder abroad, seeking refuge from the danger at a distance, suffered an attack of the fever and died, but in no instance was it communicated to their friends. Fifty times have I had my hands besmeared with the putrid blood, black vomit, or feetid slimy matter or perspiration. Fifty times have I been immersed in the effluvia issuing from a dead or living subject, and never been infected by the disease. From extensive observations I infer that the yellow fever of this place is a disease, sui generis, the product of local causes, and neither contagious nor exportable. Flight from the infected spot is the only preservation, and a distance of three miles appears to be quite sufficient to inspire the fullest confidence."

New Orleans was again visited by an epidemic of yellow fever in 1820. Deaths from yellow fover in the hospitals, 82. First admission, July 21; the last, December 21. The deaths for August from all causes were 289, September 402, October 177; total 868. During the same months, in 1817, the mortality was 965, and in 1819, 1199. Dr. Carpenter states that "about the twentieth of July, it became known that several cases of yellow fever had appeared among the shipping, and some at boarding houses. When the Mayor desired Dr. Davidson to examine all the vessels which had lately entered the port of New Orleans from the West Indies, where the yellow fever was then prevailing, who made diligent inquiries into, and investigated the grounds for the rumors which had prevailed in the city for some days past, that malignant fever had made its appearance.

respectfully reports that:

The schooner Gold Huntress, Martin master, from Havana, entered on the seventeenth of June, having lost two men on the passage with yellow fever; also, that the brig Charles Fawcett, Lamon master, from Matanzus, arrived on the tenth of July, having lost two men on her passage, and having others sick with yellow fever."—Letter of Dr. G. C. Forsyth, extract from New Orleans Gazette, November 15, 1820. Sketches from the History of Yellow Fever, p. 19.

Governor Villeré declared "that the scourge of war is preferable to yellow fever; that the city had been twice ravaged in three years," (1817, 1819), and that it is contagious." He urged the Legislature to pass quarantine laws, in which he had the greatest confidence as a preventive.

Governor Villeré, a firm advocate for contagion and quarantine, in his message of November 22, 1820, in relation to the existing epidemic of yellow fever, said:

"All the medical faculty appear definitely to have adopted the opinion that the yellow fever, which during the last year has plunged us once more into mourning and desolation, is not contagious." But he argued: "During the months of August, September and October there has been almost constantly in the prison of this city a great number of prisoners, and not a single one among them has been affected with the disorder. If the

Digitized by GOOGLE

yellow fever were natural to our climate, how has it happened that, among such a number of persons, heaped together in so small a space as the prison in this city, not a single one should have been attacked?"

Dr. Chabert, a physician of New Orleans, opposed the Governor's argument as to the prison, and maintained that the Creoles never take the yellow fever, though they do not

shut themselves up to avoid it.

Governor Villeré reviews the report of the Medical Society for the current year, dissents from its deductions, which he regards as those of all the faculty, and denies what he calls "The constitutionality of the yellow fever."—Tableau of the Yellow Fever of 1853, etc., by Bennet Dowler, M. D., p. 17.

On the eighteenth of December, 1820, Governor Robertson, in his inaugural message,

urged the Legislature to establish quarantine against yellow fever.

The quarantine laws passed by the Legislature in February, 1821, creating a Board of Health, with plenary powers, legislative, indicial, executive, pecuniary and sanitary modeled after codes the most rigid, and enforced by the heaviest penalties, were carried into effect in March of the same year.

The quarantine ground, established at the English Turn, including incidental expenses,

cost over \$22,000.

The Board of Health commenced its duties on the sixth of March, and instituted measures for cleansing the city, improving its salubrity, and providing against the introduction of infectious diseases. The quarantine was under the direction of the Board of Health, and vessels arriving in port were compelled to contribute to its support. The board held its meetings every Tuesday afternoon at the Customhouse, until the first of June, and from that time until the first of November every day, excepting Sundays. The Mayor, Joseph Roflignac, was president ex-officio, of the board, composed of twelve members, who received no pecuniary compensation for their services.

The nature of the ordinance of the Board of Health may be gathered from the fol-

lowing extracts from the Code of Public Health:

"All keepers of inns, taverus, boarding-houses or other places, where persons are lodged for hire shall, once in every week, furnish the Mayor of the city, at his office, a list of the persons lodging or boarding at their houses respectively, according to the printed forms which the Mayor shall furnish at the expense of the corporation, which shall contain the names, apparent age, occupation, place of permanent residence, and nativity of such boarders or lodgers, and the time they have respectively lodged or boarded in such house; and every person offending against this article, shall forfeit one hundred dollars; or if knowingly furnishing a false return or list, shall forfeit a sum of tive hundred dollars.

"If any seafaring man or sojourner shall, at any such house as is described in the foregoing article, fall sick at any time between the first day of May and the first day of November in any year, the master of such house shall, within twelve hours, report the name of such sick person to the Board of Health, and describe the place at which he lies sick, unless such person is attended by a physician duly admitted to practice, and

for every neglect to make such report every keeper of such house shall forfeit \$20.

"The sexton or keeper of every cemetery in the City of New Orleans, shall, every day during the months of May, June, July, August, September and October. and every week during the rest of the year, make a return to the Board of Health, of the persons buried in such cemeteries; and for every such neglect such sexton or keeper shall forfeit \$10.

"Every person practising physic in the City of New Orleans who shall have a patient sick of the yeliow fever, or bilious malignant or postilential fever, between the first of May and the first of November, in every year, shall within twenty-four hours make a report in writing to the Board of Health, at their office, and for neglecting to do so, he shall forfeit for every offense \$300.

The year 1821 proved salubrious—a result attributed to the strict quarantine. From the following table it will be seen that the deaths were only slightly augmented during

the months of July, August and September:

ANNUAL REPORT OF INTERMENTS IN THE CITY OF NEW ORLEANS, COMMENCING ON
FIRST DAY OF JANUARY AND ENDING ON THE THIRTY-FIRST DAY OF DECEMBER,
1821, AS MADE TO THE MAYORALTY AND BOARD OF HEALTH.

1821.	January.	February.	March.	April	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Whites. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	94 3	18	94 3	24 5	94 6	37	54 8	60 7	75 0	74 10	49 10	39 5	503 65
Colored. Children	13 15 14	7 12 12 17	9 12 15	6 13 13	8 16 14 15	10 10 7 93	19 18 13 16	10 90 18 18	14 17 10 6	89 12 7 15	15 14 16 14	10 15 15	105 157 159 141
Total	71	70	67	65	85	91	198	133	199	196	118	89	1165

Digitized by GOOGLE

Governor Robertson, in January, 1822, congratulated the Legislature upon the good fortune of New Orleans as being "the healthiest city" in the Union; but at the close of August the yellow fever appeared; it augmented throughout September, but it did not reach its culminating point until October; the month of greatest mortality having amounted to 665, exceeding that of the present mouth by 33. The following was the mortality for three mouths. August, 165; September, 532; October, 665. Total, 1,362.

Total deaths from yellow fever in 1822, 808, or one in 53.28 of the population. The

highest number of deaths any one day of yellow fever was 60; and of all causes, 80. During 1833 the largest mortality any one day of yellow fever was 53; 1841, highest number from yellow fever 43, and the greatest mortality 60.*

Of the ten epidemics of yellow fever with which New Orleans has been visited since the cession of the American government, in 1803, up to the year 1842, the average loss per year has been estimated as not exceeding 800, and during that period the most fatal epidemic was that of 1822, when the deaths numbered 808, or one in 53.28 of the entire population. The total mortality from yellow fever in 1841 was 1,641, distributed thus by cemeteries: Catholic Cemetery, 42; Cypress Grove Cemetery, 77; Protestant Cemetery, 63; 8t. Patrick's Cemetery, 78; Lafayette Cemetery, 241; Jewish Cemetery (in Lafayette), 16; Potter's Field, 1,124. Total, 1,641.

Natives of the United States, 288; natives of foreign countries, 1,055; natives of puntries unknown, 298. Total, 1,641.

countries unknown, 298. Total, 1,641.

The population of New Orleans, including the parish of Orleans, in 1820, was 41,350, and in 1840, 102,191. In 1841 the population of New Orleans probably exceeded 103,000;

ratio of deaths from yellow fever one in 62.7 of population.

The value of the labors of the Board of Health in diminishing the rate of mortality and the prevention of yellow fever, by the so-called efficient and rigid quarantine, will be seen from the comparative mortality, from all diseases, during the three months of August, September and October of the years specified:

Morths.	YEARS.									
	1817.	1819.	1820.	1892.	1833.	1837.	1839.	1841.		
August	304	292 594 513	289 402 177	165 532 665	410 783 565	483 1188 568	619 648 297	562 1115 659		
Totals	965	1390	868	1362	9758	2239	1554	2231		
Ratio to entire population	1 in. 37 02	1 in. 33.60	1 in. 37.63	1 in, 31.60	1 in. 27.72	1 in. 38.76	1 in. 61.73	1 in. 48.15		

The message of Governor Robertson, after the epidemic of 1822,* breathed sorrow and despair, and he could no longer exult upon the good fortune of New Orleans, as being "the healthiest city in the Union," and his bitter experience might well be heeded,

The extremely mild temperature of the summer climate of Louisiana, and the much greater severity of the cold of winter than could be expected below latitude 33° North, was a phenomenon which more than sixty years ago engaged the attention of a few thoughtful observers, without at that time receiving a satisfactory solution. As vegetable productions are the only decisive marks of climate, they offered to those earlier observers ample proof of how much more temperate the climate of Louisiana was than that of similar latitudes on the Eastern Continent. The orange tree flourishes in Europe above 38° N. Latitude, the sugar cane about the same height; neither of them have been cultivated with success in America as high as 32° N. The cotton and other tender plants have frequently been killed in Louisiana by frosts late in April or again in the latter days of September. In Louisiana the intervals between frosts may be called the months of May, June, July, Angust and September, though instances have occurred in Louisiana of frosts in September. The heat in summer seldom amounts to 90° F., and the medium temperature of well water is 52° F.—Pacton's Directory of New Orleans, pp. 25-26.

List of Governors of Louisiana from the first settlement to the administration of Governor Robertson: Frond.—Sauvolle, 1699; Bienville, 1700; Demonis (died on his passage), 1708; Tremonthe Cadiliac, 1713;

Franch-Sauvolle, 1699; Blenville, 1709; Demonis (died on his passage), 1708; Tremonthe Cadillac, 1713; L'Epinay, 1717; Bienville, 1718; Pérrier, 1826; Bienville, 1733; Vandreuil, 1744; Kerlerec, 1753; D'Abadie, 1763; Aubrey, 1765

Spanish-Ullos, 1766; O'Reilly, 1769; Unzegua, 1770; Galvez, 1777; Miro, 1788; Carondelet, 1700; Gavoso, 1796; Salcedo, 1800.

American—W. O. C. Claiborne, 1804; James Villeré, 1816; J. B. Robertson, 1890.



^{*} It is worthy of note, as bearing upon the assertion that cold was capable of eradicating the cause of yellow fever, that the winter of 1831 and 1832, preceding the great epidemic of yellow fever of 1832, was one of the most severe ever experienced in Louisians, as the following particulars recorded by a competent observer will show: "December 22, 1821, very cold, with hall; Sunday, December 23, ice one inch thick, and Fahrenheit's thermometer stood 20° above zero—on this day, cold as it was found in this climate, the volunteers had a parade and were reviewed by the Governor: December 24, cold; December 25, snow one inch in depth. In summer the average heat is 33°, the highest 34°, all in the shade. Mr. Peter Maspero, a maker of thermometers, and an old and respectable citizen of New Orleans, informed the observer in 1821, "that for seventeen years he had been in the habit of observing the thermometer, and never knew it to rise higher than 34°, which occurred last year; and two years previously to 93°; the instrument stood in the shade in his store." It was noted at an early day that New Orleans enjoyed the advantage of pleasant and refreshing breezes throughout the warm season.

The extremely mild temperature of the summer climate of Louisiana, and the much greater severity of the cold of winter than could be expected below latitude 33° North, was a phenomenon which more

when so-called sanitary reformers, attribute the absence of yellow fever from New Or-

leans, wholly to their pretentions, but superficial, efforts.

"It is," says Governor Robertson, "an idle waste of time for me to inquire into the causes, origin and nature of this dreadful malady." resorted to quarantine, under the expectation that it would add to the chances of escape from this dreadful visitation. If this hope be fallacious, if no good effect has been produced, if even a procrastination of its appearance has not resulted from the measure, then should it be abandoued, and our co imerce relieved from the expense and inconvenience which it occasions."

In 1823, the Committee of the House of Representatives on Quarantine Laws reported that "during the last year (1822) notwithstanding the strictest compliance with these laws, our expectations were frustrated at the very moment when we thought we could indulge the hope of the most complete success. The season was far advanced, and in the month of September this metropolis enjoyed the most perfect health, when the yellow fever

made its appearance."

"Notwithstanding the signal and lamentable failure of quarantine in 1822, the committee of the House of Representatives, of which F. Grima, Esq., was chairman, recommended its continuance in the most rigid form, because it had not been tried sufficiently long, and because other States had similar regulations."

The Board of Health upon this occasion, as well as upon many others, were not slow in finding an unfortunate vessel and some miserable individuals, to whom they attached the odium of having introduced the disease. The Board of Health of 1822 set a worthy example to succeeding boards, in expressing faith in the efficacy of quarantine to exclude rellow fever from New Orleans. Thus they held the following language:

"The Board of Health believe it their duty to do away with the impression made by interested persons, to induce a belief in the inutility of the powers which you have so wisely conferred on the Board, for the establishment of quarantine, which these persons

wish to see destroyed."

"This opinion is diametrically opposed to that of the Board of Health, who believe that the vellow fever is contagious, and that the establishment of quarantines is necessary

to prevent its introduction."

The citizens, however, were not convinced by the arguments of the contagionists, as to the value of their system to prevent yellow fever, and determined to petition the

Legislature to abolish the quarantine laws.
On the twenty-third of January, 1823, a large public meeting took place, in which it was moved and carried, "that the late epidemic had tested the total inefficiency of the quarantime laws and regulations; we consider them not only useless, but in the highest degree oppressive and injurious to the commerce of this city; and that application ought to be made to the Legislature for the purpose of having them annulled." A memorial was addressed to the Legislature accordingly for that purpose. The Legislature, however, took no decisive action upon the matter. The quarantine continued in force. The health of the city continued good throughout 1823, only two cases of yellow fever having been recorded in the books of the Charity Hospital.

The Governor, in his message of January, 1894, congratulated the Legislature on the health of New Orleans, and proclaimed the city free from "all contagious diseases," but on the fifteen of November of the same year, the Governor in his message says: New Orleans has been again subjected to the droadful scourge," and suggests the expediency of closing the business season in midsummer, and recommends a general flight to the un-

acclimated.

Mayor J. Rollignac in his mossage dated September 11, 1834, gives the following ex-

position of the causes of yellow fever:

"The epinion of professional men on the primary cause of the insalubrity of New Orleans, tends only to confirm the idea which must occur to the mind of every attentive observer, on looking at the topographical situation of our city, to wit: that these causes are of two kinds; the one arising within and the other without the city itself, and that both eaght to be counteracted.

"The internal causes are: 1. The filth daily created in a populous city. 2. The low grounds and poors where staguant water lies, the wooden gutters, constantly wet and fermenting under the rays of a torrid sun. 3. The want of privies in most of the populoss districts, which renders it necessary to recur to the disgusting and dangerous use of

taba

"The external causes are: 1. The marshes lying north and west of the city, uncovered but undrained, and deprived, by the cutting down of trees, of the shelter formerly afforded to them by the shole of a luxuriant vegetation, for which the very minima that new spread death and desolation among us, were a source of life and vigor. 2. To the with and east, the Messesuppi, which in its periodical retreat at the hottest meason of the year, leaves or its sanks a great rotton of the fifth which has been thrown into the current, but is imaght by k avaddice of Tewards, which at the moment we feel most secure man, as was the case in 1822, coursely to us the deadly effects of the dangerous spots, which they sweep in their course "



Mayor J. Roffignac does not allude to contagion, nor does he allude to the quarantine, which had afforded no protection, and proved a delusion against disease and a serious obstruction to commerce

The quarantine had been tried for three years, and yet two epidemics had occurred; the contagionist began to waver, and, the joint committee of both houses of the Legislature disagreeing on quarantine, were discharged from the consideration of the same on

the last day of November, 1824.

Experience convinced the public that quarantine was not only useless, but absolutely injurious to a city so exclusively commercial; that a free untrammeled trade with freedom of ingress, egress and progress, was a social necessity involving the question of subsistance or starvation. On the nineteenth of February, 1835, the Legislature re-pealed the quarantine laws which it had enacted four years previously, and at the same time the quarautine grounds were directed to be sold. During the eight years which followed, yellow fever was never so destructive as in 1822, under a strict quarautine, when, according to some authorities, as the Reverend Timothy Smith, who visited New Orleans in 1823, 2000 died of that malady, although the records examined by Drs. Barton, Dowler and myself, show only 808, the whole mortality for the three months ending with October being 1362. The maximum mortality upon one day rose to 80, of yellow fever to 60. The ratio of mortality in the Charity Hospital was enormous, out of 337 admissions 239 deaths and only 98 cures took place.

An ordinance for the establishment of another Board of Health in New Orleans, was again passed by the General Council in June, 1841. The Board consisted of nine members -three aldermen, three physicians and three private citizens. It was invested with supple powers to adopt and enforce such sanitary regulations as were thought conducive to the health of the city. This Board performed its functions during the first year of its existence; but we have seen that a fearful epidemic of yellow fever desolated New Orleans in 1841, destroying 1641 of her inhabitants, the mortality for the months of Au-

gust. September and October reaching 2231,

The second year there was a faling off, but a dissolution did not take place till 1843. In 1844, the Board of Health having ceased to officiate, the General Council invited the Medico-Chirurgical Society to take charge of the sanitary interests of New Orleans. This proposition was accepted, and a committee of nine members appointed with full powers to act as a Board of Health.

Acts were passed by the General Council fiteenth of August, 1846, twenty-third of June, 1847, and by the Legislature of Louisiana March 6, 1848, May 15, 1848, and June 13, 1855, relating to the Board of Health and quarantine. The present system of quaran-

tine was established on June 13, 1855.

1833.—On the ninth of December, when the Legislature met, the State was just recovering from the terrors of the ravages produced during the preceding autumn by the yellow fever and cholera. Governor Derbigny informed them, that now "health prevailed throughout the whole of the State, and that the resources which her geographical position and inexhaustible fertility of her soil afforded her was so great that, after all these calamities, her situation was at present very prosperous."—History of Louisiana,

American Domination, p. 655

An ordinance for the establishment of another Board of Health in New Orleans was again passed by the General Conneil, in June, 1841. The board performed its functions during the first year of its existence: but an epidemic of yellow fever afflicted New Orleans in 1841, descroying 1641 of her inhabitants. The second year there was a falling off in the interest of its members, but a dissolution of the board did not take place until 1843. In 1844, the Board of Health having ceased to officiate, the General Council invited the Medico-Chirurgical Society to take charge of the sanitary interests of New Orleans. The proposition was accepted, and a committee of nine members were appointed, with full powers to act as a Board of Health.

Acts were passed by the General Council, August 15, 1846, June 23, 1847, and by the

Legislature of Louisiana, March 6, 1848, May 15, 1848, and June 13, 1855, relating to the

Board of Health and quarantine.

MAYORALTY OF NEW ORLEANS.

MAIRIE DE LA NOUVELLE-ORLEANS. CONSEIL GENERAL.

GENERAL COUNCIL.

SITTING OF SATURDAY, August 15, 1846.

Be it ordained, etc., That the Branch Pilots for the Port of New Orleans and the officers of the customs for said port and District be requested to notify all masters of ships or vessels bound for this port hav-

ing on board the small-pox or any contagions dis-ease, that they are forbidden to come along aside of the leves in either of the municipalities until they have been visited by one or more members of the Board of Health and can produce a certificate of

SEANCE DU 15 Août 1846.

Il est ordonne, etc., Que les Pilotes du Port de la Nouvelle Orléans, et les officers de douane du dit Port et District, soient requis de notifier à tous Capitaines de Navires ou Vaisseaux destinés pour ce Port, et ayant à bord la Petite-Vérole, ou tous autre maiadie contagiouse, qu'il leur est défendu d'aborder la Levée d'una les licuites des trois municip lités. à moins qu'ils n'aient au préala-le reçu la visite d'un ou plusieurs membres du Burosa de Santé, et puissent



convalescence from the said physician to the harbormaster to whom they may enter. The said ship or vessel shall come to anchor under Slaughter-House Point until they have received said visit from said physician under a penality of five hundred dollars, and that the Mayor be authorized to request the and that the Mavor be authorized to request the Collector of this port to notify the officers under his control to enforce the abovelordinance, and that two hundred copies thereof be printed and delivered to the pilots and officers of the customs.

(Signed) W. H. WILDER, President. Approved August 17, 1846.

A. D. CROSSMAN, Mayor.

A true copy.
A. MAZUREAU, Secretary.

MAYORALTY OF NEW ORLEANS. GENERAL COUNCIL.

SITTING of JUNE 23, 1847.

An ordinance relative to vessels arriving at this port from Bea.

ARTICLE 1. Be it ordained by the General Council of the Oity of New Orleans, That all owners, captains, masters or commanders of vessels arriving at this port from sea, be and are hereby forbidden, when-ever there may be any infections or contagious dis-cases on board of such vessel, to moor such vessel at any of the wharves of either of the municipalities of this city, and it shall be the duty of said captains, masters and commanders of such vessels to anchor in the middle of the river below Slaughter-House Point, and their remain at anchor until such infectious or contagious disease shall have entirely disappeared from such vessel, and any master, captain or owner of any vessel, contravening, shall pay a fine of one hundred dollars.

ART. 2. Be it further ordained, That it shall be the duty of the Mayor, whenever he may receive information of the arrival of any vessel having any infections or contagious disease on board, to order such vessel to come to an anchor in the middle of the river, below Slaughterhouse Point, and in case the river, below Sissignternouse Foint, and in case of the master or commander of such vessel refusing or neglecting so to do, the Mayor is hereby authorized to cause such vessel to be immediately removed to and anchored at the place above designated, and the owner, master or commander of such vessel shall pay a fine of one hundred dollars for neglecting or refusing to remove such vessel as aforesaid. and shall also pay the expenses of such removal.

ART. 3. Be it further ordained, That any owner, master or commander of a vessel who shall land or permit to land, within the limits of the city of New Orleans, any person or persons affected with any in-fections or contagions disease, shall pay a fine of one hundred dollars for each and every person so affected they may land or permit to land.

ART. 4. Be it further ordained. That it shall be the duty of all owners, masters or commanders of reseels arriving from see, and having any infectious or contagious disease on board, to come to an anchor as required by the first article of this ordinance, and immediately notify the Mayor of this city theref; and the Mayor shall immediately notify the Board of Health of the arrival of such vessel, whose duty it shall be to proceed on board of such vessel and examine the persons affected, and report the result of their examination to the Mayor; and any owner, master or commander of a vessel refusing or neglecting to comply with the provisions of this article shall pay a fine of \$100.

Be it further ordained. That whenever any vessel having any infectious or contagious dis-ease on beard, shall have been suchored as directed by this ordinance, it shall not BE LAWFUL for any person or persons to remove such vessel from her suchorage until the owner, master or commander of produire de la part du dit membre un certificat de convalesence qu'ils présenterent au Capitaine du dit Port chargé de les placer. Les dits Navires eu Vaisseaux mettront à l'ancre à la Peinte de l'Abat-toir, jusqu'à ce qu'ils aient recu la visite d'un des dits membres du Bureas de Santé, et ce sous piene d'une amende de cinq-centa piastres; Et de plus; Le Maire est et demeure autorisé à requérir du Collec-teur de la Douane de vouloir bien notifier les officiers sous son controle d'avoir à veiller à l'exécution de la présente ordonnance, et que deux centa copies en soient immédiatement imprimées et distribuées aux

Pilotee et aux dits officiere de donane.
(Signé) W. H. WILDER, Président.
Approuvé le 17 Août 1846.

A. D. CROSSMAN, Maire. Pour copie conforme.

A. MAZUREAU. Secrétaire.

MAIRIE DE LA NOUVELLE-ORLEANS.

CONSEIL GENERAL.

SEANCE DU 23 JUIN 1847.

Ordonnance Relative aux Navires arrivant de la Mer en ce Port.

ABTICLE 1. Il est ordonne par le Counseil Generat de la villa de Nouvelle-Orleans, Qu'il sera défendu à propriétaires, capitaines, maîtres ou commandants de proprietaires, capitaines, maîtres ou commandants de navires, arrivant de la mer dans ce port ayant à bord des dits navires des maladies contagieuses on pes-tilentielles, de faire aborder leurs navires à chacun des wharfs d'aucune des municipalites de cette ville; et il sera du devoir des dits capitaines, maitres ou commandants desdits navires, de les mettre à l'aucre commandants descrits interfer, de les mettre à l'anore au milieu du fieuve, au-dessous de la pointe de l'absttoir, et d'y mettre à l'ancre jusqu'à ce que les maladies contagieuses ou pestileutielles aient com-plètement disparu des dits navires, sous peine d'une amende de cent paistres pour chaque contrarention.

ART. 2. Il est de plus ordonne, Qu'il sera du devoir du Maire, toutes les fois qu'il sera informé de l'ardu Maire, toutes les fois qu'il sera informé de l'ar-rivée d'aucun navire ayant a bord des maladies coutagieuses ou pestilentielles, d'ordonner au dit navire de jeter l'anore au millieu du fieuve au-dessont de la pointe de l'abattoir, et au cas ou le capitains ou commandant du dit navire refuserait ou neg-ligerait de se conformer à cet ordre, le Maire est autorisé à faire conduire ledit navire et de lui faire siter l'angre à l'andret, ci deanne desires, et la lier-siter l'angre à l'andret, ci deanne desires, et la lierjeter l'ancre à l'endroit ci-dessus designé; et le pro-priétaire, capitaine ou commandant dudit navire paiera une amende de cent plastres pour avoir ne-gligé ou refusé de conduire son navire comme il est dit ci-dessus; et de plus, il paiera les frais de deplacement.

AET. 3. Il est de plus ordonne, Que tout propriétaire, capitaine ou commandant d'un navire qui taire, capitaine ou commandant d'un navire qui debarquera ou laissera debarquer dans les limites de la ville de la Nouvelle-Orléans. anoune personne affectés d'aucune maisdie contagieuse on pestilentielle, paiera une amende de cent piastres par chaque personne ainsi affectés, qu'il aura débarquée on laisser debarquer.

ART. 4. Il set de plus ordonne, Qu'il sera du devoir de tous propriétaires, capitaines, maîtres ou commandants de navires arrivant de la mer et ayant à bord ancune maisdie contagreuse ou pestilentielle.

mandants de navires arrivant de la mer et ayant a bord aucune maladie contagieuse ou pestilentielle, de jeter l'ancre ainsi qu'il est préscrie dans le pre-mier article de la persent ordonnance, et de notifier immediatement le Maire de cette ville de oe fait; et le Maire notifiera immédiatement le Bureau de Santé le Maire notifiera immediatement le Bureau de Santé de l'arrivée d'aucun de ces nvires; et il sera du devoir des dits membres du dit Bureau de se rendre à bord de ce navire et d'examiner les personnes affectées, et de faire au Maire un rapport du resultat de leur examen. Et tout proprietaire, capitaine ou sommandant de navire refusant ou negligeant de se conformer aux dispositions du present article, paiera une amanda de sent mastres.

conformer aux dispositions du present article, patera une amende de cent plastres.

ART. 5. Il est de plus ordonne, Que toutes les fois qu'un navire ayant à bord aucune maladie conta-gieuse ou pestilentielle, aura jaté l'anchre comma il est prescrit par la présente ordonnance, il ne sera permis à aucune personne de déplacer ledit navire, jusqu'à ce que le propriétaire, capitaine en con-

such vessel shall have first PROCURED to that effect a written permit from the Mayor of this city; and it shall be the duty of the Mayor, prior to granting such permit, to cause an examination of such vessel to be made by the Board of Health, and upon the Board of Health certifying in writing that all infections or contagious disease has disappeared from such vessel, he shall grant permission to such vessel to remove from the anchorage and moor at any of the wharves; and seek and every person or persons rewharves; and each and every person or persons re-moving or attempting to remove any vessel or ves-sels from the anchorage as aforesaid, shall pay a fine of one hundred dollars.

ART. 6. Be it further ordained. That the fines and penalties imposed by this ordinance shall be recovered before any competent tribunal, for the benefit of the Board of Health of the city of New Orleans. ART. 7. Be it further ordained. That the printer of this Council shall print one thousand copies of this ordinance and deliver the same to the Mayor, and the Mayor is requested to forward two hundred copies of the same to the Danch pilots at the Balize copies of the same to the branch pilots at the Balise and the Passes, with the request that they distribute the same to the captains and masters of vessels com-

AT. 8. Be it further ordained, That all ordinances contrary to the provisions of this ordinance, be and the same are hereby repealed. (Signed)

D. STICKNEY, President.

Approved June 18, 1837. A. D. CROSMAN, Mayor.

A true copy.

A. MAZUREAU, Secretary.

mandant du dit navire ait obtenu à cet effet, du Maire de cette ville, une permission écrite. Et il sera du devoir du Maire, avant de déliverer la sussera du devoir du Maire, avant de déliverer la suadite permission, de faire examiner le dit navire par
le Bureau de Santé, et lorsque le Bureau certifiera
par cerit que toute maladie contagiense ou pestilentielle a disparu dudit navire, alors il accordera la
permission de déplacer ledit navire et de le faire
aborder à l'un des wharfs; et toute personne qui
déplacera ou essaiera de déplacer aucun navire
ainsi qu'il est dit ci-dessus, paiera une amende de
cent plastres.

ART. 6. Il est de plus ordonne, Que les amendes imposées par cette ordonnance seront recouvrables par-devant tout tribunal compétent au profit du Bureau

de Santé.

ART. 7. Rest de plus ordonne, Que l'imprimeur de ce Conseil imprimera mille exemplaires de cette ordennance et les delivrera au Maire, qui est requis d'en transmettre deux cente aux pilotes de la Balise. et des Passes, avec prèire de les distribuer aux ca-pitaines ou commandants de navires arrivant de la

AET. 8. Il est plus ordonne, Que toutes ordonnances contraires aux dispositions de la présente scient et demeurent rappelées.

(Signé)

D. STICKNEY, President.

Approuvé le 28 juin 1847. A. D. CROSSMAN, Maire.

Pour copie conforme.

A. MAZUREAU Secrétaire.

CUSTOMHOUSE NEW ORLEANS, COLLECTOR'S OFFICE, Nevember 2, 1849.

Inspectors of the customs, acting as boarding officers, will deliver to the captain or officer in command of every vessel entering the river from, which he may board, on board of which there may be any infectious or contagious disease, a copy of the above ordinances, and will promptly report to me all such eases, making a note on the manifest of the vessel thereof, noting the number of persons sick with such diseases, and the number that have died during the voyage, as may be reported to him by the captain or officer in command, or as may be ascertained from other reliable sources.

SAMUEL J. PETERS, Collector.

ESTABLISHMENT OF THE PRESENT SYSTEM OF QUARAN-TINE CHARGES ON JUNE 13, 1855.

The memorial of the ship owners and ship agents of New Orleans, now before the General Assembly, would lead the uninformed to believe that the present bill to regulate the quarantine fees at the Mississippi Station is something new and wholly different from the organic act of the Legislature which had been in force during the past twenty-seven years. But this is not the case.

1853-54.—Louisiana had been in 1853 deprived of thousands of her citizens in the most frightful epidemic she had ever witnessed. It had not confined its ravages to New

Orleans, but had spread to distant parishes in the country.

In 1855, on the lifteenth of February, the Legislature met in Baton Rouge, a few months after the yellow fever had for a second time, in 1854, desolated the State, "the general prevalence of that disease," said Governor Hebert, in his annual message, "during two successive years, in the most malignant form, seems to authorize the conclusion that, supposing it to have been at any time of foreign origin, it has now annually a fixed habitation within our borders."—History of Louisiana, American Domination, Gayarré, p. 677.

AN ACT TO ESTABLISH QUARANTINE FOR THE PROTECTION OF THE STATE.

SECTION 2. Be it enacted by the Senate and House of Representatives of the State of Louisiana, in General Assembly concerned. That there shall be a quarantine established below the City of New Orleans, on the River Mississippi, at a distance of not less than seventy miles, by the river, from the city; that the Board of Health to be elected under this sot is hereby authorized to locate the quarantine ground, to receive the transfer of the necessary land in the name of the State, and to draw upon the Treasurer of the State for the necessary amount, out of the fund suprepriated under this act; provided, the consent of the Governor of the State is given to said purchase.

HEC. 9. Be it further enacted, etc., That there shall be a Board of Health composed of nine competent citisens of the State, to be elected as follows: Three by the Council of New Orleans, on joint ballet, and six to appointed by the Governor, by and with the advice and consent of the Senate; the said members shall be selected in reference to their known seal in favor of a quarantine system. All the members of the Board shall be commissioned by the Governor for the term of one year, after having filed and subscribed in the

office of the Secretary of State, an eath well and truly to enforce and comply with the provisions of an act entitled "An act to establish quarantine for the protection of the State," and in case of neglecting or falling to comply with the above required eath within ten days after their appointment or election, their office shall be considered vacant.

SEC. 3. Be it further enacted, etc., That the Board of Health shall meet once a month from the first of November to the first of June, and once a week from the first of June to the first of November, and as

November to the first of June, and once a week from the first of June to the first of November, and as often as they may deem necessary.

SEC. 4. Be it further enacted, etc., That the Board of Health shall meet and organize on the third Monda-in April, and elect out of their own number a President, whose duty it shall be to reside in New Orleans and superintend the different quarantine stations of the State, and it shall be his duty to visit them as often as the Board of Health shall deem necessary. He shall have the power to issue, during the adjournment, to constables or the sheriff, all orders and warrants provided by the provisions of this act, and shall report to the Attorney General all violations of the same. It shall be his duty to lay before the Board at each meeting the business to be transacted, and a book in which he shall enter copies of all letters written by him, orders and warrants issued, and a detail of all his acts. He shall present at each meeting all communications forwarded to him, and a report of the resident physicians and treasurers, and perform such other duties as shall be assigned to him by the Board of Health. He shall only be removed by impeachment, and shall receive a salary of \$2000 a year.

ahall be assigned to him by the Board of Health. He shall only be removed by impeachment, and shall receive a salary of \$2000 a year.

SEC. 5. Be it further enacted, etc., That four members of said Board shall form a quorum; provided, however, that no contract for building shall be entered into without the consent of a majority of the Board.

SEC. 6. Be it further enacted, etc. That the Board of Health shall authorize the Resident Physician to employ, in case of need, an assistant physician at the Quarantine ground on the Mississippi River, who shall act as his deputy, and whose salary shall not be more than two thousand dollars a year. The Board of Health shall have power to employ nurses and assistants to attend the sick, and such other persons as may be necessary to carry out proper quarantine regulations, and to fix their compensation; to fix the number of days of quarantine for vessels liable to it under sections minth and thirteenth of this act, not to be least than ten days; to determine how said quarantine shall be performed and to make out all least progrations. be necessary to carry out proper quarantine regulations, and to fix their compensation; to fix the number of days of quarantine for vessels liable to it under sections minth and thirdeenth of this act, not to be less than ten days; to determine how said quarantine shall be performed, and to make out all legal regulations not provided by this act nor contrary to the same, and necessary to carry out a proper system of quarantine, and to enforce the same by a fine not exceeding five hundred dollars; to make rules and regulations for preserving good order and police within the limits of the quarantine ground, and to impose penalties for the breach thereof; to contract for the necessary buildings at the quarantine grounds, to appoint a Secretary who shall act as Treasurer, whose salary shall be fifteen hundred a year, and who shall furnish security in a sum of ten thousand dollars. It shall be his duty to keep a minute of the proceedings of the Board, and all vouchers and expenditures made by autherity of said Board. The Board of Health shall have power to remove, or cause to be removed, any substance which they may deem detrimental to the health of the city of New Olvrans, and the commissioners of the streets shall execute their orders, whenever not in conflict with the ordinances of the city, or the laws of the State; to pass and enforce sanitary ordinances for the city, provided the same are approved by the Council and published as city ordinances; to define the duties of officers employed by them, and impose additional duties to officers appointed under this act; to issue warrants to any constable, police officer or sheriff in the State; to apprehend and remove such person or persons as cannot be otherwise subjected to the provisions of this act, or who shall have violated the same, and whenever it shall be necessary so to do, to issue their warrant to the sheriff of the city or parish where any vessel may be, having violated the provisions of this act, or who shall have violated the affect of the state, and the

ance of one thousand dollars.

SEC. 7. Be it further enacted, etc., That there shall be a Quarantine Station at some point on the Rigoleta, and another on the Atchafalaya River, two miles below "Pilot Station," at the month of the Wax Hayon; the Board of Health is hereby empowered, and it shall be their duty to locate them agreeably to the provisions of this section; but the provisions of this act shall only apply to the station at the Rigolets from the day of the issuing of the proclamation of the Governor, as provided by section thirteenth, declaring any port on the lake-shore or on the Gulf of Mexico to be an infected place, and shall remain in full force until suspended by a vote of two-thirds of the members of the Board of Health. The provisions of this act shall shall be a controlled to the controlled the Consentine Station on the Atchafalax River, two the first of Max to the suspended by a vote of two-thirds of the members of the Board of Health. The provisions of this act shall apply to, and be enforced at the Quarantine Station on the Atchafalaya River, from the first of May to the first of November of each year; and also when the Governor shall have issued his preclamation, as provided by the thirteenth section, and in such a case shall remain in full force until suspended by a resolution voted for by two-thirds of the members of the Board of Health. There shall be no permanent building erected at Pilot's Station on the Atchafalaya River, but the Board of Health shall use as an hospital for the reception of the sick, hulls and cabins of stamboats. The Board of Health shall employ an officer, whose duty it shall be, and who is hereby empowered, to require from captains of vessels, steamboats or crafts having passed the station at the Rigoleta, or on the Atchafalaya River, the permit of the Resident Pdysician. The Board of Health shall appoint a Resident Physician for each of the two Quarantine Stations on the Rigoleta. and on the Atchafalaya, and such other persons as may be necessary; provided, their salary shall run only during such time as they shall thus be employed, and shall in no case exceed for the time they shall have been thus employed, the salary of the same officers at the Quarantine Station for the same space of time.

been thus employed, the salary of the same officers at the Quarantine Station for the same space of time, on the Mississippi.

SEC. 8. Be it further enacted, etc., That the Resident Physician of the quarantine ground shall receive a salary of five thousand dollars (\$5000), and shall be appointed by the Governor of the State, by and with the advice and consent of the Senate, and removable at pleasure. It shall be his duty to visit every vessel coming from any port and entering the mouth of the Mississippi River. He shall require the captain of every vessel thus unspected to pay the following fees: For every ship, bark or sea-going steamer, the sum of twenty dollars, and fifteen for all other vessels; provided, nothing contained in this section shall apply the any vessel or craft from New Orleans to sea and returning without having touched at any port, or at the quarantine, towboats excepted. To all vessels not coming from any infected district, as provided by section thirteen, or not having on board patients affected with cholers, yellow fever, pestilential, contagious er infectious diseases, or not in a foul condition, a certificate to that effect shall be given. It shall be his duty to amount collected for such inspections, which shall form a fund for the support of the quarantine.

SEC. 9. Be it further enacted etc., That the Resident Physician shall have the power, and it shall be his eduty, to detain at the quarantine ground, with their cargoes, crew and passengers, all vessels coning from

duty, to detain at the quarantine ground, with their cargoes, crew and passengers, all vessels coming from an infected district, as provided by section thirteen, or in a foul condition, or having on board personal affected with cholers, yellow fever, postilential, contagious or infectious diseases, during such time as he

may deem necessary—not less than ten days—to compel the captain to land the sick at the Quarantine ground, to famigate and cleanes such vessels, and to submit to such rules and regulations as will be hereafter provided by the Board of Health, and that all costs incurred for vessels found in a foul condition, including the sum of five dollars for the support of each and every sick person landed at the Quarantine Station, shall be borne by the captain and owners, and shall be paid to the Resident Physician before a certificate, as provided by section eighth, shall be given.

SEC. 10. Be it further enacted, etc.. That the Resident Physician shall have such other powers as may be delegated to him by the Board of Health, not contrary to the provisions of this act and necessary to carry them into effect. It shall be his duty to remain at the Quarantine ground, attend the sick, and perform all such other duties as may be required of him by the Board of Health.

SEC. 11. Be it further enacted, etc., That the Board of Health shall appoint a treasurer for the Quarantine ground on the Mississippi River, with a salary of fifteen bundred dollars (\$1500) per annum, and who shall furnish security in the sum of ten thousand dollars (\$10,000). It shall be his duty to attend to the finances, callets all strate of many such by reseated in a found condition.

furnish security in the sum of ten thousand dollars [10,000). It shall be his duty to attend to the finances, collect all sums of money due by vessels in a foul condition, account and pay over to the Secretary of the Board of Health all monthly balances in his hands, and shall receive and deliver the freight of all vessels ordered to be unloaded, and perform such other duties as the Board of Health shall require of him.

SEC. 12. Be if further enacted, etc., That the Secretary of the Board of Health shall deposit in bank all moneys paid over to him and shall keep a correct account of the same. He shall moreover present at each meeting of the Board a statement of its affairs, and cause his accounts to be approved by the Auditor of Public Accounts every three months, and shall act as commissary for the purchase of previsions and supplies, and shall deposit in bank all moneys paid over to him, and perform such other duties as the Board of Health may assign to him.

Public Accounts every three months, and shall act as commissary for the purchase of previsions and supplies, and shall deposit in bank all moneys paid over to him, and perform such other duties as the Board of Health may assign to him.

SEC 13. Es it further enacted, etc., That the Governor of the State shall issue his proclamation, upon the advice of the Board of Health, declaring any place where there shall be reason to believe a pestilential, contagions or infections disease exists, to be an infected place, esting the number of days of quarantine to be performed. It shall be the duty of the Resident Physician to give timely notice to the Board of Health of the necessity of such proclamation. After such proclamation shall have been issued, all vessels arriving in the port of New Orleans, or at the Rigolets, or the Atchafalaya Station, from such infected place, shall be subject to quarantine, and shall, together with their officers, crews, passengers and cargoes, be subject to a quarantine or a visitation, arriving in the port of New Orleans, who shall refuse or neglect either—first, to proceed with and anchor his vessel at the place designated for quarantine at the time of his arrival; second, to submit his vessel, cargo and passengers to the examination of the physician, and to furnish all necessary information to enable that officer to determine what quarantine assigned for her quarantine, and while there to comply with the directions and regulations prescribed by this act, or by the Board of Health, or with such directions prescribed for his vessel, crew and cargo and passengers, by the Resident Physician, shall be guilty of a misdemeanor, and be punished by a fine not exceeding two thousand dollars (\$2000), or by imprisonment not exceeding twelve months, or both, at the discretion of the court.

SEC. 14. Be it further enacted, etc., That every person who shall violate the provisions of this act by refusing or neglecting to obey or comply with any order, prohibition or regulation made by the Board of Healt

visions of this act.

SEC. 15. Be it further enacted, stc., That the captain of any sea-going vessel, steamboat or towboat, violating the provisions of this act, or the rules and regulations established or to be established by the Board of Health, shall be considered guilty of a misdemeanor, and sentenced to pay a fine not exceeding five hundred.

of Health, shall be considered guilty of a misdemeanor, and sentenced to pay a fine not exceeding five hundred dollars and imprisonment not exceeding one year.

SEC.16. Be it further enacted, etc., That the Resident Physician shall report to the Attorney General all violations of this act; and it shall be his duty to prosecute all person or persons thus offending; to collect the fines and remit the amount thereof to the Secretary of the Board of Health, whose duty it shall be to keep a separate book for fines collected, to be approved of every three months by the Attorney General, who shall receive such compensation as the board may fix for his services.

SEC. 17. Be it further enacted, etc., That it shall be the duty of the Harbor Masters in their respective districts to demand of the captain of every vessel arriving from sea to New Orleans, the permit of the Resident Physician, and to report to the Secretary of the Board of Health all vessels having entered the port without such permit.

Resident Physician, and to report to the Secretary of the Board of Health all vessels having entered the port without such permit.

SEC. 18. Be it further enacted, etc., That from the first of May to the first of November, all towboats plying from the month of the river to New Orleans shall be liable to inspection and quarantine, and it shall be the duty of the different Harbor Masters to require from the captains of said towboats the certificates of the Resident Physician, as provided by section eight, which certificate shall not be granted before a detention of at least five days; provided, nothing therein contained shall be so construed as to apply to towboats plying between New Orleans and the quarantine ground, and no further.

BEC. 19. Be it further enacted, etc., That the captain of any towboat or steamboat who shall receive on board of his beat, freight, goods or passengers from a vessel liable to inspection or quarantine, or who shall receive geods or passengers from the quarantine ground, without the permission of the Resident Physician. shall be punished by a fine not exceeding two thousand dollars (\$2000), and by imprisonment at the discretion of the court; and all violations of the provisions of this sot at the Quarantine Station on the Mississppi River and at the Rigolets shall be tried by the Criminal Court of New Orleans, and all violations of this act at the station on the Atchafalaya River shall be tried by the District Court of the parish of St. Mary, Sec. 20. Be it further enacted, etc., That the Board of Health shall cause such extracts of this act to be made as they may deem it necessary for the information of masters of vessels arriving in this State, and shall cause a sufficient number to be printed and delivered to the pilots, to be distributed to the masters of vessels as before provided.

vessels as before provided.

SEC. 21. Be it further enacted, etc., That every pilot, or any other person acting as such, shall deliver to the master of every vessel inward bound, one copy of the printed extract from this act, which shall be furmished him by the Board of Health; and any pilot refusing or neglecting so to do, or aiding or landing any passenger or other person, contrary to this act, shall forfeit one hundred dollars for every offense.

SEC. 22. Be it further enacted, etc., That every person who shall go on board of any vessel while performing quarantine, without the permission of the Resident Physician or his assistants, shall forfeit the sum of fifty dollars.

SEC. 23. Be it further enacted etc. That the Operantine Station shall be the contract of the co

SEC. 23. Be if further enacted, etc., That the Quarantine Station shall be known by that name, and its limits shall be designated by boards placed on the boundaries, on which shall be printed in large letters; "These are limits of the Quarantine Station."

SEC. 24. Be it further enacted, etc., That the sum of fifty thousand dollars (\$50,000), be and is hereby appropriated, out of any money in the treasury not otherwise appropriated, to be paid to the Secretary of the Board of Health, on a resolution of a majority of the board, payable by installments: provided, that the second and third installments shall not be paid until the accounts of the Secretary of the Board of Health shall have been audited and approved by the Auditor of Public Accounts for former disbursements.

SEC. 25. Be it further enacted, etc., That the buildings to be erected at the Quarantine Station shall consist of — at the station on the Mississippi River, of two separate buildings, as hospitals for the cick, of a small house as a residence for the officers appointed under this act, and of a well ventilated store for the reception of the freight of such infected vessel as the Resident Physician may deem necessary to cause to be unloaded. The buildings at the Rigolets shall be constructed of wood, and consist of a hospital for the sick and of a store for the freight of vessels or steamboats ordered to be unloaded. At the Atchafslays Station a good shed shall be provided for the freight of vessels ordered to be unloaded. The Board of Health shall receive the transfer of such land as may be necessary at the Rigolets and on the Atchafslays River, in the same manner and under the same conditions as are required by section one, and all plans, specifications and contracts for the above buildings shall be submitted to and approved by the Governor of the State; provided, that the cost of said building shall in no case exceed the amount hereinbefore appropriated.

SEC. 25. Be it further enacted, etc., That it shall be the duty of the Council of New Orleans, within ten days after the passage of this act, to elect three members of the Board of Health, as provided by section and void.

SEC. 27. Be it further enacted, etc., That the Board of Health, and their successors, are hereby created abdve corrects.

SEC. 27. Be it further enacted, etc., That the Board of Health, and their successors, are hereby created a body corporate, under the name of the Board of Health of the State of Louisiana, to sue and be sued ander that title.

that title.

SEC 28. Be it further enacted, etc., That all laws or parts of laws inconsistent with the provisions of this act be, and the same are hereby, repealed.

SEC. 29. Be it further enacted, etc., That this act shall take effect from and after its passage.

JOHN M. SANDIGE,

Speaker of the House of Representatives.

ROBERT C. WICKLIFFE,

Approved March 15, 1855.

ROBERT C. WICKLIFFE,
President of the Senate.
P. O. HEBERT, Governor of the State of Louisians.

A true copy:
ANDREW S. HERRON, Scoretary of State.

The passage on the fifteenth of March, 1855, by the Senate and House of Representatives of Louisiana of "An act to establish quarantine for the protection of the State," marked a new era in the history of sanitation and quarantine in this State, and up to the present moment the great principles embodied in the twenty-nine sections of this act have not been withdrawn. Although some of its provisions have been modified, nevertheless a critical examination will show that such modifications have in many respects impaired rather than strengthened the force of the original act. Thus it has been shown in the annual report of the Board of Health for 1881 (pp. 112-118) that the abandonment of the minimum period of detention of ships from infected ports of ten full days, as ordained by the quarantine act of 1855, and the substitution therefor of the legislative act of 1876, was the direct means by which yellow fever was introduced in 1878.

If the epidemic of 1878 was due to imported pestilence, then said importation was directly and absolutely traceable to the abandonment of a definite period of detention of

vessels at the Mississippi Quarantine Station.

The tariff of inspection fees under the act of 1855 was as follows: "It shall be the duty of the Resident Physician at the Mississippi Quarantine Station to visit every vessel coming from any port and entering the mouth of the Mississippi River. He shall require the captain of every vessel thus inspected to pay the following fees: For every ship, bark or seagoing steamer the sum of twenty dollars, and fifteen dollars for all other vessels.

In the supplementary act passed March 18, 1858, the fees established in section eight

of the act of 1855 were thus modified:

"The Resident Physician shall require, for every certificate thus furnished, the following fees: Every sailing vessel of 1000 tons and over, shall pay thirty dollars (\$30), every ship of 1000 tons or less, shall pay twenty dollars (\$20); every bark shall pay fifteen dollars (\$15(; every brig shallpay ten dollars (\$10); every schooner seven dollars and fifty cents (\$7 50); every steamboat, towboats excepted, shall pay five dollars (\$5); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, ten dollars (\$10); every steamship from Florida, Alabama, Mississippi and Texas, every steamship from Florida, Alabama, every steamship from Florida, every steamship from Florida, every steam ship from other ports shall pay twenty dollars (\$20)."

The bill now before the General Assembly was designed to place all parties on a more equal footing and to remove certain objectionable terms relating to tonnage, and was the natural outgrowth of the complaints of the Maritime Association, which were laid before His Excellency Governor S. D. McEnery, at the extra session of the General

Assembly.

In the bill to fix and regulate quarantine fees at the Mississippi Quarantine Station, the fees have been modified so as to place ships and steamships on an equal footing, to restore the charges on barks to the original figure in the act of 1855, and also to permit of night inspection at the option of the master of the vessel and not upon that of the quarantine officer, upon the payment of double the amount charged for the day inspection.

The act of 1855 imposed a large tax on shipping for quarantine purposes, and under it a larger revenue was collected than has ever been received by the Board of Health since the American civil war, or than could be collected under the provisions of the present bill.

This statement will be conclusively demonstrated by the following record of the fees collected at the Mississippi Quarantine Station during three years preceding and thirteen years following the American civil war.

Fees collected by the Board of Health of the State of Louisiana at the various quarantine stations during a period of three years preceding the American civil war, 1869-81.

Year.	QUARANTINE STATIONS.						
	Mississippi.	Rigolets.	Atchafalaya				
1857	\$33,260 33,403 31,058	\$445 707 1,365	\$1,160 210 847				

Fees collected by the Board of Health of the State of Louisiana at the various quarantine stations during a period of thirteen years following the American civil war, 1865-78:

•		Mississippi.	Rigolets.	Atchafalaya
869		\$23,960	\$3,557	\$1,027
870	· · · · · · · · · · · · · · · · · · ·	21,012	2,947	950
871		23,704	255	1,160
872		18,903	817	1,950
873		18.336	1,635	1,989
874		19,280	445	277
875		13,801		
876 ,		19.347	674	40
877		15,109	301	60
878		19.931	93	1
879		18,114	178	22
880		21.872	174	-~
681		18,052	503	1

From the preceding record of the receipts of the Board of Health from the various Quarantine Stations, it is evident that commerce was more heavily taxed and yielded a heavier revenue for the support of quarantine before the recent civil war than at any period following this national calamity.

During the years 1857, 1858 and 1859 the quarantine fees amounted to an annual average of \$34,000, and this sum was cheerfully borne by those engaged in mercantile and commercial and maritime pursuits, whilst in 1882, when the fees amounted to but little more than one-half the sum, and in the face of two years' exemption from yellow fever, the men representing the commerce of New Orleans threaten to institute measures to dafeat the collection of all quarantine fees.

In view of the preceding facts, it is evident that the object of these representatives of the shipping interests of New Orleans is to practically destroy the quarantine system of Louisians.

The resistance to the quarantine system of Louisiana has been instigated and stimulated by the example of Charles Morgan, now represented by Charles A. Whitney & Co.

If these men succeed in their efforts, and accomplish their designs, the port of New Orleans will be practically scaled during the six months of each year, unless the General Assembly of Louisiana shall assume the entire expense of the quarantine system of the State.

In that event the absolute cost of maintaining the quarantine system would vary with the fluctuating value of State warrants.

In the present depressed and deranged condition of the finances of the State of Louisiana, it is difficult, if not impossible, to make any estimate of the probable cost to the taxpayers of Louisiana of maintaining an efficient quarantine.

Another point worthy of note is that owing to the substitution of steam for sailing vessels and the progressive increase in the size of vessels coming to this port, the quarantine fees will progressively diminish in number and the means of the board for the exclusion of foreign pestilence, etc., will consequently be curtailed.

This point will be illustrated by the following table, giving the arrivals of sea-going vessels and steamboats at the port of New Orleans each year—1847 to 1859:

TABLE SHOWING ARRIVALS OF SEA-GOING VESSELS AT THE PORT OF NEW ORLEANS, EACH YEAR, 1847-1853—VESSELS FROM SEA.

YEAR.	Steam- ships.	Ships, Barks.	Brigs. Schrs.	Steam- boats.
1847-48	206	1926	795	2977
1848-49		1597	456	2875
1849-50	147	1379	666	2784
1850-51	190	1250	704	2918
1851-52		1465	673	2778
1852-53		1524	596	3252
1853-54	204	1266	475	3076
1854-55	225	1166	426	2763
1855-56	234	1510	399	2956
1856-57	212	1281	441	2795
1857-58	247	1250	388	3264
1858-59	300	1289	409	3259

From this table there appears to have been a decrease in the arrivals of sea-going vessels of all classes, except steamships, in which a wholesome degree of progress was exhibited from 1857-1859. The decrease referred to, however, is only in number. The vessels coming to this port have been of a larger class from year to year, and the arrivals have exhibited a large increase in tennage, as will be seen from the following table:

NUMBER AND CLASS OF VESSELS PASSING THE MISSISSIPPI QUARANTINE STATION, 1880-1881.

	Steam- ships.	Ships.	Barks.	Brigs.	Schre.	Total.
1880		121	356	39	141	1271
1881		106	262	35	141	1132

We thus observe a progressive decrease in the number of small vessels entering the Mississippi River, whilst the actual tonnage increases within those limits determined by the depth of water, and the size of the cotton, grain and sugar crops of the Valley of the Mississippi.

The actual number of vessels entered at the United States Customhouse, in 1880, was 1344, with a tonnage of 1,375,210; average tonnage 1023. In 1881, 1002 vessels, tonnage 1,123,873, average 1121 tons.

Before the recent civil war the average tonuage of vessels entering the mouth of the Mississippi River ranged from 374 to 873 tons, whilst in 1880 the average tonuage was 1023.

Small and insignificant as the quarantine fees now are, they will, from these causes, progressively decrease.

We have, in the last place, to examine the charge that the exaction of quarantine fees for the protection of the State and Valley from the importation of foreign postilence by the sustentation of a proper system of quarantine, tends directly to cripple and destroy commerce.

The following table presents a view of the imports and exports of New Orleans during the present century, 1805-1860:

IMPORTS AND EXPORTS OF NEW ORLEANS, 1805-1860,

YEAR.	Exports.	Imports.
1805	\$3,371,545	· · · · · · · · · · · · · · · · · · ·
1906	3,887,323	
	4,390,555	
1808		
1809		1
1810	1.890,652	1
1811		
1812		1
1813	1.045,153	
1614		
1815		
1816	5,602,948	
1817		1
1818		
1819		
1890		
1891		\$3,379,717
1822		3.817.238
1823		4 283,125
1824	7,928,820	4,539,769
1895		4,290,034
1696	10,284,380	8.165,591
1627		4.531.645
1828	11.947.400	6.917.881
1839		6,857,909
1830	1 15,488,699	7,599,083
1831		9,766,693
1832		8,871,653
1833		9,950,505
1834		18,781,809
1835		17,519,814
1836		15,117,649
1837		14,029,919
1838		9,496,808
1839		12,864,942
16 40		10,677,190
1941		10,256,350
1849	28,404,149	8,033,591
•		
1850		10,760,499
1851		19,800,000
1859		19,800,000
1863		13,654,113
1854		14,402,050
1855	55,400,711	12,923,008
1856		17,183,397
1857	91,514,296	94,981,150
1858		19,586,013
1859	101,634,959	18,349,516
1800		90,920,849

From the preceding table it is evident that during the ten years extending from 1805 to 1815, inclusive, the increase of trade by no means corresponded with that of the population. On the contrary, a large falling off was exhibited even before the commencement of the war of 1812-15.

The close of the war, however, inaugurated a new era in the commercial history of New Orleans. The exports increased from \$387,000 in 1814, to \$12,918,000 in 1818.

This wonderful advance, however, was checked, and a large falling off was exhibited during the next six or seven years, although the average largely exceeded that of any previous period of ten years.

From 1820 up to the commencement of the civil war (1820 to 1860 inclusive) the increase of trade and population of New Orleans was remakable.

It is worthy of note that when the quarantine was established in 1855, the total exports were \$55,400,711, and the imports \$12,923,608, while four years after, in 1860, the exports reached \$101,634,952, and the imports \$18,349,516.

During the wonderful increase of the commerce of New Orleans, under the operations of the quarantine act of 1855, which embraced the essential conditions of the quarantine of this day, the revenue derived from quarantine was almost double that of any year following the American civil war.

The following table will show still further that the quarantine system of Louisiana, so far from being a burden upon commerce, has fostered and promoted it:

^{*} From 1843 to 1849 inclusive, the exports of foreign and domestic merchandise averaged about \$40,000,00 0 the average of the imports from foreign countries was barely \$2,000,000.



TOTAL VALUE OF COMMODITIES EXPORTED AND IMPORTED AT NEW ORLEANS FOR THE FOLLOWING PERIODS.

Year.		Exports.	Imports.
1871		\$101,385,257 98,532,797 95,950,949 100,830,307 87,974,797 76,695,700 81,387,836 70,970,563 74,366,388 81,105,682 109,588,366	\$17,705,650 18,333,530 30,060,377 18,965,587 13,472,468 11,637,168 9,634,983 11,340,751 8,795,751 8,250,606 11,800,977

From the preceding statistics it is evident that under the direction of the present Board of Health the foreign commerce of New Orleans has been greater than at any period since the close of the civil war—1861-1865; and that, with the exception of the year 1860, New Orleans actually enjoyed a larger commerce in 1880, during the action of

the present quarantine law, than in any other year from her foundation in 1718.

All the great canitary and quarantine measures of the past twenty-seven years in Louisiana may be directly or indirectly traced to the act "to establish quarantine for the protection of the State," approved by P. O. Hebert, Governor of the State of Louisians,

on the fifteenth of March, 1855,

During the preceding 156 years of the existence of the colony and State of Louisiana, the sanitary and quarantine efforts by the State and people were spasmodic, unsatisfactory and of short duration, and at frequent intervals the people were decimated by foreign pestilence imported by maritime men and immigrants.

The exports of 1880 reached \$102,528,376, and the imports \$11,809,977; total exports and imports \$114,338,353. The total amount collected from this vast sum for the protection of the commerce and trade of New Orleans and the Mississippi Valley was \$21,872.C an this paltry sum, barely sufficient to keep the quarantine establishments, guarding some 500 miles of the coast, be regarded as a tax on commerce—a burden destructive to the growing commerce of New Orleans? The internal or interstate trade of New Orleans now exceeds, annually, two hundred million dollars; the preservation of the trade depends absolutely upon an efficient quarantine guarding the approaches to the Mississippi Valley from the Gulf of Mexico. New Orleans will become a great manufacturing centre for cotton, tobacco, jute and sugar, provided pestilence is kept away by a rigid system of quarantine and by an equally rigid system of domestic sanitation.

If yellow fever is allowed to enter in May or June or July, the port will be hermetically and the system of the control of the

cally sealed until the disappearance of yellow fever. During this period, which may last as long as six months, there will be, practically, non-intercourse with surrounding States, and all manufactories will be closed, as there will be no possibility of shipping manufactured articles. No system of manufactures, however well ordered, can sustain such periods of inactivity.

These facts relate solely to the mercantile and money view of this question. Truly, when we further consider that during the years 1853, 1854 and 1855, New Orleans lost 12,780 of her citizens by yellow fever, an imported postilence, and that only four years ago she lost 4056 souls, and about \$15,000,000, by this same scourge, the necessity of the most thorough and stringent legislation with reference to quarantine fees is clearly perceived.

The State of Louisiana has a right to demand that commerce, which benfits the entire Valley, and derives its richest rewards from the cotton, sugar and grain of these great Southern and Western States, shall pay a sufficient amount for such a system of inspection and disinfection and quarantine as will prevent the introduction of foreign pesti-

With great respect, I have the honor to remain your obedient servant JOSEPH JONES, M. D.,

President Board of Health, State of Louisiana.

The preceding letter was illustrated by statistics, giving the main facts and figures relating to the commercial history and progress of population in Louisiana.

GENERAL CONCLUSIONS.

1. The minimum length of quarantine detention should be definitely fixed by enactment of the General Assembly of the State of Louisiana.

All nations and States, holding commercial relations with New Orleans, should have at all times a firm basis for calculation as to the minimum period of quarantine detention of ships from infected ports.

The impertant subject of minimum period of quarantine detention should not be left to the accident of political changes, or to the varying powers and influence of commerce,

or to the changing caprice of popular opinion, prejudice or fear.

In the immediate presence of pestilence the people are timid, and prone to demand the unreasonable and even barbarous measures dictated by abject fear and absolute devotion to self-preservation, and it has been too often the case that the most liberal, enlightened and fearless of the medical prefession have been powerless either to control, direct or breast the storm of popular terror, indignation, prejudice and abuse.

2. The minimum period of quarantine detention of vessels from infected ports, at the

mouth of the Mississippi River, should not be less than ten (10) days.

If under such a restriction commerce with ports infected with yellow fever is impos-sible, then let the commerce perish, in order that the health and lives of the people of

Louisiana may be preserved and the safety of the surrounding States assured.

Quarantine in Louisiana has failed in excluding foreign pestilence on the one hand, and in establishing confidence in the health authorities of surrounding States on the other hand, because it has been uniformily opposed by the commercial interests, and condemned by members of the medical profession, who have generally been supposed to

be competent to judge of such questions.

The system of quarantine so wisely inaugurated in 1855 has been subject to violent and unreasonable changes, and has been made to suit the changing opinions of the socalled people, as developed in the flerce conflict between private gain and public health. No system of quarantine has been subjected to more violent and sudden changes or to more empirical treatment. Upon the experiments of a few years, those placed at the head of commercial and sanitary affairs jumped to unwarranted conclusions and risked the lives of the people upon the results of crude and illy-devised experiments:

These propositions will be sustained by the following facts:

(a) The act of 1855, "To establish quarantine for the protection of the State," abso-

Intely compelled the Board of Health to fix the number of days of quarantine for vessels liable to it, "not to be less than ten days." See sections 6, 9 and 13.

The minimum period of quarantine detention of ten (10) days is again enunciated in section 3 of the supplementary act, approved March 18, 1258; but we find an important and, in the light of history, a fatal change in the entire system of quarantine detention,

which rapidly developed the abundant harvest of disease and death.

Section 3 of the act of 1858 provides: "That all vessels in a foul condition, or vessels whose crews or passengers are suffering or have suffered while on the voyage from contagious, pestilential or infectious diseases, shall be detained by the Resident Physician at the Quarantine Station such time, not less than ten days, as may be deemed by him песовчить."

Section four of the act of 1858 provides: "That in case of emergency the Board of Health shall have power to issue proclamation of quarantine without reference to the

Governor, and to enact all needful regulations for the enforcement of the same."

An important and, as the events of 1858 show, a fatal modification was made in sec-

tion five, as follows:

"That vessels out ten days, presenting clean bills of health, not having, nor haviny had, sickness on board, and which are not in foul condition, shall be permitted to pass to the city after thorough funigation by disinfecting agents; to effect which purpose the Resident Physician shall detain said vessel as long as he may deem necessary."

In 1855, New Orleans lost 2670 of her citizens by yellow fever, while in 1856 she lost

only 74, and in 1857 199, by the same disease.

ported in November, and 210 deaths in December.

The short experience of two years (1856 and 1857) of comparative immunity from yellow fever, appears to have given power to the opponents of quarautine, and served to obliterate the terrible scenes of 1853, 1854 and 1855, and led the Legislature of Louisians. to enact the important and fatal modification of counting the ten days of detention not at the quarantine stations, but from the point of departure to the port of New Orleans. It is well known that the period of comparative exemption from yellow fever in 1856

and 1857 was immediately followed by the epidemic of 1858, which, in the history of

New Orleans, ranks second only to 1853 in severity, and claimed 4855 victims.

A period of eight years followed of comparative exemption from yellow fever, the deaths being as follows: 1859. 92; 1860, 15; 1861, 0; 1862, 2; 1863, 2; 1864, 6; 1865, 1;

During four of these years (1860-65) the city of New Orleans was excluded from active participation in foreign commerce by the existence and disastrous fortunes of the great American civil war Cholers, however, appeared in 1866, and continued through 1867. receding in its influence as the yellow fever advanced, and again exciting alarm by the number of its victims as the yellow fever subsided, 234 deaths from cholera being reIn 1867 yellow fever appeared in June, and before the end of the year destroyed 3107

of the citizens of New Orleans.

The Quarantine act of 1870 was important, in that it conferred upon the Board of Health the "power to appoint Sanitary Inspectors" in the District of New Orleans and in the City and Parish of Jefferson, "in lieu of the four health officers now appointed by the Council of New Orleans," and we find, also, that in accordance with sections nine and thirteen, of the act of 1855, the number of days of quarantine of vessels liable to it was fixed, "not to be less than ten days." It appears, however, that practically the

period from port to pert was counted in the ten days,

b. The empirical use of carbolic acid for the arrest of the spread of yellow fever in New Orleans led to most important modifications in the quarantine system of Louisiana, and to such modifications may be traced the wide-spread and fatal epidemic of 1878, as

well as the epidemics of 1873 in Memphis and Shreveport.

Carbolic acid appears to have been first used for the "arrest of yellow fever" as a "disinfectant" during the memorable epidemic of 1867, under the direction of S. E. Smith, M. D., President of the Board of Health. Yellow fever appeared in June. The first case died in the Charity Hospital on the tenth of this month.

Dr. Smith states that "Every house where a case was reported as having occurred was, under the direction of the health officers, cleansed and fumigated with sulphurous acid gas and carbolic

acid. The premises, likewise, were subjected to the provisions of the health ordinance, and the privies purified with the sulphate of iron."

Dr. Smith held that "The slow development of the cause of the fever, its apparent temporary suspension in particular localities, the exceeding mild character of the disease, leads to the hope that it may be kept in check, if not entirely eradicated, in the

first cases, by the prompt application of disinfectants."

At this time Professor E. S. Lewis, Health Officer of the Third District, expressed himself as in favor of the carbolic acid disinfection for the arrest of yellow fever. Professor Lewis says: "The number of houses disinfected of yellow fever from the middle of August to November 1 was about 300. These houses were not only fumigated and disinfected with sulphate of iron, in solution, but were pumped from top to bottom with car-bolic acid, which impregnated the atmosphere for some distance off. This was repeated as often as new cases occurred."

Notwithstanding these measures the disease became epidemic. An immense number of cases occurred, and 3107 deaths were reported as directly caused by yellow fever, in addition to 990 deaths caused by the various forms of paroxysmal and continued fevers.

With the overthrow of the Democratic party by the action of the so-called reconstruction acts, and with the installment of the Republican party, the sanitary affairs came into the hands of Dr. C. B. White, late Sanitary Director of the New Orleans Auxiliary Association.

In 1869 only three deaths were recorded as due to yellow fever.

During the summer and autumn of 1870 the deaths from yellow fever, as reported by the Board of Health, numbered 587; but it is worthy of note that other forms of fever, chiefly malarial fever, caused 591 deaths; total from fevers in 1870, 1178; of this number 211 were recorded as due to pernicious and congestive fevers. The lavish use of carbolic acid by the Board of Health for the "arrest of yellow fever" is well known, and the total sums of money expended have been before recorded. total sums of money expended have been before recorded. total sums of money expended have been before recorded. According to the published statement of the President, all cases that came to the knowledge of the Board of Health were treated by the free use of such disinfectants as chlorine, sulphurous acid, carbolic acid and lime.

The monthly mortality by yellow fever was as follows: August, 3; September, 231; October, 242; November, 106; December, 5; total, 587. In other words, yellow fever followed its usual course of rise and decline, and the heaviest mortality occurred in the month of October, after the thorough installation of the carbolic acid disinfection.

In 1871 the cases of yellow fever reported were 114 and the deaths 54; the disease was chiefly confined to the Fourth District, but sporadic cases occurred in other portions of the city, as in numberless other years, in this and other Southern cities, in which neither carbolic acid nor any other disinfectants were used. In 1871 the disease was still more limited, only 83 cases and 39 deaths having been officially reported.

In 1873 the first case of yellow fever occurred on board the Spanish bark Valparaiso. According to the statement of Dr. C. B. White, President of the Board of Health. "This bark left Havana June 15, in ballast, and arrived at quarantine, on the Mississippi River, June 14, and was detained there two days, after which she was released and permitted to come to the city, arriving June 26." The mate, Arua, was taken sick with yellow fever on the fourth of July. It is evident, therefore, that if this bark had been held at the Mississippi Quarantine Station for ten full days, according to the laws of Louisiana, not only would New Orleans have escaped the fever, but Memphis and Shreveport would have, in all probability, secaped the terrible epidemic of 1873. Of the 388 cases and 226 deaths the monthly record was as follows: July, 8 cases, 3 deaths; August, 40 cases, 19 deaths; October, 135 cases, 79 deaths; November, 22 cases, 17

Yellow fever followed its usual course, increasing up to a certain period, and then declining with the fall of temperature, and ceasing with the appearance of frost. No connection between the decline and cessation of this disease and the vast amounts of

carbolic acid used for purposes of "disinfection" could be traced.

In 1874 Dr. Alfred Perry instituted what he called a new plan of disinfection at the Mississippi Quarantine Station, from June 16 to October 31, and affirmed that "this disinfection was more complete than has ever before been performed anywhere in the world." The essential portion of this system of disinfection consisted in forcing the sulphurous acid gas, resulting from the burning of sulphur in an iron furnace, down the hold of ships by means of a wind blast or blower. Dr. Perry held that whilst in 1871 yellow fever was imported into New Orleans through the quarantine by the brig Hope, and in 1872 by the steamship Havana, and in 1873 by the bark Valpuraiso, that no yellow fever came through the quarantine during this period of service (June 23 to October 13), although it was brought in by the bark Queenstown, October 16, after his disinfection had ceased.

The results of the experiments of Dr. Perry were received as conclusive by the President of the Board of Health, by the Chamber of Commerce, and by a considerable portion of the Medical Profession, and the Legislature was petitioned to abolish the specific period of detention.

The Hon. G. W. R. Bayley read an elaborate defense of the system of disinfection practiced by the Board of Health, and thus defines the theory upon which the Board of Health acted:

"The theory that yellow fever is propagated by germs from infected centres, along surfaces in all directions, and that it is not conveyed in the atmosphere otherwise, seems best to explain its phenomena. The disease is local and must be destroyed, and its spread prevented by local remedies. Carbolic or phenic acids bill in loco parasites (or germs) of both systems '—animal or vegetable—as announced by Professor Gritzier, of Paris, in 1874.

"The New Orleans Board of Health have since, and including 1870, acted upon this knowledge—only recently discovered elsewhere—and applied carbolic acid to germ-infected surfaces, and to surfaces surrounding infected centres or surfaces, for the purpose of destroying and preventing the multiplication and dissemination of yellow fever disease germs, and knowing that it would 'kill in loco' all germs, whether animal or vegetable, with which it came in contact, and that none of them could cross such a disinfected surface."

The President of the Board of Health, Dr C. B. White, in his Annual Report of 1875, says:

"The paper of Hon. Mr. Bayley, of this Board, read before the Chamber of Commerce of this city, and the resolutions adopted by that body are of special interest, as both, based upon the supposed advances in theory, method and results of disinfection will be brought before the Legislature to essentially modify the definite time—detention feature of existing quarantine laws."—Annual Report, 1875, p. 15.

RESOLUTIONS OF THE CHAMBER OF COMMERCE.

"Resolved, by the Chamber of Commerce of New Orleans. That the system of disinfection to prevent the propagation and apread of infectious diseases in our city, practiced with so much apparent success since 1870, should be continued and encouraged by the State authorities; also, that the efforts of the Board of Health to prevent epidemics are approved and commended."

"Be it further Resolved, That this Chamber recommends to the present Legislature to grant authority to the Board of Health to permit, at its discretion, the passage of vessels from infected ports to the city, after the same have been satisfactorily and thoroughly fumigated and disinfected, in lieu of the prescribed time-detention called for by the existing quarantine law."

The following petition to the Board of Health, in regard to quarantine, is a remarkable document, and was published in the New Orleans Medical and Surgical Journal (new series), vol. 2, 1874-5, pp. 960-964:

NEW ORLEANS, April 26, 1875.

To the President and Members of the Board of Health of the City of New Orleans:

Gentlemen.—The undersigned, practicing physicians of the city of New Orleans, beg leave to submit:

1. That after many years of experiment, it has been clearly proven that quarantine does not protect this 2. That the commerce of this city upon which her prosperity and the livelihood of more than half of her population, directly or indirectly depend, must continue to be most seriously damaged by the repetition of said quarantine.

In view of these facts, we pray your honorable body not to recommend in future the imposition of any greater restriction upon vessels arrived from infected ports than to require them to be disinfected at the quarantine stations, and to remove to hospital at the same points any cases of yellow fover which may exist on board; the detention for this purpose not to exceed twenty-four hours, and unaffected passengers, in the meantime, allowed to proceed to the city.

(Signed)

(Signed)
T. Alpuente, D. M. P., 142 Roysl street.
A. Foster Axson, M. D., 178 Annunciation street.
B. B. Beach, M. D., 15 Claiborne street.
C. Beard, M. D., 14 Dauphine street.
S. M. Bemiss, M. D., 558 St. Charles street.
Henry Bezou, M. D., 144 Dumaine street.
C. J. Bickham, M. D., 710 Magasine street.
W. P. Brown, M. D., 603 St. Charles street.
J. Borde, D. M. P., 130 Customhouse street.
D. Warren Brickell, M. D., 14 Dauphine street.

J. N. Folwell, M. D., 321 Carondelet street. Edward Harrison, M. D., 112 Canal street. Alexander Hart. M. D., 19 Camp street. F. Hawthorn, M. D., University Building. D. C. Holliday, M. D., 112 Camp street. A. C. Holt, M. D., 242 Felicity street. O. Howard, D. M. P., 117 Royal street. Wm. E. Kennedy, M. D., 168 Julia street. T. S. Kennedy, M. D., 168 Julia street. P. A. Lambert, D. M. P., 117 Royal street.

A. Capdeville D. M. P., 449 St. Charles street.
J. Carter, M. D., 694 Magazine street.
John J. Casetellanos, M. D., 72 Orleans street.
S. E. Chaillé, M. D., University Building.
Alcée Chastant. M. D., 485 Magazine street.
J. P. Davidson, M. D., 484 Magazine street.
J. P. Davidson, M. D., 242 Prytania street.
D. H. Dennis, M. D., 242 Prytania street.
D. H. Dennis, M. D., 245 Baronne street.
E. DeBlano, M. D., 159 Dumaine street.
C. Faget, D. M. P., 159 Burgundy street.
J. A. C. Fisher, M. D., 168 Felicity street.
H. D. Schmidt, M. D., 90 North Rampart street.
B. Scratchley, D. M. P., 377 Dryades street.
E. T. Shepard, M. D., 1140 Magazine street.
E. Souchon, M. D., University Building.
Benjamin Stillé, M. D., 204 Prytania street.
C. H. Tebault, M. D., 469 Baronne street.
C. H. Tebault, M. D., 469 Baronne street.
J. Trudean, M. D., 132 South Rampart street.
Charles Turpin, D. M. P., 41 North Rampart street.
J. T. Wiendall, M. D., 304 Rayou road.
S. S. Wood, M. D., 768 Magazine street.
The New Orleans Medical and Surgical Journal, edited by S. M. Bemiss, M. D., Vol. II, New Series, and Surgical Journal not only published the

The editor of the New Orleans Medical and Surgical Journal not only published the petition to the Board of Health in regard to quarantine, "in order to exhibit the sentiment of a large number of our leading physicians in respect to the true value of quarantine," but strongly indorsed the same by his signature and by a special editorial, from which we extract the following:

"As an illustration of the drift of medical opinion, it is a movement which cannot be too highly estimated "As an illustration of the drift of medical opinion, it is a movement which cannot be too highly estimated. Whatever of wisdom—whatever of actual benefit to man in a sanitary point of view may have been accorded to the practice of quarantine in former days, we are forced to admit its entire infeasibility and impracticability at the present time. The folly exhibited by attempts to blockade the great natural highway of commerce, which the Mississippi river affords, and yet permitting unrestricted ingress of persons and families by the general railways which centre here, is too apparent to require discussion.

Recognizing these truths, the medical profession desire to do away with restrictions on commerce which render no compensation in the way of protection against disease. What other means of protection do we propose to substitute? Surely nothing promises such good results as those measures which are practiced under the term 'disinfection.'

under the term 'disinfection.

The good results ascribable to the use of disinfectants point to this method as the proper substitute for

"The good results ascribable to the use of disinfectants point to this method as the proper substitute for quarantine.

"The medical profession of this city includes a member whose experience, accurate chemical knowledge, great seal and ingenuity in the application of means, qualify him most admirably for attaining the best results possible to be reached by disinfection. I refer to the gentleman who during the last year did himself so much credit in this kind of service. If an epidemic seems imminent on account of threatened approach of yellow fever, his employment, with a carte blanche as to the means to be used, would afford a satisfactory test of the amount of benefit to be obtained by disinfection.

"The quarantine laws of Louisiana demand revision and alteration. It is strikingly absurd to attempt to settle by legal enactments questions which are still subjudice at the bar of science. This absurdity must be charged against any statute which expressly provides that members constituting a scientific commission shall hold to one or another opinion in regard to unsettled questions connected with thair duties. The explanation of this curious feature in the statute must be found in the fact that it was passed shortly after the great epidemic of 1858, when people were bewildered in regard to the best mode of securing exemption from such fearful plague. In the matter of fixing the duration of detention at quarantine they" (the members of the Board of Health) "possess some powers, but the law explicitly states the period shall not be less than ten days "—[New Orleans Medical and Surgical Journal, edited by S. M. Bemiss, M. D. Vol. II, N. S., pp. 960–962.

11, N. S., pp. 960-962.

4. The combined efforts of the Board of Health, the Chamber of Commerce and the large number of our leading physicians," led to the enactment of the following law, in which the great scientific fact that the poisons of specific diseases act in accordance with definite laws, and after introduction into the system require a certain period (period of incubation) for the manifestation of their characteristic and recognizable phenomena was ignored. Small-pox has its period of incubation as well as the vaccine virus, and yellow fever most generally manifests itself within from two to nine days after exposure

The framers of the Quarantine Act of 1855 were, therefore, wanting neither in science nor experience, but recognized a well-known law of disease, and wisely framed their ordinance for the protection of the State of Louisiana and the Valley of the Mississippi

from foreign pestilence, by including as an essential element of quarantine, a period of minimum detention of ten days at Quarantine Station.

The advanced Sanitarians and Legislators of Louisiana, in 1876, condemned these "obsolete and absurd notions," developed by the careful observations of such men as Rush and Jenner, and upon the results of five years' experimentation with carbolic acid, and a little less than five months' trial with a "new process of disinfection" at the Missis-

sippi Quarantine Station, substituted the following:

AN ACT to authorize and empower the Board of Health of the State of Louisians to detain and disinfest, and to pass after disinfection, vessels from infected ports, and from Quarantine Station, in lieu of a time of quarantine detention, in certain cases, and to repeal conflicting laws.

SECTION 1. Be it enacted by the Senate and House of Expresentatives of the State of Louisians, in the normal teambly convened, That the Board of Health of the State of Louisians be and is hereby authorized and

ampowered, at its discretion at any time, to cause the deteution at quarantine stations, for purposes of disinfection and famigation, and to disinfect, fumigate and purify any and all vessels from ports in which yellow fever usually prevails, or from ports where other contagions or infectious diseases are reported to exist; and after such disinfection, fumigation and purification at quarantine, to permit the passage to the city of New Orleans of such vessels or vessels, without any prescribed time of detention, when it is satisfied that the same have been properly and sufficiently disinfected and purified, so that said vessel or vessels may safely be permitted to pass without damage to the public health or risk of contagion.

SEC. 3 Be if further enacted, etc., That all laws or parts of laws conflicting with this act, be and the same are so far as respects the operation of this act, hereby repealed, and that this act shall take effect from and after its passage.

(Signed)

(Signed) (Signed)

E. D. ESTILETTE, Speaker of the House of Representatives. C. C. ANTOINE,

Approved March 24, 1876.

A true copy:
P. G. DESLONDE, Secretary of State.

Lieutenant Governor and President of the Senate. WILLIAM P. KELLOGG, Governor of the State of Louisiana.

Such measures prepared the way for the great epidemic of 1878.

5. The yellow fever epidemic of 1878 in New Orleans and in the Mississippi Valley was traceable to the introduction of the disease through the Mississippi Quarantine Station, in consequence of the substitution of so-called "disinfection" for the minimum period of detention of not less than ten days.

The late Dr. Samuel Choppin, in his report to His Excellency, Frances T. Nicholls,

Governor of the State of Louisiana, said:

"The Board of Health accepts the theory that yellow fever is a symotic disease, contagious in its nature by the multiplication of its germs, the infecting distance of which is at first short; that it travels on surfaces, and, like the orange, the banana and the sugar cane, is exotic, its cradle being the Antillea. "The experience of 1877 affords valuable teachings in the absence of our wonted scourge. First, it testifies that yellow fever may be entirely destroyed here by the freet of an unusually vigorous winter, from which it follows that this is not an original habitat of the infection. Secondly, it testifies the utility of a suitable quarantine system. Thirdly, it testifies that, by the combined action of frost, quarantine and disinfection when required, we may reasonably hope to keep the mastery over this pestulence, which has made our city a dread to its inhabitants, and an abhorrence to strangers, at incalculable cost to its commercial prometry. " * *

"The advantage of a system of quarantine, with the omission of the objectionable feature of detention, and reliance on inspection and disinfection, was so strongly commended to the Legislature in 1876 as to obtain its legal sanction, and the experience of two years justifies our confidence in its efficiency. Versels arriving from infected ports have been subjected to fumigation by sulphur and the disinfection of the bilges by carbolic acid, while the personal baggage and beds of their crews and passengers have been treated with dilute carbolic acid. This has been continued from the issuance of the Governar's proclamation at the Mississippi Quarantine from June 15 to November 15, 1871, and at the Rigolets and Atchafalaya from June 15 to November 15."—[Annual Report of the Board of Health of the State of Louisiana to the General Assembly for the year 1877, pp. 13-15.

The origin of the fearful epidemic of 1878, which swept up the great Valley, embracing in its deadly coils a space of country extending from New Orleans, on the Gulf of Mexice, to Chattanooga on the East and St. Louis on the Northwest, was thus detailed by Dr. Choppin, in his Report to His Excellency, Francis T. Nicholls, Governor of the State of Louisiana, on January 1, 1879.

Dr. Samuel Choppin says:

'It would be well here to give the early history of the recent outbreak, and what we regard as the most

"It would be well here to give the early history of the recent outbreak, and what we regard as the most probable explanation of its occurrence.

'On the twenty-second of May the sanitary condition of New Orleans was as good as it generally is at that season of the year. Malarial fevers were not more prevalent than usual, and there was not a single case of yellow fever in New Orleans. On the morning of that day the steamship Emily B. Souder arrived and was moored at the foot of Calliope street.

'The first cases of yellow fever at New Orleans in 1878, undoubtedly, were two of the officers of the above steamship, namely: Clark, the purser, and Elliott, one of the engineers. Clark was ill when the vessel reached the quarantine, but man-aged to pass inspection as suffering merely from neuralgia. Quite lately it has transpired, through the inquiries of the Yellow Fever Commission, that he boasted, after rarrival in New triesna, that he had beaten the quarantine doctor.' Be that as it may, he went ashore sick on the morning of May 23, and two days after he died, with symptoms which belong unmistakably to yellow fever, at a honse on Claiborne street, near Conti.

'Blieft sickened after his arrival, and was attended by a private physician at his boarding house, corner of Front and Girod streets, until the evening before his death, without apparently a suspicion on the part of any one that he had yellow fever. Late in the evening of May 29 he was removed to Hotel Dieu, where he died within a few hours. A careful post mortem examination was made by two competent physicians, and the body was subsequently inspected by myself. No one of us three doubted the nature of the disease. "Here it is proper to observe that the only case of yellow fever in New Orleans in 1877 came through the quarantine by practicing deception on the Resident Physician. This man, a passenger on a British steamer, took passage at Havana and sickened before arrival at quarantine. However, he was able to go on deck, and passed inspection while sitting w

Dien, where Elliott died, and in and around the house where Clark died, on Claiberne street. No more cases followed within the period of their apprehended occurrence, and it was supposed the danger was passed.

About the middle of July some cases of a strongly suspicious character came to light on Constance street,

near its intersection with Terpsichore, and in a few days all doubt was removed as to their nature. About the seventh of July a young man by the name of Cohn came to the Touro Infirmary from Gasquet street, between Villere and Marais, presenting strong appearances of velow fever, but he recovered before attention was drawn to Constance street, and his case was considered questionable."

It is not material to the great principle which we wish to establish and enforce, namely: that quarantine based merely upon disinfection without a sufficient period of detention for observation is a delusion and a sham, that we should enter into the discussion of the relations of the epidemic of 1878, to the cases of Clark and Elliott, imported by the Emily B. Sonder, in the month of May (I have elsewhere fully and decidedly expressed my opinion upon this question), but I desire to bring further proof that if the Emily B. Souder did not import pestilence in May, she did import yellow fever in the early part of July, 1878.

The quarantine physicians at the Mississippi Quarantine Station during the events just recorded, and those now to be noted, were, in accordance with the appointment of His Excellency Francis T. Nicholls, Dr. P. S. Carrington, Resident Physician, and Dr. G. Farrar Patton, Assistant Resident Physician, at the Mississippi Quarantine

Station.

Dr. P. S. Carrington and Dr. G. Farrar Patton served at the Mississippi Quarantine

Station from about December 1. 1877, to May 21, 1880.

This period embraces the great epidemic of 1878, during which the yellow fever was introduced through this station into the Mississippi Valle, by the steamship Emily B. Souder.

Whatever doubt may have existed as to the spread of yellow fever from the two cases imported by the Emily B. Souder in May, 1878, no doubt can be had as to the accuracy of the reports to the St. Louis Medical Society on the yellow fever of 1878, which shows that W. P. O'Bannon contracted yellow fever from cases concealed on this ship, about the fourth of July, 1878, and died with all the symptoms of yellow fever, in St. Louis, on the nineteenth of July, 1878.

Dr. A. P. Lankford gives the following information with reference to the case of W.

Dr. A. P. Lankford gives the following information with reference to the case of W. P. O'Bannon, very probably one of the first cases in the United States, and the first or second case in Missouri, and reared in St. Louis, left this city on the steamer Co mmon-

second case in Missouri, and reared in St. Louis, left this city on the steamer Co mmonwealth, for New Orleans, Capt. Shielde, his uncle, in command, late in June, 1878, holding the position of assistant second clerk:

"O'Bannon lived on board the Commonwealth, and while at New Orleans, about the third or fourth of July, went on board the Emily B. Souder, then lying at the levee, notwithstanding the prohibition of his uncle against his going on board any such vessel. The Souder had lately arrived from the West Indies, with a cargo of sugar, and at the time of O'Bannon's visit had two cases of yellow fever on board, which had apparently escaped the vigilance of the authorities.

"It is probable, however, that O'Bannon came into contact with these cases. The Commonwealth lay close to the Souder at the time, and transferred to her deck from the steamship 500 hogsheads of sugar for the Belober Refining Company, in St. Louis. It is not known that O'Bannon went into the hold of the Souder during the process of transferred to her deck from the steamship 500 hogsheads of sugar for the Belober Refining Company, in St. Louis. Thom the time of the transfer until the twelfth of July, involving the entire period of the return trip of the Commonwealth to St. Louis, young O'Bannon who was early 16 years of age, was romping and playing among the hogsheads of sugar, which were on the main deck of the Commonwealth, with his sister and coussin, neither of whom were subsequently affected. He arrived in St. Louis on the night of Thursday, July 11, 1876, and seemed perfectly well on the Sunday following, being seen on that day by Dr. Langford, on a visit to the family. The next day (Monday) he complained of inappetence, and of alight chilly ensations. About 5 p. m. he was found by his mother, after a somewhat proleaged search, under the plano in the parlor, in high fever and profound sleep, from which it was very difficult to arouse him.

"Dr. Lankford being called, saw him at 1 p. m. on July 16. The stuper continued, and the fever

"Dr. Lankford has seen many cases of intermittent fever this past year. He regards these fevers as hav-ing been exceedingly obstinate, requiring the persistent administration of large and frequent doses of qui-nine and arsenic to evercome them and provent recurrence. An unnegably high temperature, and a disposi-Dr. Lankford h

tion to assume a remittent character was common.

tion to assume a remittent character was common.

"Dr. J. R. Bandary saw young O'Bannon, in consultation with Dr. A. P. Lankford, on the third day of
the disease (soventeenth of July). The characteristic ayapptons were stuper, almost simulating come; there
were no convulsions until the morning of the day he died; there was much gastric irritability, with ejection
of glain; matter at first, but the next day black yound was thrown up; the irricous was not marked during
life, except on the last day. The patient complained of intelerable pann in the head, when the stuper remitred occasionally. Towards the end the youiting was very profuse. It here was great jactitation and subsultant, and some convulsions. A blister which had been applied to the nape of the neck became gangrenous. after, and some convalsions. A blister which had been applied to the map of the neck became gangrenous after a few hours. The case in Dr. Bandury a opinion, was indisputably one of typical yellow favor.

19: Randury saw man; cases of malarial two this past year, and regards them as having been vary anusually severe, difficult to manage and strongly disposed toward recurrence.



"Dr. P. G. Robinson, 1523 Olive street, was present at the autopsy of the youth O'Bannen. The patient had all the characteristic symptoms of yellow fever, vomiting black vomit, which was found abundantly in the stomach and intestines after death. The skin was intensely yellow. This secourred a few days after the patient's return from New Orleans, where, as elsewhere detailed, he had gone on beard an infected vessel. From the facts observed on autopsy Dr. Robinson affirmed positively that the case was one of yellow fever. This occurred early in the season, before there was any report of the prevalence of yellow fever in New Orleans

Reports to the St. Louis Medical Society on Yellow Fever, containing the Report of the Committee appointed to Inquire into the Relations of the Epidemic of 1878 to the City of St. Louis, etc. St. Louis: Geo. O. Rumbold & Co., 1879. Pp. 16, 17-34.

6. In view of the preceding facts, it is but reasonable to conclude that if a definite period of detention for vessels from infected ports had been enforced by the Board of Health at the Mississippi Quarantine Station during the months of May, June and July, cases of yellow fever would not have passed that Quarantine Station unobserved.

If the epidemic of 1878 was due to imported pestilence, then said importation is directly and absolutely traceable to the abandonment of a definite period of minimum

detention at the Mississippi Quarantine Station.

The abandonment of the minimum period of quarantine detention, and the substitution instead thereof of "disinfection by the legislative acts of 1876, was the direct result of the recommendations of the Board of Health, the Chamber of Commerce and certain

· leading physicians of New Orleans."

Immediately after the epidemic of 1878, in recording my experience, I said: "One great defect in the Mississippi quarantine system is that there are no arrangements for breaking the bulk of the cargo, and no thorough fumigation of vessels infected with yellow fever can take place unless the bulk is broken. The mere burning of sulphur in pans, or the injection of the fumes, is not sufficient to thoroughly disinfect the vessel.

"Quarantine should not only command all the outlets and inlets to New Orleans, but

all vessels from infected ports should either be excluded, or else the cargoes should be landed at the Quarantine Station, and should be thoroughly fumigated and then transferred to lighters to be transmitted to the city.

* Vessels trading with Southern ports liable to be affected with yellow fever should be constantly under sanitary police. A medical officer should accompany the vessel and superintend the crew in the infected ports, and disinfect the vessel in port and upon the voyage, and see that every prominent sauitary measure be instituted. An imperfect quarantine, such as now exists at the inlets of the Mississippi, has been, and will be a sham and a delusion. The question as to the foreign or domestic origin of yellow fever should be determined by an absolute quarantine."
Yellow fever Epidemic of 1878 in New Orleans, by Joseph Jones, M. D. New Orleans

Medical and Surgical Journal, February, 1879, p. 616.)
7. Holding the opinions just quoted with reference to the yellow fever epidemic of 1878, and with reference to the necessity of a fixed period of quarantine detention, after my election as President in April, 1880, I urged upon the Board of Health and His Excellency Governor Louis A. Wiltz the importance of conforming to that portion of the Quarantine Act of 1855, that vessels coming from ports where pestilential, contagious or infectious diseases were prevailing, should be subjected to a detention at the Quarantine

Stations of not less than ten (10) days.

The exact language which I held was this: "All vessels from any place where disease subject to quarantine (pestilential, contagious or infectious diseases) existed at the time of their departure, or which shall have arrived at any such place and proceeded thence to New Orleans, or on board of which during the voyage any case of such disease shall have occurred, arriving between the first day of May and the first day of November, shall remain at quarantine not less than ten days, and shall perform such and further quarantine as the Quarantine Physician and the Board of Health may prescribe; unless the Quarantine Physician with the approval of the Board of Health, shall sooner grant a permit for said vessel or cargo, or both to proceed."

The Board of Health, however, declined to recommend any specific period of quarantine detention, and the Governor accordingly issued the following proclamation:

STATE OF LOUISIANA, EXECUTIVE DEPARTMENT.

Whereas, Section 3640 of the Revised Statutes of the State of Louisians, approved March 14, 1870, provides that the Governor shall issue his proclamation, upon the advice of the Board of Health, declaring any place where there shall be reason to believe a pestilential, contagious or infectious disease exists, to be an infected place, stating the number of days a quarantine is to be performed by the vessels, their passengers, officers and crews, coming from such place or places.

Now, therefore, in pursuance of the provisions of the statute aforesaid and on the recommendation of the Board of Health, I, Louis A. Wiltz, Governor of Louisians, have thought proper to issue this my proclamation, declaring that vessels arriving from and after the tenth day of May, 1880, from the following ports known to be infected with yellow fever, viz: Vera Cruz and Rio de Janiero, and the officers, crews, passengers and cargoes arriving from the above named places, or having touched or stopped at any of them, shall be subject to such detention and quarantine as the Board of Health may direct.

And I do hereby direct the proper officers at the Quarantine Station to rigidly enforce the execution of this proclamation, and any violation of the laws of this State on this subject matter to be vigorously procedured.



In testimony whereof I have hereunto set my hand and caused the seal of the State to be affixed, at the city of New Orleans, this fourth day of May, in the year of our Lord one thousand eight hundred and eighty, and of the hundred and fourth year of the independence of the United States of America.

By the Governor:

WILL A. STEONG, Secretary of State.

The period of detention was left indefinite and dependent upon the action of the Board of Health, and in consequence this proclamation did not secure that measure of confidence in surrounding States which was to be desired.

At the earliest practicable moment this subject was again urged upon the attention of the Board of Health, and a resolution on the twelfth of May, was unanimously

adopted to the following effect:

"SEC. 6. All vessels from ports in which yellow fever is prevailing, or from ports where other contagious or infectious diseases are reported to exist, shall be detained, for observation, disinfection, purification and fumigation, not less than seventy-two hours, or such length of time as the Board of Health may determine."

Under this rule all vessels liable to its application were detained not less than three days, and in all cases in which the public safety appeared to demand it, they were held

from ten to twenty days.

The quarantine officers were directed never to release such vessels in less than three days, and in all cases where the public safety demanded it to hold them subject to the orders of the Board of Health.

The occurrence of the cases of fever on board the bark Excelsior in July led to the

extension of the quarantine.

In 1881 the Governor issued his proclamation according to law and in accordance to the recommendations of the Board of Health, that the minimum detention should not

be less than seventy-two hours.

This proclamation was without doubt an improvement upon that of 1880; but in accordance with the prediction of the President, who had urged the establishment of the quarantine according to the original act of 1855, the Board was again forced by the demands of the agents of the surrounding States, and certain maritime and railroad interests, to make the period of quarantine detention not less than ten days.

8. In view of the preceding facts developed by a review of the history of quarantine in Louisiana from 1855 to the present time, I most respectfully urge the passage by the

General Assembly of acts covering the following subjects:

First—The re-enactment of that portion of the act of 1855 which requires that the period of detention shall be not less than ten days.

Second—The modification of the quarantine fees, so as to conform strictly to the con-

Second—The modification of the quarantine fees, so as to conform strictly to the constitution of the United States, and thus place all parties upon an equal footing.

AN ACT to fix and regulate quarantine charges at the Mississippi River Station, to establish a lien and privilege on vessels inspected, in favor of the Board of Health for the same, and to provide for their enforcement and collection by provisions selzure.

SECTION 1. Be it enacted by the General Assembly of the State of Louisiana, That the resident physician at the Quarantine Station on the Mississippi River shall require for every inspection and granting certificate the following fees and charges: For every ship, thirty dollars (\$30): for every bark, twenty dollars (\$30): for every brig, ten dollars (\$10): for every schooner, seven dollars and a half (\$7 50): for every steamboat (towboats excepted), five dollars (\$50): for every steamhly, thirty dollars (\$30).

SEC. 2. Be it further enacted, etc., That the Board of Health shall have an especial lien and privilege on the vessels so inspected for the amount of said fees and charges, and may collect the same, if unpaid, by suit before any court of competent jurisdiction, and in aid thereof shall be entitled to the writ of provisional seisure on said vessels.

SEC. 3. Be it further enacted, etc., That all laws and parts of laws in conflict with the provisions of this

SEC. 3. Be it further enacted, etc., That all laws and parts of laws in conflict with the provisions of this act are hereby repealed, and all laws and parts of laws on the same subject-matter, not in conflict and inconsistent herewith, are continued in full force and effect.

B. N. OGDEN,
Speaker of the House of Representatives.
GEORGE L. WALTON,
President pro tem. of the Senate.
S. D. MCENERY,
Governor of the State of Louisiana.

Approved, July 1, 1882. A true copy:
WILL A. STRONG, Secretary of State.

RESISTANCE OF QUARANTINE LAWS OF LOUISIANA BY MORGAN'S LOUISIANA AND TEXAS STEAMSHIP AND RAIL-ROAD COMPANY.

The action of certain ship owners and maritime agents in resisting the collection of the quarantine fees established by the act of 1855 for the protection of the State against foreign pestilence, has been fully considered by this board, and a large portion of the report of 1882 has been necessarily consumed with a consideration of those questions which are vital to the protection of New Orleans and the Mississippi Valley.



The following communication was addressed to Attorney General J. C. Egan:

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA. New Orleans, November 13, 1882.

Hon. J. C. Egan, Attorney General, State of Louisiana:

Sir—I have the honor to enclose a copy of a petition of the Morgan's Louisiana and Texas Railroad Company against this board, No. 7001 of the docket of the Civil District Court for the parish of Orleans, enjoining this board from collecting any fees under the quarantine laws of the State of Louisiana. This suit is one of several brought by different parties, and unless decided before next summer, will seriously embarrass this board in executing the law, by depriving them of the means of maintaining the ser-The board designs pushing the matter as rapidly as possible, and their attorney has already filed an answer, and had the case summarily fixed for trial on Monday, November 20, 1882, at which time he hopes to try the case. Immediately on its decision in the lower court, it will be appealed to the Supreme Court of the State and placed on the summary docket; the board hopes for a decision in December or January. it be decided adversely to the plaintiffs, it will be taken by writ of error to the Supreme Court of the United States, and the attorney of the board will there endeavor to have its trial advanced, so as to have a final decision before that court adjourns. This can be done under rule 26 of the Supreme The attorney of the board thinks that this can be most cortainly done by the State of Louisiana making itself a party by intervention or otherwise, and refers us to 16 United States Stat. at Large, 176, 301, 15 Wal., 390; 2 Wal., 159, and United States Act 1870. As the question involved concerns the nullity and non-execution of all the quarantine laws of the State, it seems that the State is immediately and directly a party in interest, as in the event of a final decision, ultimately decreeing the laws of the State to be unconstitutional, or even in case the suit should go over until next winter, and the injunction remain pending the Governor would have to convene the State Legislature in extra session to provide means for the maintenance of the quarantine, or else abandon the system entirely, and leave the State and the whole Mississippi Valley a prey to the ravages of infectious and contagious disease by importation.

I, therefore, would respectfully request you to take proper steps to make the State a party to the suit, in order to effect the contemplated purpose. The attorney of the Board, Colonel F. C. Zacharie, who will hand you this, and more fully explain to you the details of the points at issue, will furnish you with a copy of his opinion thereon, and is prepared to fully attend to the matter, and consult with you, and the Board, as well and will be greatly obliged to you if you render what services you can in the premises.

Hoping for an early reply, I am, respectfully,

(Signed) JOSÉPH JONES, M. D., President Board of Health.

From the following statistics, consolidated under the direction of the President, from the archives of the Board of Health, it is evident that the action of Charles Morgan & Co., in 1874, led to the great reduction of the Quarantine receipts; and it is still further evident that at the present time the receipts from Quarantine are inadequate to its support, in accordance with the organic act of the General Assembly.

There has been and will be a progressive decrease in the Quarantine receipts on account of the increased depth of water at the mouth of the Mis-

sissippi River, and the increase in size, capacity and tonnage of vessels and steamships, and the corresponding diminution in their number.

Thus the number of vessels entering the Mississippi in 1860 exceeded

2000, whilst in 1881 there were but 1000 in round numbers.

No more important question could possibly engage the attention of the Board of Health, the General Assembly of the State and the Congress of the United States, than the support and maintenance of the Mississippi Quarantine.

	EXPENDI	TURES FO	=	NTINE		
YEAR.	At Mississippi Quara n'tine Station.	At Rigolete Quarantine Station.	At Atchafalaya Quara ntine Station.	At the Central Office.	Total Expenditures for Quarantine Purposes.	Total Beceipts from all Quar- antine Stat'ns
1869	15,019 85 13,201 28 14,25 19 12,402 84 13,493 73 11,557 10 9,598 59 14,038 97 9,314 71 13,858 80 9,868 21 14,388 91 17,674 47 10,149 39	2,941 32 2,543 21 1,946 35 1,557 08 390 85 1,347 96 929 19 1,559 93 1,790 17 1,536 93 1,536 95	1,474 60 2,259 50 1,308 10 981 00 699 00 190 00 1,320 00 51 80 847 50 711 99 1,134 49 813 83 690 00 460 00	6,254 95 6,679 18 7,546 55 6,437 59 7,103 56 7,080 24 13,775 63 6,543 10 6,519 94 8,790 17 10,104 89 8,294 84 7,372 30 7,529 31	25,690 72 24,683 17 25,060 58 20,716 78 22,853 49 19,906 19 96,042 39 21,296 19 18,069 81 24,230 15 22,707 82 25,217 55 27,273 70 19,665 65	28,545 10 94,910 10 95,119 50 21,971 34 20,003 25 13,901 50 90.061 17 15,471 45 20,094 50 18,355 50 18,555 50 18,486 50

For ten months.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, (New Orleans, January 3, 1892.

His Excellency, S. D. McEnery, Governor State of Louisiana, Baton Rouge, La.:

Dear Sir—I have the honor to enclose, for the information of your Excellency, the outline of the decision of Judge Monroe, issuing an injunction against the Board of Health, and declaring the quarantine system of Lou-

ana, established by the act of 1855, illegal.

The immediate effect of this decision will be to stimulate all maritime men to resist the payment of quarantine fees. The power of this lower court is thus exerted to overthrow the quarantine system of Louisiana. I have directed the attorney of the board to take an immediate appeal to the Supreme Court of Louisiana. In the event that the decision of the lower court is sustained the quarantine system of Louisiana will be practically destroyed, and it will be incumbent upon your Excellency to devise the necessary measures, with the constituted and legal health authorities, for the effectual exclusion of foreign pestilence. In the event that the Supreme Court reverses the decision of the lower court, the attorney of the plaintiff will be, most probably, instructed by C. A. Whitney & Co., to appeal the case for final decision to the United States Supreme Court.

With great respect, I have the honor to remain, your obedient servant,

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

The case of Morgan's Louisiana and Texas Railroad and Steamship Comny, versus the Board of Health of the State of Louisiana, No. 8755. was



able argued by the attorney of the board, Col. F. C. Zacharie, and by Judge A. D. White, Assistant Counsel, before the Supreme Court of the State of Louisiana.

The following able and learned decision of the Supreme Court of Louisiana, sustaining the quarantine laws of the State, and upholding and sanctioning the official acts of the Board of Health in maintaining quarantine, and collecting fees for the support of the same was delivered by Associate Justice Fenner, on the twenty-first of January, 1884, in the city of New Orleans.

QUARANTINE FEES—THEY ARE LEGAL EXACTIONS OF THE STATE, IN PAYMENT FOR SPECIAL BENEFITS—THE QUAR-ANTINE LAWS DO NOT INFRINGE THE POWER OF CON GRESS TO REGULATE COMMERCE.

THE MORGAN COMPANY REQUIRED TO PAY THE FEES OF THE BOARD OF HEALTH-HIGHLY IMPORTANT DECISION OF THE SUPREME COURT OF THE STATE OF LOUISIANA.

New Orleans Picayune.]

The following opinion was delivered by Associate Justice Fenner on Monday.

No. 8755-Morgan's Louisiana and Texas Railroad and Steamship Company vs. The Board of Health of the State of Louisiana. Appeal from the Civil District Court.

Parish of Orleans.

The Act No. 69, of 1832, of the General Assembly of the State of Louisiana, provides that "the Resident Physician at the Quarantine Station on the Mississippi River shall require, for every inspection and granting certificate, the following fees and charges: For every ship, \$30; for every bark, \$20; for every brig, \$10; for every schooner, \$7 50; for every steamboat (towboats excepted), \$5; for every steamship, \$30."

By virtue of other provisions of the quarantine laws of the State, it is made the duty

of the resident physician, or his assistant, to visit and inspect every vessel entering the . port of New Orleans through the Mississippi River. If he finds the vessel free from disease, not in a foul condition, and not from an infected district, he is required to furnish her with a "certificate of health" and allow her to proceed to the city. Vessels in a foul condition or having on board persons suffering or who have suffered during the voyage from contagious, pestilential or infectious diseases, he is required to detain for such time, not less than ten days, as he may deem neccessary, and to employ such means of purification of the vessels as may be directed by the Board of Health, and to require payment therefore from the vessel. Vessels out ten days from infected ports, presenting clean bills of health, not having nor having had sickness on board, and which are not in foul condition, shall be permitted to pass to the city after thorough fumigation by disinfecting agents. Revised Statutes, 3042-3-5.

The practice under these laws is to visit and inspect every vessel, and to require, in every case, the fee prescribed therefor; and in cases where, under the law, the service of disinfection by fumigation is rendered, to require therefor an additional fee of twenty or

twenty-five dollars as the estimated expenses thereof.

Plaintiff is the owner of several vessels plying between the port of New Orleans and various other countries. The object of the present suit is to perpetually enjoin the collection of the fees and charges above mentioned, and to restrain the defendant from detaining the plaintiff's vessels because of their non-payment, on the ground that the laws authorizing the same are null and void because they contraveue:

1. Article one, section eight, para raph three of the Constitution of the United States, which provides that "Congress shall have power " * to regulate commerce with

foreign nations, and among the several States, and with the Indian tribes."

2. Article one, section ten, paragraph three, which provides that "No State shall, without the consent of Congress, lay any duty upon tonnage,"

We shall at the outset disembarrass the case of several questions upon which we heard much learned argument, by laying down certain propositions which we consider clearly settled by the Supreme Court of the United States, to whose opinion on such subjects

we yield our firm adherence.

1. The laws in controversy are in no sense "inspection laws," and can derive no support from that clause of the Constitution of the United States recognizing the right of the States to pass such laws, and to levy duties and imposts in execution thereof. The inspection, duties and imposts intended by that provision referred exclusively to articles of merchandise, and not to vessels. Gibbons vs. Ogden, 9 Wheat., 203; People vs. Com-

pagnie, 13 Reporter, 326.

2. So far as the exclusive power of Congress to regulate commerce is concerned, that power is not infringed by the laws under consideration, unless the fees and charges imposed thereby are in the nature of a duty on tonnage, in which case they would doubtless violate both the general reservation to Congress of the exclusive power to regulate commerce, and also the special prohibition to the States to lay any duty on tonnage. In other respects, the rights of a State to provide for the health of its people by establishing quarantine laws, and to subject vessels entering its ports to proper regulations as to inspection, detention, purification, etc., although necessarily affecting commerce, is, nevertheless, undisputed, subject, possibly, to the power of Congress to interfere and control it in its discretion. Gibbons vs. Ogden, 9 Wheat., 203; Passenger Cases, 7 How., 414; Peet vs. Morgan, 19 Wall, 581.

3. If the fees and charges complained of be of the nature of a duty on tonnage, the fact that they are levied under quarantine laws would not save them from the probibition of the Federal Constitution. Such duties cannot be levied without the consent of Congress, and Congress has never consented, but on the contrary, in its acts of 1799, recognizing the existing quarantine laws of the States, in interposed the express provise that nothing herein shall enable any State to collect a duty of tonnage or impost without

the consent of the Congress of the United States thereto.

4. If the fees and charges be in the nature of a duty the fact that it is laid on the whole ship, and not at the rate of so much per ton, would not of itself exempt it from the Federal prohibition. Steamship Company vs. Poindexter, 3 Wall., 31; State tonnage

tax cases, 12 Wall., 218.

This elimination leaves open, on this branch of the case, the solitary question, whether the fees and charges here involved are duties in the sense of the constitution? It is the well established jurisprudence that there are many forced contributions which government may exact from persons and property which are not considered as taxes, duties or imposts, within the meaning or control of constitutional restrictions upon the power to levy the latter. Such are contributions provided for the constructions of public works for the advantage of particular districts, like levees, drainage, pavements, etc., levied on the property with reference to the supposed benefits derived by the property from the works; contributions provided to defray the expenses of building bridges, erecting causeways, or removing obstructions in a water-course, and like the light duty paid by all nations to the Danes, to be paid by such individuals only who enjoy the advantage; and fees or charges for services lawfully rendered, like wharfage, pilotage and portwarden fees, to be paid by those who receive the services. States vs. Navigation Company, 11 Mart. O. S., 324; Crowley vs. Copley, 2 Ann., 329; Lafayette vs. Orphan Asylum, 1 Ann., 1, and etc.

In the first of the cases above quoted, Chief Justice Martin said that the words, "impost, tax on duty," as used in the consistition or laws, must be confined to the idea which they commonly and ordinarily present to the mind: exaction to fill the public coffers, for the payment of the debt and the promotion of the general welfare of the country—and not to contributions as the supposed equivalent of benefits conferred or services

rendered, like those above indicated.

It is apparent from the face of the laws here attacked that the fees and charges complained of are demanded as compensation for labor performed, expenses incurred and sorvices rendered directly in connection with the vessels, the necessity for which arises colely from the fact that such vessels, in the exercise of an undoubted right, yet voluntarily and in pursuit of their own interests, choose to seek the port of New Orleans, well knowing that they cannot enter said port without first being inspected, and, if necessary, purified in conformity with laws to that extent unquestionably valid. Can it be said that the rendition of these services, by virtue of which alone the vessel is enabled lawfully, to proceed to her destined port, is not a service to the vessel.

It is said that it cannot be considered as a service, because the vessel does not regard it as such, but rather as a burden, and because she does not voluntarily seek or avail herself of it. As to the first point, the question would seem to be, not whether the vessel regards it as a service, but whether it is a service and whether she ought to regard it as such. It seems the plainest development of the primal duty, sicutare two af alternation landers, that a vessel should seek and desire the performance of services the object of which is to prevent the chance of her spreading disease and postilence amongst large populations. She is under the plain obligation, moral as well as legal, to do everything so avoid such risk, and the service which enables her to perform this obligation would seem so be a service to her.

As to the second point that the services are forced and not voluntary, the reliance placed upon the decisions of the Supreme Court of the United States in the wharfage and portwarden cases seems not well founded. In those cases there was no legal duty imposed on vessels to land at the wharves or to receive the services of the portwardens. They had the perfect right to decline these benefits and services and they properly held that a State law exacting contribution for them, whether used or not, was unconstitu-But had it been the legal duty of vessels to land at a particular place in the port of New Orleans, and had the city provided expensive wharves at such places, it is supposed that she would not have had the right to exact compensation for the facilities thus afforded, although vessels landing at the port would have had no option as to accepting the use of them.

Finally, it is claimed that the services rendered under these quarantine regulations are for the benefit of the people of the city and State, and not for that of the vessel. No doubt that is true. It is equally true that the object of the city in building wharves was to benefit its own people, trade and commerce. We deem it unnecessary to consider more at length the objections which have been forcibly urged against the theory that the services in question are rendered to the vessel in such a manner as to justify the exaction of compensation therefor. What we have said sufficiently expresses our views on the subject, and while the question is not free from difficulty, even to our own mind, we are confirmed in our course by the reflection that it leaves the avenue open for correction of any error which we may commit by appeal to the Supreme Court of the United States, whereas if we should err in the opposite direction, the defendants would not be entitled to that remedy.

The broad proposition of plaintiff, that in the exercise of the right to establish quarantine systems, the States are bound to bear all the expenses thereof, and cannot throw the burden, in any manner, or to any extent, upon commerce, has certainly not yet

received the indorsement of the Supreme Court of the United States.

In the passenger cases, Mr. Justice Wayne, summing up, in his separate opinion, his view of what the entire court meant to decide, included, among other propositions, the following: "That the States may, in the exercise of their police power, pass quarantine and health laws, etc., and may, in the exercise of such police power, without violation of the power in Congress to regulate commerce, exact from the owner or consignee of a quarantined vessel, such fees as will pay to the State the cost of detention and purification of the vessel, cargo and apparel of the persons on board."

Nothing in any of the several opinions rendered in the case clashes with this statement

or indicates any dissent therefrom. Passenger Cases, 7 How., 414.

In the case of Peete vs. Morgan, strenuously relied on by plaintiff, the court, after recognizing the right of the States to pass quarantine laws, said: "It is evident that the power to establish quarantine regulations cannot be executed without the State possesses the means to raise a revenue for their enforcement, but it is equally evident that the means used for this purpose must be of such a character as the restrictions imposed by the Federal Constitution upon the taxing power of the State authorize.

It cannot be doubted that the court meant to sanction the right of a State, in its quarantine laws, to raise a revenue for their enforcement, in some way connected with their execution. To suppose that the means to raise a revenue referred to as implied in the power to establish quarantine, meant only the ordinary powers of taxation of the State' own citizens and property, would be to accuse the court uttering a mere manity. can conceive of no other means which could have been in view, except just such exactions of compensation for services as are provided in these laws of Louisiana.

As far as appears from the statement and opinion in Pecte vs. Morgan, the charge there in question was a clear and simple duty on tonnage, levied by the State without any reference to services rendered, and we think it has no application to the instant

case, except in the clause above quoted.

We find nothing inconsistent with the foregoing views in the proviso inserted in the the act of Congress of 1799. That was an act empowering and directing the officers of the General Government to conform to and assist in the execution of the quarantine laws of the States. All or most of the seaboard States had such laws, the nature and mode of execution of which must have been known to Congress. Those laws contained provisions authorizing the exaction of fees and charges for inspection, disinfection, etc., entirely similar to those in the laws of Louisiana. For instance the law of South Carolina, passed as early as 1759, forbade vessels bound for Charleston from infected ports from passing Fort Johnson until visited, inspected and certified by one of certain named physicians, and obliged the owner or master to pay such physicians a fee of £7 10s current money, and, moreover, the expense of the boat and hands to carry down such physician to visit the said vessel and to bring him up again to Charleston.

Nothing in the acts of Congress reprobates such charges, and it must be supposed that the provise forbiding the levy of any duty of tonnage did not refer to charges for services of this character, but was intended to shut outlany implication of a consent

by Congress to the imposition of tounage duties proper.



[B.]
TABULATED EXHIBIT OF MORTALITY FROM SOME OF THE CHIEF FATAL DISEASES IN
THE CITY OF NEW ORLEANS DURING THE FOUR YEARS, 1880 TO 1883, INCLUSIVE.
BY WEEKS.

					18	81.							
WEEK ENDING	Small-Pox.	Yellow Fever.	Malarial Fover.	Diarrheal Diseases.	Phthisis Pulmoralis.	Diptheria.	Croup.	Bronchitis.	Pneumonia.	Congestion of Brain.	Scarlatina.	San-Stroke.	Massics.
	w c.	W. C.	w 0.	w . c.	w. o.	₩. C.	W. C.	w . c.	w. c.	W. C.	w. c.	w. c.	₩.
an. 8			3 1	5 5 1 4 3	17 7 11 11 10 7 11 10	3 1 2	2 1 1	9	5 7 10 14	3 3	5 4 1 2 5	'	
%			2 1 1 1	1 5 3 6 2	11 10 10 5 13 8 10 8	5 2 3 1 3 1	1	9	9 7 3 8 7 6 3 6	1 1 2 1 3 3	6		
96 Ear. 5 19			1 1 4 1 1 1 1 1 2	5	10 5 10 8 10 8 17 5 5 10 17 9 7 21 13	3 1 2 4 2 1 3 1 5 1 1 1 2 1	1	1	3 4 8 3 10 11 5 8	3 1 1	1 1 5 3 1 7 9 9 1 8	••••	3
96 April 9 9 16			2		21 13 10 7 20 8 10 5 10 4 8 12 11 8	2 1	1 1	8 1 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 2 2 3 3 2 2 3 3 3 1 1 1 2 2 3 3 3 3	4 5 6 6 9 4 3 3	i	10 4	1.	1 1 1
13 39 (av 7 15	i		3		11 11 10 7 11 10 7 10 10 10 8 10 8 17 5 10 17 9 7 7 10 7 10 5 10 8 12 11 8 11 13 8 11 13 8 11 13 8	9 9 9 1	2	1 1 1 2 2 . 1	5 7 10 14 29 37 33 88 7 66 33 4 4 5 4 5 4 5 4 5 4 5 4 5 4 5 5 4 4 5 5 4 5 4	3 3 2 5 1	9 2 4 4 4 5 5 6 5 6 4 2 6 5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		1 5 1 3
une 4			9 1 9 1 4 9 6 4	24 9 25 12 34 12 19 13		2 2 1 1		1 1 1 2 1	2 4 2 2	4	6 3 4 1 2	22 7	1
18 18 18 18 18 18			15 4 6 3 5 4	19 10	5 11.	1 1 2 1	1	2	1 1,	14 1 3 9 3 3	3 1 1 2 1 3 1	13 4	1
\$3 \$0 \$6 \$3			19 4 19 3 3 1	5 3	5 11, 12 5, 11 9 7 4 11 5, 8 10 6 8 12 4 5 9 7 3	1, 1 3		1 2	i 2 4. i 1 1, 1	4 3	1 1		
17 3			15. 2 12. H	5 3	2 9 9 7 2 8	* *	. 1	••••	9 1 1	3 I 1 1 3 1	1	·	
94 1 · · · · · · · · · · · · · · · · · · ·			7 10		5 10 5 3 4 6 6 7		i	3 1 1 1 3 1 1	1 5 1 1 1 2 1 3 1	9 1	1		
Nov. 3			8 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1. 2	7 S	1 1 2	 	1 1 1 1 1 2	1 2	3 2 1 1			
19			3. 3 3. 2 3	10 6 3 3 4 4 4 4 6	11 T S S S S S S S S S S S S S S S S S S	1	 1	1 2 1 3 1	1 2 1 3 4 2 4 2 4 2 4	1 2	1		
•					14 9	ì		3 E	3 4 4 11 5 3	··• ;	4	•••	

[C.]

TABULATED EXHIBIT OF MORTALITY FROM SOME OF THE CHIEF FATAL DISEASES, IN THE CITY OF NEW ORLEANS, DURING THE FOUR YEARS, 1880 TO 1883, INCLUSIVE. BY WEEKS.

				1889	2.		•					
WEEK ENDING	Small-Pox.	Xellow Fever. Malarial Fevers.	Diarrheal Discases.	Phthists Pulmonalis.	Diphtheria.	Croup.	Bronchitis.	Pneumonia.	Congestion of Brain.	Scarlatina.	Sun Stroke.	Measles.
Jan. 7	w.c w.	 	w. c.	<u>-</u>	7 · C.	w. c.	W . C.	w. c.	W. c.	w. c.		w.· o
14. 21 22 28. Feb. 4. 11. 18. 25 Mar. 4. 11. 18. 25 April 1	. 0 2 0	0 1 2 3 4 0 0 1 1 1 1 2 0 0 0 1 1 2 1 3 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 11 15 12 16 16 16 18 11 10 10 10 10 10 11 10 11 10 11 10 11 10 11 10 11 11	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 2 1 1 0 0 0 0 0 1 1 1 0 0 0 0 0 1 1 1 1	2 2 1 0 0 3 1 1 0 1	1 0 0 1 1 0 0 0 1 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 0 1 0	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	000000000000000000000000000000000000000
18	0 1 8 4 0 6 5 4	0 0 4	7 1 9 4 5 11 4 2 7 9 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	8 6 1 11 8 4 16 6 4 11 6 2 15 3 0 10 13 2 10 7	1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	7 0 4 1 0 2 9 0 4 3 0 2 1 0 7 1	4 2 2 3 4 4 5 5 6 5 6 5 6 5 6 6 6 6 6 6 6 6 6 6	3 1 3 0 0 2 2 0 2 0 0 5 1 0	1 0 0 0 2 0	0 0	0 0
Total w. and c		4 271 14		0 507 350			76 6				5 6	3
Total	415	4 419	408	857	42	31	140	213	7.3	45	16	3

[D.]

TABULATED EXHIBIT OF MORTALITY FROM SOME OF THE CHIEF FATAL DISEASES IN THE CITY OF NEW ORLEANS DURING THE FOUR YEARS 1880 TO 1883, INCLUSIVE, BY WEEKS.

1883.

					10								
WEEK ENDING	Small-Pox.	Yellow Fever.	Malarial Fover.	Diarrheal Diseases.	Phthisis Pulmonalis.	Diphtheria.	Croup.	Bronchitte.	Pneumonia.	Congestion of Brain.	Soarlatina.	Sun-Stroke.	Measles.
	w. c.	w. c.	W C.	W. C.	w c.	₩. C.	w. c.	w. c.	w. c.	W. O.	w. c.	₩. C.	W. C.
Jan. 6	6 3 1 7 1 4 19 2	B)	6 2 2 2 4	7 9 4 3 7 9 6 3 3 9	14 3 1 2 11 2 10 4	1	1	3 1 1 2 2 3 1 1 5 4 2 2	6 5 9 5 12 4 4 6 6 5 7 4	9 1 1	1 1		
Feb. 3	13 1 10 1 10 3	8	6 1	3 9	11 5	3 2 2 2		.	6 5 9 5 12 4 6 5 7 4 8 6 4 5 1 3	1 1 1 1 1	1 2		1
10	17 3 25 4 20 4 32 5	7 9 0 9 4	46 23 33 4 4 4 4 4 2 5 1 3 3 4 4 3 7 1 9	1 Q .	14 6 3 13 6 1 13 6 1 15 6 1 8	3 2 . 4 1	1	1 4 2 5 3	9 7	1 1	1 2		
21 28 May 5 19	17 9 14 9 13 1	8	3 4 3	4 6 3	3 13 13 15 15 1 8 1 15 1 8 1 1 1 1 1 1 1 1 1 1	8		. 1 1	13 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 4	1	2	1
96 June 2 9 16 23	. 13 9 . 13 9 . 12 3	10 17 13 17	9 4 14	1 10 3 8 2 10 2 11	3 9 5 5	7 5 1 7	1	4	2 3 3 2 2 1	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	1 2	2	1 3
July 7	. 9 . 10 . 11	8	. 4 3 . 4 . 7 12	2 11 1 1 7 4 6 4 3 5 1 4 5 3 3 2 6 3 7	1 8	5 9 4 9 5 1 1 1	1 1	2		1		1	1
Aug. 4	. 6	7	12 3 8 6 11	5 8 3 3 1 1 2 6	2 9 1 13	G 1	1 1	2	1	3 3 3 2 1 2	. 역	8	1
8	3	8	. 14 11 9 9 90 8	3 2 3 5 6 4 7 6	4 12 3 8 1 13 1 2 9 1 13 3 7 1 10 1 3 13 1 9 6 4 7 1 2 9 4 6 1 13 1 10 1 1 1 1 1	6 2 5 1 5 1	1 2	` ¥	2 6 ··		1 1		
Oct. 6	1 2	2	8 10 8 6	5 6 4 4 3 10 5 5	3, 12, 1	0 1 7 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. 2		9 1 4	1		1
10	1 7 3	4 1 3 2	8 6 10 13 7 5 5 8	7 6 7 7 6 4 4 3 10 5 15 15 7 12 9 8	6 11 1 6 13 3 9 4 11 1 4 6 1 1 12	9 1 7 9 4 3		1 4 1 5 5	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		1		
29 29 31	1 2	3	88	8	4 11 14 6 16 1 19 1 5 19 4 1	2	1 .	1 1	10	2 1	1	1	i i
Total w. and c	1966	3 1	330 151 481	301 190 427—	505 35 859	54 15	19 9	169	359	84 92	E	7 4	14 4
Town	****	<u> </u>	1 201			1 44			, 	1	1 40	<u> </u>	

[E.]
TABLE SHOWING TOTAL MORTALITY BY WEEKS DURING THE YEARS 1880 TO 18 3 INCLUSIVE.

, 1890.											1881.				
Work	Ending.	Mo	rtalit	у.	Rate	per 1	.000.	Week	Ending.	Мо	rtalit	7.	Rate	per 1	0 00.
		w.	0.	Total	w.	c.	Total			₩.	C.	Total	₩.	c.	Total
Jan.	4	76	34	110	25,49	32,14	27.24	Jan.	8	R9	41	129	25.25	32.80	
	11	55 65	35	90	18.45	33.09		Į	15	90 61	55	145 98	29.62	50.17	
	18 25	43	32 33	97 76	21 15 14.30	30,25 31,20		l	29	95	37 47	142	20.07 31.26	33.75 42.87	34.18
	1	61	32	98	20.46	30.25	23.03	Feb.	5	68	42	110	22.40	38.31	26.4
	. 8	68	54	192	22 81	51.05		4	12	79	39	118	2€.00	35.57	
	15 92	72 51	30 37	102 88	24.15 17.11	28.36 24.22			19	78 8 2	44 39	122 121	25 67, 26.98	40.14	29.3
	20 29	68	41	109		38.76		Mar.	5	55	39	94	18.10	35.58	
Mar.		46	36		15.43	23.27	20.30		12	93	47	140	30.60	42.87	
	13	45	33		15.09		19.31		19	80	41	121	26.33	37.40	
	\$1 98	54 65	31 44	109	18.28 21.15	29.30 41.60			96 2	87 60	60 49		28 63 19.74	54.73 44.70	
	3	77	35			33.09		Apru	9	86			28.30	41.05	
•	10	72	28	100	24.15	26.47	24.76	i	16	71	42	113	23,36	38.31	27.20
	17	81	33			31.20			93	81	32		26.65	29.19	
	94 1	69 76	38 35	102	22 98 25,49	31.20 33.09	25.25	May	30 · · ·	89 85	47 52		29.29 27.97	42 73 46,69	
	8		50			47.23	30.70		14	113	47		37.58	42.13	
	15	81	45	126	27.17	42.55	31.20		21	102	55	157	33.56	50.17	37.7
	59	96	55	141	28.85	52.00			28	110	55			50.17	
June	99	88 97	50 53			47.2 50.10		June	4	105 119	63 51			56.48 45,79	
o and	12		48			45 34			18	1:15	54			48,61	
	19	70	44	114	23.48	41.60	28.22	ľ	25		50	186	44.65	45.01	44.7
7-1-	96		44			41.60		July	2	79	45			43.21	
July	3	73 66	39 33			26 11 31.20			9	92 82	50 4:			45.01 38.71	
	17	68	39			30.2	24.76		23	75	34			30.60	26,1
	24	60	33		20.63				30	97	41			36.91	
A	31		29 48						6	53 73				36.0 (25.20	
Aug.	7		2						20		26			38.71	
	21	71	34	6 107			7 25.7		97				23,96	34.20	
	₽		3					Sopt		67	4:	112	21.99	40.51	
Sept.	11		40			38.30			10	53 55				36.91 34.20	
	18		5						24					36.9	
	25	. 72	່ 3ଶ	201	23,54	29.1		Oct.	1	56	43	99		38.7	
Oct.	2		3:		23.22				8	66				81.50	
	9		49						23					23.40	
	23		3						29	66				40.5	
	30	. 89	21						. 5	64		93	21.01	26.10	
Nov.			3.						19					54.0	
	13	86	3						19 26					46.11 45.11	
	27	84	4					Dec.	3			136	27.58	46.	
Dec.	4	. 71	8.	7 98	23.22	24.6	3 23.59		10			102	22.65	29. (
	18	49	30						24	70				33.	
	25	53	4:						31	67				46. 27.	
	31	66	4		25.39			3							-
_				-		-	1		tals	4197	227	6400	25.79	38.	5 29 .3
Ta	tale	.' 3637	198	8 5623	22.96	34.8	8t 26.0	LII		•	-				-

[E-Continued,] TABLE SHOWING TOTAL MORTALITY BY WEEKS DURING THE YEARS 1880 TO 1883, IN-CLUSIVE.

			1882,		-						1883,			•	
Week	Ending.	Ме	ortalit	у.	Rate	e per	1000.	Weel	k Ending.	М	ortalit	y .	Rate	per 1	1000,
	•	w.	c.	Total	₩.	· c.	Total			w.	c.	Total	w.	0.	Total
Jan.	7	81	49	130	26.59	44.11	31.27		6	116	47	163	37 96	41.27	
-	14 21	60 61	36 38	96 99	19.69 20.02	32.41 34.21	23 09 23 81	Ì	13 20	81 101	39 57	190 158	25.74 49.44	33.89 36.75	27.91 32.10
	28	37	50	107	18.71	45.01	25.76	lj.	27	63	53	116	20.02	45.97	26.98
Feb.	4 11	59 60	39 28	98 88			23.57 21.12	Feb.	3	102	69	171	39.42 29.56	59.85 49.44	
•	18	67	49	116	21.99	44 11	27.98		17	93 96	57 51	150 147	30.51	44.94	
	25	70	31	101	22.32	27.90	24.30	8	24	77	67	144	24.47	58.12	33 49
Mar.	4 11	64 59	42 37	106 96	21.01 19.37	37.81 33.31	25.50 23.11	Mar.	3	71 71	53 74	194	22.57 22.56	45.97 64.18	28.84 33.79
	18	60	34 34	114	20.02		27.42		17	80	92	145 179	25.42	78 80	42.56
	25		48	109	20.03	43.21	26.22	1	24	104	75	179	33.05	65.05	41.63
Apr.	8	50 69	53 55	103 124	16.41 22.65		24.78		31	95	93	188	30.19 32.49	80.67 81.54	
	15	69	53	122	22 65		29.35	Apr.	7 14	102 89	94 86	196 175	28.28	74.59	
	92	83	56	139	27.25	50.41	33.44	i	21	81	72	153	25.73	62.45	35.58
	29 .	75 78	55	130					28	85	70	155		60.79	
May	13		4H 54	126 114		43 21 48.61	27.42	May	5 1 2	65 70	54 65	119 144	20.66 25.11	46.84 56.38	
	20	79	58	137	25.93	52.21	32.96		19	100	67	167	31.78	58.11	38.84
	27		68	146			35.12		26	103	60	163		52.04	
June	3 10	74. 82	60 51	134 133	24.29 26.92			June	9	84 90	71 65	155 155	26.69 28 60	61.58 56.38	
	17	69	57	126	22.65				16	107		176	34 00	59.85	
	24	92	57	149	30.26	51.31	35.84		23	104	54	158	33.05	46 84	
July	8	76' 62 '	43 40	119 102			28 63 24.54		30	77	40	119	24 47	26 09 35 56	
	15	62	43	102					14	75 79	41 38	116 117	23.89 25.11		
	22	56	39	95	18.38	35.11	22.83		21	82	58	140	26.06	50.31	32.56
Aug.	æ9	78i	33	111	25.61 19.37	29.71 33.31	26.70		28	95	45	140	30.19		
	12	49	37 45	96 94		40.51	23.03	Aug.	4 11	83 77	55 48	138 125	26.38 24.47	47.71	
	19	68	36	104	22.32	32.41	25.02	l	18	74	46	120	23.52	39.90	97 91
	26	51	47		16.74				25	73	43	116			
Sep.	9	74° 49	39 46	113 95				Sept.	8	63 72	48 37	111 109		41.64 32.09	
	16	42	32	74	13 49	28.09	17.40	.l	15	76	54	130	24.15	46.84	30 94
	23	62	35		19 91	30.73			22	86	51	137		44.94	
Oct.	30	66	30 31	96 95	21.20 20.56			Oct.	29	81 92	57 55			49.44	
	14	94	43	137	30.19	37.75	32.13		13	90	45	135	98.66	39 03	31.40
	21	61	42	103	19.59				20	71	43			37.30	
Nov	¥8 4	64 59	46 47			40.39		Nov.	3	84 88	46 58	130 146		39 90 52.03	
	11	83	36		26 66	31.61	27.92	1,000.	10	114	53	167	36.23	45 97	38.84
	18	69	43	112	22.16		26 28	1	17	112	51	163	35.59	44.93	
Dec.	25	76 85	45 51	121 136		39.51 44.77	28.39 31.91		24	99 97	56 50		31.11 30,83		
⊅	9	84.	47		26.98		30 74	Dec.	8	91	50 50	141	28.92	43 37	
	16	88	38	126	28.27	33.37	29.57	1	15	96	49	145	30 51	42.50	33.79
	93 30	79	41		25 38 26.98				22	93 97	44 53	137 150	29.55 30.83		
	JU	84	51	1.35	40.90	*****	31.08	i	29		33	130	30.63	40.91	37.00
Tot	al	3582	2340	5922	21.89	39.03	96.45	To	tal	4552	2971	7593	26.69	47.16	32.15

Note 1—The rate of mortality at bottom of table is calculated for the entire year independently of the separate weekly reports.

Note 2—The tabulation embraces the entire mortality for the years 1880 and 1881. In the year 1882, one day's mortality is omitted, and in 1883 two days.

Note 3—The rate of mortality for the year 1883 is calculated upon the estimated population, based upon the ratio of increase between the years 1870 and 1880 by United States census.

MORTALITY OF NEW ORLEANS, LOUISIANA, DURING 1880. 1881, 1882 AND 1883, CLASSIFIED ACCORDING TO DISTRICTS, MONTHS, RACES AND PRINCIPAL DISEASES.

TABLE ILLUSTRATING DEATHS IN THE FIRST DISTRICT CITY OF NEW ORLEANS, DURING THE YEAR 1880.

DISEASES.	January.	February.	March.	April.	Мау.	Јипе.	July	August.	September.	October.	November.	December.	Total.
Yellow Fever Malarial Fevers Typhoid Fever Scarlet Fever Measles Small-pox	1	2	3 4	4 1 1 2	7	6 3 7	1 6 1 5 3	۱,	13	1 15 2 1	6 2 2	5	2 74 7 19 20
Diphtheria. Discribed Discases Congestion of Brain. Convulsions Phthisis Pulmonalis All other causes	1 8	1 2 3 3 15	1 3 2 3 27 64	5 2 2	10 4 12	3 6 17	3 5 22	6 3 5 15 51	3	2 7 6 5 12 68	3	1 4 3 2 19 62	13 72 40 55 222 869
Total Number Deaths	129	114	107	119	149	134	116	88	89	119	133	96	1393
Number { White				74 45	82 67	84 50	79 37	59 36	58 31	78 41	90 43		884 509
Death rate per 1000 Inbabitants (4.38	0.41 3.13	5 64	0.83 4 59	4 38	3.55	4 59	1.46 3.13	1.25		1.25 5 22		3 86
per annum. Colored	23.84 36.52 26.94	19.66 36.52 23.81	20.49 28 03 22 35	20.4º 38.22 24.85	22 71 56.91 31 12	23.26 42 47 27.99	22.16 31.43 24 23	14.40 30.56 18.38	16.10 26.33 18.59	21 .60 34 .63 24 .85	24 .93 26 .32 27 78	15 51 33.90 20.05	20 40 36 10 24.24

Population-White, 57,945; Colored, 14,116. Total, 57,445.

SANITARY CONDITION OF THE FIRST DISTRICT 1880.

OFFICE SANITARY INSPECTOR, FIRST DISTRICT, } NEW ORLEANS, JULY 21, 1880

Dr. Joseph Jones, President Board of Health: Sir—In obedience to special instructions, I have the honor to present the following report

1. The street gutters running from the river front, whenever in the range of the sanitary finshing mainare kept well cleaned, and even those not so finshed have been washed almost daily by copious floods of rain, As a consequence, the general condition of street gutters has been far better than has usually been the case at this sesson of the year.

The gutters of streets in the rear of the Camp street canal, receiving none of the water from the flushing

engine, are almost wholly dependent upon the rains and the exertions of the street-cleaning force employed by the city, and are therefore particularly liable to become foul whenever the weather is dry.

The gutters of the streets running parallel with the river require manual labor in cleaning, on account of the impracticability of flushing them. On this account it may be stated that all of the gutters parallel with

the impracticability of flushing them. On this account it may be stated that all of the gutters parallel with and back of Rampart street would be intelerably filthy and offensive but for the rains.

2. The gutters flushed by the Auxiliary Sanitary Association's engine, carrying matter directly to the rear of the city, are those of Calliope. Delord, St. Joseph and Julia streets. Those streets between Felicity and Calliope, running from the river front, drain this water into the Camp street head of the Melpomene canal, rendering this formerly offensive sewer perfectly incidence.

3. The gutters immediately surrounding the Girod-street Cemetery are well flushed, while those on the reservice indexed the boundary streets are filter.

opposite sides of the boundary streets are filthy.

about the Charity Hospital and New Basin, particularly above the latter, the gutters become intensely fonl as soon as the rains cease

4. The total population of the First Pistrict, according to the census of 1879, taken by the sanitary officars, is 54,344, and occupies an area divided by streets into 503 squares having an average front of 300 feet.
This embraces the whole of the First and Second Wards and the Third Ward to Galvez street.
Within this area are about 125 miles of street gitters, fully sixty-seven miles of which are unusually
flithy and require manual force to clean them.
The present scavenger force consists of 46 laborers, with 26 carts and drivers. There is per laborer a pro
rata of about 181 of population, and per cart about 2000.
In considering the sanitary management of the First District, it is of importance to take into special ac
count the great obstacle offered in the natural depressions of surface, involving in some instances an area
of many squares. In these low spots drainage is so imperfect that street gutters are at all times in a stagnant condition, and would require the constant exertion of a large number of laborers to prevent foul ac
cumulations. cumulations.

5. Accompanying this, I present a condensed statement of sanitary work accomplished by the sanitary officers of the Board of Health from April 15 to July 15, 1880.

6. To keep the district in good sanitary condition during the summer months would require a street clean-

at least 100 men

7. From the first to the fifteenth of July, there were but forty deaths from all causes in the district. Four. of these were from fevers—viz; one thypo-malarial, and three congestion of brain. This does not take into sitting the death from yields fever of the stamen from the Excelsion, at the Tours Infirmery.

The rate of mortality is decidedly below the general average.

In closing this report, allow me to state that every assistance has been rendered by the Department of Improvements in the sanitary work of this office; and that, according to my observation, the utmost amount of work has been accomplished by the wholly insufficient ferce employed on the streets. Respectfully sub-

mitted,	a accompnished by the	WILOU	JOSE	PH R	ÖLT	, M, 1	D., Sa	nitar	y Ins	pecto	r Fire	t Dia	trict.	y U
MORTALITY SECOND DISTRICT NEW ORLEANS 1860. The total number of deaths in the Second District during the year was 1115, making an annual ratio of														
The total n	number of deaths in the sand population.	Secon	d Dia	trict	durin	g the	уеа:	W.RS	1115,	nıak	ing as	and a	ıal ra	tio of
The annua	l ratio per thousand whi	te po	oulati	on w	as 22.	28. 1	Che sı	mual	ratio	ner	thous	and o	olore	d was
31 27										-				
The greatest	number of deaths occur mber of deaths occurred om January to June om June to December	red in	the r	nonth	of J	nne	• • • •		• • • • •	••	•••••	• • • • •	••••	116
Mortality fro	m January to June	111 00					· · · · ·		••••	• • • • • •	• • • • · · ·		•••	555
Mortality fro	om June to December	• • • • •	• • • •	 .			••••	• • • •	• • • • •	• • • • •		. 	• •••	. 560
Total deaths	from diseases of the res	pirat	ory or	gans	• • • • •	• • • • •	• • • •	•••	••••	•••	• • • • •	•	••••	267
Total deaths	from diseases of the respective from all fevers	•••		• • • •		• • • • • • • • • • • •	• • • • •	• • • • • •				: <u>.</u>	•••	96
Total deaths	from congestions	• • • • • •				· · _ · • ·		•			• • • · · •			99
The greate	est number of deaths occ	urred	in th	e Fift	th W	ard.		Fma	blin	w aa .	-	had 1	nt on	
ful examinat	from congestions set number of deaths occurs case of yellow fever of ion proved to be a case of	f hær	orrb	agio r	nalar	al fev	er.		W1111 ,	******	opor	, u		
TABLE IL	LUSTRATING DRAT	HS I	N T	нĸ	SECO	ND	DIST	rric	т оі	TE	IE C	ITY	OF	NEW
	LUSTRATING DEAT	EANS	DŪ	RIN	G TE	E Y	EAR	1880	_					
					1	}		1			1			
		1 -	.:	ĺ	I	!				Ę.	ı	ŗ.	<u>.:</u>	
,	DISEASES.	Ď.				'			أنيا	چ	Ė	į	چّ	
		1 8	Ē	된	두		ية ا	اندا	Ē	5	총	Ę,	3	Ē
		Jennary	February	March	A pril.	May	June.	July.	August	September	Octob	November	December	Total
			<u> </u>	_		- 2	r		-	<u> </u>		-		<u> </u>
Malarial Fe	rers. ver. er. iscases ijscases ig Rrain	0		6	5	8	5	2 1	4	18	5	3	4	61
Typhoid Fer	76F	2	0	2	1		2	1	1	9		1	9	10
Measles	BF	Ö	ŏ	1 1	1 5	1 7	4	4 2	1	ő	ŏ	Ô	ō	90
Diphtheria.	•••••••	0	. 0	1	. 0	2	1	1	0	0	4		1 9 10	14
Diarrhosal I	Diseases	3	1	0			3	1	2 6	1	3	9.50	.0	22 63
			l i	ő			7 2		0	10		9	70	91
Phthisis Pul	monalis	5	18	12	14	14	l 18	10	8	16	18	20	2 15	100
Deaths from	all other causes	62	70	51	48	65	73	54	57	55	51	76	53	71:
Total n	ushber of Deaths	73	95	80	79	114	116	79	84	106	88	112	89	1115
		-					<u> </u>	-						
Number } V	Vhite olored	46			56		72		51	62		79	52	691
Deaths. 3C	olored	27	38	36	23	43	44	25	33	44	24	42	37	416
	Malarial Fevers Phthisis Pulmonalis		0.50	1.60	1.30	2.10	1 30	0.50	1.00	4 80	1.30	0.80	1.00	1 30
Death rate	Phthisis Pulmonalis	1 80	4.80	3.20	3.80	3.80	4 90	2.60	2.20	4.30	4.80	5.30	4.20	31.80
per 1000 Inhabtante	White	17 60	21 80	16.51	91 43	97 16	27 54	20 40	10 51	03 60	94 49	96 74	19.80	99 9
per	WhiteColored	24.35	34.28	33.47	20 75	38.79	39 69	22.55	29 77	39 69	21 65	27.89	31.57	31.2
annum.					·									
OANI Dam	Total									28.47	N3.64	30.00	33 80	34.9
Sun Dorn,	oo. Population: white	6, 31,3				-	LOUAL,	40,00	y.					
- • •					TERS					_				- 4
Occasi Dint	e reference, an exact and rict is here presented, wi	winh h	** ***			.11	_							
Levee	nere prosenteu, w			1	Can	1				• • • • •				11
Decatur	• • • • • • • • • • • • • • • • • • •	• • • • •	· • • • •	1	Cust	ombo	use		•••••		• • • • •	. .		3
Chartres	rict is nore presented, wi	• • • • •		2	Bien	ville.	••••		• • • • •	• • • • •	. • . •	•	• • • • •	3I
Bourbon			• • • • • • • • • • • • • • • • • • •	2	St.	Louis	· • • • • • • •	• • • • • •			• • • • · · • •	••••	• • • • •	3
Dauphine		• • • • •	• • • • •	🤉	Caro	ndele	t Wa	lk			•	•• ••		🤋
Burgundy		• • • • • •	• • • • •	2	Tou	ouse.	••••	•• • • •	••••	· • • •	• • • • •	•••••		9 3 3
Basin		• • • • • •	• • • • •	i	Отіо	ans		· • • • • •	• • • • • • • • • • • • • • • • • • •		• • • • •	• • • • •	· · · · •	3
					LINE A	ınn								
Franklin		• • • •	• • • •]	Dun	ain	••••	• • • • •	· · · ·	••••		• •••	• • • • •	3
Maraia				2	Ura	romp ulines		••• • • •	• • • • • •	•••••	.	· · • · •	• • • • • •	š
Villere	• • • • • • • • • • • • • • • • • • • •			§	Hos	pital.	••••							3
Robertson	• • • • • • • • • • • • • • • • • • • •	•••••	••••	}	Bar	acks.		• • • • •	• • • • • •	• • • • •	• • • • • •	• • • • •	• •	3
Derbigny			••••	3	31 -									
Roman			••••	\$	3	Total						• • • •	• • • • •	434
Prieur				1	5		nd-1	·	les !-	4b- 5	Z.a	I THE	شركبوذ	73
Galver		• • • • • •			21	I DOUGE	LEDU	O(10)	169 1 D	PBC 5	MUTT.		W-8U8+-	
Miro					3				٠,٠					••
Tonti	. 			2	?'		•	·	,		•			
Dorganois.		• • • • •	• • • •	··· ?	27									
Broad				1	ų									

REPORT OF W. R. MANDEVILLE, M. D., SANITARY INSPECTOR SECOND DISTRICT.

NEW ORLEANS, December 31, 1880.

Dr. Joseph Jones, President of the Board of Health:

Sir—I have the honor to present the following condensed report of the sanitary work accomplished in the Second District during the year ending with the above date:

The second municipal district of the city of New Orleans is bounded on the north and northest by Esplanade street and Bayou St. John, and on the south and southwest by Canal street and the new canal. The district extends between these boundaries from the Mississippi River to Lake Pontchartrain, and comprises three divisions, known as the fourth, fifth and sixth wards.

TOPOGRAPHY AND DRAINAGE.

The Second District is renowned for being the most historical part of the Crescent City, since that territory bounded by the Mississippi River, Esplanade, Rampart and Canal streets constitutes the city of New Orleans as originally founded by Bienville. The streets are regularly cut in square blocks, giving to the map of that district the appearance of a chees board. Excepting most of the thoroughfares in the rear of Rampart street, the streets and banquettes of this district are narrower than those of more modern design. Many of the houses in this part of the city were built before an abundance of light and air and free ventilation were recognized as essentials to perfect health and comfort, but, thanks to their antiquity, are now rapidly falling to rain and decay, and in their place new ones of more recent design and architectual beauty are being erected with all the comforts now considered so necessary in this progressive age of sanitary

The drainage system of this district is very imperfect. Storm and waste water is drained into Lake Pontchartrain, by a number of canals known as Hagan Avenue, Broad, Galvez, Claiborne and Orleans, but these canals are too small and rapidly fill up with mud, and in summer almost completely dry up, mak-

ing the air redolent with ther foul minamatic odors.

The drainage machine now in use is far from having the requisite amount of power to carry off the surplus water after having rains, such as visited us this year, and as a consequence the rear portion of the district after a rain resembles a ministure lake for several hours.

It is carnestly urged that these canals be thoroughly deepened and cleaned before the warm season is

WATER SUPPLY.

Water from the Mississippi River is conveyed by pipes through the district only as far as Claiborne street. Its want is felt beyond this avenue to Broad street, an area of (130) one hundred and thirty square blocks, quite densely inhabited. This supply of water is freely used in all public buildings and private residences, for cleaning purposes, bathing, etc., but its muddy condition renders it objectionable as drinking

Rain water preserved in cisterns is generally used for drinking purposes. These cisterns, especially or premises where no hydrant exists, are in the majority of cases so limited in capacity that they are soon emptied when a drouth occurs. Some are in a miserable state of decay, and it would be beneficial to have them repaired or even destroyed.

Wells are found in all parts of the district, and are used principally at dairies and stables for watering stock, and at nurseries for besprinking plants. The water from these wells is universally considered unhealthy by the inhabitants, and is never used for drinking purposes, except in very rare instances, when no other water is obtainable. other water is obtainable.

The scarcity of water in the rear of Claiborne street is a just cause of complaint in cases of confiagration, and it would be advisable for the protection of real estate against destruction by fire, to build fire-wells at different points of that section.

The street hydrants in the more central part of the district should be allowed to flow for a couple of hours morning and evening, during the summer months, so as to thoroughly clear the gutters of their filthy accumulations.

PUBLIC BUILDINGS.

The Court-hou ... I' dice Stations and Parish Prison are in a fair condition, and during the summer months were frequently inspected.

The authorities in charge of the Parish Prison are doing their utmost to keep the building clean, and the

The australiance in "charge of the Parish Prison are using their utilists to keep the building clean, and ward are excellent. The cells are large but poorly ventilated. The privy system of the prison is that known as the "Rochdale" or barrel system; they are emptied daily. Two wells if feet deep, formerly used as privy vanits, should be filled as soon as possible with river sand. At the time of last inspection the total number of prisoners was 259; number of white males 93; number white females 29; number colored males 84: number of colored females 46.

TREME AND FRENCH MARKETS.

The condition of these markets is tolerable. The principle cause of complaint lies in their vicinity, where banquettee are obstructed by the fruit and vegetable stand kept most by Sicilians. It is deplorable to verify the fact that this class of people, as a rule, seems to ignore the elements of hygiene. A glance in the interior of their abodes is sufficient to prove this assertion.

The appearance of the vegetable markets could easily be improved. The washing of the banquettee on either side from Ursulines to St. Philip would result in rendering them less slippery and dangerous to pedestrians during damp weather. The prompt removal of all garbage should not be neglected.

CEMETERIES.

There are four large cemeteries in the Second District, which are the burial grounds of some of the oldest and most respectable families of this city. The walls and many of the vaults of these cemeteries are in a dilapidated state and require immediate repair. It is especially the case with the graveyard bounded by Custombouse, Claiborne, Bienville and Robertson streets, where also the least shower renders the alleys impracticable since the water, finding no outlet, remains stagmant until evaporated by the rays of the sun. The preper authorities should find a remedy for these defects at once.

REMOVAL AND DISPOSITION OF GARBAGE.

The removal and disposition of street garbage, as actually practiced, has proven to be superior to the old system of depositing the same on vacant loss in the rear of the district.



Some complaints, however, arise about the non-hauling of garbage from the streets. This work should be attended to daily and with regularity, and consist not only in emptying of the receptacles containing the rubbish, but also in the removal of all decaying matter from the attreets.

Under this heading can be mentioued the neglected appearance of the gutters on some of the most frequented thoroughfares of the district, such as Royal, Chartres and Rampart streets. St. Philip and Ursulines streets in the neighborhood of the French market have a filthy and repulsive aspect.

SANITATION.

During the past year an immense amount of sanitary work has been accomplished in this district. Several thousand circulars have been distributed to the families residing in its boundaries, instructing them is domestic sanitation, and it is with no small amount of satisfaction that the statement can be made that the people were eager to receive all the knowledge possible in this line.

Disinfectants to the amount of 333½ gallons of copperas and carbolic acid solution, and dry copperase (17,908 bbs), were gratuitously distributed to all those desiring it. This was accomplished by means of a cart conveying it from house to house, accompanied by one of the sanitary officers, thus leaving nothing un done to secure health and cleanliness to the inhabitants of this district.

done to secure health and cleanliness to the inhabitants of this district.

DAIRIES.

thorough inspection of all the dairies in this district was made during the summer months, and a detailed report presented to the Board.

Could not some means be adopted by which all milk in this city be first carefully tested as to its purity. etc. ? The adulteration of milk is carried on to a much greater extent than one not thoroughly acquainted with the facts would suppose, and it certainly behooves us as sanitarians and as guardians of the public health, that this important matter receive our earnest attention.

MORTALITY IN THE THI	RD I	DIST	RICT	, NE	w o	RLE	A NS,	FOR	THI	YE	AR 1	880.	
DISEASES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Malarial Fevers Typhoid Fever Scarlet Fever Meanles Small-nox				1 1 12	9 2 17	3	11 2 2	9 2 2	12 1 1	6 1 1	8 2	4 1 6	89 16 15 39
Diphtheria Diarrhœal Diseases Congestion of Brain. Convulsions. Phthisis Pulmonalis	3 2 2 7	3 2 1	3	3 5 11	6	3	2	7		2 2 1 1	1 4 3	3 3 1 7 16	90 36 18 45 135
Deaths from other causes Total Number of Deaths Number { White	10 54 82	91	92	95	132	135	55 80	88	87	85	51 83	70	756 1161
Death Whites	26 19 92 26.31	21.34 31.37	36 19 92 36 43	16 28 10 16 19	48 29.88 48.58	48 30.95 48.58	35 16.00 35.42	21.70 27.32	40 16.79 40.48	20.99 26.31	20 27	28 29 82 28.33	774 387 22.94 32.62 25.47
1000 inhabitants per annum. Malarial Fevers Phthisis Pulmonis	.78 2.85	1.05 1.84	2.36	1.05 2.89	2 36 2.63	3.05 3.68	9.89 1.57	2.36 3.15	3.15 3.94	1.57	2.10 3.60	1.05 4 %1	1.79
Still-born Children	8	- 8	5	8	5	8	4	3	6	4	6	3	66

Population of District—White, 33.732; Colored. 11.856. Total, 45.588.

MORTALITY IN THE THIRD DISTRICT FOR THE YEAR 1879.

DISEASES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December,	Total.
Malarial Fevers			2		• • • •	4	4 1	10	10 2	9	4	2	55
Measles. Small-pox. Diphtheria. Diarrheal Diseases Congestion of Brain Convusions.		i			2 4		6		3 1 2	3 3	1 1 2 8	2 2 1	93 32 9
Phthisis Pulmonalis Deaths from all other causes	14 68	13 40	16 51	14 53	8 22	5 61	13 56	10 40	46	- 48	69	65	132 649
Total number of Deaths.	96	56	74	75	74	79	81	74	71	82	88	81	931
White	65 31	36 20	48 26	46 29		51 28		46 28	47 24	56 26	62 26	56 95	600 325
Still-born children			2					1	4	4	4	000	16

Death rate per 1000 inhabitants per annum, census of 1880—white, 18.05; colored, 27.25; total, 20.47.

Digitized by GOOGIC

REPORT OF W. H. WATKINS, M. D., SANITARY INSPECTOR, THIRD DISTRICT NEW ORLEANS, LA., December 31, 1880.

Joseph Jones, M. D., President Board of Health. State of Louisiana:

Some Jones, M. D., Fresident Board of Health. State of Louisiana:

Nr—I have the honor herewith to submit the annual report in regard to sanitation and sanitary regula.

tions exercised in the Third District, for the year 1880.

Having been elected Sanitary Inspector of this district, April 12, 1880, I at once assumed charge of the office vacated by my efficient predecessor, Dr. W. E. Schuppert

The records for the preceding months have been carefully preserved by the sanitary officer, Mr. C. F. Gon. sales, and from these, together with the reports of the former Sanitary Inspector, I have been able to fully complete the report for the year.

On the fifteenth of April, Mr. T. C. Will was assigned as sanitary officer of the district. His remarkable energy and high qualifications admirably fitted him for the position, and the methodical exactness which he has exercised reflects great credit on him.

LOCATION AND TOPOGRAPHY.

The Third District of the city of New Orleans is embraced within the following boundaries: Esplanade street, United States Barracks, the Mississippi river and Lake Pontchartrain. The District is subdivided into the Seventh, Eighth and Ninth Wards. The inhabited portion is, however, embraced in a much more limited space, extending back from the river on an average of not more than three-quarters of a mile, and embraces about 800 square acres. Built on alluvial deposit, the whole district is almost level; highest at the river; the slope back to the lake is gradual, and, in the rear of the inhabited portion, swamps exist which are so low as to be continually covered with water.

DRAINAGE.

Surface drainage alone is the mode by which the district is cleared from storm water, and the facilities for carrying this off are inadequate. The canals and gutters in the rear require deepening, and at least another or larger draining machine is required. The only draining machine is that one located on London avenue. The result is, that after a hard rain many of the streets are inundated, though the natural grade avenue. The result is, that after a hard rain is such that the water does not remain long.

PUBLIC BUILDINGS.

A careful inspection of the Public Schools has been made. All were found in good sanitary condition, but the number of puplis in several is so large as not to allow air-space for each. The total number of public achools in the district is twelve, but one, the McDonogh school No. 12, is yet unfinished and will not be occupied before the latter part of January, 1881. The water supply and drainage of each is good. accommodations ample.

Total numi	er of	teachers
	**	pupils—white
**	**	colored
• •	••	male
44	••	female
		r of pupils to each teacher
67% - A1		and we at the district one tunion institutions of this hind. Class to secretar 3 hards and

The Orphan Asylums of the district are typical institutions of this kind. Care is exercised by those in charge to make each one clean and healthy. There has been little sickness in them, and no contagious disease has been reported.

The Fifth Precinct Police Station, where the Sanitary Inspector's office is located, is in a dilapidated condition; the doors have rotted away, and the plaster is falling from the ceiling. The privy vauts need rebuilding.

There are five public markets in the district. Each is kept in good condition and regularly inspected by the sanitary officers. The private markets have been regularly inspected, and wherever nuisances have been found, they have been abated. This sanitary condition on the average is good.

CEMETERIES.

The three cometeries located in the district are far removed from the thickly populated areas and present no feature especially objectionable

STREETS AND GUTTERS

The Third District with such an extent of river front, with imperfect drainage and sloping so gradually from the levee to the swamp, presents one of the problems as yet unsolved. How shall the gutters be kept clean? At least forty miles of streets regularly laid out are now to be looked after, and the limited means of the city caused their total neglact during the latter part of the year, where owing to heavy rains necessity demanded that they should receive attention. At the best season of the year careful inspection of street gutters was made by your orders, and in the report made at that time it was truly stated that of eighty miles of gutters quite one-half could be classed as foul or obstructed. The Eighth Ward made the best exhibit, but this was in a great measure due to the fact that in compactness and grading, it is superfor to the other wards, and therefore easier to clean with a limited force. Much can be done by the proper authorities, and such work should be commenced by alignment of the gutters, improving the grade and deepening the canals so that a rapid current shall be established

A limited number of the streets in the district are paved with ballast from shins known as "cobbble

neepening the canals so that a rapid current shall be established.

A limited number of the streets in the district are paved with ballast from ships known as "cobble atones," and are in good repair. The streets not thus paved are in a fearful condition, and for months many of them are impassible to vehicles.

The supply of water from the 'water works' of this city is so limited in the lower portion of the district as practically to be of no service in case of drouth or fires.

DAIRIES AND STABLES.

The number of dairies is large, but in many of them only two or three cows are kept. The extensive ones are located in the extreme rear of the Seventh Ward. They have been carefully inspected and all efforts made to have them kept in good sanitary state. The milk has been frequently tested and its quality found to be excellent. The livery stables are kept clean, and the manure is frequently removed.

PRIVY SYSTEM.

This differs in no respect from that of other districts of the city. It is defective. An inspection revealed the fact that in numerous instances, they were not in conformity to law, and when cleaned soon fill up with sub-soil water, causing them to be always offensive and insanitary. The inspection of 7466 premises showed that only 5743 were found in good condition, 337 required repairing or rebuilding.

The city ordinance in regard to the emptying of these vaulte requires that vidangeurs shall perform this work from six o'clock a.m. to six o'clock p. m., and for every vault to be emptied a permit shall be taken out at the office of the Board of Health. This is violated in many instances, and strict watch has been kept by the sanitary officer to prevent such an occurrence in this district. Another cause of complaint against the excavating companies, is that the barrels holding the fæcal matter are not air-tight. A careful inspection of such apparatus used by these companies convinces me that only that form of barrel having an iron top with rubber flanges is calculated to do away with all cause of complaint, on being carried to the "nuisance boat," where such matter is deposited.

The "nuisance boat," is located at a wharf built by the city at the foot of Beynes street. It is well constructed holds about sighty loads, and since the adoption of the present system of dumping the facal

structed, holds about eighty loads, and since the adoption of the present system of dumping the feecal matter, no complaints have reached this office. In the summer the boat is towed daily below the city, and its contents emptied into the middle of the Mississippi River. In the winter, owing to the small amount of work performed by the excavating companies, it is emptied but once a week.

POPULATION.

Adopting the United States census of 1880 as substantially correct, we find the Third District has a population as follows:

W≜RDS.	White Males.	White Females.	Black Males.	Bluck Females.	Total by Wards.	Total in District.
Seventh Ward	5.989 3.925 6.190	6.451 4.274 6.903	5.373 774 1 197	4.317 905 1.290	20,130 9.878 15.580	45.588

MORTALITY FOURTH DISTRICT, NEW ORLEANS, 1880.

	DISEAS	IS.	January		February.		March.	April.		May.	!	June.		July.	Angust		September.		October.	November.		December.	Total.
Malarial Fe Typhoid Fe Scarlet Fove Measles	vers			.i.	9		2		1 1	1 1 1 3	<u> </u> -	8 1 1 5		2		3 2	13	3	7			2	42 8 4 13
Diphtheria. Diarrheral D Congestion of Convulsions Phthisis Pul	Discases of Brain	**************************************		بو ک	15 28	;	1 2 1 12 35		6 1 1 9	17 1 3 6 45		13 3 9 6 44		96		. 6 1 4 9 11		3	6 7 43			6 2 1 2 16 29	18 73 18 28 114 401
Total num	ber of de	aths	1	4	49		53	4	₹_	80	_	83		30	_;	6	65	2	70	0	İ	59	590
Deaths. Wi	hitea lor vi			5 9	32		32	3		62 15		31 65		38 12		9	46		50 20	50	× ×	42 17	506 214
Death rate per 1000	Whitee		38.9	9 TA	. 52	36	463	2.5	731	25	₩.	46	30.	3.	41.6	79	7.70	434.	.73	27.71	29.	52	16.58 30 96 19.18
per annum.		Fevers Pulmonalis.					87	2.5	. 0	.31 63	3.	33	0	83	0.9 2.8	5	4.15	2	25	0.90	0. 5.	8	1.11

Population-Whites, 30,025: colored, 6010: total, 37,535.

REPORT OF R. A. BAYLEY, M. D., SANITARY INSPECTOR FOURTH DISTRICT OFFICE SANITARY INSPECTOR, FOURTH DISTRICT, NEW ORLEANS, January I, 1881.

Joseph Jones, M. D., President Board of Health:

Sir.—The following report of sanitary work accomplished in the Fourth District, including health statistics, etc., during the year ending December 31, 1880 is herewith submitted.

This district is composed of the Feuth and Eleventh Wards. The population of these wards amounts in the aggregate to 35 635 whitee and 6010 blacks. a sum total of 37,335 persons. The district is thickly settled from the river as far back as Deradee street. Only two of the streets are paved, viz: Tehespitoulas and Magazine streets. Washington street is paved but only a short distance.

HEALTH.

was considerable sickness in this district from the beginning of spring to the advent of col-but the rate of mortality was small. The death rate per 1000 inhabitants for that time, from y to Novamber, averaged only 20.11. For the whole year, the death rate was 12.10; the whiles be it and the blacks so high as 20.50.

The deaths from all causes, commencing with January, gradually reached its maximum in May and June, and then ran up in September to amoderate figure, which was maintained with a slight increase during the last three months of the year. The majority of the deaths in the spring months was due mainly to distributed and malarial diseases, which are so common at this season. The rise of mortality in September was occasioned by many cases of congestive fever proving fatal.

Isolated cases of diptheria and scarlet fever, usually of a malignant type, were reported throughout the year. There was no tendency to spread, except in a local manner, in the cases coming under observation, Several foci of infection of scarlatins back on Jackson street were difficult of eradication. These diseases may extend to serious proportions the present winter, unless checked by energetic sanitation. Fumigation of the rooms, and disinfection of the yards and vaults of infected houses, are done whenever a death or case is reported.

is reported.

The dengue fever, as a mild but yet extensive disorder, is classed among the remarkable diseases. The community groaned under this *quasi* serious visitation without any exricus loss of life. This fever lasted about three months, and was only checked by frost in October. Nothing was attempted in the way of sanitation to arrest its rapid progress. Like influenza it swept over the entire city in a very short time. The non-malarial character of this fever is amply proven by the failure of quinine to abridge the average duranteed of the contraction of the contra tion of an attack

Malgrial fevers were very common, especially in the rear of St. Charles street, during the Spring and Fall months. The condition necessary for the generation of miasmata were never more strikingly present in this district, owing to the bad effects of continuous rainy weather on the unpaved mud streets and

Two cases and a death from hæmorrhagic malarial fever were reported in October, as having occurred in a family residing on Josephine street, between Liberty and Howard streets. These cases were declared of a purely malarial nature by competent authorities. Owing to the dea of yellow fever being associated in the minds of many persons with these cases and the bare possibility of danger, the sanitary measures instituted in the former diseases were immediately carried out.

SANITARY CONDITION.

The sanitary condition of this district may be said to be superior in some respects to that of previous years. This is improved by the constant inspection of the yards, drains and vaults of premises, which is not without good and permanent results. The people must be educated in the fundamental principles of sanitary seience, as Herbert Spencer would say, before the real benefits of this work can be apparent to all.

As for the streets and gutters, the less said about them the better. To condemn their present sanitary state in too severe language would be to cast edium on the heads of the innocent, perhaps. What could be expected, however, of a street force of only eighteen or twenty men in a district having a superficial area of two and a half or three miles? A hundred men might be able to attend to the streets with credit to the

The inspection of the gutters in summer elicited a few items of interest. The parallel or cross-street gutters were the foul ones at that time, in the front or middle sections of St. Charles street; the constant stream of river water in the perpendicular ones keeping the latter washed out. The rank growth of weeds sweem or river water in the perpendicular ones keeping the latter washed out. The rank growth of weeds in the parallel gutters in the rear of St. Charles street, acting as nature's purifiers, keeping those drains in a comparatively clean condition. The perpendicular gutters, not so good in front, are ditches, or canals, in the rear of the district. The drainage in these latter gutters was found to admit of a uniform flow of water, gradually slowing up from the river back, when the Auxiliary Association were working at the foot of Felicity street. Above Washington street, with the exception of Toledano street, there is little drainage noticeable back of St. Charles street. The water here has to find an exit by the gutters of the above mentioned streets. The capacity of the perpendicular gutters for drainage purposes may be shown best in figures from estimates taken at the time.

Eighth street in front. Flow of water 30 feet in 51 minutes

gures from estimates taken at the time.

Eighth street in front: Flow of water 350 feet in 5½ minutes.

Eighth street in rear: Flow of water stationary.

Second street in front: Flow of water 350 feet in 5½ minutes.

Second street in rear: Flow of water 350 feet in 6 minutes.

St. Andrew street in front: Flow of water 350 feet in 4½ minutes.

Josephine atreet in rear: Flow of water 350 feet in 5 minutes.

Description after the restriction of water 350 feet in 5 minutes.

There is not much difference, therefore, in the rapidity of the flow of water, between the extreme front and rear of the district, in the average gutters examined.

There must be some difference, however, to prevent stagnation in front, but none worth mentioning. This fistness of grade in the gutters is not calculated to facilitate drainage; it must be corrected before anything else need be attempted. If the sides and bottom of the drains were constructed of stone, the friction of the water would be less and a more variety of the water would be less and a more variety of the water would be less and a more variety of the same water.

anything else need be attempted. If the sides and bottom of the drains were constructed of stone, the friction of the water would be less, and a more rapid flow result as a consequence.

The scavenger force in the two wards consists of ten or a dozen carts, with the accompanying drivers. This limited number of vehicles is expected (as required by law) to remove the trash, garbage, etc., from more than 7600 premises, between the hours of 7 and 10 s. m.; the nudertaking is naturally a signal failure. After the streets became impassable from rains these carts stopped going around. A matter of complaint with residents is the dumping of garbage by these drivers into the bad holes on some streets. Quagmires cannot be filled with such material without the erection of public nuisances.

It is necessary in this report to recapitulate the sanitary evils not yet dwelt on, such as old privy vaults; low yards without drains; tenement houses; low lots, etc. These nuisances come under the control of health ordinances, and are being rapidly abated with time and perseverance.

SANITARY OPERATIONS.

The limited outbreak of yellow fever in 1879 prompted and urged the completion of the inspections and abatement of nuisances at an early date the past year. Another regular officer was assigned to this district in May, and with his extra help the sanitary work was hastened considerably towards completion. In the month of June, there were more than 5060 copies of the circular No. 9 distributed in this district. They were left at every house by the sanitary officers as far back as St. Denis street, when the supply allowed to this district gave out. This measure was followed not long afterwards by the free delivery of the coppers in the dry state. The coppers disinfectant, in quantities varying from three pounds and upwards (according to size and nature of vaults), was left at every public and private building from the river to St. Denis street; and around the markets in the rear of the district. Ample instruction was given to the occupants of the houses visited, how to dissolve and use the copperss in the vaults, sinks, drains, etc., on the premises. An examination of the privy vaults was included in the above work, and notices were served immediately to abate any nuisance discovered. A saturated solution of copperss, with a strong percentage the premises. An examination of the privy vaults was included in the above work, and notices were served immediately to abate any nuisance discovered. A saturated solution of copperas, with a strong percentage of carbolic acid added, was kept on hand in the sanitary office during the summer, for the benefit and use of persons living in this portion of the city.

These wise measures emanating from the Board of Health, were productive of incalculable good, in a sanitary point of view. The residents of the district showed their appreciation of them by a hearty and willing opeoperation so all times.



Reinspection of premises where yellow fever occurred in 1879 was repeatedly done through the summe

The vaults and drains on them were subjected:to thorough disinfection.

The tanks, barrels, hose, etc., belonging to the excavating companies located in the District were made the objects of a special examination and test in August. There was nothing found, however, of an objectionable nature, as the companies use the odorless apparatus as specified in a health ordinance. It is worth mentioning here that, in consequence of the limited number of wagons in the employ of some of these vidangeurs, the emptying of privy vaults is not as rapidly attended to as the nature of the case demands.

HOUSE TO HOUSE INSPECTION.

The regular inspections were over some time in August, but the main portions of the district has been gone over as early as July. This work had been hurried on from the beginning of the year, but net as fast as after the reorganization of the Board of Health in April.

Reinspection of premises was principally attended to during the months of July, August and September. This work is particularly necessary at this time of the year, and in the means of abating many nuisances

Into work it particularly necessary at this time of the year, and in the means of abating many numerous lying over from a previous inspection.

Inspections and reinspections consist in the careful examination of the yards, drainage-gutters, alleys and privy vaults connected with any premises visited by the sanitary officer. Notices are served afterwards in the statement of nulsances. Much trouble, is often experienced in forcing parties is to have their vaults. the statement of nulsances. Much trouble is often experienced in forcing parties is to have their vaults cleaned. This is most likely to be the case when a notice is served within siz or eight months subsequent to a previous one to the same effect, which is often necessary in badly constructed vaults. The average time for a vault to go uncleaned is ten months or a year. In the case of boarding-houses or asylums it is necessary at least three or four times a year, or even oftener in some instances.

The vaults in this district are usually faulty in construction, and, on that account, soon fill with sub-soil water after being emptied. When a vault fills in this manner a careful disinfection is all that is prequisite unless it overflows into the yard. There is a disparity then between bad and foul (water) vaults.

Ordinances are necessary to enforce, with any hope of success, the filling of low lots and the construction of drains on premises. These evils are numerous in the district, but difficult of sbatement. The two ponds on Tchonpitoulas street, just above Washington street, are happily now being filled. The Board of Health, as in former years, ought to have the right to decide when a lot is properly graded for building.

DAIRIES.

There are as many as 192 premises with cows on them in this district. The total number of animals is reckoned at 522. The dairies are distributed throughout the district, but principally in the frent and rear portions. There are not over twenty large dairies in all, the average number of animals kept ranging from

one to five.

one to five.

A personal inspection of the stables was made in the Fall, when they were at their worst in consequence of bad weather. The good, indifferent and bad ones were examined in turn, and advice was given in one instance and an order in another, as the exigencies of any particular case demanded. I was surprised to see the evidences of improvement in many places, as well as a manifest endeavor on the part of the dairymen to comply with the requirements of health and decency. The better class of dairies had good or water-tight flooring in the stalls and drainage gutters and receptacles for the excrementitions material of the cowa. There were a limited number of what might be termed fillithy dairies examined, where no disposition was shown by the owners of them to keep auything clean. It is for this class of stables that a Health Ordinance, properly worded, is requisite to enforce a strict compliance with law. This is but an instance of a retrograde metamorphosis of human nature, inasmuch as these slovenly people are ignorant of what constitutes cleanliness of either person or premises. In the absence of any law to limit the number of animals to kept within thickly-settled neighborhoods, or to define the manner of construction of the stables, the sanitary officers are able only to act as in ordinary premises. The matter of the adulteration of milk, like the food on which the animals should be fed, is still beyond the immediate control of the Board of Health.

SHIPPING.

The shipping along the river front was regularly inspected in person every day or so, from the middle of May to the end of September. The captain, or chief officer, of the vessel was interviewed, and a written statement, required of him concerning the health of the crew, ports stopped at and sailed from, kind of cargo, etc. The regular printed forms were used in every inspection. Some objections were raised in the beginning, called in question the legality of the examination, but they were easily set aside when fully explained.

No sickness was discovered on any steamship or sailing vessel visited in the summer. The majority of the steamships had sailed from foreign ports between West Indian and Mexican ports and this city came here usually with water-ballast or wine and other like simple cargoes. The crews of these latter vessels are almost invariably acclimated Spaniards or Italians.

MARKETS.

The principal markets in this district are not in perfect sanitary condition. Complaints have been received of late concerning three out of the whole number of five.

The Saraparu Market has been reported in a dangerous state, the shed at the end towards Rousseau street heing shaky and liable to fall down at any time. The roof of the Magazine Market leaks in accordance.

This has been so for the past six months. The Ninth Street Market is addy in need of repair. places. This has been so for the past six months. The Ninth Street Markets The water-plug stationed here was reported out of order about a year ago. Kellar and Second Street Markets are in very good condition.

BONE YARDS.

These establishments for the purpose of rendering and cooking the flesh of dead animals, are situated in the rear of the Claiborne canal, on Washington street. They were reported early in the summer as suisances in this city, so long as they remained on one of the principal streets and drives in the district. A committee was appointed by the Board of Health to examine and report on them; since which time the matter continues in state one. continues in statu quo. I succeeded, with some trouble, in having a lot of hogs removed from these yards.

These hogs were being fed on the flesh of dead animals, and sold to butchers at every convenient oppor-These bogs were being fed on the firsh of dead animals, and sold to butchers at every convenient opportunity. The proprietors of two bone varies were served with peremptory orders in Septemberto coase further carrying on of their business, until such time as they might make application for and receive permits for so doing. Mr. Barbach, owner of a bone-yard No. 1, complied with the notice served on him, and is us longer to may knowledge pursuing his business. Mr. Kolwe, owner of bone varid No. 2, got an injunction out immediately in one of the courts and has continued working. The difference between the two cotablishments is decided, and in favor of the one owned by Mr. Kolwe. The latter party uses steam altogether to an early as



the carcasses of the animals, which are placed in cisterns for that purpose; the former party makes use of a plain iron boiler, in which the animals are imperfectly covered over during the boiling process. Mr. Barbach is willing to move off Washington street, and put up steam works in the extreme rear of the Sixth District. Mr. Kolwe, having steam works already, is now testing in the courts the question of the eligibility of the location. These cases demand the early action of your honorable body.

PUBLIC SCHOOLS.

These institutions of learning were inspected just before the holidays. There are eleven of them in the district for the children of the white and colored residents separately.

The schools were found about in the same condition as when reported on a detail a year ago. I thought proper, therefore, to omit the tables usually appended to this report. I would call attention, moreover to the general unsanitary condition of the new Dryades street school for colored children. The yard and builties are the school street when the school street was the school street when the school street was the school street when the school street was the school school street was the school school street was the school street was the school sch ing are not as good as the ones in use last year.

MORTALITY FIFTH DISTRICT NEW ORLEANS, 1880.

D	ISEASES.	January.	February.	March.	April.	May	June.	July.	August	September.	October.	November.	December.	Total.
Measles Diphtheria	OBSOS.				i	3	1				1 1		1	3 7
Congestion of l Convulsions Phthsis Pulme	onalis	l		38	2 1 6	1 16	i 1 9 10	2 11	1 1 4 3	3	1 1 6	1 5 6	2 4 5	5 8 25 91
	er of Deaths	9							9	10	10	19	12	149
Number (Whi Deaths.) Colo		5 4	3	6 5		13	16 4	4	6 3	3	6 4	3	6 6	88 54
Death rate por 1000	Malarial Fever. Phthisis Pulmonalis.	1.04	· · · · ·		1.04				5.15	4.01	1.04 1.04		6.09	0.22 2.82
Inbabitants per annum,	Colored	10.07	9.06	15.08	6.05	40.75	12.07	12.07	14.05 9.06	9.06	12.07	9.06		17.52 14.00 16.10

Population—White, 5021. Colored, 3856. Total, 8857.

Peath Rate per 1000 Inhabitants per Annum—White, 9.93; Colored, 14.00. Total, 16.00.

TABLE SHOWING THE SANITARY CENSUS OF THE FIFTH DISTRICT (ALGIERS) DURING THE YEAR 1880. WHITE.

Total population	.021
Total population	1,603
Born in other States or foreign countries 2 Male2	.418
Male	1.993
Female	.098
Female	,243
Childrenl.	.778
Vaccinated	1,904
Vaccinated	.117
BLACK AND COLORED.	
Total population	1.835
Natives of New Orleans	.992
Born in other States or foreing countries	.843
Maio	.631
Female	1,204
TOTAL POPULATION.	,

White, black and colored..... Table showing the number of inspections and reinspections made in the Fifth District (Algiers) during the year 1860:

REPORT OF EUG. J. MIOTON, M. D., SANITARY INSPECTOR FIFTH DISTRICT. OFFICE SANITARY INSPECTOR FIFTH DISTRICT, NEW ORLEANS, LA. January 1, 1881.

Joseph Jones, M. D., President Board of Health .

Joseph Jones, m. D., Frestont Board of Health.

Sir—The following report of sanitary operations performed in this district, including statistics, etc., during the year ending December 31, 1880, is respectfully submitted.

Having entered on duty April 11, 1880, I make use of the records preserved in the office, and particularly the monthly reports of my worthy and able predecessor, Doctor J. H. Magruder, to complete necessary material for a full statement of the year's sanitary work.

TOPOGRAPHY.

The Fifth District, which is composed of Algiers, Tunisburg, McDonoghville, Freetown and Gretna, is situated on the right bank of Harvey's canal, opposite Carrolton, to the limits of Tunisburg opposite Chalmotte (battle grounds), and occupies an area of fourteen miles in length by half a mile in depth.

As is assily seen, the Fifth District is probably one of the largest of the city, sithough its population is only (14.000) fourteen thousand inhabitants.

HEALTH.

It is most gratifying to state that the amount of sickness and the mortality that have occurred, when compared with the census of the district, will show the health of the community to have been excellent. Only one hundred and forty-two (142) deaths have occurred during the past year in Algiers out of a population of eight thousand eight hundred and fifty-six (8856) inhabitants.

Not a single case of yellow fever nor small-pox has been recorded in the district for the year 1860. The exanthemats were exceptionally mind; the malarial fevers and dengue, which prevailed throughout the summer months, were also of a mild type, there being only three deaths of malarial fevers and not a single

SANITATION.

The almost total immunity of the Fifth District from all contagious or infections diseases during the year which has just elapsed, can, I believe, be fairly and justly attributed to the speedy and energetic manner with which the Board of Health's instructions concerning house to house inspections, the free distribution of distripctants (copperas and carbolic acid), the abstement of all nuisances, the special inspection of all the sen-faring vessels landing within the limits of the district, have been carried out. From April to the latter part of October, over 15 barrels of sulphate of iron and over 40 gallons of pure carbolic acid (Calvert's No. 5), have been freely and gratuitously distributed to the people of the district. All the premiers were cleaned, fumigated and disin/ected; the bed-clothes and the patient's wardrobe were also treated in

PUBLIC SCHOOLS.

The public schools, two in number, McDonogh Nos. 4 and 5, were inspected several times during the past year, and their sanitary condition was made the object of careful note. Both buildings are comparatively new, having been completed in 1875; the rooms are spacious, well ventilated and kept clean. Some of the rooms in these schools are quite crowded, and I presume are mroe so now, the number of pupile having increased since these particulars have been obtained. The privy accommodations and play-grounds are amply sufficient, and are kept in a very commendable manner.

VACCINATION.

Although Tuesday and Thursday in each week, from 11 to 1 p. m., were set apart for a gratuitous vaccination, only three applicants were vaccinated in this office during the year, showing a very deplorable indifference on the part of those who are most interested.

INSPECTION OF SHIPS.

In accordance with the sanitary rules, adopted and approved by the Board of Health of the State of Louisiana on April 22d, 1880, sixty-seven (67) ships were inspected by me from May to October. Of these vessels twenty-four (24) had sailed from Havana and Florida Keys, one (1) from Vera Cruz and forty-two (42) from healthy ports.

The sanitary condition of the vessels, crews and passengers was in all instances found excellent.

The most cordial thanks are here tendered to the officers of the Morgan line of steamers for their politeness and courtesy towards my sanitary police officers and myself.

BARK EXCELSIOR.

BARK EXCELSIOR.

On the seventeenth of August, 1880, arrived from Quarantine Station the Swedish bark Excelsior, Captain Bjorkgren. The bark landed at "Wallace Wood's powder wharf," Tunisburg, Fifth District (opposite the abattoirs. I immediately repaired on board and officially took charge of her. According to the justructions I had received from the Board of Health; I placed permanently on board my detailed officer. Mr James Nowell, with the strict order of allowing no communication from land without a written permit from the President of the State Board of Health. This rule was rigidly carried out, and during all the stay of said bark in port, there were admitted on her those only who were employed in loading the vessel, and who had been previously examined by me and found to be acclimated. I made it my duty to visit the bark twice daily, morning and evening. Two (3) cases of dengue, both ending in recovery, occurred on the bark, which cases were reported at once. The honorable President of the Board of Health, Doctor Joseph Jones saw both patients and confirmed my diagnosis. A light purgative and a few grains of quinine were administered, and the fever readily subsided.

The bark "Excelsior" left for Bayonne, France, on the eleventh day of September, 1890, loaded with grain, The wise and prudent measures, rigidly enforced in this case by the State Board of Health, cannot be too

The wise and prudent measures, rigidly enforced in this case by the State Board of Health, cannot be too highly praised, and all those who know and appreciate the delicate position of the board at that particular moment will acknowledge the wisdom of the course pursued on this occasion.

The drainage of this district is very defective. The portion lying between the river and Market street is and dramage of this district is very defective. Ine portion lying between the fiver and Market street is well drained, but back of that street there is no sewerage at all; as a natural consequence, the rear of the district is overflowed after each heavy rain, and remains so for days until the water is absorbed or evaporated. This complete lack of drainage could be remedied at very little expense by opening an outlet to the awamps. The above remarks will show that the streets must be, and are, in a deplorable condition; although, in justice to the Street Commissioner, I must say that much has been done of late for their improvement.

NUISANCE BOAT.

The most urgent and pressing want of the Fifth District for the present is, most assuredly, a nuisance boat. The ground used as a place of deposit for all kinds of garbage is situated in a thickly-settled part of the district, is a source of danger and annoyance for those living in the vicinity, and a diagrace to any community. I have time and again complained of the state of affairs, but vainly so far. I carnestly hope that the Board of Health will take the necessary steps to secure a nuisance wharf and a garbage boat for the

MARKETS

The markets of the district have been inspected regularly every week throughout the year, and have always been found in a clean and irreprovable condition. Not a single complaint was ever made against them during the whole year nor has any objectionable article of food ever seen or offered for sale.

DAIRIES.

There are from twenty to twenty-five dairies in the district, which have been regularly inspected during there are from twenty to twenty-nive darries in the district, which have been carefully engined, the year at intervals of one and two months, and cleanliness of the premises have been carefully engined. The condition of the dairy buildings was especially examined, and with a few exceptions—which were made the object of special remonstrance—they were found to be kept clean; the cows looked healthy and in good condition. Quite a number of persons keep from one to three cows for family use, but no complaint is over been made against them.

SANITARY POLICE.

It is my pleasant duty to bear testimony to the perfect efficiency of Messrs. Henry Labarre and James Nowell. I must here state to their praise that they are well qualified for the position, attentive to duty. prompt in action, and that they neglect nothing that can promote the health of the district,

POLICE STATION.

The Eighth Precinct Police Station, in charge of Sergeant J. J. Pujol, is always kept clean and in the best sanitary condition.

MORTALITY SIXTH DISTRICT, NEW ORLEANS, 1880.

DISEASES.	January.	February.	March.	April.	May.	June.	July.	August.	September,	October.	November.	December.	Total.
Yellow Fever Malarial Fevers Typhoid Fever. Scarlet Fever. Meaales Small-nox	1	1		1		1 1	1	1	3	1	3 1	2 1	10 6 3 6
Diphtheria Diarrheal Diseases Congestion of Brain. Convulsions. Phthisis Pulmonalis Deaths from other diseases.	4	1 1 3	 1 4	1 2 20	1 1 3 6 22	2	1 3 20			3 1 3 22		1 2 22	7 7 3 19 29 230
Total Number of Deaths	30	22	14	25	40	28	25	29	32	3(26	28	329
Deaths. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	21 9	9 13	4 10	19	29 11		18 7	18 11	22 10		12 14	17 11	196 123
rate per 1000 Colored	26.48	38 08	29.42	17.65	32.36	21 .08 20 .59 20 .96	20.59	32.36	29.42	41.19	40.19	32.30	30.16
inhabitants per annum. Malarial Fevers Phthisis Pulmonalis	l •											1.49	0.60 1.80

Still-born, 13.

Population—Whitee, 11,951; colored, 4078; total, 16,029:

REPORTS OF W. H. CARSON, M. D., SANITARY INSPECTOR SIXTH AND SEVENTH DISTRICTS—SIXTH DISTRICT.

OFFICE OF SANITARY INSPECTOR, SIXTH DISTRICT, NRW ORLEANS, December 31, 1880.

To Joseph Jones, M. D., President Board of Health, State of Louisiana ?

Sir-I have the honor to submit the following summary report of the operations of this office, and other affairs of importance, as connected with the sanitary condition of the Sixth District, of this city, for the year 1880:

Throughout the year this district has remained remarkably healthy. With the exception of a visit from the benign dengue fever in the later months of the year, and with but few cases of contagious diseases, the health of the district has been but slightly disturbed, the death-rate falling in the month of March as low as

four per cent per thousand.

The rate of mortality, with a population of over sixteen thousand, speaks unusually well for the general good health of the district.

Not even a suspicious case of yellow fever during the year, and the one case occurring in September of last year (1879) the premises were repeatedly disinfected and cleaned, inside and out, painted, white-washed, water-closets emptied, and other sanitary measures incident to prevention duty attended to.

In connection with my article on the health of the Sixth District, I have prepared a tableau of mortuary statistics, showing the number the cause of death, with the per centage per thousand in the district for the

past rear. I believe that the various forms of malarial fever, at times prevalent in this district, could be decidedly lessened, if not absolutely abolished, if the benefits of proper scientific drainage were in force. Many localities in the district have but little or no drainage, and it is scarcely to be wondered at that, after the rainy season, with the neighboring fields flooded with water at some localities, and saturated throughout, and with the aid of a semi-tropical sun, the powerful agents in the production of miasmatic fevers, if not of many other more permissions diseases, that the various types of malarial fever prevail.

DRAINAGE.

No efforts have been made during the past year as to improvement of drainage in the district. That the matter requires attention, and that at an early date, is indisputable.

The continents and heavy rains for the past four or five months have rendered the reads and highways impassable, and large drifts from the roadway have, in many instances, clogged the drainage on either side of the readbed, and in many instances resulting in the formation of quite extensive pools of water, stagmant and foul smelling.

I cannot but again refer especially to the section between Toledano and Delachaise streets. This locality and its great drainage deficiency has been repeatedly laid befere the authorities, but without avail : no remedial action has been attempted. In this section referred to, heavy rains will keep the rear of the district in overflow for many weeks, and even at times many months.

WATER SUPPLY.

If the district is sadly deficient in drainage requirements, the same may be said of its artificial water supply. No extension of water-mains has as yet been made beyond Toledano street, and its absence is made manifest in mapy ways, as it refers to the furtherance of sanitary measures. Sunken wells still continue to be the main resource of the inhabitant of the district, and with the addition of their wooden cisterms furnish sufficient grounds for suspicion as to the purity and properties of their water for district and with the addition of their purposes.

water for drinking purposes.

With not a hydrant in the district, and depending upon their supply of water from their cisterus and wells, it is almost impossible that the desired cleanliness and measures of a sanitary nature could be systematically attended to.

PUBLIC BUILDINGS.

The public buildings in the District number twenty-six (26); this includes public schools, churches, asy

lums, a police station and a market.

All of these buildings have been the subject of inspection during the year. The public schools, according to the usual custom, have received a most thorough sunitary investigation, and it is my pleasure to state that, without exception, they presented a most satisfactory condition.

The Jefferson Market, located at the corner of Magazine and Berlin streets, is the principal and only market it the distribution.

market in the district.

No complaint can be offered as to its sanitary condition. On the contrary, cleanliness is the rule, and on no one occasion have I had to take measures to prevent the sale of tainted meat.

Early in the month of September all the dairies of the Sixth District. numbering eighty-five (85) received a most thorough inspection, an inspection not only devoted to the dairy proper, stock, etc., but also the neighboring premises and outbuildings, and all was exceedingly satisfactory.
This condition is in marked contrast to that noted in my annual report of the year previous (1879), at which period but little time or attention was devoted by dairyman to many of the most simple, yet important

which period but fittle time or assessing was deviced by the properties of the stock proved them to be in the best possible condition of health; milk-pails, cane and the other attachments incident to the business were observed to be in an exceedingly clear condition.

It is with much satisfaction that I embrace the opportunity to present such a deserving and industrious in the satisfaction that I embrace the opportunity to present such a deserving and industrious.

class in a more enviable light than that contained in my report on this subject for the previous year (1879

PRIVY SYSTEM.

The pernicious privy system, with its leaky, ill-constructed and foul smelling vaults, yet continue to exist and flourish; no change, no improvement, but the same in character and build as used generations back

ist and flourish; no change, no improvement, our too suppose the present.

In this district this unhealthy and obnoxious condition is probably not so prominent, or its unquestionable deleterious effects, to any great degree, so noticeable, from the fact that the district occupies an extensive area in proportion to its population.

Yet in the more thickly settled and populated sections, the source of many of the so-called filth diseases, this privy system in vogue is not without just and almost positive suppositions, they can be sourced to the conditional transfer of the utmost vital importance to every resident of this city, for the obnoxious system is not confined to any one district, and it is most sincerely predicted that ere another decade this most uncivant not confined to any one district, and it is most sincerely predicted that ere another decade this most uncivilised and abhorent privy system, now in use, will have been abolished without evan a vestige of its former MAY SHIP OUT THE TOWNS OF STREET ONE DANGE AND

DISRASES.		•	January.	February.	March.		April.	May.		June.	July	1 1 1 1	August.	September.		October.	November.	December.	Total.
er			-						+	_					<u> </u>	-			1-
·									• [•				• • • •	1	• •	· · · ·		
										• • • • •	• • • •	ļ.,	••	٠. ٠	ļ	٠	••••	· • • ·	
									•	• • •		ļ: : :] .	••••			··· ₁	'• • • • !	!
A Danie			1	• • • • •		• •	• • • •		1	i		İ	4	1	٠	•	1	i 	1
	****	••••	• • • • • •	• • • • •		• •	3			• • • •	•••	'		• • • •			•••	- -	i
ilmonalis all other car						3	1 1 2		•	1 . 8			•	٠٠٠٠	,	ġ.	3		
		··-	_			-	16	_	•		11	 -	9	19	_		9	1	1
Bien.		··· –							-	<u>-</u> -		-			-	<u> </u>			
abred	•••••••	•••	4	5 S		3			7 3,	5	1	į	4	6	ì	3	•		3. 3
Whites		. 🔄	135	23.13	7.7	1.4	0 24	36.9	9 13	3 421	5.4	11.	368	3.13	31.	161	9.98	11.5	19
													-	_	-				,
Mahrial F.	TELS.	••••	• •	· · ·	٠		• • • •		•			ł.	:			ŀ	 		. o.
֡	er vers ver ver liseases of Brain ulmonalis all other car sher Duaths hite closered Colored Tetal Tetal	er vers ver ver Necesses Miscesses Miscesses Miscesses Miscesses Aber Deaths hite Abered Colored Tetal Tetal Tetal	er vers ver. f Siscenses of Brain. Simonalis all other causes abor Deaths Whites. Colored. Total. Tellow Perver. Maharial Formal	er vers vers vers lineanate If Brain limonalis gli other causee & sher Deaths lite Whites Colored 13.36 Tetal 19.27 Tellow Perver Maharial Ferreir	er vers vers ver Ver Niconace 1 Niconac	er vers vers ver f licensee 1 licensee 1 limonalis	er vers ver f Niconace of Brain thmonalis all other causee 8 14 4 abor Deaths 10 10 7 hite. 6 6 2 hered 4 8 5 Whites. 23 13 23, 13 7, 71 3 Colored. 15, 38, 30, 72 19, 20, 3 Tetal. 19, 27, 26, 30 13, 67, 3 Tallow Pever.	er vers vers ver f histonace h	er vers vers ver. f historia	er vers vers ver	er vers ver. f	er vers ver f Sisconce f Brain J January J J J J J J J J J J J J J	er vers ver f Sisconce f Brain Jimonalis 3 1 1 1 1 1 10 8 10 10 10 7 16 12 9 11 10 10 10 7 16 12 9 11 10 10 10 7 16 12 9 11 10 10 10 7 16 12 9 11 10 10 10 7 16 12 9 11 10 10 10 7 16 12 9 11 10 10 10 7 16 12 9 11 10 10 10 7 16 12 9 11 10 10 10 7 16 12 9 11 10 10 10 10 7 16 12 9 11 10 10 10 10 10 10 10 10 10 10 10 10 10 1	er vers ver f licensee f Brain limonalis 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	er vers ver ver ver finomace fino	er vers ver ver ver disconace f Brain limonalis	er vers 2 vers 2 vers 2 vers 2 vers 2 vers 3 ver 4 vers 4 vers 4 vers 5 vers 5 vers 6 vers 7 vers 7 vers 7 vers 7 vers 8 vers 8 vers 8 vers 8 vers 8 vers 8 vers 9	er vers ver ver lineance 1 lineance 1 lineance 1 lineance 1 lineance 1 lineance 1 lineance 2 lineance 1 lineance 2 lineance 2 lineance 2 lineance 3 1 1 1 1 1 1 1 1 1 1 1 1	er vers vers vers vers vers vers

mintion-Whitee, 3125 Colored, 3112. Total, 6237



OFFICE OF SANITARY INSPECTOR, SEVENTH DISTRICT, NEW ORLEANS, December 31, 1880.

To Joseph Jones, M. D., President Board of Health State of Louisiana:

Sir-I have the honor to submit the following summary report, with its accompanying comments, of the sanitary work performed throughout the year 1880 in the Seventh District of this city.

HRALTH.

The condition of health generally has not materially differed for the past few years. It is worthy of notice that in the population of the district, numbering in the total six thousand two hundred and thirty seven (6217)—U. S. census, 1880—the percentage of mortality attending the colored race is

dred and thirty seven (62?)—U. S. census, 1889—the percentage of mortality attending the colored race is in excess of that of the whites.

The two races are rather evenly divided in population, the whites numbering 3112 and the colored 3125. The deaths number in the former 62, and in the latter 66.

Notwithstanding the heavy and persistent rains of the fall season, types of malarial fever did not present an increase, though diphtheria and intestinal diseases were prevalent.

This district in company with the neighboring and lower district, the Sixth, had each a case of yellow fever to record against them for 1879. No case or anything even suspicious appeared throughout the past year, 1880.

The premises wherein the death occurred, and above referred to, received the same careful attention in

the way of disinfaction and other preventive measures that its fellow in the Sixth District received.

In great part the good health of the district is to be attributed to the better drainage attending this district than that of many of the others, ite, mean elevation being about fourteen inches over and above that of the First and Second Districts.

PUBLIC BUILDINGS.

The public buildings in the Seventh District number in all twenty one, sub-divided as follows: Twelve churches, two fire-engine houses, one court house, a jail building, police station. market and three public schools.

These various buildings have been duly inspected during the year, and with the exception of the court house, jail and police station, were found to be in a satisfactory sanitary condition; the court house has been long in need of repair, and the neglect to attend to the same is sadly affecting the appearance and usefulness of the building. A comparative small outlay at the present time, would unquestionably save to the city a considerable outlay of money.

If the court house is in bad condition, what must be said of the jail and police station?

If the court house is in bad condition, what must be said of the jail and police station?

The jail, a brick building of two stories, and without the slighest pretense to sanitary requirements in its architecture, is literally falling to pieces; new joists are wanted, the floors are rotten and wanting in many places, the stair-way rickety and unsafe, many of the prison cells have had to be abandoned, no longer being inhabitable or secure for confinement of the prisoners, and in toto the building is but a shell, and a most decidedly unhealthy one, even admitting that its use is confined only to the criminal classes.

It is estimated that over one hundred barrels of bat manure were removed last September, the accumulations of the suppose the

lation of years, leaving yet in great numbers the source of the annoyance.

Various grand juries in their reports have called attention to the digraceful condition of this building and its present unitness for the confinement of criminals, and surely it is about time that some attention was devoted to it.

PRIVY SYSTEM.

Though the privy system in vogue in the Seventh District, and I believe confined to this one district is rather simple in character and of primeval origin, it consisting of an excavation in the soil some four to six

rather simple in character and of primeval origin, it consisting of an excavation in the soil some four to six feet squaré and over which is placed a light wooden enclosure easily movable. I carnestly believe that but little of the bad unhealthy effects are produced which are assigned and now generally accepted, to the brick, and cemented and stationary vanits of the other districts.

For when this trench is no longer serviceable, the contents are disinfected, earth is thrown in covering the space in use completely, and the house is moved to another spot. The localities for erecting these temporary buildings are selected as far from the dwelling as possible, consequently the inmates are decidedly more frethan those residing in the more densely nopulated districts of the city, where the closet is permanently built, and in the majority of cases forming part of the main building.

I do not desire to have it understood that this character of vanit and the system described, applies to all of the residences in the district, for such is not the case, as there are localities in which it would be impracticable and delaterious to the public health.

ticable and deleterious to the public health.

MARKETS.

One market centrally located, supplies the wants of the district in this respect; the meat sold is unusually good, and cleanliness is an ever present feature of the building.

DATRIES

The dairies are extremely numerous in this district, numbering over fifty, the majority of which are lo cated on Carrollton avenue.

They received a careful visit and inspection in the early part of September, and but small complaint can be found against them; they are generally clean and out-buildings in good order.

MORTALITY.

The mortality of the district during the past year has not been great, the total number of deaths being one hundred and twenty-sight (193), a death-rate of 20.52 per thousand.

Since 1877 not a death from small-pox has occurred in the district.

I have prepared a tabulated statement of the mortality of the district for the year, in which is shown all

the deaths from the principal diseases, showing the per centage for each of the months of the year.

COMPARATIVE BATES OF MORTALITY IN NEW ORLEANS DURING THE YEAR 1880, AND IN THE PRECEDING YEARS **—SANITARY MEASURES NECESSARY TO THE HEALTH OF**

NEW ORLEANS—MORTUARY STATISTICS.

The total deaths from all causes in the city of New Orleans during the year 1880, numbered 5623, and the death rate per 1000 inhabitants was 25.98.

With the exception of two years (1827 and 1879) the death rate of 1880 was lower than that of any year since 1787, of which any records have been preserved.

In 1627, the death rate was 24.56 per 1000 and in 1679, 23.94 per 1000.

It is of the highest importance that a general view of the mortuary statistics of New Orleans should be presented, in order that the effects of sanitary and quarantine measures should be clearly defined. It should be shown by the past and present mortuary records whether the death rate per 1000 inhabitants be decreasing or increasing; whether certain diseases are increasing or diminishing in fatality, and whether differences exist in the rates of mortality amongst the different races which compose the population of New Orleans.

In order to throw light upon these important questions, the following comprehensive statement of the mortality statistics of New Orleans with the accompanying charte have

been prepared:

The tabular view of the mortuary statistics of New Orleans, contains the following

tables enumerated in regular order as they have been placed upon the chart:

(a). Table illustrating the relations of the population of New Orleans, to the total mortality from all causes, during a period of ninety-four years.

(b). Table illustrating deaths and death rate from all causes and from yellow fever in the

oity of New Orleans, during a period of sixty-four years.

(c). Table illustrating the mortality from some of the principal diseases and total mortality, together with the death rate per 1000 inhabitants of the different districts of New Orleans, for the year 1880.

(d). Census of the State of Louisiana, from the tenth census of the United States, 1880.

Comparative tables of mortality by months, during the twelve years, 1869 to 1880, showing deaths from some of the principal diseases; total number of deaths according to race and color, and death rate per annum.

Table showing deaths diarrheal diseases, by months during the ticelre years 1869-1880 **()**.

inclusive.

Table showing deaths from phthisis pulmonalis, during twelve years 1869-1880 inclu-(g). sive.

Table showing deaths from malarial fevers by months, during twelve years 1869-1880. (h).

Deaths in the Charity Hospital, City of New Orleans, during the year 18-0.

From the preceding data, as well as from the vital statistics and meteorlogical records of this city, the accompanying charts have been prepared, illustrating the increase of population in the city of New Orleans, during a period of ninety-four years, together with the total mortality for each year, and the death rate per 1000 inhabitants per annum, also deaths from yellow fever, mean maximum and minimum temperature and rainfall for a number of years.

Without, at the present moment, entering into an exhaustive discussion of the data recorded in the accompanying tables and charts, the following points of general inter-

est may be noted:

1. It will be observed that the maximum death rate per 1000 inhabitants was attained in the year 1632, 147.01 of every 1000 inhabitants of New Orleans died. In that

year (1832) both cholers and yellow fever prevailed as epidemics.

The next highest death-rate was in the memorable year 1853, when the mortality per 1000 inhabitants was 102.42, and the deaths from yellow fever alone caused nearly onehalf of the total mortality-namely, 7849 out of 15,787 deaths from all causes, or 50.90 per 1000 inhabitants.

The year 1878 will be distinguished by the diffusion of yellow fever over a considerable area and by the wide spread alarm excited in the Valley of the Mississippi by the ravages of this pestilence. The rate of mortality, however, in 1878 was less than one-half that of 1853, being 50.70 per 1000 inhabitants from all causes, and 19.20 from yellow fever; and it was only a little more than one-third that of 1832; and it was exceeded by that of 1787, 1796, 1810, 1811, 1815, 1817, 1819, 1820, 1822, 1825, 1829, 1832, 1833, 1834, 1835, 1837, 1839, 1841, 1844, 1847, 1848, 1850, 1851, 1852, 1853, 1854, 1855, 1858 and 1867.

2. There has been an evident decline in the death-rate of New Orieans during the past twenty years--1860-1880. Of course we do not in this statement fail to note the high death-rate (55.57) of 1867, caused by cholera and yellow fever; of 1873 (40.19) and of 1878 (50.70), embraced to the period 1860-1880. The decline of the mortality rate during the period specified (1860-1880 is shown by the oscillations of the heavy black line on the chart, which represents the death-rate per 1000 inhabitants per annum from all CRUSCS.

 $\mathsf{Digitized} \; \mathsf{by} \; Google$

The same fact is also illustrated by the following statement of the years, presenting the lowest death-rate per 1000 inhabitants in New Orleans during the past ninety-four years: 1812, 32.50, 1816, 27.93; 1821, 39.57; 1826, 30.61; 1827, 24.56; 1828, 32.89: 1831, 36.71; 1838, (36.77; 1840, 39.11; 1845, 31.17; 1856, 35.24; 1857, 34.07; 1861, 33.97; 1862, 36.10; 1868, 28.96; 1869, 29.79; 1870, 36.26; 1871, 31.24; 1872, 33.54; 1874, 35.71; 1875, 32.05; 1876, 32.39; 1877, 34.32; 1879, 23.94; 1880, 25.98.

(a.) The sta-This decline in the mortality rate may be referred to several causes: tionary condition of the population during the period specified (1860-1880), as shown by the line in the chart representing the increase of population in New Orleans during the past 94 years. It is clearly shown upon the chart that the periods characterized by the highest death-rates were precisely those periods in which the city increased most rapidly by additions from surrounding States and foreign countries; (b.) the relative preponderance during these latter years of a native-born and acclimated population; (c.) the diminution of the number of seamen entering this port, on account of the substitution of large iron steamships for wooden sailing vessels; (d.) the institution of more rigid quarantine regulations and measures; (c.) increased drainage in the rear portions of the city; (f.) certain sanitary measures, as the cleansing and disinfection of privies and the removal from the city limits of night soil and garbage.

3. As far as the statistics recorded in these tables extend, they tend to sustain the view that the establishment of quarantine at the mouth of the Mississippi and at the Rigolets and on the Atchafalaya by the State of Louisiana, has tendered to diminish the frequency of yellow fever epidemics; thus from the establishment of the quarantine in 1855 to the end of 1880 (25 years) there have been but three epidemics of yellow fever of any magnitude, namely: in 1858, 1867 and 1878; whilst in the preceding 39 years (1817-

1855) no less than 19 severe visitations of yellow fever have been recorded.

4. During the past seven years (that is during the period in which we have data for the calculation) the death rate has almost invariably been higher amongst the colored population than amongst the whites. The result is at variance with the popular opinion that in tropical and semi-tropical cities the black race enjoy a greater immunity from diseases, and especially from the various forms of fever than the white race. The increased rate of mortality amongst the blacks may be referred to such causes as: (a.) improvidence in living; irregular habits; poor diet; (b.) neglects of the sick; indifference to medical aid; neglect of vaccination; (c.) crowding and imperfect ventilation; (d.) less vital power or capacity to resist the ravages of disease; (e.) ignorance of, and violation of physiological and sanitary laws.

Many of these causes are capable of removal or amelioration. With advance of knowledge, and the acquisition of property by the colored race, there will be a corresponding diminution of the death rate.

5. Phthisis pulmonalis appears to destroy as many lives in New Orleans as yellow and malarial fevers combined. Thus during the past twelve years, 1869-1880 inclusive, phthisis pulmonal is caused 9,800 deaths, yellow fever 5,102 and malarial or paroysmal fevers 4,854 deaths.

6. If the mortality of the past six years (1875-1880) be compared with that of the previous six years, 1869-1874, it will be found that the deaths of the first named period excoed but to a slight degree those of the latter, notwithstanding the epidemic yellow fever of 1878. Thus:

 Total mortality for six years, 1869-1874.
 40,370

 Total mortality for six years, 1875-1880.
 41,851

This period may be characterized in the sanitary history of New Orleans, as that of the experimental use of disinfectants, and more especially of carbolic acid."

Under the direction of Dr. C. B. White, President of the Board of Health (1869–1875 inclusive), carbolic acid was more extensively used than in any ether city. From the data now at hand, we find that the city of New Orleans paid the following sums for dis-

infectants of which carbolic acid formed the chief item. Amount paid by the city of New Orleans for disinfectants ordered by the Board of Health: 1870, \$2,851.77; 1871. \$2,448.21; 1872, not recorded; 1873, \$16,069.83; 1874, \$2,482.35; 1875, \$12,376.35; total \$35,128.51.

The amount stated (\$35,128.51) simply represents the amount actually paid by the city,

and entered upon the records; outstanding claims are not included. The opinion prevailed that yellow fever could be controlled and even arrested by the free use of carbo icacid; but the result of the epidemic of the year 1878, when \$12,207.22 were expended for disinfectants, and more especially carbolic acid, scattered to the winds that be lef that certain disinfectants, and especially carbolic acid, possessed any specific control over epidemics of yellow fever.

The signal failure of the experiments with carbolic acid disinfection, was followed by

the wild panic and shot-gun quarantines of 1880.



MORTALITY OF 1880.

The accompanying charts illustrate the relations and changes of temperature—humidity and barometric pressure—to the death-rate per 1000 inhabitants during the year 1880.

The charts illustrate so fully and clearly the relations of the death-rate to meteorological conditions that any detailed explanation is unnecessary. The following points,

however, are worthy of especial notice.

 The highest mortality of 1880 occurred during the week ending the 12th of June.
 During the six months ending June 30, 1880, the rain fall was 29.69 inches, the mean temperature 69,20°, mean barometer 30.07°; total death-rate per 1000 population, 26.84: whites 23 43, colored 36.35.

During the six months ending December 31, 1980, the rain fall was 37.68 inches; mean temperature 69.80°; mean barometer 30.09°; total death-rate 25.19; whites, 22.28; col-

ored, 33.33.

It is evident that the death-rate diminished during the last six months of the year in which yellow fever most generally prevails.

3. Throughout the year 1880, the death-rate of the colored race exceeded largely that

of the whites.

4. If the deaths amongst the colored population be excluded from those amongst the white race, it will be seen that during 1880 the white inhabitants of New Orleans enjoyed a remarkable immunity from fatal diseases, and that this city was probably as exempt from fatal forms of disease amongst the white inhabitants as any other city of similar size in America or Europe.

RELATIVE MORTALITY IN THE SEVERAL DISTRICTS OF NEW ORLEANS.

From the table illustrating the mortality from some of the principal diseases and total mortality together with the death-rate per 1000 inhabitants of the different districts of New Orleans.

for the year 1880, the following important results are established:

(a). First District: Total deaths 1393; whites 884; colored 509; death rate per 1000 inhabitants: whites, 20.40; colored, 36.10; death rate white and colored 29.24. In this district the death rate amongst the whites will compare favorably with that of any city in the Western or Eastern Hemisphere, whilst the death rate of the colored population, although higher than that of the whites, will compare favorably with that of the descendants of the African race in any large city in the United States. It is believed and hoped that the humane efforts of the Board of Health of the State of Louisiana will

still further reduce the death rate amongst the colored population.

In the Second District total deaths, 1115; whites 699, colored 416. Death-rate per 1000 inhabitants, whites 22.28, colored 31.27. Total death-rate, whites and colored, 24 %. In the Second District, which lies below Canal street and embraces the first settled portions of New Orleuns, or the "city proper," of Bienville, the death-rate was only a fraction in excess of that of the First District. This difference may be referred to the fact that there are a larger number of tenement houses in which are congregated foreigners, and especially natives of Sicily and Italy. Repeated orders were issued by the Board of Health for the cleansing and disinfection of the crowded portions of the Second

District.

In the First District extending from Canal street to Felicity road, is located the new basin and canal connecting with the lake, and in the Second District extending from Canal to Esplanade street, is located the old basin and canal originally constructed by the Baron Carondelet, and communicating with the lake by the Bayou St. John.

Both the First and Second Districts, receive through the canals and basins, a consider-

able amount of shipping and a corresponding number of seamen.

The First District received a considerable amount of water by the flushing apparatus of the Auxiliary Sanitary Association, a portion of which found an exit on Camp street and Melpomene canal. No case of yellow fever was reported in the Second District which had not the advantage of the flushing, whilst but three cases were reported in the First District, which have been fully detailed in the report.

In the Third District total deaths 1,161; whites 774, colored 387; death-rate per 1000 inwhites 22.94. colored 32.62. Total death-rate 25.47.

intrict, extending from Esplanade street to the lower limits of the large portion towards the awamps and lake is id drained and aubmalaria; and the statistics show that the deaths from the various were relatively more numerous; thus deaths from malatial fever nd District, 62 : Third District, 82.

v system of drainage and sewerage would reduce the deaths

minimuro.



The cultivation of rice has been inaugurated in the rear of this district, and a portion of the sickness and mortality in this district must be referred to this the most pernicious of all forms of agriculture. The Legislature of Louisiana, the City Council of New Orleans and the Board of Health, should consider the subject of rice culture in its relations to the health of the City of New Orleans, and such ordinances should be considered and passed as will protect the inhabitants from the effects of the destructive emanations of rice fields.

In the Fourth District total mortality 720; whites 506, colored 214; death rate per 1000 ahabitants whites 16.52, colored 30.96 Total death rate, whites and colored, 19.18.

In the Fourth District the whites predominate greatly over the colored, and a large proportion of the inhabitants of the garden district of New Orleans, amongst whom may be mentioned its successful merchants and business men, absent themselves from the city during the hot months of Summer and Autumn, seeking health and amusement at American and European resorts of health and pleasure.

The deaths from malarial fever in 1880 in the Fourth District number 42. It should also be noted that this district offers a far less front to the woods, the swamp and the lake than the First, Second and Third Districts. This district received the benefits of

the flushing system.

In the Finh District the total mortality was 142; whites 91; colored 51; death rate per 1000 inhabitants: whites 18.12; colored 13.30; total death rate whites and colored 16.03.

The Fifth District gave the lowest mortality in 1880 of any District within the bounds of the Parish of Orleans. This district, which occupies the opposite bank of the river and may be regarded as a separate city, received none of the benefits of the flushing system of the Auxiliary Sanitary Association of New Orleans. Such facts illustrate the nature of the claim that the running of water through the gutters of the Fourth District and through a portion of the gutters of the First District, preserved the City of New Orleans from yellow fever in 1880. The Board of Health has given its countenance and support to all rational efforts to improve the health of this city, and recognizes the labors of its officers in the cleansing and disinfection of privies, the prompt removal of garbage, the disinfection and cleansing of all premises in which cases of yellow fever, typhoid fever, scarlet fever, measles and small pox have occurred.

typhoid fever, scarlet fever, measles and small pox have occurred.

In the Sixth District, the total deaths numbered 329; whites, 196; colored, 123. Death rate per 1000 inhabitants: whites, 16.40; colored, 30.16. Total death-rate per 1000 in-

habitants, 20.52.

The colored population of the Sixth District, dominated in a measure the low deathrate of the whites 16.40, which would compare favorably with the death-rate of any similar congregation of white inhabitants in any portion of the civilized world.

We have in this report recorded the relative population, white and colored, of the city of New Orleans. From this table it will be shown that the colored population is not

uniformly distributed in the districts of New Orleans.

In the Sixth District malarial fever caused ten deaths and in the Fifth District seven. In the Seventh District the total deaths numbered 123—whites 62, colored 66. Deathrate per 1000 inhabitants—whites 19.92; colored 21.12; total death rate per 1000 inhabitants 20.52. In this district the colored people, as in the Fifth District, are more comfortably situated, owning more property and being less crowded, and being also at the same time less subjected to the excitement and vices of the thickly populated portions of New Orleans, and we find a proportionately lower death-rate.

As the outcome of this investigation the Board of Health has the following important

results.

FIRST DISTRICT.

Death-rate per 1000 inhabitants 24.24; whites 20,40, colored 36.10.

SECOND DISTRICT.

Death-rate per 1000 inhabitants 24.96; whites 22.28, colored 31.27.

THIRD DISTRICT.

Death-rate per 1000 inhabitants 25.47; whites 22.94, colored 32.62.

FOURTH DISTRICT.

Death-rate per 1000 inhabitants 19.18; whites 16.52, colored 30.96.

FIFTH DISTRICT.

Death-rate per 1000 inhabitants 16.03; whites 18.12, colored 13.30.

SIXTH DISTRICT.

Death-rate per 1000 inhabitants 20.62; whites 16 40, colored 30.16.

SEVENTH DISTRICT.

Death-rate per 1000 inhabitants 20 52; whites 19.92, colored 21.12.

From the preceding statistics it must be evident to every honest observer that this year (1880) must be regarded as a period free from any postilential and fatal influences



in New Orleans, and the earnest hope may be expressed that the Ruler of all things, will continue to vouchsafe to the people a similar exemption, in the future from epidemic

The statistics of 1880, render it evident that there is nothing in the climatic and topographical conditions of New Orleans, which precludes it from being the healthiest city

in America or Europe.

With thorough sanitary regulations, with the prompt removal of all garbage and fœcal matters and with the constant destruction of the poisons of all infectious and contagious diseases, by efficient and active sanitary officers, and with a rigid but enlightened quarantine, the Board of Health may sincerely hope for continued immunity from pestilential diseases.

The absence of pestilential diseases from New Orleans and from the valley of the Mississippi, will be followed by prosperity to all classes, and by a marked physical and moral development of all the various races congregated in the metropolis of the West.

SANITARY MEASURES AND REFORMS.

PROTECTION FROM OVERFLOW—DRAINAGE AND SEWERAGE

The great sanitary problems of New Orleans are:

1. Protection of the city from overflow, by substantial levess elevated at least two feet above the line of the highest waters.

Thorough surface and subsoil drainage.

Under this head should be included the reclamation of the swamps in the rear of the city, and perfection and proper grading of gutters and surface drains, and the proper excavation, perfection, cleansing and flushing of the canals which receive the storm waters and those continually yielded by the gutters.

3. The immediate and continuous removal of all facal matters.

The daily removal of garbage by an efficient scavenger force.
 The constant repair and cleansing of the streets.
 Paving the streets with the most substantial materials.

Thus far the square block pavement has proved to be best adapted to the peculiar soil and location of New Orleans. The same form of gravel and small stones as those employed at the jetties by Captain Eads might be used upon many of the dirt streets. This gravel may be obtained in large quantities from an island in the Mississippi river above Baton Rouge, and might be brought down in large quantities in flat-boats and landed on the river front in any of the various districts of the city. The shells employed upon certain of the streets are, in the course of time, reduced to an impalpable powder, which forms a diffluent mud in winter, and affords an irritating dust in dry weather.

The gravel from Profit's Island on the Mississippi river, is composed chiefly of silex and silicates of the hardest description, which have resisted the action of the elements

for unknown ages.

Abundant supplies of river water for the use of the inhabitants and for the clean-

sing of private premises, and the purification of the markets, gutters and streets.

The highest interests of the citizens of New Orleans, demand the institution of a rigid scientific investigation by the most skilled engineers of the United States and Europe.

of the drainage and sewerage of this city.

A properly constituted commission of civil and military engineers might devise a plan of protection from overflow, and of surface and subsoil drainage, and of sewerage, which may be capable of progressive execution and expansion during indefinite periods in the future, and in accordance with the growth of the city.

Every system of sewerage and sub-soil drainage must be adapted to the peculiar topo-

graphy of the land occupied by the city. The following facts must be considered: (a). The land on which New Orleans is built is protected from overflow of the Missis-

sippi River by a continuous levee from the beginning of its river front to the ending of it, a distance of about twelve miles. The levee has an elevation above the natural soil of from six to ten feet.

The land upon which New Orleans is built falls from the ziver back to Claiborue street one mile, where it is twelve feet below the river.

In high water the entire area occupied by the city of New Orleans is below the level of the Mississippi River.

It is equally necessary to protect the rear of the city by a system of powerful levees, from overflows from the lake.

It frequently happens that the level of the lake is above that of a large portion of the land occupied by the city.

The basin occupied by New Orleans is further diversified by a ridge of land. On either side of the Metairie Ridge the land slopes in one direction towards the lowest depression towards the river, and in the other towards Lake Pontchartrain.

From these natural conditions, the subsoil of a large area of the city of New Orleans

is perpetually saturated with water.

At the present time New Orleans is drained by large canals thirty-five miles long, which receive the surface water of over 300 miles of gutters.

At the present time these canals are more than one-half full of the foul deposits washed

down through the gutters of the city.

(b). According to the city map of Mr. W. H. Bell, the inclosure within the protection levees measures 26,026 acres, which, if populated with forty persons to an acre, would give 1,041,040 persons. If the daily excrements of this population per head be estimated

at three pounds, the entire amount would equal 569,970 tons in one year.

But if with Civil Engineers, we consider the present city to lie on the slope between the river and Claiborne street, which contains between the upper and lower protection leves, 9,319 acres, and 30 persons to an acre, it will give a population of 372,760. The daily excrements of this population would be 1,118,280 pounds, and would require to move it daily 1,118 carts, each taking half a ton at a load, or it would take 204 of the largest ships that come to New Orleans to carry a year's filth from the city, without calculating the refuse from cattle, horses and other animals.

During the present year, it has been attempted to remove a portion of the excrements stored up in the privies of the city, by the so-called "air-tight" and "odorless" barrels and carts, to the nuisance boats, to be towed below the city limits and dumped into the Mis-

sissippi river.

If we estimate the present population of New Orleans at 220,000 inhabitants, and al-

low five inhabitants to each house, we have 44,000 houses.

It is possible that in many cases two or more dwellings are served by a single privy vault.

If the total number of privies in the city of New Orleans number about 40,000; and if the cost of emptying each of those privies be about (\$5 five dollars), then it is evident that the emptying of the privies of New Orleans, annually cost \$200,000.

In ten years the cost of emptying the privies of New Orleans only once annually would reach the enormous sum of \$2,000,000 (two million dollars.) And at the end of this period there would be no permanent works of sewerage or drainage and no substitute for the wretched privy system now used.

To the above estimate must be added the cost of disinfectants to destroy the foul gasses, and more especially the poisonous sulphureted hydrogen and sulphuret of am-

menia perpetually generated in these foul storehouses of filth.

With all the efforts of the sanitary officers it must be admitted that the garbage and nuisance boats and even the apparatus for emptying the privies are foul and unbeara-

(c.) The streets of New Orleans open and requiring cleaning and repairing have been classified as follows: Square block pavement, 22.06 miles; cobblestone, 38.00 miles; baliast loads, 19.07 miles; shell roads, 26 54 miles; plank roads, 5.00 miles; dirt streets, 472.34 miles. We have, then, nearly 500 miles of dirt streets, not including those not in general use.

There are also to be built and kept in repair 191 canal bridges, 5180 wooden street bridges, 459 stone crossings, 580 iron street bridges, and 3301 wooden street crossings, together with the nine navigation bridges over the New Canal, the Carondelet Canal,

and Bayou St. John.

In wet weather the dirt streets become impassable quagmires, and from the failure of the garbage carts they become the receptacle of garbage and filth of every descriptions

Added to this the rear portions of the city have been overflowed upon several occasions by the waters of the lake, and incalculable suffering and hardship have been inficted apon the inhabitants.

A thorough system of protection from overflow, combined with an effective system of we werage and underground drainage, will practically elevate the dirt streets into dry roads and highways suitable to the purpose of transportation and commercial inter-

(d.] Without doubt a large number of the diseases of New Orleans are, to a certain extent, dependent upon the saturation of the atmosphere with moisture, and, under certain circumstances, with foul exhalations from privice and gutters and ill-drained and ill-ventilated premises, and from the filthy drainage canals.

The foul exhalations may, to a great extent, be removed by a prompt removal of all scal matter and garbage. The moisture may be greatly diminished by thorough surfocul matter and garbage. face and sub-soil drainage.

In this connection the following important facts should be noted:



During the past twelve years, the average number of deaths caused by phthisis pulmonalis alone was 816, giving a grand total during this period 1869 to 1880, of 9,800 deaths.

One in 248 of the inhabitants of New Orleans die annually of phthisis pulmonalis. It will be seen from the following table that the percentage of deaths from phthisis pulmonalis, varies in the different districts of New Orleans:

TABLE SHOWING NUMBER OF DEATHS BY PHTHISIS PULMONALIS IN THE DIFFERENT DISTRICTS OF THE CITY OF NEW ORLEANS, AND DEATH RATE PER 1000 INHABITANTS PER ANNUM.

DISTRICTS	January.	February.	March.	A pril.	May.	June.	Jaly.	Angust.	September.	October.	November.	December.	Total.	Death Rate per 1040 per Annum.
First District. Second District Third District Fourth District Fifth District Sixth District Seventh District	21 5 10 7 1 4	15 18 7 15	27 12 9 12 3 4	22 14 11 9 1 2	21 14 10 6 1 6	17 18 14 6 2 2	22 10 6 3	15 8 12 9 4	6 16 15 8 3	19 18 11 7 1 3	25 20 14 16 5	19 15 16 16 14	222 168 135 114 25 29	3.86 3.76 2.96 3.37 2.89 1.80
Total	48	58	70	60	58	60	44	48	48	52	83	73	702	3.25

The mortality is greater in the most crowded districts, being in the First 3.86 per 1000 inhabitants, Second District 3.76, Third 2,96, Fourth 3.37, Fifth 2.82, Sixth 1.80, Seventh 1.44.

During the same period, 5,144 deaths were caused by diarrhoal diseases, or on an average 428 deaths each year, are caused by these diseases.

Four thousand eight hundred and fifty-four deaths were caused during this period by malarial fevers, or 404 deaths per annum. This class of diseases appear to be directly related to defective drainage.

During the period of twelve years therefore, (1869-1880) phthis is pulmonalis, diarrhead diseases and malarial fevers, caused in the city of New Orleans, 19,798 deaths, whilst during the same period yellow fever caused only 5102 deaths as shown in the following table:

DEATHS BY YELLOW FEVER IN NEW ORLEANS DURING THE TWELVE YEARS, 1869-80.

YEAR.	June.	July.	August,	September.	October.	November.	December.	Total
								3
870	1		3	231	242	106	5	588
1871			1 2	9 1	22	19	2	* 54
		. 	ī	5 1	24	7	2	39
			19	108	79	17	 .	926
874				2	6	9	1	71
875			5	24	20		3	61
			l i	20	15	4	i	41
	1			l		l i	l .	ī
			1025	1780	1065	147	3	4054
		3		1 -107	5	1		. 19
		ĭ			ĭ			
Total	1	34	1060	2186	1481	312	17	5102

The entire attention of the inhabitants of the Mississippi Valley is concentrated upon New Orleans, to the detriment of her commerce and fair name, on account of the occasional existence of yellow fever in the epidemic form; and her people are prone to regard this disease of far greater importance than phthiss pulmonalis, diarrechal diseases and malarial fevers, which perpetually claim a far greater number of victims.

It is possible by a proper system of drainage and sewerage to greatly reduce the mortality from phthisis pulmonalis, diarrohal diseases and malarial fevers.

But any philosophical and successful system must be based upon the peculiar topography of New Orleaus, situated below the high water lines of the river front and of the lakes in the rear.

(e.) Every system of sewerage and drainage adapted to New Orleans, must depend for its ultimate success upon the use of powerful pumps to lift up the liquids and project them into the Mississippi River below the limits of the city.

(t). The construction of a drainage and navigation canal circumscribing the city and connecting the waters of the Mississippi above Carrollton with those below the Barracks pr omises great hygienic and commercial advantages.

T o render the canal available at once to the purposes of navigation, drainage and se werage, it should not be less than thirty feet below low-water in the river and should.

be not less than three hundred feet in width.

Such a project could only be successfully executed by the combination of great capital, and the co-operation of the General Government.

The protection of the city from overflow, and thorough drainage and sewerage will, without doubt, render New Orleans one of the healthlest cities in the world, and do more to ward off destructive epidemics, and restore confidence in her own citizens and in those of surrounding States than even the most rigid and effective quarantine.

PROTECTION OF THE CITIZENS OF LOUISIANA FROM UN-QUALIFIED PRACTITIONERS OF MEDICINE, AND THE EX • TENSION OF THE REGISTRATION OF MARRIAGES, BIRTHS AND DEATHS, TO THE ENTIRE STATE.

Article 178 of the Constitution of the State of Louisiana, adopted in 1879, ordains

that:

"The General Assembly shall provide for the interest of State Medicine in all its departments; for the protection of the people from unqualified practitioners of medicine; for protecting confidential communications made to medical men by their patients while under professional treatment; for the establishment and maintenance of a State Board of Health."

In order to diffuse a correct knowledge of all subjects relating to the important subjects, concerning the constitution and execution of quarantine, and the laws relating to sanitary and medical subjects, and to the protection of the people against the introduction and spread of contagious diseases, and to the registration of marriages, births and deaths; the Board of Health of the State of Louisiana published in the month of September, 1880, a large edition of the "Acts of the Legislation of Louisiana establishing and regulating quarantine for the protection of the State; organizing and defining the powers of the Board of Health and regulating the practice of medicine, midwifery, dentistry and pharmacy; also rules and regulations of the Board of Health of the State of Louisiana, and Health Ordinances of the City of New Orlrens, quarantine and sanitary."

These laws, ordinances and rules, collected and classified by the President of the Board of Health, were distributed to the State officers, judges, city authorities and the prom-

inent physicians and sanitarians of Louisiana.

As the population of New Orleans numbers not more than one-fourth of that of the entire State, it is evident that great benefit would accrue to the entire State, by extending many of their provisions, which now relate exclusively to the parish of Orleans, to every city, town and parish in the State.

The sanitary and social advancement of the State would be especially promoted by the extension of the laws regulating the registrations of marriages, births and deaths,

to every portion of the State.

Such statistics would prove of marked value in all respects, but especially as establishing a knowledge of the most fatal diseases and determining the death-rate and prevailing diseases in different localities and amongst the different races.

Such data would form the necessary foundation for sanitary reform and advancement.

	Table illustrating dea:	DEATHS IN	THE	FIRST D	DISTRICT OF	r of the	ir city	OF NEW	W ORL	ORLEANS DURING	URIN(THE	YEAR 16	1881.		
7	NAWES OF DISEASES.	, Tiennes T,	Гергиягу.	March.	April.	May.	.eanf	.ylat.	August	September.	`.тэбороО	Мочешьег,	Десешрет.	Total.	Total.	
		W. C.	₩. C.	₩ .	₩. C.	₩. C.	₩.	₩.	₩. C.	¥.	≱	C. W. C.	₩.	B	C. W&C	
Malarial Pevera Typhold Fever. Scarlet Fever. Measles	Malarial Povers Typhoid Fover Scarlet Fover Maalon Small Pox	886	ot 60	ot oo	10 TO		2 3		Ø	2	10 64	ena.	10 0t	204n	527.88	
Diphtheria Diarrheal Di Congestion of Sun-stroke	Diphtheria. Discusses. Congenition of Brain. Sun-stoke.	60 A A	o- o		e :=	os 1- sū	:0 4 e	₩. O. 4. O	m m		400	es co	P-60	882°	9885 8885	
Convulsions Phthisis Pulm Deaths from a		:58 952	86 g	<u>అదె</u> కె	502 -38	4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.18 0.08	- 28 - 25 - 25 - 25	ae± 8	not	2 e-e-3	32 51 1	215 215 215 215 215 215 215 215 215 215		
Total nun	Total number of Deaths	201	11 8	8	201	116	153	101	ا ا	69	88	P 2	88	131030	288	
Death rate (Death rate Colored	88.88 97.89	21.30 30.58	\$7.10 45.02	48.83	8 2 57	35 5.5	#1.97 44.17	82 82	19.11	88 F.P.	21.60 46.72	28.22 11.23	82 E8	27.81	
Inhabtante	Total White and Colored	30.08	23.60	3.54	34.05	34.71	40.31	31.96	87.78	2.2	85.90	87.78	86.58			
ė	Malarial Fovers	6.47	. 62 2.95	6.8	- 4 28	æ.†:	20 00 20 00 20 00	1.67	8.53	1.13 7.13	2.88 8.88	8.8°	3.5	28	5.8	
Number 8till-	Number Still-born Children	-	=	=		-	-	=	9	-	F	7 12	9	9	8	

	Total.	W&C	28 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1224	87.40	:	9.8	F
		ပ	¥114- ¥ 8 8 2 5 4	486	36.53	1	31.00	ই
18e	Hotel.	æ.	8338013874382	738	:33		9.5	5
YEAR	: roomooog	ن	7.7	ଞ	88	96.76	0.6	-
	December.	*	201 . 00	19	88		3.8	-
THE	Иотепрет.	ပ		ន	8.5	26.10	04 ±	
ING.		₽	3.6	4	7.5		90	
JUR.	лефорог.	: :-	20 10 10 10 10 10 10 10 10 10 10 10 10 10	1 36	2.53	23.37	50.00	8
NS I		≱	88 -95 8	33 51	28	GR	oii	
ORLEANS DURING	.тебшэтдеВ	<u>.</u>	H	9	20.11 20.77	21.22	9.6	9
		≱ c	86	ਲ		8	+0	4
NEW	tangna	 ₩	о <u>кая кай</u>	:3	30.04	83	<u>अंग्रं</u> अंग्रं	4
OF N		U	4	ਲ		છ	ø.÷	क्ष
	Jaga.	 ≱	850228	8	94.10 30.67	8	8.8 8.8 8.7	3
S CITY		<u> </u>	4 : 4-5-4 :08	ठ	*=	8	5.0	a
THE	Jane.		6 4 6 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	8	36.9	\$	0100	4
OF	Мау.	ပ	8-10 - 4 - 01-8	83	96	35.46	6.2	O R
ICT	TAM	×	- SC476 SE4	8	8,5		6.4 6.6	a
SECOND DISTRICT	₽ b4Jr	ပ		88	÷8	87.40	8.1	[
a a		≱	C .44 84 868	2	22		5.7	_
CON	Maroh.	<u>ن</u>	60 mar	8	2.2	16.68	47.	3
SE		⊭	L : : : : -4 - : : : : : : : : : : : : :	35	##		- 64	Ĺ
1.HE	February	ا <u>ن</u>		8	22.95 31.57	25.51	0.4	
NI S	<u></u>	C.	:	ਲ		21	0.4	 -
THE	. Vianual	_ ≱	90 0 10 10 10 10 10 10 10 10 10 10 10 10	19	23.33 30.57	8	3.8	[
DE/		<u> </u>			::	Ŀ	::	<u>_</u>
TABLE ILLUSTRATING DEATHS IN	NAMES OF DISEASES.		Malarial Fevers Typhoid Fever Searlet Fever Meanles Diphtheria Dipartherial Diseases Congestion of Brain Sanstroike Convulsions Deaths from all other causes.	Total number of Deaths	Death rate White	Total white and colored	ingsoltante Malarial Fever	l-born
	NA		Malaria Fe Exphoid Fer Earlet Fero Meanles Dhytheria. Dharthesia. Dharthesia. Congestion of Sanatroke. Convulsions. Phthals Pulm	Total numl	Death rate	per rom	indsolunds per snnum.	Number Still-born

Population-White, 31,368; colored, 13,301; total, 44,669.

	Total	:
	Total.	
<u> </u>		-
7 K 16	December.	
7		-
THE	у Хочетрет.	
RING	October.	
ā		
SVV	Зерістрег.	
31.H		-
(O ₩	A agast.	
×	·(me	:
0.4		
ITX	!	ŀ
ວ ສ	!	l
THE	i	Ī
Ç		i
10		١:
STRI	April	ŀ
Ē		•
EE.		į
Ē		:
LHK	. wantded	
Z		1
rHs]	-71endel.	
TABLE ILLUSTRATING DRATHS IN THE THIRD DISTRICT OF THE CITY OF NEW ORLEANS DURING THE YEAR 1881.	NAME OF DISEASES.	

Mortality o	/ N	esc Uricans,	Classific	ed by	D	STRICT		1001.		
Tetel	WAC	-85ca#	33053	로운 -	1474			3.37	2	
• -		-8a : : "	20 4 7	3:	=	\$E.	Ξ	28	5	
Total	` ; ≱	* Zzene	= <u> </u>	# <u> </u>	Ş	88	97.	<u> </u>	12	
-		::::	: :=	a <u>s</u>	=	33		5	-	
December.	<u> </u>		CH CH	c ç	Ŧ	17.43 10 83	17.63	=	=	
	=	<u> </u>	::::	- =	<u>.</u>		_ '	000	<u></u>	
November.	<u>ت</u> ب	<u> </u>	<u> </u>	= =	-	23 23	¥4.91	==		
	*	<u>: </u>	<u> </u>		*		7	<u>.</u>	١	
October.	<u>5</u>	<u>. </u>	<u>:::::</u>	72	=	8.5	23		<u>.</u>	
-10	≱			~ .	8	82	8	5.2 E.T	<u> </u>	
September.	ت	, : : ! : : :		a 및	2	, e: e	Ŧ.	:ặ ::-	<u>[</u>]	
ndentraß	= -	·:: ::::::::::::::::::::::::::::::::::		-8	2	38	8	: 🛣	~	
	<u>ن</u>	1 : : : : : .	: -	S	8	85	20	3:	O.	
A agast.	` ≱	- 01 01 0	· =	:=	3	3	85.	3	- -:	ij.
	2	 		Ř	\$	Z Ç	3	28	<u>~</u>	Ĉ.
.Հլու	; ≽	, co =		-6	2	85	33	35	<u> </u>	total,
	1	 : : :	· · · · · ·	≈ €	3	52	9	ě	┢=,	-
Jame	 ≱	CT 1- CT		:12	8	182	39.76	===	- a	986,1
	15	n-::	•	8	<u>ا</u>	1	-	3	 	Ä.
May.	¦ —	: : : :	- :	;=	1 6	S S	33,67	F	إج	colored,
	 ≥			- 8	8	!		1 : 2	-	
April	<u> </u> _		-	-8	8	28. 7.5	8.10 8.10	1 1 2	_	33,739;
	=	<u> </u>	a - :==	<u> </u>	, æ	<u>'</u>	<u> </u>	1 : 24	<u></u>	_
March	<u>ن</u> 	3.57 - 68	<u> </u>		<u> </u>	.58	ã	:§	, ,	Whites,
	_	- 3	<u> </u>	د <u>ور</u>	35	188	8	4	Ľ,	ٳٙ
Tebruary	၁	l <u>:</u>		ŋ 	8	역우	8	855		Population-
	ž	9 :		01 %	<u> </u>	88	æ	1 .8.	7	Jug C
. Cranna t	ပ	: :	જાજા : જાજ :	~ St	₩	48	8	5		Ă
1100001	¥		*-:	24	33	용유	8	3.556	6	
					:	: :	:	• •	:	
;					:					
								1		
SES.					i	: :	•	•	:	
EA					•					
DIB				2	the		:	eve ulm		
J.				r ca	de		:	45		
ä			rain rain	othe	r of	ore ore	Tota	this	2	
NAME OF DISE		V 01.	Mac of B	7	mp	عٌ≰		AE.	12	
		Per Per	rat I Fou ke ions	from m	Total number of deaths	<u>ة</u> م	19	ė	Number stillborn	
		Malarial Fevers Scaube Fever Tybuid Fever Measles Blant pox	Distributal Diseases. Congestion of Brain Sunstroke Convulsions Phthisis Pulmonalis	Preumonia Deaths from all other causes	Tot	Death Whites	1000 1000 1000 1000 1000 1000 1000 100	annum. Phthisis Pulmona	N an	
		Malarial Fevers Senabel Fever Typhoid Fever Messless Banal pox		ĔĀ		⊢ £	Ä	đ	ı	

	. fatoT	W&C	2.58 2.58 2.58 2.58 2.58 2.58	2
		<u> </u>		3
YKAR 1881.	Total	ı — ≱	8 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$
B.A.R.		ပြ	82 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8	64
	Десеш рег.	, B	1	5
THE	· · · · · · · · · · · · · · · · · · ·	<u>ن</u>	2	04
NG	.196ш970И	≱	9.00 C	2
NEW ORLEANS DURING		<u>ا</u>		:
18 1	October.	≱	2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	-
EAL		ပ	* E 11-1 8 8 8 3 8 3 8 1 8 1 8 1 8 1 8 1 8 1 8	3
ORL	September.	<u>-</u> -	2	3
W (ပ	g 27 8 23	-
NE	August.	į₽	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	키
7 OF	. Com a	ن		=
CILY	Jajx.	×	E 201-100 E 20 21 27 C 201	~
THE (ပ	0.00 11-0 00 20 00 00 00 00 00 00 00 00 00 00 00	
	June.	≱	E S SE S S S S S S S S S S S S S S S S	
OF	May.	ပ	14	-
DISTRICT	Мем	Þ		6
STF	.fhqA	೮	1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
I D	ling A	≱	- : : : : : : : - -	64
RT	. Матећ	ပ	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	æ
FOURTH	4020)(B	: : : : - = : = = =	9
THE	February	ပ		
		B	13 S S S S S S S S S S S S S S S S S S S	7
NI 8	.Trannal	ပြ	1	~
TH		¥	<u> </u>	-
RATING THE DEATHS				
HE				
G T	S.	1	bee bee bee bee bee	
TIN	DISEASES		97	
	DIS		hases hases hases hours monalia	
SO	7 C		P P P P P P P P P P P P P P P P P P P	
=	NAMES OF		alls. To f	
ILE.	AM		rers rers of the mber MA	2
TABLE ILLUST	×		larial Fevers lity Fever lates lat	묾
-			Malarial Fevers Typhoid Fever Typhoid Fever Measies Sariet Fever Measies Diphibrios Diphibrios Diphibrios Diphibrios Diphibrios Plubla Diseases Congrection of the Brain Sanstroke Congrection of the Brain Bunstroke Congrection of the Brain Full blub and the Congrection Total number of Deaths Death rate White Ter 1000 Ter 1000 Total Inhabitante Malarial Fevers Fer annum, Phthials Pulmonalis	Number Still-born
•			T E D PESSONERS SELECTION	K

TABLE ILLUSTRATING DEATHS IN THE SEVENTH DISTEICT OF THE CITY OF NEW ORLEANS DURING THE YEAR 1881.

Meroh. Meroh. Mey. June. June. Juny. August. September. September. Movember. 10	1. C. W. C. W. C. W. C. W. C. W. C. W. C. W. C. W. C. W. C. W. C. W. C. W. C. W. C.	60	67	3 1 3 2 3 4 3 5 5 3 5 6 1 3 1 4 4 1 3 25 40 65	1 3 1 4 3 5 3 5 7 8 5 7 9 4 11 6 1 4 5 5 6 113	3.85 3.85 11.57 11.57 19.28 30.38 86.99 15.48 23.13 15.48 19.20 19.50 26.89 19.30 34.56 42.94 3.84 19.20 19.20 20.90 18.11	7.69 9 69 15.39 15.39 23.08 25.01 30.78 28.67 13.47 17.31 19.27	1.94 1.94 1.94 1.94 1.94 3.88 5.77 3.88 5.77 3.88 1.539	
	W. C. W			3	5 1 3 1	3.85 3.85 11.36 7.69		<u> : </u>	
. Tannat J	(S)		: : :			3.85	25.	3.	
NAMES OF DISEASES.		Malurial Fevers Typhold Fever Scarlet Fever Meanles Small Pox		Sunatroke. Corvulaions Pathhis Pulmonalis Deaths from all other causes.	Total Number of Deaths	Desth rate White Colored	Total White and Colored	per annum. Malarial Fevers	

Population-Whites, 3,112; Colored, 8.125. Total, 6,237.

TABLE ILLUSTRATING DEATHS IN THE FIFTH DISTRICT OF THE CITY OF NEW ORLEANS DURING THE YEAR 1881.

*	NAMES OF DISEASES.	. Vianual		Гергиагу .		.doraM	April.		Mey.	Jane.		Jajy.		Auguat.	. 19questes		.1edotoO		. төбшөмо И	December.	H .	Total.	Total.
		÷ A	C)	W.C	<u> </u>	Ö	Ø.	C.	c.	<u>₩</u>	5	W.J.C.	j ≱	· C	<u> </u> -	S C	W.I.C.	<u>.</u>	ပ်	W. C.	▶	<u>:</u>	WAC
Malarial Fe Typhoid Fe Scarlet Fev	Malarial Fevers Typhoid Fever Searlet Fever	: =	 		<u> </u>	= :::					 :::	CN :	OR .	84		OI :	 	: - :		-::		4 - 04	2 - 6
meanes Small-pox Diphtheria Diarrhosal I	Metaket Kanal-you Diphtheria Diarrhoal Disease		 	<u>்</u>				:::		Ç4	: : : : : : : : : : : : : : : : : : :	<u>: : : : : : : : : : : : : : : : : : : </u>	<u>: : : :</u>	:::-		a		61		: : : :	::	- FB	
Congestion Sunstroke Convulsions Pathisis Pul Desths from	Congestion of Brain Sanatroise Convulsions Pathsis Pulmonalis Destits from other diseases		GR				: : : : : : : : : : : : : : : : : : :				- · ·	<u> </u>				: :=:a	- : : · · · · · ·	994	.e. ⊢			3277	1111
Total N	Total Number of Deaths	٦	व	-	04	8	150	100	F 8	-	10			6	-	=	100	11	<u></u>	6	Ct	19 es	153
	Whites	16.7	16.8 	5.0 5.3	7.8	8.8	11.00 12.33	88 	1.90	18.1	22	25.33		8.5 1.3	22	88	21.50 15.64	8 0	88	81.50 6.85		18.3	17.87
1000 inhabitante	Total	18.1	8	18.19	18	8	9.48	8	5.74	17.0	-	8.	=	5.	22	-	8.8	8	8	14 90	· 	2	
per sunum.	Malarial Fevers		:	. S	<u> </u>	8	1.33	<u> </u>	8		::	3.5		88	83	<u> :</u>	38.	64	2	38.		8.5	5.5
Stillborn	Stillborn Children	-	<u> :</u>	 —			- -		<u> </u>	- -	 -	<u> :</u>	Ŀ	<u>:</u>	-	 	:	:		:: - ::	 	ca —	

Population-White, 5022; Colored, 3845. Total, 8857.

2.4 WAC 331.82 ပ 35.05 26.05 Total. 28.83 B tarle illostrating deaths in the sixth district of the city of new orleans during the year 1891, 8 25.05 50.05 4.88 19.70 8 8 16 27 œ 10.40 88 ပ 35 36 36 36 **4** 2 2 3 3 ပ 2 September. 9 ₩. 8 22 Angust × 2 2 2 2 3 4 1.49 0.74 20.81 Laly. <u>ဗ</u> 25.16 55.93 10 **1** 1.49 4.49 June. 2 - 40 . YAM 2 B 88 8.8 **88** 88 88 W. C. April. S 25 W. C. 86.98 98.98 12.18 7,7 0,8 February. ₽ 36 22.45 Ö **4**58 ¥ Phthials Pulmonalia Celored Total white and colored per ennum | Pathisis Pulmonalis Number Still born.... Desths from all other causes..... Substroke...... White Total number of deaths...... NAMES OF DISEASES. Nphtheria. Meanlen scarlet Fever. Congestion of the Brain FAVOR Marrhoad Di Death rate nhabitanta per 1000 Salarial Vrohoid

Population—White, 11,951; colored, 4078; total, 16,029

MORTALITY OF 1881.

MORTUARY STATISTICS OF NEW ORLEANS.

MORTALITY OF 1881.

Total deaths, whites, 4127; blacks, 2279; total, 6406.

If the mortality of the year just closed (18c1) be compared with that of the preceding four years we have the following figures, exclusive of still-born:

1880—Total deaths, whites, 3637; blacks, 1986; total, 5623.
1879—Total deaths, whites, 3267; blacks, 1855; total, 5122.
1878—Total deaths, whites, 8062; blacks, 2256; total, 10,318.
1877—Total deaths, whites, 3976; blacks, 2732; total, 6708.
It will be observed that the mortality of 1881 has exceeded that of 1880 by 783, that

of 1879 by 1284, whilst it is 302 less than that of 1877. These years furnish the only data during the series following the recent civil war for the determination of the relative mortality of the white and black races, and in the mortuary records of the Board of Health only three years can be found before the recent civil war in which the mortality of the two races is specified, namely, 1849, 1850 and 1853, and is as follows: 1849—Total deaths, whites, 7754; blacks, 1818; total, 9572.

1850—Total deaths, whites, 6122; blacks, 1409; total, 7531.

1853—Total deaths, whites, 14,292; blacks, 1341; total, 15,633.
Total deaths, three years 1849-53: whites, 28,168; blacks, 4568; total 32,736.

prevailed in 1849-50, and yellow fever in 1853.

The total deaths during the first series or five years following the American civil war were: whites, 23,069; blacks, 11,108; total, 34,177. Yellow fever prevailed in 1878, and Asiatic cholera was absent throughout the entire period. It will be observed that the mortality of the three years, 1849, 1850 and 1853, reached 32,736, or very nearly that of the five last years, 1881, 1880, 1879, 1878, 1877.

The mortality of 1881 has not been materially influenced by exotic and zymotic Thus the deaths from this class of diseases were as follows: small-pox. 5; measles, 26; scarlatina, 197; typhoid fever, 66; diphtheria, 92; whooping cough, 1. Total deaths from zymotic and epidemic diseases, 387. [See Tables F. and G].

The deaths from this class of diseases (zymotic and epidemic) were as follows, in the

rears specified: 1844, 231; 1845, 199: 1847, 2797; 1848, 3375; 1849, 4479; 1850, 1985; 1861, 870: 1852, 1785; 1853, 8991; 1855, 3572; 1856, 380; 1857, 662; 1858, 5397; 1859, 800; 1860, 720; 1861, 445; 1863, 658; 1864, 1505; 1865, 1091; 1866, 2064; 1867, 3962; 1868, 245; 1869, 586; 1870, 1306; 1871, 169; 1872, 282; 1873, 1120; 1874, 823; 1875, 738; 1876, 738; 1877, 1254; 1878, 4327; 1879, 120; 1860, 360; 1881, 387.

We have included under the head of the zymotic diseases, the following: the smallpox, measles, scarlet fever, enteric or typhoid fever, yellow fever, malignant or Asiatic-cholera, diphtheria, and whooping-cough. It will thus be seen that the so-called contagious, infectious and epidemic diseases have been at various times the prime and sole causes of the high death-rate of New Orleans in the years in which they have prevailed.

If this class of diseases be excluded we will arrive at the true rate of mortality in New Orleans, as determined by indigenous causes, namely, soil, climate, medical topo-

graphy and hygienic condition.

Thus the death-rate in New Orleans from all diseases during the years specified were as follows: 1844, 51.66; 1845, 29.20; 1847, 67.18; 1848, 76.92; 1849, 78.13; 1850, 58.96; 1851, 52.48; 1852, 56.82; 1853, 99.18; 1855, 47.21; 1856, 33.05; 1857, 31.88; 1858, 68.73; 1859, 39.00; 1860, 43.52; 1864, 30.10; 1863, 40.67; 1864, 49.34; 1865, 38.32; 1866, 41.23; 1867, 52.88; 1868, 26.25; 1869, 29.79; 1870, 36.26; 1871, 28.92; 1872, 31.17; 1873, 37.73; 1874, 33.75; 1875, 30.00; 1876, 30.32; 1877, 32.11; 1878, 48.81; 1879, 23.94; 1880, 25.98; 1881, 29.64, in 1000 population.

In the series of years just recounted, we find that 1845, 1868, 1871, 1879 and 1880, excoed the year 1881 in health as shown by the death-rate.

If the zymotic and epidemic diseases be excluded, we have the following mortality per 1000 inhabitants for the years specified: 1844, 19.00; 1845, 26.98; 1847, 41.45; 1848, 47.70; 1849, 41.57; 1850, 43.67; 1851, 46.06; 1852, 44.72; 1853, 40.85; 1855, 25.75; 1856, 30.70; 1857, 27 84; 1858, 36.11; 1859, 34.20; 1860, 39.26; 1861, 27.48; 1863, 36.86; 1864, 40.67; 1865, 32.08; 1866, 29.69; 1867, 31.03; 1868, 25.07; 1869, 25.67; 1870, 29.42; 1871, 28.05; 1872, 28.05; 1873, 29.74; 1874, 32.15; 1875, 26.97; 1876, 26.39; 1877, 26.63; 1878, 28.34; 1879, 29.21; 1890, 24.22; 1891, 27 82 **1879**, **23**.38; **1880**, **24**.32; **1881**, **27**.85.

It will be observed that the years 1845, 1855, 1856, 1860, 1868, 1869, 1875, 1876, 1877, 1879 and 1880, furnished a lower death rate than 1881, from epidemic or indigenous causes.

Upon the whole the preceding statistics reveal a progressive advance in the health of New Orleans, and this must be attributed to several causes—as the more stable condition of the population; the diminution of immigrants; increased facilities for drainage; improved sanitary conditions, and more rigid execution of quarantine.

We are also reminded by the preceding facts that it is unwise to draw dogmatic conclusions from the records of a few years as to the absolute value and effects of any one measure; as, for instance, the flushing of the gutters with water. It is evident that, with greatly increased facilities for this work in 1881, New Orleans, nevertheless, had a

higher mortality than in 1880 and 1879.

The mortality by months in 1981 was as follows; January, 543; Febuary, 466; March, 561; April, 529, May, 683; June, 733; July, 571; August, 472; September, 427; October, 442; November, 508; December, 481. Total, 6406.

The average monthly mortality of New Orleans during the past twenty-four years has been as follows: January, 521; February, 459; March, 541; April, 510; May, 607; June, 623; July, 653; August, 940; September, 880; October, 711; November, 572; December, Annual average during twenty-four years, 7430.

These statistics show that during 1881, contrary to the usual course of mortality in a series of years, including epidemic and non-epidemic, the lowest mortality occurred in August, September, and October. The highest mortality occurred in January, March,

April, May and June.

The increase of mortality during the winter and spring was due to the severity of the weather, the heavy rainfall, and the overflow of the rear portion of the city. The great mortality of June (733) was referable largely to the intense and prolonged heat. In May the maximum temperature ranged from 77° to 90°, and the deaths from congestion of the brain numbered fifteen, out of a total of 683 deaths from all causes. In June the maximum temperature ranged from 82° to 97°, with a mean maximum temperature of 90.8; the deaths from sunstroke numbered twenty-seven, and from congestion of the brain forty, out of a total of 733 from all causes. In July the maximum temperature ranged from 82° to 95°, with a mean maximum temperature of 90.1; the deaths from sunstroke numbered five, and those from congestion of the brain twenty-one, out of a total of 571 deaths from all causes. In August the maximum temperature ranged from 81° to 94°, with a mean of 88.6; one case of sunstroke was reported in August, and only seven deaths from congestion of the brain.

TOTAL DEATHS FROM SUNSTROKE, CONGESTION OF THE BRAIN AND FROM ALL CAUSES, WITH MAXIMUM TEMPERATURE RECORDED DAILY DURING THE "HEATED TERM" (MAY, JUNE, JULY, AND AUGUST), 1881, CONSOLIDATED FROM THE COLUMN TERM THE COLUMN TERM THE COLUMN TERM THE COLUMN TERM THE COLUMN TERM THE COLUMN TERM THE COLUMN TERM THE COLUMN TH

				ORIG	INAL		ORDS	OF ?	CHE)	BOAR		HEA	LTH.			
		MA	Y.			JUI	NB.			JUI	LY.		1	AUG'	ust.	
Date.	Sanetroke.	Congestion of the Brain.	Total Deaths.	Maximum Temperature.	Sunstroke.	Congestion of the Brain.	Total Deaths.	Maximum Temperature.	Surstroke.	Congestion of the Brain	Total Deaths.	Maximum Temperature.	Sunstroke.	Congestion of the Brain.	Total Deaths.	Maximum Temperature.
1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	133 100 177 177 187 187 187 187 187 187 187 187	812 80 80 80 77 82 82 82 82 83 85 86 84 86 88 82 82 83 85 86 84 86 86 86 86 86 86 86 86 86 86 86 86 86	29 11 13 39 11 14 88 33 11 11	111111111111111111111111111111111111111	155 155 16 17	• • • •	1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 2 2 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2	31 13 13 13 13 13 13 13 13 13 13 13 13 1	92 87 87 99 92 92 92 93 93 94 95 95 95 95 95 95 95 95 95 95 95 95 95	1	1	77 144 133 299 100 105 115 12 12 12 12 12 12 12 12 12 12 12 12 12	88 88 91 92 93 91 88 89 91
	1	l 15	683	83.6	97	40	733	90.8	l 5	21	571	90.1	1	7	475	D. 4

Digitized by

It is thus shown that the mortality of June was due to the prolonged and excessive heat. The effect of heat was especially manifest in the increased mortality of infants and children.

It is worthy of note that the prolonged and intense heat of the summer of 1881 was unat-

tended by the development of yellow fever.

DEATHS REPORTED BY THE CORONER AND THOSE WHICH OCCURRED IN CHARITABLE AND PUBLIC INSTITUTIONS, INCLUDING THE CHARITY HOSPITAL, DURING THE YEAR 1881.

The detailed statement of the causes of deaths reported by the Coroner and by the various public institutions of New Orleans, including the Charity Hospital, will be found in Table H, of the Annual Report for 1881. From this table the following general

results are obtained:

The grand total of deaths reported by the Coroner during the year 1881 were 1018; in various public and charitable institutions, 292; in the Charity Hospital, 825, Total deaths reported by the Coroner and in charitable institutions, 2135. The races were represented as follows; By Coroner—By disease and violence, whites 472, colored 546; still-born, whites 89, colored 101; public and charitable institutions, whites 240, colored 52; Charity Hospital, whites 517, colored 308. Total whites 1318, colored 1007; total blucks and whites, 2325. This last figure includes the still-born, which numbered 190. It is worthy of note that whilst the whites exceed the blacks in the proportion of

It is worthy of note that whilst the whites exceed the blacks in the proportion of about four to one, at the same time the deaths among the white population, certified by the Coroner, actually exceeded those among the whites in the proportion of 472 to 546. The still-born reported by the Coroner among the colored race also exceeded, in the pro-

portion of 101 to 89, those of the white race.

THE MORTALITY AMONG THE COLORED BACE IN NEW ORLEANS AS CERTIFIED BY THE CORONER AND AS SHOWN BY THE STATISTICS OF THE CHARITY HOSPITAL, WAS AT LEAST FOUR-FOLD GREATER THAN AMONG THE WHITES.

As the deaths upon the Coroner's certificate and those recorded in the Charity Hospital represent the amount of disease and deaths occurring among the destitute, homeless and friendless poor of New Orleans, these statistics would seem to lead to the conclusion that destitution and poverty were four-fold greater among the colored population than among the whites.

Such a vast discrepancy in the ratio of deaths among those incapable of furnishing their own medicines and medical attendants must rest upon certain determinable causes.

The excess of still-born recorded by the Coroner among the colored race, in the proportion of 101 colored to 89 whites, still further indicates the greater degree of poverty

and destitution among the children of Africa.

When we examine the total mortality for 1881, including the deaths from all causes, embracing the preceding statistics as occurring in charitable and public institutions, and as certified by the Coroner, we have the following: Total deaths, whites, 4127; total colored, 2279; total, whites and blacks, 1881, 6,406. The preceding number. 6,406, includes the deaths from all causes, and in all institutions, public and charitable, and those certified by the Coroner, within the limits of the City of New Orleans, exclusive of the still-born, which numbered whites, 217; colored, 136; total, 353 still-born. (See Table G, mortuary statistics of New Orleans, illustrating the mortality, by months, in the white and black races, during five years, 1877, 1878, 1879, 1880 and 1881.)

The causes of the excess of mortality among the colored population over that of the

white may be formulated thus:
1. Poverty, dependent upon imprudence, idleness and vice.

2. Poverty, dependent upon ignorance of mercantile and mechanical and professional

3. Crowding and neglect of sanitary rules and imperfect food, enforced and fostered by destitution

4. Want of skillful medical attention and proper medicines and diet for the sick colored poor. Without doubt the humane members of the medical profession, relieve a vast amount of disease and suffering amongst the sick poor of both races; and the doors

of the Charity Hospital are wide open for the reception of the diseased, sick and suffering destitute poor of both races, but the preceding statistics are sufficient to arouse the

philanthropist to still greater and more noble exertions.

In this great city at the mouth of this great river, all nations mingle, and it is not surprising that the miseries of the world should here find striking illustrations, and furnish a wide field for the labors of the philanthropist, and more especially for the medical and sanitary philanthropist.

If the still-born be excluded, the remarkable result is obtained, that out of the total deaths occurring in New Orleans during 1881 (6,406), almost precisely one-third (or 2,135) occurred in charitable or public institutions (asylums and prisons) or were diagnosed by

the coroner.

One-third of those dying in New Orleans die in poverty, and are buried at the public expense. One-sixth of those who die in New Orleans perish in silence and misery, with no kind com-

panion, no efficient medicine, and no generous physician

In such a condition, the President of the Board of Health finds the greatest difficulty of either discovering at the earliest practicable moment, or arresting by efficient sanitary measures, such contugious and infectious diseases as small-pox and typhus fever.

5. The various organizations of this city, as well as the Board of Health, cannot, by

windy resolutions, exorcise the demon of poverty and stay the march of grim death, as he reaps his richest harvest among the destitute, the dissolute and the degraded; but it may be possible by stern facts to realize our true condition, and to strike those chords in the hearts of the good and philanthropic, which, in the progress of time, may even tuate in the amelioration of much suffering and distress.

That the heavy mortality among the colored race is to a large extent due to the pecu-

liar conditions and vices of a large city was shown in the report of 1830.

First District.—Total deaths, 1393; whites 884, colored 509; death-rate per 1000 inhabitants, whites 20.40, colored 36.10; death-rate, whites and colored, 24.24.

Second District.—Total deaths, 1115; whites 699, colored 416; death-rate per 1000 inhabitants, whites 22.28, colored 31.27; total death-rate, whites and colored, 24.96.

Third District.—Total deaths, 1161; whites 774, colored 387; death rate per 1000 in-

Third District.—10th deaths, 1101; whites 174, colored 30.7, death-rate per 1000 inhabitants, whites 22.94 colored 32.62; total death-rate, whites and colored, 25.47.

Fourth District.—Total mortality, 720; whites 506, colored 214; death-rate per 1000 inhabitants, whites 16.52, colored 30.96; total death-rate, whites and colored, 19.81.

Fifth District.—Total mortality, 142; whites 88, colored 54; death-rate per 1000 in habitants, whites 18.12, colored 13.30; total death-rate, whites and colored 16.03.

The Fifth District gave the lowest mortality of any district within the bounds of the city of New Orleans. This district, which occupies the opposite side of the river, is, perhaps, the most sparsely settled.

Sixth District—Total deaths, 329; whites, 196, colored 123; death-rate per 1000 inhabitants, whites, 16.40, colored 30.16; total death-rate per 1000 inhabitants. 20.52

Seventh District-Total deaths, 128; whites 62, colored 66; death-rate per 1000 inhabi-

tants, whites 19.92, colored 21.12; total death-rate, whites and colored, 20.52.

That the mortality among the colored race in 1880 corresponded, to a remarkable ex tent, with the density of population, is shown by a comparison of the mortality of the several districts just given with the population, as established by the United States census of 1880.

Thus, the population of the districts of New Orleans in 1880, was as follows:

First District—Whites 43,319; colored 14,126; total 57,445. Second District—Whites 31,368; colored 13,301; total 44,469. Third District—Whites 33,732; colored 11856; total 45,588. Fourth District—Whites 4,022; colored 3,034; total 8,856. Fifth District—Whites 5,0022; colored 3,834; total 8,856.

Sixth District—Whites 11, 951; colored 4,078; total 16, 029.

Seventh District-Whites 3,112; colored 3,125; total 6,237. Without doubt, much of the poverty and unrelieved and unattended suffering and disease

in New Orleans, are dependent upon an excess of population, and more especially of the colored population, above the actual necessity of manual labor, marine and mercantile pursuits and manufacturing industries,

Notwithstanding these causes, much good may be accomplished and many valuable lives saved, by the institution of free dispensaries, and the employment of one or more physicians in each ward at a just compensation, whose duty it shall be to attend the sick

poor at all times and under all circumstances by night, as well as by day.

SMALL-POX.

During the year 1881, only five deaths have occurred from this disease. It is worthy of note that this great city, holding communication with all parts of the civilized world, and with numerous foreign and domestic cities in which small-pox is prevailing, has up to the present time escaped an epidemic of this disease. The following figures represent the number of deaths from small-pox in New Orleans, during the years specifical: 1847,

27; 1848, 105; 1849, 133; 1850, 37; 1851, 38; 1852, 0; 1853, 17; 1855, 0; 1856, 2; 1857, 103; 1858, 108; 1859, 43; 1860, 22; 1861, 1; 1863, 2; 1864, 605; 1865, 613; 1866, 188 1867, 47; 1868, 14; 1869, 141; 1870, 528; 1871, 2; 1872, 29; 1873, 509; 1874, 587; 1875 342; 1876, 232; 1877, 1099; 1878, 151; 1879, 0; 1880, 1; 1881, 5. Total deaths from small pox during the past thirty-six years (1844—1881), 5731.

TABLE SHOWING DEATHS IN THE FIRST DISTRICT, CITY OF NEW ORLEANS, DURING THE YEAR 1889.

DISEASES.	January.	February.	March.	April.	May.	June.	July	August.	September.	October.	November.	December.	Total.
Yellow Fever Maiarial Fevers Typhuid Fever. Scarlet fever		2 4	 Q	3 3 1	11 2 3		1 12 	6 3 3	11 1 1	3	1	18 3 1	2 114 24 · 28 1
Small-pon Diphtheria Diarrhoeal Diseases Congestion of Brain. Smatroke	1 6 2	9	7 9 3 9	6 1 35 7		17	1	1 2 6 1	3 1 2	11		15 1 29 2	60 10 178 25 5
Convulsions Phthisis Pulmonalis Deaths from all other causes	21	24 117	141	32 99		39 95	28 88	183	117	16 144	112	6 34 127	31 288 1436
Total Number Deaths	191	159	174	191	186	183	157	174	160	193	197	936	2201
Number } Whites Deaths. Colored	118 73	108 51				107 76	105 52			190 73			
Death rate Malarial fevers Phthisis pulmonalis	0.69			0.41 6.68		4.18	0.90 2.50 5.84	1.25	2.30	2.10 3.55	4.38 5.64	3.75 7.09	0.03 1.94 5.01
per annum. Whites	32.68 62.01	29.91 43.32	29.36 57.76	30.74 67.95	31.32 52.01	99.64 64 56	29.09 44.17	98.54 60 31	96.59 54.36	33.24 62.01	36.56 55.21	44.87 62.86	31 .85 58 .05
Total	39.89	33.21	36.34	39 89	38.85	38.22	32.79	36.34	33.45	451	41.15	49.29	38.31

TOPOGRAPHY.

The First, Second, and Third Wards are comprised in the First Municipal District. The First and Second Wards terminate at and a little beyond the Claiborne Canal; the Third Ward runs out to the lake. Felicity and Canal streets form the upper and lower limits in the city proper.

The lands along the river for a half mile back, are much higher than the level of the lake; those in the rear portions are lower. The section beyond Broad street, between the New Basin and Canal street, is not much better than swamp land. It is covered with a series of ponds after heavy rainstorms, which last for a long time afterwards.

Although this district now constitutes the centre of the business and enterprise in this city, the system of drainage is se primitive as of old. Surface drainage still prevails, and very imperfect it is at its best. After heavy rain storms, it is a common sight to see the rear of the direction under water, which even extends as far front as Magazine street. The drainage machines have to labor days before this surplus of water is carried off.

There is a fall in the surface slope of some fourteen br fifteen feet to the low lands, three miles distant from the river. The canals leading into the lake are on a higher level than the lands adjoining, from which the drainage machines are necessary to raise the rain water into these conduits.

SANITARY CONDITION.

The front of the district, as far back as Rampart street, is, generally speaking, in a fair sanitary condition the whole year. This is owing to the streets being paved, with some exceptions, and the gutters in consequence are capable of carrying off drainage waters. This is facilitated by the Camp street culvert and the Melpomene street canal.

Molpomene street canal.

The rear of the district is given over to mud. The street railways, on Clio and Erato streets, have improved the streets by planking, which is vastly superior te mud. The extreme rear of the district being so low and so often overflowed either by rain or lake waters, besides being traversed by the sewerage canals, is the least desirable for habitation. This is so of Canal street. This portion of the city, however, will never build up until an entirely new system of drainage is perfected and carried into operation. The city, in fact, will never build out to the lake, and become then the Southern Metropolis, so often prophesied, until this is done. The drainage into the lake is wrong in every way. The river and not the lake should receive the sewerage of the city.

HRALTH.

The past year was remarkably healthy for the entire city. The summer was cool, and the fall a late and pleasant ending of the warm season.

The mortality was light in this district, with its aggregate population of fully sixty thousand persons. The deaths from all causes gave a ratio per 1000 per annum of 31.85 whites, 38.05 colored, and 38.31 total. This embraces the mortality in the Charity Hospital, an institution that receives its patients from all parts of the Mater and country, which had a death list of 510 whites, 394 colored, and 304 total. If this was degreted from the death rate given above, the ratio would be as follows: Whites, 10.25; tolored, 57.35; total, 19.25—a reduction of simulation with half in the parasurage of deaths.

The deaths were light for every month in the year, except April, May, June, November and December. The maximum was reached in December, and the minimum in August.

The mortality from malarial fevers was greatest in June and November. Typhoid fever, nev-r common in this city, was the cause of twenty-four deaths, most of which occurred in the Charity Hospital. The absence of this fever to a great extent in this city is in favor of surface drainage.

The prevalence of contagious diseases was confined principally to scarlet fever and small-pox, but particularly the latter. Small-pox was mostly in the lower districts last winter and spring, but bids fair to extend on up through the upper ones this year. From present appearances, however, I would consider that its spread will be allow. This will be the case probably if the remainder of the winter should be mild and the spring an early one. The disease seems to be at a stand-still in this district at present, there being but four cases on hand. About seventy-five per cent of the cases occur among the colored race. The death rate in this disease is very high, fully fifty per cent of the cases cocur among the colored race. The death rate in this disease is very high, fully fifty per cent of the cases occur among the colored race. The death case is a stand-still in this disease is the content of the merits of vaccination on the part of both whites and blacks in the lower classes. Gratuitous vaccination is repeatedly proffered to persons in the infected localities, but very seldom soccepted. The cause of this indifference appears to be as much due to prejudice as to carelessness. What costs nothing must not be good for much!

The two deaths from yellow fever, as shown in the mortality table, were of cases transferred from the Third District to the Charity Hospital. No case of this fever occurred in this district, setting aside a suspicious case reported in September, back of Prieur street, near Gasquet street.

TABLE ILLUSTRATING DEATHS IN THE SECOND DISTRICT OF THE CITY OF NEW ORLEANS DURING THE YEAR 1882

NAMES OF DISEASES.	-Vrannaty.	February.	Матор.		April.	Мау	-	-липе.	July.		Yen2ay	September.		October.		November.	Десевирет.		Total.		ortality and
	W C	*	C. W.	ပ်	C.	₩.	æ	ပ်	(C)	≱	ပြ	≱	ပ	⊃ ≱	C.	ပ	<u>*</u>	ان	ပ် -	7	W&C
Malarial Fevers Typhoid Fever Soarlet Fever	701 -	3	=		Ot :	ភ≓ត	64	۰:	- : :	°° ;		Ct :	ON :		:	CR CR	84	7:	: 	- 2 04 :	2 ° 2
Measlee Diphtheria Diarrheal Diseases	: C1 C1	en —		•	m	•	-		: : : : : : : : : : : : : : : : : : : :			- 01		•	61		- CN	: G1 =	:02	: (8) gr	
	• •		CY CR : :		- es		- 10		: -a	;e			, ci	- :	:-	* :	?		<u> </u>	ဗန္တ	
Phthisis Pulmonalia. Deaths from all other causes.	ကတ္တ	: : : : : : : : : : : : : : : : : : :	: 25. 28.	28	- 78 - 78	: ::::::::::::::::::::::::::::::::::::		72	<u>∞</u> ಜ್ಞ	30	.0.0	ng.	~3	∞8	:03		œ g	72	: ~ 6	: 28	:25
Total number of Deaths	35	3	35 37	8	45 43	94	19	39	ភ	99 99	g	\$	8	8	2	8	8	8	909	1 88	1074
Death rate White	19.80	18.36 31.57	78	15	17.21 38 79	84.48 85.83	28	84.	19.51 34.28	2≟88	8.2	16. 29.	38	19.12 30.67	88	2.8	18.7 27.9	28	19.31 35.18	::	
Tababitants Total white and colored	90.98	83.	8	17	2	83.58	2	5	88	2	8	8	=	8.8	_	8	21.4	<u>.</u>		~	20.28
per annum,) Phthisis Pulmonalis	1.534.51	8.0°3	511.96	9.02	0.7 0.9 .533 60	88	313.60	6.313	8.0.7 10.7 10.7	3.4	6.5	5.6	825	88	413.8	827.21	3.5 88 3.6 3.6 3.6 3.6 3.6 3.6 3.6 3.6 3.6 3.6	88	2 8	82	3.71
Number Still-born	3	3 4	•	-		En	<u>د</u>	7	20	5	ľ	+	-	153	63	8	-	<u>_</u>	8	18	88
									١					١					۱	I	1

Population-White, 31,368; colored, 13,301; total, 44,669.

TABLE GIVING MORTALITY FOR THE YEAR 1889, THIRD DISTRICT.

riality and S	anti	ury	дин	ory	of I	ew	UTU	eans,	196	0-188	J.	
LetoT	W&C	8					1308		88.34 26.34	3.5		
Total.	<u> </u>	80	5112		81 to 1		732 570	21.70 48.07		314.97	83	
H	▶	# :	:0	H :		25 0	12	<u> </u>	:	86	L.	
ресешрет.	W. C.	:	40	C1 -	cs =	44	15	23.71 51.61	8 8.8	8	:	
	- :j	-	<u></u>	•	: 40	G4	ಹ	2.6	22	2.0 2.0 3.0		
Мотевирет.		:	-		a 6		6	22	ដ	8	4	
.төфотоО	ان	6		C)	•	* 81 	8	2:3	25	35.02 495.063		
ļ	≱		2-2	G1	-6	18 42	55	88	8	122 49		
September.	C	m	: := .	<u> </u>	C1 10	:	18	38.92 38.38	23.16	7773.122	9	
	رد ا	<u> </u>		•	:0	19	2	88	 	<u> </u>	-	
August	<u>→</u>	<u>:</u> :	CR	<u></u>	· m	-6	3	8.8	21.58	8	-	eë.
. (m.e	ပ	:			:-	୍ଷ	B	28	8	:5	+	45.5
July.	*	:	01:00	n Oi	~ 00	× 61	8	2 8	2	- 23	•	total
June.	ပြ		. S	1 61		- 13	2	¥E.	8	3 22	, e	836
	B	Γ.				*	8	22	8	07.0		1.1
Мау.	<u>₩</u>		ი ოთ-		61 40	43. 48.	8	3.2	88	118.0	<u> </u>	colored, 11,856; total, 45,588
	10	-	: 9	М	0 i i i	4 8	 =	8 88 2 98	8	155	-	
April	ļ ≽	 	<u> </u>	+		34 🚭	3	25.	88	198	8	, 33,732;
March.	່ວ່	64	12			-	8	88	a	88	ď	hitee
	į ≥	l : •		: "		-8	s.	25	8	1	7	M I
Гергаягу	<u> </u>		- et -			- C-1	57 35	33.52	24.2	- 8 - 8	1	Population-Whites,
	Ğ C	<u> </u>		: : :	:0	<u>.</u> ₹	188			07.3.90	L.	Popu
January.	<u>></u>				:	0 <u>65</u>	25	88 86.53	24.47	2.136	6	
	'	i : .			: :	: :	:	<u>' </u>	<u>'</u>		ا ا	
							:	::			:	
SES.									•	7 .		
•				: : :					:	reonalie.		
DISE						1000	aths		:	Feder		
S OF		! !		<u>, 5</u>	:::	ber ca	of de	red red	ig.	Late Lates	Ė	
NAME OF DISE.				sease f Bra	non	all ot	nber	Colo	Ĕ 	Phel	atillb.	l
Z		Fever	Ye.	lon o	Pals	Log III	Total number of deaths.	ة م		ė	Number stillborn.	
78		alaria	Typhoid Fever Small-pox Mahtheria	Diarrhoal Diseases. Concestion of Brain	Convalsions Phthisis Pulmonslis	Paeths from all other causes	Tota	Death Colored	1900 Poits	per Malarial Fevers.	Nan	•
ı		3.E	1995	ಕರಿ	ಕ್ಷಿಣ್ಣ ಕ್ಷ	E č		-	ā	_		

YELLOW FEVER IN THE THIRD DISTRICT NEW ORLEANS, 1882.

[Extract from the report of Dr. Eug. J. Mioton, Sanitary Inspector Third District.] YELLOW FEVER.

Three cases of yellow fever have occurred in the city of New Orleans during the last year, and all three cases have taken place in the Third District, at a distance of one or two blocks from each other. The following is a brief history of the cases and of the several sanitary measures taken in connection therewith to

abate the fever and prevent its spread.

The first case was that of Henry Forbes; took sick June 22, 1882, died June 27, 1882. The second, that of Johannes Stroh, took sick July 28, 1882, died August 1, 1882. The third and last case, that of Alexander Englund, took sick August 5, 1882, died August 8, 1882. I shall take up each case separately and in the

order they have occurred.

FIRST CASE-HENRY FORBES.

FIRST CASE—HENRY FORBES.

Henry Forbes, English by birth, twenty years of age, residence in New Orleans about ten (10) days, was admitted in Ward 27 of the Charity Hospital on Sunday, twenty-fifth of June 1823, at 9 o'clock a. m. Forbes, it appears, sailed from Montevideo, in the Spanish brigantine Rita, for Havana, via Porto Rico. On board this ship was a passenger just recovering from "chills and fever" which he had contracted in Rio de Janeiro: the length of the voyage from Montevideo to Havana was fifty-four (34) days. Forbes remained five and a half days in Havana but did not pass a singe night sahore; from Havana he came to New Orleans in eight days, including the detentions at quarantine station, on the ateamship Marco Aurelio, Capt. Morgan. The vessel landed in Algiers, but Forbes crossed over on this side of the city on Tuesday, June 20, and sought for lodging at No. 37 North Peter street, house kept by a Mrs. Viana, where he remained until Wednesday morning, when he went on board the steamer Commander, of Liverpool, and was set to work painting the ship. On Thursday, June 22, at 8 o'clock a, m., while working, he was seized by a violent chill, followed by high fever; he then returned to his boarding house, No. 37 North Peter street, and remained there without medical assistance until Sunday morning, June 25, when he was sent to the Charity Hospital. At the time of his admission to the Chirity Hospital, he was very weak and jaundiced. Tuesday morning, August 1, the temperature in the axilla was 102° F.; pulse 99. Patient again vomited bilious matters flecked with brown specks and showed signs of jaundice, with red and nijected eyes. The attending physiolan then thought the case was so much like yellow fever, that soon in the afternoon he reported the matter to the President of the Board of Health.

At two o clock p. m., Doctor Joseph Jones, President of the Board of Health, was at the patient's bed aide and found a temperature of 102° F. and a pulse of 116; patient was delirious kept his eyes and mouth

A case of yellow fever reported at No 25 Enghien street, Third District, yesterday at two p. m. Died during the night. The board has taken all necessary measures of disinfection, fumigation and isolation. No other case known in the city. City healthy and in good sanitary condition. Death rate per 1000 whites, 25.61.

At the same time the following instructions were issued to Dr. E. J. Mioton, the Sanitary Inspector of the Third District.

1. District and fumigate the house and yard and surroundings of No. 25 Enghien street.

2. Destroy by fire the bed, bedding, bed-clothes and every apparel of Johannes Stroh, who died of yellow

fever last night

3. Allow no gathering of people around No. 25 Enghien street.

3. Allow no gathering of people around No. 25 Enghien street.
4. Cause the immediate burial of the body of Johannes Stroh.
5. Place your officers in charge of No. 25 Enghien street, and of the surrounding blocks, and carry forward systematic inspection and disinfection, throughout this section of the city.
6. The Sanitary Inspector should attend to the execution of these measures in person and report all facts immediately to the Board of Health.
I send man and cart, one barrel of carbolic acid, one half barrel of sulphur and four barrels of copperas.
I have ordered Sanitary Policemen Wiltz and Blanchard to report to you for duty.

JUSE! H JONES, M. D., President Board of Health.
All these instructions were rigidly enforced and carried out. The fumigation and disinfection of premises

conducted in the manner described in Forbes' case.

THIRD CASE-ALEXANDER ENGLUND.

Alexander Englund, aged twenty-nine, born in Finland, carpenter by trade, arrived in this city from Cardiff, Wales, May 21, 1882, and had always resided at No. 85 North Peters street, in the block next to that where seaman Forbes was taken sick with yellow fever. The patient took sick at 8 o'clock on the eighth of August, and was given a hot foot-bath and a dose of castor oil by the people of the house; on the morning of the ninth he was taken to the Charity Hospital, where his temperature was found to be 104° F, and pulse 90; at 3 p. m., temperature 104° F and pulse 90; at night temperature 103° F, and pulse 59.

Englund died on the fifteenth of August, in the evening, at about 4 o'clock.

It appears that Englund was working in repairing buildings in the same block of houses in which he lived; he took sick on the eighth, at night, was taken to the hospital on the ninth, in the morning, where his case was officially pronounced to be one of yellow fever of a mild type. For several days the patient was reported to be free from dangerous symptoms, and was believed to be doing well; but in the last day or two his symptoms increased in severity, black vomit appeared and the patient succumbed to the attacks of the disease.

of the disease.

of the disease.

In all three cases, all the necessary measures of sanitation, fumigation and disinfection were observed, net only in the premises where cases had occurred, but also in all the houses within six blocks right, six left, and six back of that in which cases had taken place; we were greatly aided and assisted in the work by be able services of the sanitary police officers of the First, Second, and Fourth Districts; the Auxillary

	Total.	W &C	825446	8			_
25 26	Total.	ပ	E	8	82	18.46	70
Ж	ů,	B	226-8-11-8846	\$	22	8	8
EA	Десешрег.	ပ	Ø : : → : 10 : Ø	ă	38	8	•
×	· madmanaff	Į	**************************************	67	87	8	•
TH	· 100mo + 0 ×	ပ	- · · · · · · · · · · · · · · · · · · ·	12	23	88	-
ING	. төфшөтөМ	Þ	2	2	23	8	•
NEW ORLEANS DURING THE YEAR 1883	Осюрет.	ပ	: : : : : : : : : : : : : : : : : : :	97	88	88	ŀ
SN	2040,0()	¥.	n	\$	25	19	7
RA.		ပ	(A)	6	28	11.13	•
ORI	.redmetqe8	 	a : : 2 - : 2 a d	33	9. 15.	=	7
*	· tengua	ပ	(17	78	8	~
	tempn A	Þ	**	3	22.83	55	-
CITY OF	·ime	ಲ	- · · · · · · · · ·	16	38	હ	0
XII	Laly.	×		8	18.59 97.78	5.	-
THE (Jume.	ပ	n	83	29	8	0
	oun	₩.	8 8 A A A	8	88	8	=
0F	May.	Ö	## m m m m	23	22	3	-
POURTH DISTRICT	ход	≱		8	22.88	झं	7
STE	.fpril.	ပ		16	28 £	8	•
۵	() V	×		8	15.98 87.78	11.	2
RTF	March.	ರ	•	9	28	8	•
РОД	чилу	₩.	A	\$	55.5	12	-
THE	February.	ပ	m : : :	11	33.33	8	-
		Þ	8 - · · · · · · · · · · · · · · · · · ·	93	≃8	2	-
1 IN	January.	ပ		13	38	8	-
THE		₽	m : : : : : : : : : : : : : : : : : : :	3	= 8	9	-
DEATHS		_		:	11	:	_
			 : : : : : : : : : : : : : : : : : : :			i	
FRATING THE	gć					:	
TXC	DIBEASIES					i	
EAT				:			
18T	_			di di		:	
ורדו	5 20		B Biber	Ä	8	7	
TABLE ILLUS	NAMES OF		rrs yease The lonul of	þer	Wbit	Ţ	5
YAB	MA		Fever Fever Sver I Dis	Dam	3 5	-	111
<u> </u>			Malarial Fevera Typhoid Fever Searlet Fever Measies Small pox Diphtheria Distributa Diseases Congestion of the Brain Stanting Sunstroke Convinions Phthisis Primonalis Deaths from all other cause	Total number of Deaths.	Death rate White per 1000 Colored Inhahitanta	opa	Enmher Still horn
			Mala Mala Mala Mala Mala Mala Mala Mala	H	Deet Per Per	4	Tuest
			WACHOROHH			—	•

FROM THE REPORT OF WM. R. MANDEVILLE, M. D., SANITARY INSPECTOR, FOURTH DISTRICT, NEW ORLEANS, 1882. EXTRACT

OFFICE SANITARY INSPECTOR, FOURTH DISTRICT, NEW ORLEANS, LA. January 1, 1883.

New ORLEANS, LA. January 1, 1883. }
Joseph Jones, M. D., President Board of Health, New Orleans, La.:
Sir—I have the honor to transmit my annual report of the sanitary condition of the Fourth Municipal District and the work accomplished in connection therewith during the past year. This district ranks as third in the city, in the number of its population. The distinction of the classes of this population is mornared than that of the Second Municipal District, in which I had the honor of serving under your board until the fifteenth of last April, when I was transferred to this field of labor. The large number of elegant residences, with their ornamental grounds, which, ranging through the middle portion of the district, from its upper to its lower limit, have won for it the title of the "garden district," give evidence of the culture and refinement of its wealthier inhabitants. The front portion, from the river to Magazine street, is occupied by a thrifty and enlightened class of laborers, men who work in cotton presses, and in handling the staple along shore, and whose profitable labor, while it renders them vigorous and robust in constitution, furnishes them with the means of making their houses clean and comfortable abodes of health. With these advantages it would seem that we might look for a generally healthy condition in the district, even though we were unaided by the wise measures and expenditures of your honorable and efficient board. The advance of knowledge has given to hygiene the place formally occupied by the art of medicine; prevention has taken the place of cure; and it has been found cheaper for the community to ward off pestilence by the

vance of knowledge has given to hygiene the place formally occupied by the art of medicine: prevention has taken the place of cure; and it has been found cheaper for the community to ward off pestilence by the outlay of a few thousands of dollars, in the purchase of disinfectants, and the payment of proper sanitary officers, than to lose thousands of lives and millions of money, by neglecting to co-operate with the proper ramitary authorities of the State in providing measures for their safety.

The year which has just been added to the past, ought to be considered a notable one for our community. With the dreaded seourge to the right and left of ms, and in front of us, baffling the skill of the National Board of Health, we have escaped; and when the fever was imported and made its appearance among us, is was instantly extirpated. With pestilence all around on our circumference, we stood safe in a charmed centre. Surely confidence should be reposed in those who live by curing disease, and yet devote their time and attention to its prevention and the diffusion of the knowledge of physiology and hygiene among the masses.

SMALL-POX,

SMALL-POX.

One of the best illustrations of the extent to which ignorance and carelessness nullify the utility of advances in knowledge of methods for the prevention of disease, is found in the fact that small-pox still appears as a local epidemic, and sometimes with great mortility. If anything is known in preventive medicine, it is that this loathsome disease may be easily and certainly prevented in almost every case, and that it should never appear on the death register; yet to obtain such an universal and satisfactory vaccination and revaccination of each individual sa will give this security, there is necessary the decided and persistent interference of the government to an extent which has not yet been provided in this country. These remarks are specially applicable at this moment, as this dread disease has suddenly acquired a strong hold in this district. There have occurred sixty-one cases, of which thirty-four were white and twenty-seven colored. There were fourteen deaths. It is safe to say that, had vaccination been practiced in these cases at the proper time, nine-tenths of them might have escaped this loathsome disease. at the proper time, nine-tenths of them might have escaped this loathsome disease.

VACCINATION.

The diminution in the death rate since Jenner's discovery robs small-pox of most of its terrors; and instead of its being a scourge which frequently sweeps over thousands of miles within an incredibly short space of time, it has not for many years been beyond the control of intelligent medical efforts. Modern space of time, it has not far many years been beyond the control of intelligent medical efforts. Modern statistics show that the medication of the disease by vaccination has been very decided. The proper management of the disease depends upon a perfect co-operation of the public, the general medical profession and the sanitary authorities, and promptness in making known the existence of a case is the first necessity. The convenient of cases, and prejudice against vaccination, on the other hand, have much to do with the propagation of the disease as well as with its fatality, and it is not just and proper, where medical men are negligent in reporting their connection with a case that a fine should be imposed upon them.

In the year 1821, there were but 247 persons vaccinated at this office where for the year 1822 there were vaccinated 1010 persons, of whom 224 were white and 726 colored. This contrast is very encouraging, for it goes to show that the public at large are rapidly realizing the importance of vaccination. There were 682 of these primary and 323 secondary vaccinations.

SHIPPING.

All vessels in this district were boarded shortly after their arrival. No sickness of an infectious or contagious nature was discovered on any of them. These visits were made regularly from May to October. But few vessels land on this side of the river, most of them being taken to Gretna. as wharfage is much less than on this side.

CEMETERIES.

All the cemeteries have been examined and a number of vaults repaired, especially in the Washington Street Cemetery, where complaint was made during the summer that a number of the vaults leaked and that the smell could be detected by the people living in the vicinity.

In July a suspicious case of yellow fever occurred at No. 1010 Tchoupitoulas street, a German, Louis Dischler by name. The man was a hard drinker, and had been sick ten days; he was removed to Charity Rospital, and died the day after. A post-mortem was held and the man was found to have died from intense jaundice. A minute microscopical examination of all the organs was made by myself, but nothing of a pathological nature could be found indicative of yellow fever. A thorough disinfecting of the entire neighborhood was instituted, from Magazine to the river front, Felicity to First, and from Washington to Toledano streets.

Toledano streets.

The number of vaults disinfected was 2634; the number of gutters disinfected was 108; the number of yards cleaned was 25; twenty barrels of copperss, and fifty gallons of carbolic said were used. Sanitary measures, to be effectual, should be carried out at those times when most people see no special cause for anxiety, and often, therefore, appear to involve unnecessary labor and expense.

During a greater portion of the month of August, I was assigned to duty in the Third District, with filter Allen, to assist Dr. Mioton in the fumigation and disinfection of the infected portion of his district, here had occurred two cases of yellow fever.

In the continuous district would be a supported to the first of the Mobile, and reseals such ring flash in the First of from Mobile, and reseals entering Pearl river, were boarded and carrofully inspected: passengers from Pensacola were detained or class sent back from where they came. There were, therefore, one made in this district for the month of September and a portion of August.



TAHLE ILLUSTRATING DEATHS IN THE FIFTH DISTRICT OF THE CITY OF NEW ORLEANS DURING THE YEAR 1688.

, z	NAMES OF DISEASES.	. vian na t	.771auride%	Maroh.	April.	May.	-east	Jajs.	Auguat.	September.	October.	Мотешьег,	Де сешрег.	Total	Total.	
) ≱	▼	₩. C.	₩.	ن ≱	₩. C.	د ٰ	₩. C.	⊗) ≱	(C)	¥ ∵ ∵	≥	C. W&C	12
Small Por. Malarial Fever Stybold Fever Stybold Fever Measles. Small Por Diphtheria. Diphtheria. Distribusal Disc Congestion of B Sun-stroke Congestion of P Phthisis Pulmon Deaths from all	Small Pox. Malarial Forers Typhoid Fever. Measles Measles Manile Pox Diptitheria Diptitheria Sun stroke Convention of Brain Sun stroke Phthisis Pulmonalia Deaths from all other causes		or — or	04	(a) : : : : : : : : : : : : : : : : : : :		GR	170 mg mmr				e 0 ee	GR	### MW#45WB	### : 015 4 4 4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5	12800 . +81-00821
Total nu	Total number of Deaths	6	80	5	11	=	4	7 13	3	<u> </u> "	3	-	6 6	88	7	12
Death rate	Death rate Colored	2.2 8.2	8 8 81 2 25	28.83 18.31	2 ×	22	2.9	13 74	82	18.46	15.70 15.38	13.72	30.77	2.8 8.8	<u> </u>	 ; ;
Inhabitanta	Total White and Colored	8.8	10.80	10.80	8.	83. 83.	14.40	88.40	17.40	13.20	16.80	19.80	8.8	27.68		
Annum.	Malarial Fevers.	0.10	8.0	08.0	01.0	0.10	0.10	38	÷8	55	8		98	8.8	!	88
Number Stil	Number Still-born Children	8	3 1	1	1 11	8	1 18 -		8		31.	- -:-	:: -	101	[] [=	#
		Ā	Population-Whites.	-White	, 6,100;	6,100; Colored, 3,900.		Total, 10,000								

EXTRACT FROM REPORT OF A. M. BERET, M. D., SANITARY INSPECTOR FIFTH DISTRICT, NEW ORLEANS, 1882.

OFFICE SANITARY INSPECTOR, FIFTH DISTRICT.

Joseph Jones, M. D., President State Board of Health, New Orleans. La.:

THE OVERFLOW.

The oversase at the Oak Grove plantation, situated about fifteen miles down the river, and immediately in the rear of Algiers, (about seven miles in a straight line) occurred in the month of April, and the backwater from it soon encroached upon the populated portion of the district until it reached in the upper part, the levees on the Mississippi River, necessitating the throwing up of a protection levee, so as to at least keep the most thickly inhabited part from being flooded. This was effectually consummated by the additional placing of a drainage machine at this levee at the intersection of Verret and Jackson streets, by which means all the drainage and slpeage waters were kept from socumulating. The crevasse was not closed, and the water covered the entire area until the falling of the river, when it gradually disappeared. It is quite natural to suppose that the health of the district after such an extensive overflow lasting throughout the entire summer, would be seriously affected, and the mortality in the district be very heavy: but, to my surprise, I am able to state that Algiers has been, and is now, the healthiest district of the city of New Orleans, the death-rate amounting to only 17.60 per 1000 inhabitants. (See table of mortality).



28 28 Total. . 26.00 17.65 W. C. Decemper. W. C. 88 33.68 November. DEATHS FROM ALL CAUSES IN THE SIXTH DISTRICT, CITY OF NEW ORLEANS. DURING 1899 88 18.65 88 October. 13. الق W.I C. 1.98 September. 23.25 25.25 ပ 88 Anguet. ₩. 68 84 July. 8 용약 .ennt * 38 8 18.65 84 May. 28 ₩. W. C. 8% April ដ្ឋន ပ 82 z <u>-</u> 24 a 8 7 2 7 × W.I C. 38 January. NAMES OF DISEASES. Total Number of Deaths. Congestion of Brain... Convulsions... Phthisis Pulmenalis Deaths from other disea Death rate per 1000 tnhabitants per annum.

Total. ၂ပ Total. **8**.8 18 ₩. ಕ್ಷ IABLE ILLUSTRATING DEATHS IN THE SEVENTH DISTRICT OF THE CITY OF NEW ORLEANS DURING THE YEAR 1869. ರ 21.53 25.13 17.31 ₩. ပ 22.22 2.22 8 и отепь . ن ا 2.5 2.5 3.5 P October. ä 8 . ₩. : 2 % 2 % 89.53 September. W. C. æ 86.7 86.7 86.7 y n'Ener 8 : ပ 82 8 Jaly. × 38 8 ¥. 25. 25. 25. 39.71 Jane ပ 37.19 88.88 88.88 May. ₩. ပ 19 19 19 19 3. .lhq A ¥. : 6 : ပ 8.9 8.4 17.31 March. : : ರ **38** 59 59 58 58 58 8.8 February. × ပ : 25.8 15.4 8 .Trannal. <u>-</u> ••••• Death rate | White per 1000 | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colored | Colore Malarial Fevers.... NAMES OF DISKASES. Total Number of Deaths..... Scarlet Fever..... Diarrheal Discases Congestion of the Brain. Deaths from all other causes. Diphtheria Phthisia Pulmonalis Typhold Fever

MORTALITY OF NEW ORLEANS DURING 1882.

In addition to the data already recorded illustrating the mortality of 1882 we present the following:

DEATHS IN NEW ORLEANS DURING 1882, CLASSIFIED BY AGES, SEX AND COLOR.

			16.				
	·WH	ITE8.	CoL	ORED.		WHITE OLORED.	GRAND
AGE.	Males.	Females	Males.	Females	Males.	Females	TOTAL.
Under one year	398	293	230	186	628	479	1107
1 to 2 years	88	81	51	58	139	139	278
2 to 5 years	82	90	82	72	164	162	326
5 to 10 years	82	46	58	51	140	97	237
10 to 15 years		31	46	30	97	61	158
15 to 20 years		49	57	64	101	113	214
20 to 25 years		84	95	66	203	150	353
25 to 30 years	107	90	76	56	183	146	329
30 to 40 years		150	140	130	386	280	666
40 to 50 years	274	142	117	88	391	230	621
50 to 60 years	277	141	93	89	370	230	600
60 to 70 years	219	133	91	87	310	220	530
70 to 80 years	106	101	50	85	156	183	339
80 to 90 years.	20	39	22	38	42	77	119
90 to 100 years	2	7	11	9	13	16	29
100 years and upwards		1	5	6	5	7	12
Unknowu			1	3	1	3	4
Total	2104	1478	1225	1115	3329	2593	5922

Total deaths 1882. Males, whites, 2104; colored, 1225. Total males, 3329. Females, whites, 1478; colored, 1115. Total females, 2593. Grand total, 5922. Total whites: 3582; total colored. 2340.

Average daily mortality in New Orleans during the year 1882, 16.22.

Lowest daily mortality in first six months of 1882, January 19, when only six deaths occurred.

Highest daily mortality in first six months of 1883, April 29, when thirty-four deaths

Lowest daily mortality of last six months of 1882, on August 11, and October 1, when five deaths were recorded upon each of the days specified.

Highest mortality during the last six months of 1882, October 14, when thirty deaths occurred.

The highest daily mortality occurred on the twenty-ninth of April, and the next highest on October 14.

The lowest daily mortality occurred on August 11, October 1 and January 19.

The flushing of the gutters with Mississippi River water, under the auspices of the New Orleans Auxiliary Sanitary Association, sustained by the pecuniary assistance afforded by the honorable Common Council and by the voluntary contributions of the citizens, has without doubt, been the means of removing considerable quantities of filth toward the rear of the city, and into the drainage canals, by means of the gutters running perpendicularly to the river.

It may be stated as a general proposition, that all gutters running parallel with the Mississippi River were and are, at the end of 1882, in bad sanitary condition.

The absurd and unsanitary and expensive system of raking up the foul mud and stinking contents of the gutters into the streets, to await the action of the next rain, still prevails with the Department of Improvements, despite the protests of various Boards of Health.

At the time of the change in the municipal government, the sanitary condition of New Orleans was an exact reflexion of the exhausted condition of her treasury, and corresponded with her unlighted streets and unpaid police.

Whether a change in the form of government, without any material change in the rulers, will rectify monetary, legal and sanitary evils, must be determined by the great revealer of all things-TIME.

It is worthy of note that a low death rate has been enjoyed by the white inhabitants of New Orleans, during a period in which there has been no system of underground

It is also evident that if the white population has enjoyed unexampled health during the past four years, the supply of water could have been neither very impure nor very deficient.

RELATIONS OF THE BAINFALL OF 1882 TO THE MONTHLY MORTALITY.

MONTH.	Rainfall. Cubic Inches.	Mortality. Total Deaths.	MONTH.	Rainfall. Cubic Inches.	Mortality. Total Deaths
January February march. April May June	4.04 0.92 4.83	417 465 539 589	July	9.47 1.59 2.16 1.98	460 443 400 489 506 585

It is evident from the following statistics:

1. That no fixed relation can be established between the rate of mortality and the rainfall.

2. The lowest mortality occurred in the month of September, when only 1.59 inches of rain fell.

The highest mortality occurred in the months of May and December; the rainfall in

May being 6.83; and the total mortality 589.

3. The drouth occasioned by the small rain fall of the months of September, October and November, and the consequent exhaustion of the smaller cisterns, much to the discomfort of washer-women and the inhabitants of crowded tenements, was seized upon and exaggerated by interested parties, and by the enemies of the Board of Health, to inflame the popular mind with the idea that suffering, disease and death were being caused by the scarcity of water, and that the Board of Health of the State of Louisians was responsible for the alleged sufferings, of the people.

The Board of Health has, in its accurate statistics, the means of exposing this calumny. It is well known that this Board has advocated the supply of pure water in abundance, from various sources, of fresh and cheap meats, for the benefit of the citizens of the parish of Orleans, and that it has been inflexibly opposed to all monopolies, and has uniformily condemned all sensational statements from any and every quarter.

DRATHS IN NEW ORLEANS DURING 1889, CLASSIFIED BY RACE AND GENERAL DIVISIONS OF DISEASES.

CLASS OF DISEASES.	White.	Colored	Grand Total
General diseases, including fevers, phthisis pulmonalis and small-pox	1448	1030	9478
Diseases of the n rvous system	554	316	870
Diseases of the respiratory system	965	202	467
Discusses of the digestive system	577	253	830
Disease of the circulatory system	177	150	327
Diseases of the urinary and generative organs	92	73	165
Affections connected with parturition	18	10	98
Diseases of the organs of locomotion	. 5	11	16
Diseases of the cellular and cutaneous systems	8	2	10
Conditions not necessarily associated with general or local diseases	266	209	475
Reneral injuries	85	47	139
Jeneral injuries	99	19	34
Tumors, non-malignant		1 4	ii
Congenital malformations	13	1 7	90
Snigide	39	ا غ	33
Suicide	13	11	تقا
Killed or wounded	10		
Total	3569	9340	5999

DEATHS FROM SOME OF THE PRINCIPAL DISEASES IN NEW ORLEANS, DURING THE YEAR 1882.

Disease (General Diseases.)	White.	Colored.	Total.	Disease (General Diseases.)	White.	Colored.	Total.
Small-pox	116	299	415	Puerperal fever	10	3	13
measler	3	0	3	Acute rheumatism	6	3	9
Scarlatina	41	5	46	Chronic rheumatism	6	3	9
Cerebro spinal fever	6	9	8	Syphilis	13	13	26
Enteric or typhoid fever	52	22	74	Syphilis congenital	4	4	8
Simple continued fever	3	2	5	Cancer of the breast	16	3	19
Yellow fever	4) 0	4	Cancer of the liver	16	0	16
Intermittent fever	7	5	12	Cancer of the stomach	19	8	27
Remittent fever	32	25	57	Cancer of the womb	24	11	35
Congestive fever	111	48	159	Tubercular menir gitis	7	6	13
Typho malarial fever	36	10	46	Phthisis Pulmonalis	507	350	857
Malarial fever not classified	85	60	145	Tabes mesenterica	113	57	170
Cholera infantum	66	20	86	General dropsy	10	21	31
Diphtheria	37	5	42				
Whoopingcough	5	1	6	Total General Diseases	1448	1030	2478
Leprosy	2	2	8				1

Under the class of general diseases, we propose to notice briefly, first the malaria fevers, scarlatina and diphtheria, reserving the consideration of phthisis, small-pox and yellow fever, for special record and discussion.

MALARIAL FEVER OF 1882.

During the first six months, of 1882, a marked increased in the mortality from the various forms of malarial fever occurred in the month of June.

Thus, during the six months ending the thirtieth of June, intermittent fever caused 4; remittent, 24; congestive, 70; typho-malarial, 24; malarial, not classified, 44; total from various forms of malarial fever, 160.

Deaths in the month of June, intermittent fever, 1; remittent, 6; congestive, 25; typho-maiarial fever, 6; malarial fever, 15; total 53.

Nearly one-third of the deaths from malarial fever occurred in June.

During the last six months of 1882, there was an increase in the deaths from malarial fevers, thus:

Whites. Intermittent fever	Colored.	Total. 8 Typho Malarial fover 80 Malarial fever (unclassifi	Whites. 17 ed) 61	Colored. 5 40	Total· 92 101
Total	. 		153	67	220

It will be observed that the colored race suffered equally, if not to a greater extent, from the destructive effects of the various forms of malarial, paroxysmal, paludal, or marsh fevers.

During the first six months of 1882. of the total deaths caused by the various forms of malarial fever, ninety-four occurred amongst the whites, and seventy-two amongst the colored.

It is evident that, in relation of population, the malarial fevers were relatively more fatal amongst the colored population.

This result is at variance with the opinions of many systematic writers.

A portion of the mortality from malarial fevers amongst the colored population is undoubtedly to be attributed to the fact that this class of the population occupies, to a large extent, the smallest houses in the rear of the city, towards the swamps and marshes.

Improper diet, crowding and the occupation of low, malarial situations, and the want of proper medical attention in many instances, may account for the greater mortality from malarial fevers amongst the colored race.

LOCAL DISEASES.

Disease (Nervous System).	White.	Colored.	Total,	Disease (Nervous System).	White.	Colored.	Total.
Congestion of the brain Encephalitis. Meningitis Softening of the brain. Abscess of the brain. Apoplexy Sunstroke Spinal Meningitis. Paralysis, unclassified Hemiplegia.	50 28 4 68 6	1 23 12 1 39 8	8 73 40 5 107 6 18	Paraplegia. Tetanus, traumatic. Tetanus, idiopathic. Trismus nascentium. Hydrophobia. Convulsions. Convulsions, infantile. Epilepsy. Delirium tremens. Mania.	35 90 4 3 67 19 98	89 10	13 106 27
Total diseases of the nervous system.			• • • • •	• • • • • • • • • • • • • • • • • • • •	554	316	870

Of the total number of deaths caused by diseases of the nervous system, it is worthy of note that the largest proportion was caused by acute affections of the cerebro-spinal system. Thus, the deaths caused by the diseases specified were as follows. Congestion of brain, 73; encephalitis, 8; meningitis, 73; apoplexy, 107; sunstroke, 6; spinal meningitis, 18; tetanus, 62; trismus nascentium, 172; hydrophobia, 4; convulsions, 13; infantile convulsions, 106; delirium tremens, 42. Total from these diseases, 684; total from all other diseases of the nervous system, 96. Trismus nascentium and infantile convulsions caused 278 deaths out of a total of 870; that is, about one-third of the deaths caused by diseases of the nervous system were occasioned by the convulsive diseases of children. Trismus nascentium was relatively much more fatal amongst the colored population.

Diseases				Diseases			
(Respiratory System).	White.	Colored.	Total.	(Respiratory System).	White.	Colored-	Total.
Croup	39	1	31	Asthma	16	9	25
Laryngitis	6	3	9	Pneumonia	106	107	213
Bronchitis, acute	47	36	83	Pleuritis	5	5	10
Bronchitis chronic	29	28	57				

Total diseases of respiratory. 265 Of the thirty-one deaths occasioned by croup, only one death occurred amongst the

colored population.

Acute bronchitis, pneumonia and pleuritis occasioned 306 deaths, out of a total of 467 deaths from diseases of the respiratory system.

Diseases				Discases .			
(Digestive system).	Whites.	Colored.	Total.	(Digestive system).	Whitee.	Colord.	Total.
Teething	36	24	60	Hernia (Strangulated	4	4	8
Gastritis	81	7	28	Hepatitis	34	12	46
Gastro-outeritis	21	0	21	Abscess of the liver	. 15	3	18
Enteritis	112	44 '		Cirrhosis of the liver		17	74
Dysentery	79	31		Jaundice		4	9
Obstruction of the bowels	12	3	15	Peritonitis	17	11	208
Diarrhora	124	75	199	Ascites	6	5	11
Total diseases of the di	igestive :	svatem		**	577	958	PCDN4

Sixty deaths are recorded as due to Teething. A more accurate delineation or division of those diseases characteristic of dentition is desirable.

Inflammatory affections of the gastro-intestinal canal caused the following number of deaths: gastritis, 28; gastro enteritis, 21; enteritis, 156; dysentery, 110: diarrhosa, 199; total: 514, out of a grand total of 830 deaths from diseases of the digestive system.

Abscess of the liver occasioned only eighteen deaths: fifteen whites and three colored. As abscess of the liver is comparatively frequent among Europeans in tropical climates, it has been attributed to the effects of heat, or of alternations of heat and cold. Being occasionally associated with malarious fever and frequently with dysentery, it is supposed that it may be induced by the same causes as those diseases.

The opinion often advanced that abscess of the liver is always secondary to dysentery or to ulceration of the bowels has not been sustained by my experience in hospital and private practice. The proportion of cases in which liver abscess and dysentery are associated is extremely variable; it is more frequent in one year than in another, and also at one period of the year than at another. Observation has also shown that there are many fatal cases of abscess of the liver, in which the bowels have been found perfectly healthy; whilst on the other hand abscess of the liver can scarcely be considered to be very frequent in dysentery

The predisposing causes of abscess of the liver appear to be the abuse of alcoholic

stimulants, irregular habits, exposure and the effects of prolonged heat.



Hepatitis caused forty-six deaths: whites 34, colored 12. It will be observed that acute inflammation of the liver (hepatitis) is by no means an uncommon affection in New Orleans, and its chief causes are, without doubt, exposure to heat and to changes of temperature in this sub-tropical climate, irregular habits of life, spirit drinking and the action of malaria.

Cirrhosis of the liver caused seventy-four deaths; whites 57, colored 17.

Undoubtedly the most common cause of cirrhosis of the liver is abuse of spirituous liquors. Spirits unmixed with water seem to be more potent in causing cirrhosis than wine or malt liquors.

A small proportion of cases may be referred to the prolonged and constitutional action of the syphilitic poison, and some cases have been referred to the immoderate use of

spices and coffee, whilst, in rare instances, no cause has been apparent.

From numerous clinical observations and post-mortem examinations, I am convinced that the prolonged action of the malarial poison may result in a cirrhotic condition of the liver of a peculiar nature, attended with the deposit of much pigmentary matter in the lobuli.

Whitout doubt, a portion of the eleven deaths referred to ascites, and of the thirty-

one deaths referred to general dropsy, were complicated by cirrhosis of the liver.

DISEASES (Circulatory System).	White.	Colored.	Total.	DISEASES (Circulatory System).	White.	Colored.	Total.
Pericarditis	38 13	4 1 3 47 3	8 4 11 85 16 3	Angina pectoris Fatty degeneration of heart Rupture of heart Anourism of sorta Heart disease, unclassified		2 4 6 86	6 6 2 18 167
Total diseases of the circulatory system	1				177	150	327
Diseases (Urinary and generative organs).	Whites.	Colored.	Total.	DISEASES (Urinary an gen'tive organs)	Whites.	Colored.	Total.
Bright's di-ease, acute	14 59	58 1	117	Calculus Urcemic poisoning Ovarian dropsy		1	1 2
Total diseases of urinary and generative	70 81	sten	ı		92	73	165

urinary and generative system, whilst only a single death was caused by calculus.

The absence of calculous diseases in New Orleans is, without doubt, referable, chiefly, to the extensive use of cistern water:

The large number of deaths occasioned annually by Brights disease should attract the

attention of the sanitarian and physician.

The term Bright's disease is now universally recognized as generic, and as including at least three different diseases of the kidney, namely: 1 The inflammatory affection, affecting the tubules, or the stroma, or both. 2. The waxy or analoid affection, originating in the vessels. 3. cirrhotic or gouty affection, originating in the fibrous stroma.

With reference to the etiology of Bright's disease, the following facts are now generally accepted by those physicians and pathologists, who have carefully investi-

gated this subject.

1. Of the Inflammatory Form of Bright's Disease.—Cold is the commonest cause in the adult; acting especially upon those who have been exposed to its influence whilst perspiring. Various blood diseases, while they induce temporary albuminuria, along with their more ordinary symptoms, have renal inflammation as a common sequela. Among these, scarlating occupies the first place; diphtheria stands next in order, followed by erysipelas, measles, pyæmia, typhus, intermittent, remittent and congestive malarial fevers, acute rheumatism and pneumonia. Many of these maladies being most common in childhood, it follows that in the earlier years of life, they are the chief causes of inflammatory Bright's disease. Pregnancy, heart disease, gout and malaria contribute towards its production in some cases, and the undue use of cantharides, turpentine or sloohol may also be reckoned as causes.

That the malarial poison is capable of inducing active congestion, hæmaturia, albuminuria and structural alterations of the kidneys, has been established by numerous observations. That form of malarial fever characterized by intense jaundice, obsti vomiting, renal congestion and hæmerrhage, uræmic poisoning and convulsions, i so frequent in New Orleans as in St. John the Baptist and in St. James parish, and in

and around Selma, Ala., and in certain sections of Georgia and Texas.

Malarial hæmaturia illustrates the action of the malarial poison in the most intense degree upon the renal structures. Cases of albumnuria following and accompanying the various forms of malarial fever, were observed during the past three years, and in some instances the patients were brought directly from the swamps on the line of the railroads traversing Tennessee, Mississippi and Texas.

It is well established that the urine of specific yellow fever is characterized by albumen and granular casts; how far this disease may be the cause of the inflammatory form of Bright's disease, has not yet been determined, but the subject is worthy of care-

ful investigation.

2. Of the Waxy Form—Constitutional syphilis, phthisis and prolonged suppuration, caries or necrosis of bone, and other exhausting diseases, such as cancer or chronic rheumatism, induce this degeneration.

3. Of the Cirrhotic Form—The commonest cause is the abuse of alcohol, particularly in the form of ardent spirits. Gout and lead poisoning are far less frequent causes of the

cirrhotic form of Bright's disease.

This form of the disease is, however, met with in people who have neither induiged in alcohol, been exposed to lead, nor suffered from gout. Congestion from cardiac disease has been erroneously held by some authorities to be a cause of the cirrhotic form of Bright's disease.

DISEASE. (Affections connected with parturition).	White.	Colored.	Total.	DISEASE. (Affections connected with parturition).	White.	Colured.	Total.
Difficult labor (cause stated) Hæmorrhage Metroperitonitis Puerperal convulsions	4 2 6	3	5 10	Puerperal septicaemia Exhaustion after delivery Vomiting in pregnancy Inflammation of breast	2 1 1	•	1 1
Total affections connected with preg	nanc	y	• • • •		18	10	98
DISEASE. (Conditions not necessarily associated with local or general diseases).	White.	Colored.	Total.	DISEASE. (Conditions not necessarily associated with local or general diseases).	White.	Colored.	Total.
Premature birth Difficult birth Umbilical hæmorrhage. Old age General debility Infantile debility Senile debility. Inanition	1 5 33 1 51 107	31 2 58 86	1 3	Creosote Oxalic acid Laudanum Carbolic acid Chloral hydrate	1 1 1 1	1	1 1 1 2 1
Total conditions not necessarily conn	ecte	d wi	th lo	cal or general diseases	266	909	475
_		SEA			White.	Colored.	Total.
General injuries	•••		••••		85 22	47 12	
Total general and local injuries			<u></u>		107	59	166

Of the general injuries, burns caused deaths, whites, 12, colored 14, total 26; scalds whites 4, multiple injuries, whites 14, colored 4, total 18; shock from surgical operation whites 1, colored 1, total 2; drowning, whites 39, colored 23, total 62.

Of the local injuries, fracture of the skull caused deaths, whites 7; concussion of brain, whites 2, colored 2, total 4; compression of brain, whites 2; gun-shot wound of heart, whites 1, colored 1, total 2; gun-shot wound of chest, whites 4; gun-shot wound of abdomen, white 1, colored 1, total 2; gun-shot wound of spine, colored 1; gun-shot wound of knee, colored 1; gun-shot wound of back, colored 1; incised wound of abdomen, colored 1;

DISEASES (Suicide).	White.	Colored	Total
By drowning	8	1	9
By hanging	13	2	15
By cotting. By poison By landanum	7		7
By fracture of skull	i		i
Total suicides	82	3	35
Killed or murdered— y shooting		4	11
y stabbing		2	9 2
by beating		1	1
Total killed or murdered	13	11	94

.latoT bus
Total.
.төбшөэ.
тәфшәл.
roper.
.төблпөтс
Knet
.v.
. өп
lia.
. dore
bruary.
· Krann
F DISEASES.
NAMES OF DI
İ

Estimated population—White, 46,600; colored, 15,400; total, 63,000.

Note—Deducting from the total mortality of the district, the proportion according to population, of the deaths which occurred in the Charity Hospital, Hotel Dien and Small-pox Hospital, not belonging to the district, reduces the total mortality of the district to 2004; and the death rate per 1000 population to 33.29:

NAME OF DISEASES. Name	Grand Total.	WAC	278 278 288 281 112 113 164 68 68	1429			29.64	8 nd
Malarial Fevers Typhold Fever Typhold Fever Sarali pox Diphtheria Diphtheria Diphtheria Diphtheria Diphtheria Diphtheria Districted Diseases Congestion of Brain Feumonia Metalise Total number of deaths Grand total Calored Total Death Colored Total Total Total Total Total Total Total Total Total Total Total Total Total Total Total	Potal.	ပ်	:- 61			24.03 43.69		ospitale
Malarial Fevers Typhold Fever Typhold Fever Sarali pox Diphtheria Diphtheria Diphtheria Diphtheria Diphtheria Diphtheria Districted Diseases Congestion of Brain Feumonia Metalise Total number of deaths Grand total Calored Total Death Colored Total Total Total Total Total Total Total Total Total Total Total Total Total Total Total		ပ်	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$	112	! —	8.09	harity H
Malarial Fevers Typhold Fever Typhold Fever Sarali pox Diphtheria Diphtheria Diphtheria Diphtheria Diphtheria Diphtheria Districted Diseases Congestion of Brain Feumonia Metalise Total number of deaths Grand total Calored Total Death Colored Total Total Total Total Total Total Total Total Total Total Total Total Total Total Total	Мочешрег.		80 1 2 2 1 3	£	8		83	x and C
Malarial Fevers Typhold Fever Sandli pox Diphtheria Diphtheria Distributed Diseases Congestion of Brain Realing Meanlos Death (Whites Cran of deaths Grand total Colored Total man total Colored Total man total Colored Total man total Colored Total Colored Total Total Total Total Total	.190010U	ပ		44				Small-po to 35.04.
Malarial Fevers Typhold Fever Sandli pox Diphtheria Diphtheria Distributed Diseases Congestion of Brain Realing Meanlos Death (Whites Cran of deaths Grand total Colored Total man total Colored Total man total Colored Total man total Colored Total Colored Total Total Total Total Total					-	i —	_	lin the ulation
Malarial Fevers Typhold Fever Sandli pox Diphtheria Diphtheria Distributed Diseases Congestion of Brain Realing Meanlos Death (Whites Cran of deaths Grand total Colored Total man total Colored Total man total Colored Total man total Colored Total Colored Total Total Total Total Total	September	¥			_ '	l	-1	occurred
Malarial Fevers Typhole Fever Typhole Fever Sarlet Fever Sarlet Fever Sarlet Fever Shall pox Distributed Diseases Congestion of Brain Preumonia Meaniste Meaniste Total number of deaths Grand total Colored Total Death Colored Total Total Total Total Total Total	August	≱	<u> </u>	8	8		25	which c
Malarial Fevers Typhole Fever Typhole Fever Sarlet Fever Sarlet Fever Sarlet Fever Shall pox Distributed Diseases Congestion of Brain Preumonia Meaniste Meaniste Total number of deaths Grand total Colored Total Death Colored Total Total Total Total Total Total	Jaly.	₩.	4	8	105	24.75 24.75	26.14	deaths leath ra
Malarial Fevers Typholi Fever Typholi Fever Sarlet Fever Sanali por Distributa Diseases Congestion of Brain Pneumonia Mealiste Total number of deaths Grand total Calored Total Total Total Total Colored Total Total Total Total Total Total Total Total Total Total Total Total Total Total Total Total	ливе.		33 189	55	121	35.98 22.28	30.12	n, of the
Malarial Fevers Malarial Fevers Scarlet Fever Scarlet Fever Scarlet Fever Shiphtheria Diphtheria Diphtheria Congestion of Brain Congestion of Brain Realies Total number of deaths (frand total Colored Total number of deaths (frand total Death Colored Total Death Scarlet Fever Total number of deaths (frand total Death Scarlet Fever Total number of deaths (frand total Total Scarlet Fever Total number of deaths (frand total Total Total	May.	-			127	26.35 43.86		opulatio:
Malarial Fevers Malarial Fevers Scarlet Fever Scarlet Fever Scarlet Fever Shiphtheria Diphtheria Diphtheria Congestion of Brain Congestion of Brain Congestion of Brain Consumption Frequential Fotal number of deaths Grand total Colored Total Death Colored Total Total Betimated population for 18 Norz—Adding to the total	April.	Ö	: ""		92	25.97 68 69	88.83	ing to p
Malarial Fevers Malarial Fevers Scarlet Fever Scarlet Fever Scarlet Fever Shiphtheria Diphtheria Diphtheria Congestion of Brain Congestion of Brain Realies Total number of deaths (frand total Colored Total number of deaths (frand total Death Colored Total Death Scarlet Fever Total number of deaths (frand total Death Scarlet Fever Total number of deaths (frand total Total Scarlet Fever Total number of deaths (frand total Total Total	. dотаМ	C		11	<u>15</u>		-	. 48,200. . accord of the
Malarial Fevers Typhoid Fever Scarlet Fever Scarlet Fever Shiphtheria Diphtheria Diphtheria Congestion of Brain Congestion of Brain Realies Total number of deaths (Frand total Colored Total number of deaths (Frand total Death Colored Total Death Total School Total Total Norz—Adding to the total	Гертия гу	ပ	E 11 12 8	48	112	i	-	90; total opertion operality
Malarial Fevers Typhoid Fever Scarlet Fever Scarlet Fever Shiphtheria Diphtheria Diphtheria Congestion of Brah Realmonia Masles Total number of deaths (frand total Colored Total number of deaths (frand total Death Colored Total Death Colored Total School Total Total School Total Total	January.	Ö	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	æ	-		-	ed. 14.5 t the pr t total n
Malarial Fevers Typhole Fever Sarali pox Diphtheria Diphtheria Distributed Diseases Congestion of Brain Realises Measles Total number of deaths Grand total Calored Total Death Grand total Calored Total		¥.	24-100		<u>-</u>	88	<u> </u>	o; color district ases the
		•	Malarial Fevers Typhoid Fever Scarlet Fever Scarlet Fever Sinall por Diphtheria Congestion of Brain Consumption Meanlos Meanlos Analos Diphtheria	Total number of deaths	Grand total		Total	GO.

TABLE SHO	MATTAL MARKET STATE SERVICE CONTRACT OF SERVICES OF SE	DWING MOKIALITY FROM SOME OF THE PRINCIPAL DISEASES IN THE THIRD DISTRICT, CITY OF NEW ORLEANS, DURING THE TEAR 1883.
	Edoy Oxidatono a tu	WING MOKI

Grand Total.		8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1552	:	31.4	
Total.	c.	2	892		19	
	`.	11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	857		88.8	
Ресешbег.	<u>.</u>	66	88	를	22.23 25.33	
	C	2 2 2 2 2	1 2	<u> </u>	<u> </u>	
Мочешрет.	₩	थनन अधनक्ष क	8	¦≘ I	8.88	
: 190mao	ن	- are ar 7	\$	g	388	
nor(oto)	¥.	6 · · · 6 · · · 6 · · · 6 · · · · 6 · · · · · 6 ·	8	_	882	
September.		0 :016144 #	35	8	18.18 37.84 33.36	
	C.	8 - 1-21 - E	1 35 1 35	<u> </u>	'	900
August.	W. [C	6 9-1240 5	踞	8	17.19 31.38 26.93	de j
	C)	0 m m m m m	띯		448	8
	ĭ. ×	13225	8	٦	ងនុង	13.0
Jube.	C.	8 : 32 : 5 : 5	55 82	<u> </u>	82.6	lored
	<u> </u>	25 12 12 12 12 12 12 12 12 12 12 12 12 12	12			8
May.	<u> </u> <u> </u>	411-4 5 26 · 6	1 6	23.47 26.77 28.54 30.41 28.76 24.79 22.48 17.19 18.18 20.49 22.48 17.19 18.18 20.49 22.48 22.48 17.19 18.18 20.49 22.48	8.28 8.28 9.26	36.3
	C.	24 S 4 S	121	_	±8.≅	Estimated population for 1883-White, 36.300; colored, 13,000; total, 49,300
·[hqA	×	4 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	દ્ધ	ä	8 = 2	8
. norem	ပ	2	13	5	223	for 16
X	×	18 28 19 19 19 19 19 19 19 19 19 19 19 19 19	62 78		885	ation
Мау. Јипе. Лију Вертешћег. Вертешћег. Осторег.		39 6 39 1	8	<u> </u> ≅.	1832 533	la jo
	C. W	3 -48-18 3 -48-18	1 2 3	l	<u> </u>	ted 1
. Vianual	W.	01 01 01 01 01 10 10 10 10 10 10 10 10 1	=	<u> </u>	858	stim.
DISEASES.		Fivers— Malarial Malarial Malarial Typhoid Scarlet Smill-pra Diphtheria Diphtheria Distributed Diseases Congretion of Brain Formmoria Measles Other causes	Totals	Grand Total	Rate per Whites	

NOTE—Deducting from the total mortality of this district, the proportion, according to population, of the deaths which occurred in the Luzenherg Small-pox Hospital, and adding to the total, the preportion of the deaths belonging to the district, which occurred in the Charity Hospital. Hotel Dien and City Small-pox Hospital formass the total mentality to 160, and the death rate p x 1000 population to 33.69

 $\mathsf{Digitized} \ \mathsf{by} \ Google$

TAPES SHOWING MORTALITY FROM SOME OF THE PRINCIPAL DISEASES IN THE FOURTH DISTRICT OF THE CITY OF NEW ORLEAN DURING THE YEAR 1883.

				_		
Grand Total.	W&C	F. 050 0 50 11 80 83	86			20.81
	Ö	39. 193	53		88	
Total	<u>.</u>	8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	202		38.0	
Decemper.	W. C.		12	8	17.46	18 52
		: : : : : : : : : : : : : : : : : : :	Ľ	<u></u>	1-0	<u> </u>
November.	 - 	or - : or ox : 100 : 150 : 150 : 150 : 150 : 150 : 150 : 150 : 150 : 150 : 150 : 150 : 150 : 150 : 150 : 150	£ 2	150	36.92	19.70
	<u>-</u>	- : : : : : : : : : : : : : : : : : : :	1 2	<u> </u>		上
October.'	∵ ≅	<u>ω ω-∞α :%</u>	33	69	82.8	8
	ပ်	OI ::::	=	<u> </u>	10 =	-
September.) ≱	8 - 1 - 00 · 8	55	E	21.45 21.54	21.47
	ပ	Q4 Q1 Q1	প্ত	_	28	CR
jeu 3u A	₩	<u> </u>	£÷	3	33.6	.19.12
Դար	ပ	n	11	_	22	Si
1 1	₩.	23. 50. 50. 50.	45	3	28	18
чире.	ರ	1 2 2 1 16	8	. CO	22.99 44.61	55
	₩.	113	63	-85	84	27
May.	Ċ	5 :: 5	18	19	8.8	69
	¥	66 66 67 67 68 68 68 68 68 68 68 68 68 68 68 68 68	\$	ື	27.	17
.fhqA	<u>ن</u>	12. 23. 1. 2.	2	28	28	8
[j.z.c. 4	≱		22	-	38.	ક્ષ
	ပ	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	27	_	5.2	14
March.	`.	1 : 2 : 2 : 2 : 3 : 1 : 1	46	E	2.4	12
February.	ri D	1 4 5	24	63	828	3
	Þ	21 44 : 48	8	9	3,7	18
·Vienast	ပ် ပ	1 10 10	24		:5 82	41
	≱	H-1014010 :40 :4	29	88	ಷ೫	24
NAMES OF DISEASES.		Malarial Fevers Typhoid Fever Sarlet Fever Sandl.pox Diphtheria Distruced Diseases. Congestion of Brain Pronumbula Measules Deaths from all other causes.	Total	Grand total	White	Total white and colored
NAM		Malarial Feve Typhoid Feve Scarlet Fever. Small.pox Diphtheria Diarrhecal Dist. Congumption Proumonia Measiles	Total	Grand total.	Death rate Colored	population.

Norg-Adding to the total mortality of this district the proportion, according to population, of the deaths which occurred in the Small-pox Hospital, the Charity Hospital and Hotel Dieu increases the total mortality of the district to 993, and the death rate per 1,000 population to 24,33. 1

Estimated population for 1883-Whites, 33,000; Colored, 7,800. Total, 40,800

TABLE SHOWING MORTALITY FROM SOME OF THE PRINCIPAL DISEASES, IN THE FIFTH DISTRICT OF THE CITY OF NEW OBLEANS DURING THE YEAR 1883.

ortality and		mitur y		cory	9)			Orte	uno,	100
Grand Total		3 25	137	28 33	2	109	321			33.43
al.	C.	13	£ :	16	es :	37	154	1:1	51	-
Total	W.	20 CS 1-1	26	2 2 2	2	75	167	1:	35.	1:
	c.	- : :		:: 4	: :	3	10	1_	54	12
December.	W.	G5 : :	es : e	24 -	: :	5	13	1 88	27.	188
	C.	:::	9 :	- :-	: :	4	12	1,0	07	12
Хочетьег,	W.	:	= :	: : :	:	10	83	35	33.	43
	C.	:-	4 :	: : 61	1	4	12	1_	49	18
.тэботэО	W	- : :	- :	0	:	9	13	150	33.	30
	C.	111	= :	:: "	:	-	15	1	111	75
September.	A	-::	::	: :-	:	9	000	188	18.	188
	0	- : :	6 :	i :	:	4	45	İ	54	8
August.	W.	cs :	e :	33 : 03	:	m	13	188	27.	35.0
	5	- :	00 :	: : :	:	3	15	i.	49	12
July.	W.	111	15			6	23	128	33.	13
*	0	e : :	14	::-	: :	4	22	1	39	69
June	W.	: : :	9	- :-	: :		50	153	45.9	52.
		c, ::	19	- : -	: :	4	56	1.	05	122
. YBM	W.	:::	: -	3 : 01	-	9	19	1.5	72.	56.5
	5	-::	9:	::-		3	11	1	49	8
April.	W	- ; ;	٠ :	- 03	1	6	17	188	38.4	35.0
	C.	4 : :	4 :	: : cs	-	C)	13		- 88 - 88	12
March.	W.	111	::	:::	:	CS.	CS	15	4.54 36.28	18
April. June. July.	C.	111	::	::-	: :	1	0.6	Ì	582	123
February.	W.	- : :	: :	- : :	:	10	1	10	5.5	1=
	C.	: : :	1 :	: : :	:	4	4	i	54	95
, Tanuary,	W.	- :	- :	:::	:	00	10	41	26.5	17.3
DISEASES.		Malarial Fevers Typhoid Fever Scarlet Fever	Small-Pox. Diphtheria	Diarringal Diseases Congestion of Brain Consumption	18		Total	Grand total	White Colored	Total Total
		Malarial F Typhoid F Scarlet Fe	Small-Pox Diphtheria	Congestion Consumpti	Pneumonia	Other causes .	Tota	Gran	Rate per	ndod noor

Estimated population-White, 5,300; colored, 4.300; total, 9,600.

NOTE—Adding to the total mortality of the disarict, its proportion, according to population, of the deaths which occurred in the Charity Hospital, Hotel Dieu and Small pox Hospital, increases the total mortality to 374, and the death-rate per 1000 population to 38.93.

TABLE SHOWING MORTALITY FROM SOME OF THE PRINCIPAL DISEASES IN THE SIXTH DISTRICT OF THE CITY OF NEW ORLEANS DURING THE YEAR 1883.

1	10	8	. 4 60	200	. 2 8	5 - 5	121	1		3
.fatoT buard	W&C					C1	447			8.8
fa]	ပ်	"	. :6	2			88	:	30.68	:
Total	×	7	. 64	7 A	-88	168	8	Ŀ	28	L
Деоешрег.	ပြ		<u> </u>	. 61	: -	<u>:</u>	=	2	28	88
	B	64		: "		• :ā	8		88	E
Хочешрег.	ပ	:		-	<u> </u>	=	<u> </u>	٤	8.8	8
	≱	1 63			61	- :& - :=	8	Ľ	ಕನ	8
осторет.	<u>.</u>	03		<u>: :</u>	 := :	61	12	=	88	7.
 	≱	6	<u>: : :</u>	- CN -		- : -	8	Ľ	នីន	8
September.	0	2	<u>: ; :</u>	: e	C\$::9	25	Ę	38	17.
		Ļ		<u>:</u>	<u>: </u>	<u>::-</u>	8		01.00	8
1suguA	၁_	<u> :</u>	: : 	· · ·	:	ः : अ <u>स</u> ्	126	E	19.68	8
	≱	<u> </u>	: : : :	<u>:</u>		:-	000	"	<u> </u>	~
July.] ပ 	<u> :</u>	: : m	: ;=:	<u>: :</u>	- 	 ಫ⁻	, S i	19.68 21.23	20.12
	▶	:	: : :=	: : (3)	: -		1=		<u> </u>	-
Jame.	0	<u> </u>	<u> </u>		· • • • •	: 2	18	8	88	12
	B	<u> </u> :	<u>: :</u>	<u>:</u>	<u>:</u>		1=			\vdash
May) O	 - :		: 100	÷ 	<u> </u>	<u>ក</u> នេ	8	8.8 8.3	22.19
	≱	• •		<u>:</u> -	CR	: : m	1 2			H
April.	ν. C	 	<u>- ac</u>	-	· m	<u></u>	1 25	37	28	% %
	0	64	•	-	: :	; -	1 8	 	1 80	-
.бэтеМ	 ≱	-	61 00	·	: 10 1	:	8	3	30.46 48.00	35.27
	0	<u> </u>			. CP (5 61	16	<u> </u>	00	<u> </u>
Гергиягу.	 ≱	 :	_ ~		•	× _ ∞ _	2	ĸ	15.00 24.00	17.34
-	Ö		-	: - : :		- : 10	- ت	<u> </u>	83	g
· Vrannat	 ≱	-	: 	G\$	m		ä	8	18.7	18.0
		:					<u>'</u>	:	::	colored
										4
ES.								:		olore
SKASKS								:	•	o pur
DIS								:		ite a
O.F.					378III		Ė	•	red.	l wh
NAMES OF DE		, ,		8988	9 :		:	i	Whi Colo	Tota
NA.		ever	VOT.	Dise	10 i	: : :	:	.	~~^ ۾	
		1 1 2	Scarlet Fever.	Lee .	mpt	Freumonia	Total	Grand total	Death rate White	lation
		ala	Carle		ong	feasi	Tota	Gra	Deat	popu.
ı		1 24 6	10000	400	عن	OK				

Estimated population-White, 12,800; colored, 4,500; total, 17,300.

NOTE—Adding to the total mortality of the district, the proportion according to population, of the deaths which occurred in the Charity Hospital, Hotel Dien and Small-pox Hospital, increases the total mortality to 327; and the death rate per 1000 population to 30.46.

mortality and Sanitary History of S
I wo I prove Section of New Orleans, 1880-188
B
Z 100 10
S December S
0 19quo4001 0 1 2 1
November November
F
E S S S S S S S S S S S S S S S S S S S
Se Se Se Se Se Se Se Se Se Se Se Se Se S
September.
8
H
188 188 188 188 188 188 188 188 188 188
VAR 1888
TERA TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TOT
PRINCIPAL DISEASES IN April. April.
Inda o
MOTP 118
datable of the second of the s
DE PRE DE LA CONTRACTOR
Tabridos (2) (2) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
10 10 10 10 10 10 10 10
TABLE SHOWING MORTALITY FROM SOME OF THE plants of the form of the
12 12 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ROM
EALITY FROM
PALITEY THE HIGH OF THE LINE LINE LINE LINE LINE LINE LINE LIN
PALITEY III III III III III III III III III I
TANO AND AND AND AND AND AND AND AND AND AND
Mary Mary Mary Mary Mary Mary Mary Mary
DISKASES. DISKASES. Bridin In Bridin Total Total Total Total Total Total
SHOWING MORTALITY FOR FORT A SEA SEA SEA SEA SEA SEA SEA SEA SEA S
TABLE SHOWING MORT Sarial Fovers Alite Fover Alite Fov
in February of the February of
Malarial Fovers Walarial Fovers Typholic Fovers Scarlite Fover Scarlite Fover Scarlite Fover Scarlite Fover Scarlite Fover Scarlite Fover Scarlite Fover Scarlite Fover Scarlite Fover Scarlite Fover Scarlite Fover Scarlite Fover Typholic Colored Grand total Wifth. Adding to the total more Wifth. Adding to the total more Total Wifth. Adding to the total more Total Wifth. Adding to the total more Total Wifth. Adding to the total more Total Wifth. Adding to the total more Total Wifth. Adding to the total more Total Total Total
IMH SECTION SET SET
8 3

Digitized by GOOS

The state of the s 141...

XXXIX

AR 1883

R 1,000 ATION.

76 30.89 19 30.89 19 30.89 30.89 30.89 30.89 31.33 81 33.54 91 29.33 19 26.71 48 29.07 56 29.78 34.76 34.76 31.89

New Or-1. 63,000 :

B SHOV

Digitized by Google

ABLE SHOWING MORTALITY IN THE CITY OF NEW ORLEANS DURING THE YEAR 1883 BY MONTHS, ALSO THE RATE PER 1,000 POPULATION PER ANNUM.

	MOR	TALI	TY.	POPI	PER 1	,000 N.
MONTHS.	White.	Colored.	Total.	White.	Colored.	rotal.
nnary. bruary. arch. pril. ay. ine. ally ugust. sptember. ctober ovember. ecember.	354 382 374 388 404 373 310 345 456 410	250 199 211 223 214 2 226	734 713 666 654 572 521 5 568 6 581 6 678 6 62 6 628	27.23 28.34 26.17 21.74 24.20 25.75 31.71	47.81 37.91 40.19 42.48 40.56 43.04 40.38	33.5 29.3 26.7 29.0 29.7 34.7 31.8


NOTE—The feregoing rate of mortality is based upon an estimated population for the city of New Orsans, proportioned to the ratio of increase between the years 1870 and 1880—White, 171,000, colored, 63,000; total, 234,000.

YEAR 1883.		Total	m :040101 acases	8
AR	Croup.			8
¥.	ິວ	₩ .	m : ai ai ai ai ai	2
CITY OF NEW ORLEANS DURING THE	ria.	Total	6191818F198	159
DNI	Diphtheria.		:::	=
OUR.	Dip	₩. C.	2000000-4000	ऊ
ANS I	on of	Total	r461691160 60160	2
RLE	ongestion Brain.			8
[O A	ong	₩.	401-000041001	8
F NEV	alis.	Total	22.22.22.22.22.22.22.22.22.22.22.22.22.	35.
K 01	Phthisis Pulmonalis	-i	282288822812	풄
CIT.	Pal	W. C.	4278786828724	8
THE		Total	8288834418838	478
N	Malarial Fevers.		E 8 5 0 0 1 1 2 1 1 8 1 1 8	3
ING.	Mag	<u>G</u>	2999333333 3999333333333333333333333333	88
CCUR.	Fever	Total		
8	*	₩.		
ABE	Yellow	¥.	1	
DISE	old r.	Tota 1	T	51
PAL	Typhoid Fever.	₩. C.	4-84- 8 -84-8	2
ХСП	H.,	≱	844488446845	8
PRI	ales.	Total		18
TH	Measles	<u>₩</u> .	1	-
OF		₽		
SOME OF THE PRINCIPAL DISEASES OCCURING IN THE	Fev er	. Total	a : :- : : : :	7 39
)	Scarlet	W. C.	465666	贸
FROM	8		149 175 1175 1175 149 149 171 171 171 171	1266
LITY	.Pox.	Total	[85588838158 [855888258]	
LT.	8mall-Pox	W. C. To	255688456656	493 773
MON	- z	₽		
TABLE SHOWING MORTALIT	Konth		January January Kebruary March April April July July August September November	Total for the year
H	•		I RAPARA PER PER PER PER PER PER PER PER PER PER	⊢l itiza

Digitized by Google

General Disease Disease Disease Disease Disease Disease erat Affection Disease transport of the Condition of

THOP



Chianii of hew onleans,		LOCISIANA,	4	i i	5	5	DOMING 1983,		3	ANI	Q Z	AND RACES.	8			6	O LA SOLA OF			Distance and			Managana	•		DWIGHTOWN TO THE		2		STITE OF THE	3
	January.		Ре bruary.	. ПэтвМ	HADRY	April.	ander	.yaM	-	Липе.		Total 6 mos. of 1883.	T'otal.	TIMO F	July		August		September.		October.	November.		December.		xis tast latoT 5881 to .som		Total.	Total 12 mos.		Total.
	W. C.	. W.	0	×	C.	W.	C.	W.	0	W.	C.	W. C.		A	. C.	B	C.	🖹	c	W.	C	W.	C.	W.	C	W.	i c	1	W.	0.	1
General Diseases Diseases of the nervous system. Diseases of circulatory system. Diseases of repuire system.	133 66 18 48 53	84 143 31 49 6 18 24 33 36 42	132 37 12 8 4	18 18 18 18 18 18 18 18 18 18 18 18 18 1	202 29 203 204 40	179 19 30 28	220 23 250 250 250 250 250 250 250 250 250 250	193 8 8 8	164 123 128 128 138	187 173 14 64 14	33 33 310 113 22 113 22 23 13	014 98 340 18 1114 6 262 10 212 17	01 36 197 36 18 38 53 38 53 38 53 38 53 38 53 38 53 38 53 38 53 38 53 38 53 53 53 53 53 53 53 53 53 53 53 53 53	970 16 538 6 180 1 363 5 386 1	1 - 10 - 10 10	111 152 30 51 9 13 18 36 5 15	25 103 3 13 6 15 8	139 60 60 14 14 45 34 34	109 320 320 151	852288	94 46 12 21 21 13	52288	1322	25 25 25 25 25 25 25 25 25 25 25 25 25 2	70 33 30 31	892 363 1113 353 176	82 82 11 125 90	195 195 195 478 266	227 227 615 388	537 34 405 11 148 3 226 8	3443 1108 375 841 652
erative organs	17	4 19	C5	9	9	-1	ç	6	6	6	1-	2.0	33 10	001	9	10	6 10	10	ro	13	8	6	4	13	11	57	38	95	124	11 1	195
tion Diseases of organs of locomotion Diseases of the cellular and cu	G)	: 3	1	- c	O\$ C\$	3.1	::	4 :		C4 :	::	5.3	73.4	18	5 =	3.1	4:	· · ·	1 23	1		C. :	07 F	41	- :	19	6-7	10	35	15	44
taneous system Conditions not necessarily asso-	1		:	:	:	:	. 8	:	1	-	:	Ç\$	20	r-	-	-	1	:	C.	ĈĮ.	1	Cs.		:	:	9	10	11	00	10	18
ciated with local or general diseases. General Injuries Local Injuries Human Parasites Trumors, non-malignant Congenital malformations.	% c. 4 ∶cici	8141 : 144 : 724 : 144 :	₹4 : : : : L	20 7 1 1 1 20 20 20 20 20 20 20 20 20 20 20 20 20	2::::	¥12. : 1 20.0	=-::::==	8 20 1 : 01 4	<u> </u>	22::198	7.40.::	24 22 : - L 8 L	824 : 1834	281 16 16 16 10 10 10 10 10 10 10 10 10 10 10 10 10	13 13 13		17 12 19 6 6 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	% ∞ : . : et :-	E ∶	35 - 1 : 57 .6	E & 4 : :	39	25.22 - 03.25	± 60 03 : . 04 04 0	£ c : :	484 9 : 8 4 1 9 5	600111000	16 19 19 19 19	5882 : 4222	2001-0000	32 32 10 10 29 29
	393 214	1 354	253	382	- 103	-		388 2	2 00	404 2 654	: 129	2295 1686 3981	1 %	3	3 199	316 2		E E	5 223	36	214	452 22	: 19	- 62	: 53	212 2257 1285 3542	\$85.33	1242	4552 2971	-1	23 23
(

Google

WARTALL IN PRIM WIME IN THE PRISCIPAL DISEASES IN BEW CRIZANS DURING THE TEAR 1883. CLASSIFIED ACCORDING TO ACE AND COLOR.

In too new costs	44	- 52852555555555	9
hites and Col'd	ij,	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	14156
Total	ပ	150 174 174 174 174 174 174 174 174 174 174	11751
	≱	-88817341291924	82405
Above 90 yra.	ن	: -: : : : : : : : : : : : : : : : : :	00
66 02047	*	6	<u>۾</u>
	<u>ن</u>	:n ::: ap = a a	2
.arae'(00 ot 08	*	a	17
	ن	N- : : : : : : : : : : : : : : : : : : :	2
.#7A8Y, 08 ut 0T	ļ÷ B	1 :0	8
	! -	0047014	29
erracy Of ot 00	<u>:</u>		88
· ·	▶		
50 to 60 years.) -		121
		1 :	88
40 to 50 years.	<u>ပ</u> ဲ	1 : : : : : : : : : : : : : : : : : : :	13
	B	:	3
.eraev @ of @	ಶ		2118
	*	:0 mm :- 25 mm :- 2	351
12 Mar C an an an	ಶ	8 4.85 - 285	E.
.eraer, 0C ot 08		80 - E8.8	3
- -	نا	1 10 - 10 - 10 E E	8
Araon, 66 of 21	·	1:5+	6
	じ		Ī
A1007, &1 of 01	-		č
<u>!</u> - ₁	.	<u> </u>	ş
S SP IN THERM.			==
	.	<u> </u>	- 5
1 10 7 LABOR	ت ا		=
•	*		:
MAV1, 8 44 1	್ಟ್ 	्क (इसक्ट्रेट्ड हुंड 📜	=
·	*		<u>=</u>
Cades 1 year	ij		=
• -	*	# #####	3
			:
ų			
Meratra		de clara de conseguente de conseguen	:
ž.			
2			Ŧ
		Working to con- Managed Decey Labeled Decey Manag	1.1.1
		de lacel Recent Control of Contro	

MORTALITY FROM SOME OF THE PRINCIPAL DISEASES IN THE CITY OF NEW ORLEANS DURING THE YEAR 1883, CLASSIFIED ACCORDING TO NATIVITY.

NATIONALITIES.	Yellow Fever.	Malarial Fevers,	Typhoid Fever.	Scarlet Fever.	Measles.	Dyptheria.	Small Pox.	Diarrheed Diseases.	Congrestion of Brain.	Phthisis Pulmonalis.	Pneumonia.	Bright's Disease	Cancerous Diseases.	Suicides.	Sunstroke.
Austria-Hungary		3	2					1		3			1		1
Belgium British America	• • • •		• • • • •		••••	• • • •	• • • • •	1 2	• • • • •			•••		••••	
Central America							3								
China Denmark		2						2		3	1				
rance		13	1	::.			15	19	2	35	14	4	10	5	
Freat Britain (including Ireland)		44 59	4 3	1		1	36		10	35 77 88	24 27	.15		6	
Teece											~.				
Iolland		14						21		9				111	
onisiana		254	35	35	17	65	1011		69	443	217	68	23	9	***
Mexico		1					2			2					
Vorway and Sweden		3			• • • •			2		2	2	1			
Russia		3					1					1			
outh America														1	
Spain		6			• • • •		2	1	2	8 2	1	1	2		
Inited States (not Louisians)		62	3	3	1	1	181	90	15		51	46		7	
Curkey West Indies Not stated		3					4	6	1	4	2	1	2		
Total	1	478	51	39	19	67	1266	623	110	845	350	169	119	25	-

OBSERVATIONS ON THE CLIMATE AND HEALTH OF LOUISIANA.

AND MORE ESPECIALLY UPON THE RELATIONS OF THE CLIMATE OF NEW ORLEANS TO EPIDEMIC AND ENDEMIC DISEASES.

By climate we mean everything which relates to the physics and chemistry of the air in which we live, which not only continually flows into our blood, but also alters the conditions of our existence, and the state of bodily health, by its variations of chemical constitution, of temperature, of moisture and of electrical and chemical forces.

The conditions of heat, rapidity of motion, weight and moisture in the atmosphere, are so important in their relations to agriculture, commerce and health, that institutions have been established all over the world for

measuring the frequent variations.

The discovery of oxygen by Priestley, laid the foundation for the establishment upon a firm foundation of the chemistry of the earth's atmosphere; he believed that he had found the variations to be equal in amount to 6 per cent; Scheele found from 20 to 30 per cent, and others still greater variations; but Cavendish, who made 500 analysis, showed that the difterences in the composition of the air of various localities were very small and arrived at the conclusion that 20.833 per cent of oxygen is the mean amount, and that the composition is constant. Gay-Lussac and Humboldt after many experiments which gave from 20.9 to 21.2 per cent of oxygen, settled on a mean of 21.0; Gay-Lussac gave as a mean of the air from mountains and from Paris 21.49; DeSaussure examined the air at Chambeisy and found a mean of 21.05; Bertholet 21.05, Thom Thompson 21.0; Davy 21.0; Vogel on the Baltic 21.59; Hermbstadt on the Baltic 21.5; Dalton at Manchester from 20.7 to 21.15; Dovere found from 20.5 to 21.5; Regnault gave as the result of 100 analyses of the air of Paris, variations from 20.913 to 20.980, with a mean of 20.96 from Lyons from 20.918 to 20.966, from Berlin from 20,908 to 20,908, from Madrid 20,916 to 20,982, Geneva and Switzerland, 20,900 to 20,982. Toulon and Mediterranean 20,912 to 20,982, Atlantic orean 20,918 to 20,965, Ecnador 20,960, Pichincha, higher than Mount Blanc, 20,949 to 20,981; mean of all the analyses of Regnault 20,949 to 20,1888; Bunsen in his numerous analyses of the air of Heidelberg, found the maximum to be 20,970, lowest 20,040; mean 20,924. Dr. Bobert Angus Smith, from a careful examination of the analyses of the preceding and other chemists, as well as from his own extended observations, regards the average composition of the atmosphere in 100 volumes to be: oxygen MUSS, nitrogen 79.000 carbonic acid 0.04.

Analyses of the air of impure places show deviations from the numbers found on analysing fresh air. Thus, according to Configliacki, the air of rice fields contains 2008 per cent of oxygen, of crowded places 20.3; according to Regnault, air of Toulon Harbor 2085; of Algers 2042 to 20.395 of Rengal Ray, over had water, 2087; according to Robert Angus Smith, in the mubble of Manchester, 20179 to 2086; air from closets or midden behind laboratory 2019; London, mean of air from various places, 20.857; Olasgow 2086; marshy or confined places, Switzerlay L. 2087 to 21.01.

It is not dept from the preceding that is, that the variations is the amounts of oxygen in the armosphere in termaness error straces, of elevation, and country, are not suith tent to estail of any correction between them and the origin and spread of country, was discussed.

With reference to the relations of the active state of oxygen (ozone), to the origin and spread and arrest of epidemics; it must be admitted that:

1. The estimation of ozone, is in an unsatisfactory state, because other substances, besides ozone, act on the iodide of potassum, especially nitrous acid, which is tormed in some quantity during electrical storms; the papers cannot be put under the same conditions from day to day; supposing that iodine is set free by ozone, a portion of it is at once changed by additional ozone into iodozone, which is extremely volatile at ordinary temperatures, and hence a portion of the iodine set free never acts on the starch; and finally, because the ozone may possibly act on the starch itself.

2. The substance giving the reaction of ozone is neither deficient in marshy districts, nor when ozone is conducted through marsh dew does it destroy the organic matter; and there are are no experimental proofs that

it acts on the organic impurities of respiration.

3. There is no weight of evidence to prove that deficiency in ozone has assisted the spread of epidemics of any of the specific diseases, or that excess has checked them.

The facts, however, that the reaction with Schoonbein's or Moffat's papers is greater in pure than in impure air, at the seaside than in the interior, that ozone is often absent from hospital wards, though present in the air around them, that it is greatest when the barometer, the mean daily temperature, and the dew-point are all high, should lead to farther and more numerous experiments; but they do not warrant the assertion made by some writers, that the cessation of epidemics of cholera, malarious fevers, and even yellow fever, has been due to currents of air bringing ozone with them; neither do they sustain the assertion that the accumulation of malaria at night is due to the non-production of ozone by the suns's rays, and that the effects of stagnant air in increasing epidemics is due to the absence of ozone.

The effects of the variations of positive electricity on health, and on the origin, spread and intensity of diseases, are unknown; and beyond the fact that free electricity appears to be less during the prevalence of certain epidemics, as that of 1878, in New Orleans, all else is pure speculation.

No theory of the causation of disease has yet embraced the consideration of the neutral gas, nitrogen; but carbonic acid, sulphuretted hydrogen, carburetted and phosphuretted hydrogen, and various volatile substances which constitute odors and vapors, nitrogenized organic matter, organized and living matter, have been considered as active agents in the production of disease.

The variations of carbonic acid and of sulphuretted hydrogen are, without doubt, most marked in crowded cities and in mines, and whilst both these gases are evolved from putrifying organic substances in increased amounts during the heat of summer, there are no facts to show that such increment is in any manner connected with the development and spread of such a disease as yellow fever.

The effects of these gases are best studied in mines, in which when the quantity of oxygen falls under 13 per cent and is too small for the process of respiration, or when the carbonic acid amounts to 7 per cent, with several per cent of sulphuretted hydrogen and miasms of a peculiar kind, they communicate to the atmospheric air a property which is often very dangerous. As the venous blood possesses a greater affinity for the oxygen than the carbon of combustible substances, a man can replace the loss of oxygen by frequent breathing, and therefore can live when candles and mine lamps go out. As neither the combustible material nor the venous blood can remove all the oxygen from the air, but rather diminish it to 18

and at most to 12 per cent, it follows that atmospheric air, the oxygen of which is to a certain degree diminished, acts towards men and candles like pure nitrogen. In an atmosphere poor in oxygen there is felt, not so much as a consequence of the presence of nitrogen as the absence of oxygen, constriction of the chest, tickling of the eyes, fatigue, weakness and anxiety; the breathing becomes more heavy and frequent, and the laborer is compelled to make more exertion at work, whilst perspiration and thirst ensue. If the laborer be continually subjected to such agencies for considerable periods of time, there will be induced, in addition to the rapid breathing paleness, anæmia, debility, hardening of the glands, herpetic eruptions, loss of power in the extremities, and early asthma. We exclude, therefore, from the consideration of the causation of yellow fever, the variations of the amounts of oxygen, ozone, electricity, nitrogen, carbonic acid, carbonetted and phosphuretted hydrogen in the atmosphere; for such variations are more marked and frequent in localities in which yellow fever is unknown.

The organic, organized and living matters of the atmosphere, therefore, demand the first consideration; and in the second place, the moisture and temperature of the atmosphere; and in the third place, the force and direction of the winds, and the amount and intensity of the electrical actions; and in the fourth place, the variations in the chemical constitution of the atmosphere, and the effects, the variations of ozone and of the established and extraneous, or what may be termed adventitious and abnormal constitutuents of the atmosphere.

The thorough discussion of the preceding subjects, even if the proper data were at hand, would swell the present division into the magnitude of a volume; and we must delay to some future time the consideration of the minute history of the meteorological characters and differences of epidemic

and non-epidemic years.

The great problem of interest is: can climatic conditions in New Orleans cause or engender, de noro, certain infectious diseases, as wellow fever?

If they cannot, then the protection of this city or valley from yellow fever lies in a rigid quarantine, supplemented by thorough disinfection and sanitation.

CLIMATE AND HEALTH OF LOUISIANA.

ASTRONOMICAL POSITION.

Between latitudes 28° 55′ and 33°, north, and longitudes 11° 38′, and 17° 21′ west, from Washington; and 88° 40′, and 94° 23′, from Greenwich.

DIMENSIONS.

The extreme length of the State, east and west, is 290 miles; area. 41.255 square miles. The longest line that can be drawn in Louisiana is from the mouth of the Mississippi to the northwest angle in Sabine, 300 miles.

SURFACE.

There is not, perhaps, on earth a continuous tract of equal extent presenting a greater diversity than Louisiana. Within its limits are included all the varieties, from the most recent and still periodically inundated alluvium, to hills approaching the magnitude of mountains; every quality of soil, from the most productive to the most sterile, and from unwooded plains to dense forests.

All the southern part of this State is an alluvial tract of low champlain country, extending from Lake Borgne to Sabine river, and from the Gulf of Mexico to Baton Rouge and Red River—about 250 miles long, and from 70 to 140 wide. This extensive tract is intersected by numerous rivers,

bays, creeks and lakes, dividing the country into a great number of islands. A large extent of country in Louisiana is liable to be overflowed by the Mississippi. According to Mr. Darby, the accurate and learned and accomplished surveyor, the average width of overflown lands above Red River, from latitude 31° to 33° north, may be assumed at twenty miles, equal to 2770 square miles. Below latitude 31° to the efflux of the Lafourche, about eighty miles in extent, the inundation is about forty miles in width, equal to 3200 square miles.

All the country below the efflux of the Lafourche is liable to be inundated, equal to 2370 square miles. From this calculation, it appears that 8340 square miles are liable to be inundated by the overflowing of the Mississippi; and if to this be added 2550 square miles for the inundated lands on Red River, the whole surface of the State liable to inundation will amount to 10,890 square miles. Of this extent, however, not one-half is actually covered annually with water; and every year, by the extension of levees and by the deepening of the mouths of the river, the area of cultivated land is becoming greater, and that subject to overflow less.

The immediate banks of the Mississippi River and its tributary streams are seldom, and many of them never, inundated, and they afford strips of arable land from one mile to two miles wide, of unsurpassed fertility, producing the great sugar and rice crops of Louisiana. The water of the lakes, as well as that of the Mississippi River, moderate the intense heat of summer and the severe cold of winter, and the residences of the planters on the banks of the streams are noted for their elegance, comfort, thorough ventilation and healthful climate.

From its southern latitude, it might seem reasonable to expect in Louisiana a very warm climate, and this has been reckoned upon to a greater extent than experience justifies. The winters are in fact more severe, and the mean temperature lower, than in higher latitudes, by 2° on the Atlantic. In reality, as far as vegetation can decide the questien, the seasons may be considered milder at Charleston, South Carolina, latitude 32° 42′, than at New Orleans, in latitude 30°.

We will, however, consider this subject of the influence of the togographical and geographical situation of Louisiana on her climate more fully hereafter

Col. S. H. Lockett, for many years the able and accomplished Professor of Engineering in the Louisiana State University, who traveled over all the parishes of this State in search of data for his excellent topographical map of Louisiana (various journeyings amounting to more than 4000 miles within the limits of the State), thus classifies the surface of Louisiana:

"Lands within the limits of Louisiana, including coast marshes, 40,700 square miles; inland water coast bays 2328 square miles; total, 43,028 square miles. There are two general divisions of the lands of the State, the hill and the level lands; hilly lands, 12,332,920 acres; level lands, 12,773,000 acres; total, 26,105,600. These lands may be classed as follows: Good uplands, 5,298,000 acres; pine hills, 5,497,600; bluff lands, 1,587,320; prairie region, 2,483,000; arable alluvial land, 3,615,00; wooded alluvial lands, 2,752,000; pine flats, 1,585,000; coast marsh, 3,338,000; inland water surface, 1,228,000; coast bays, 1,100,000. As it is situated at the mouth of the greatest river on the continent, and contains within its limits the delta of this river, intersected by numberless lesser rivers and bayous, and filled with lakes, most people conclude that Louisiana is, throughout its entire extent, a low, wet, swampy region. They imagine its surface to be a great plain of wonderful fertility, when at all arable, with an indefinable succession of deep jungles,

tangled swamps, marshes, lakes, sloughs, cane and cypress brakes. But these misconceptions will be speedily dissipated by a journey into the interior, and it will be discovered that few States of the Union possess a greater diversity of surface, soil, climate, scenery and products than Louisiana, and no State has a more varied and interesting population, or a more eventful history."

EFFECTS OF THE RIVERS, LAKES, BAYS, AND OF THE GULF OF MEXICO ON THE CLIMATE OF LOUISIANA.

As the melting of a given quantity of ice requires as much heat as would be needed to raise the temperature of a sixty-three times greater mass of water one degree of Reaumur; and as when boiling water assumes the form of vapor, there is required in this process and the formation of vapor of equal temperature, as much heat as would be required to raise the temperature of a 430 times greater mass of water one degree of Reaumur, it is evident that enormous quantities of heat must be absorbed at the base of the atmosphere in the process of the thawing of ice and the evaporation of water. When the water is reconverted from the higher to the lower form of aggregation, the heat so absorbed is again given out. And as the formation of clouds takes place principally in the higher parts of the atmosphere, the latter resembles in some degree a steam engine, having its condenser above. The decrease of temperature with increasing elevation is much lessened. At the same time, the clouds formed at a definite height intercept the sun's rays, and at such times the heat—which in clear weather is produced in far the largest amounts at the bottom of the atmosphere -is received instead in its higher portions.

The reverberation from the ground as a second source of atmospheric heat, depends on the character of the surface; and the formation of dew teaches us what small differences are influenced in this respect. In regard to the warming of the air by contact with the earth, it is to be observed that a liquid surface is continually renewed, inasmuch as every depression of temperature causes the water at the surface, which by cooling has become denser and heavier, to sink down and make way for the warm water which rises from below to replace it; and this goes on until the density of

the fluid makes it the same throughout its entire depth.

It is thus that the depths of the sea are deprived of the temperature which they would have if they were as far beneath a liquid surface, because the process of evaporation, or the conversion of parts of the water into vapors, employs heat, which if the surface were land would be given directly by contact to the adjacent air.

The large masses of water in Louisiana, therefore, moderate the heat of summer and the cold of winter, and thus give to this State the advantages

of an insular climate.

The climate of Louisiana resembles in many respects that of the Missis-

sippi valley.

George Preston, in 1794, was the first who decidedly controverted the assumption that America was everywhere much colder than Europe under the same latitude. "It seems to us," he said, "as if there was some exaggeration in this sweeping assertion. The interior of North America, beyond the Alleghanys, enjoys a far milder climate than the east coast of the same latitude. The wild rice, which will not ripen on the south shore of Lake Superior, grows abundantly and brings its seed to maturity ahove Lake Winnepeg, nearly five degrees further to the North. Hearne and Mackenzie in their journeys to the interior, found the country clothed with forest to latitude 68°, and forests do not extend further North than this in Europe."

Digitized by Google

In attempting to obtain any general results respecting the distribution of heat in the United States of North America, three regions should be distinguished: First, the regions of the Atlantic States, east of the Alleghanys; second, the Western States, in the wide basin between the Alleghanys and Rocky Mountains, watered by the Mississippi, the Ohio, the Arkansas and the Missouri; and third, the elevated plains between the Rocky Mountains and the coast range of New California, through which the Columbia, or Oregon river winds its course. Since the establishment by John C. Calhoun of uninterrupted observations of temperature made on a uniform plan, at the various military stations extending from the point of Florida and Thompson's Island (Key West), to the northern boundary of the United States, and embracing over forty degrees of latitude, we have obtained more correct climatic views than were generally held in the time of Jefferson, Barlow and Volney.

The great characteristic feature of North America is its vast interior valley, extending from the Gulf of Mexico to the Arctic Ocean, and presenting every variety of climate between the tropical and polar regions. This valley is cut off from the general influences of the Pacific Ocean on the West, by the Rocky Mountains, and from those of the Atlantic Ocean in the East, but in a less degree by the Alleghanys. It is traversed by a deep winding longitudinal depression forming the trough of the Mississippi for more than

two thousand miles.

The hypsometrical character, or relation to the sea's level of the richly watered, fruitful and thickly inhabited basin of the Mississippi, was first

explained by the labors of the French astronomer Nicollet.

The plain which encloses the valley of the Mississippi is identical with that of northern Canada, and forms part of one of the same depressed basins extending from the Gulf of Mexico to the Aretic Sea. Wherever the low land falls into undulations, and slight elevations, which still retain the French appellations of coteaux des prairies, coteaux des bois, in connected rows between the parallels of 47° and 48° north latitude, these rows and gentle undulations of ground separate the waters between Hudson's Bay and the Gulf of Mexico. Such a line of separation between the waters is formed, north of Lake Superior; Kichi Gummi, by the Missabay Heights, and further west by the elevations known as Hauteurs des Terres, in which are situated the true sources of the Mississippi, one of the largest rivers in n the world, and which were not discovered till the year 1832.

The highest of these chains of hills hardly attains an elevation of from 1500 to 1600 feet. From its month (the old French Balize) to St. Louis somewhat to the south of its confluence with the Missouri, the Mississippi has a fall of only 380 feet, notwithstanding that the itinerary distance between these two points exceeds 1280 miles. The surface of Lake Superior lies at an elevation of 618 feet, and as its depth in the neighborhood of the island of Magdalena is fully 790 feet, its bottom must be 171 feet below the

surface of the ocean.

The broad valley of the Mississippi enjoys at its northern extremity, the warming influence of the Canadian lakes, and at the southwest of the

Mexican Gulf stream.

These five lakes, (Lakes Superior, Michigan, Huron, Erie and Ontario), cover an area of 92,000 square miles. The climate is so much milder and more uniform in the vicinity of these lakes than at Niagara, for instance, (in 43° 15' north lat.), the mean annual winter temperature is only half a degree below the freezing point, while at a distance from the lakes in 44°, 53' north latitude at Fort Snelling, and near the confluence of the river St. Paul with the Mississippi, the mean winter temperature is 15.8°, Fahrenheit.

Digitized by Google

At this distance from the Canadian lakes, whose surface is from five to upwards of six hundred feet above the sea's level, whilst the bottoms of Lakes Michigan and Huron is five hundred feet below it. Recent observations have shown that the climate of that country possesses the actual

continental character of colder summers and colder winters.

The waters which enter the Gulf of Mexico between Cape Catoche, of Yucatan, and Cape San Antonio de Cuba, force their way back into the open ocean north of the Straits of Bahama, after they have been agitated by a great rotatory movement between Vera Cruz, Tamiagua, the mouth of the Rio Bravo del Norte, and the Mississippi. Here they form a warm rapid current, known to mariners as the gulf stream, which deflects in a diagonal direction further and further from the shores of North America. The high temperature of the gulf stream, in all parts of its course, is one of its striking peculiarities. It is a current of warm water, so greatly above the average heat of the ocean, that the navigators may at once detect his entrance into it by the sudden rise of the thermometer.

The difference often amounts to 9, 12 and 15 degrees Fahrenheit, and sometimes to much more. Near Cape Hatteras, on the coast of North Carolina the thermometer shows 81 degrees in summer, which is from 104 to 114 degrees above the water of the ocean, in the same latitude imme-

diately contiguous to these streams.

At Cuero, one of the Azores, its temperature is from 75½ to 77½ degrees, which is from 8 to 10 degrees above that of New Orleans. It is on the Mexican Gulf, which may be properly called a cauldron for heating water, that this high temperature is acquired, which is then in summer 4 degrees above that of the open occan under the equator.

From these physical conditions, the following influences are exerted in forming the peculiar character of the climate of Louisiana, which forms the southern extremity of the Mississippi Valley on the Gulf of Mexico:

1. The atmosphere of Louisiana is loaded with moisture, and upon this condition, as well as its warm temperature and the abundant uniform distribution of rains in spring and summer, mainly depend its luxuriant

forests and splendid crops of sugar-cane and cotton.

Whilst the rains which water the Atlantic slope are equally distributed, and those of the California coast are periodic, making a well-defined wet and dry season, those which water the Mississippi Valley are unequally distributed; those of spring and summer being greatly in excess. In winter, the mouths of the Mississippi and the region of Pensac la are in the area of greatest precipitation (18 inches) From this centre, the lines of equal precipitation on the west maintain a considerable parallelism; first, near northwest, along the Texas coast; then rapidly curving near northeast, then east; and, as they leave the continent, northeast. In autumn, the mouths of the Mississippi and the region of Pensacola are still within the area of greater precipitation. The lines of equal precipitation pursue a north-northeast direction.

In summer, the average rainfall at New Orleans is about 17.28 inches; in

autumn, 9.62 inches; spring, 11.29; winter, 12.71.

The abundant supplies of rain, and their relations to the seasons and griculture, will be most thoroughly and practically illustrated by the foling tables and facts, in which we have connected the monthly and rainfall expressed in inches and fractions of an inch in New Oring a series of years, with the total mortality from yellow fever:

MONTHLY AND ANNUAL RAIN-FALL, WITH DEATHS FROM YELLOW FEVER, IN NEW ORLEANS, LA., FOR A SERIES OF YEARS. CONSOLIDATED BY JOSEPH JONES, M. D. (Expressed in inches and fractions of an inch.)

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October:	November.	Decmber.	Total inches.	Deaths by Yellow fever
Mean of 6 years (. .	57.85	l edi
1833 to 1838) Mean of 3 years (1836 to 1838)	4.66	2.25	2.59	6.21	2.95	6.10	6.38	5.72	5.60	1.37	3.18	2.87	49.88	Deal
1839	8 10	3.40	2.19	2.10	2.02	3.11	9.86	4.80	.12	2.40	3.92	4.40	46.42	809
1840	.11	2.01	1.09	3 10	4.80	7.10	5 60	3 10	1.80	7.80	5.55	2.22	44.28	3
1841	19.50	5.10	6.90	5.10	1.70	3.10	.89	3.41	2 87	2.41	.11	9.44	60.53	1325
1842	4 21	3.51	2.71 5.51	5.20 2.67	1.12 .45	1.13	4.52 6.33	7.40 5.11	4.80 5.51	1.50 3.49	3.25 1.93	1.70 6.02	41.05 59.19	211 187
1844	4.41	.73	3.90	53	3.16	2.75	8.80	5.21	1.08	2.18	7.78	1.35	38.97	148
1845	6.24	1.19	5.16	1 99	8.06 ₁	3.20	1.88	4 53	4.30	6.26	4.62	6.20	53.56	2
1846	9.20	6.66	7.88	10 70	9 37	7.98	8.86	6.90	6.32	1.14	1.56	1 55	78 12	160
1847	7 71 5.42	3.77	3.40	4 63 3 92	4.80	3.43 9.36	5.06 7.79	6 81 8.37	2 ×3	75 2.31	2.59 8.83	7.73 1.86	53.51	2306 808
1849	3.55	2.45	2 83	2.43	8.01	3.79	11.09	4.85	4 01	6.88	4 48	2.52	56.66 56.89	760
IH50	7.40	4.53	2.27	4.10	6.20	8.92	6 31	10.05	1.85	.96	1.58	3.46	58.53	107
1851	3.82	3.18	1 20	3 49	2.93	2.21	2.13	10.46	3.85	3.70	9 00	2.69	48.66	17
1852	.80	1.45 4.20	4.24 7.38	5.25 1.88	$\frac{7.23}{2.80}$	1.64	7.44	1 75	1.16	2 83 5 17	7.00	5.30 4.57	86.09	456
1854	*3.20 1 89	9.84	4.18	3.81	6.15	1.86 4.08	11.71	7.01 3.48	5 04 1 92	4.84	1.55	1.16	61.85 52.75	7849 24 2 5
1855	86	2.06	.82	2 00	1.77	1.75	7.24	4.12	4 36	2.10	5.59	8.23	11.70	3670
1856	8.90	3.68	3.73	2 85	2.53	5.79	8.63	16.12	3.20	2.29	4 65	4.75	67.12	74
1657	2 68	1.97	2.86	1.73	7.33	2 90	5.86	4.64	2.55	5.01	3.05	5.10	45.68	199
1859	3.71 6.40	4.30 3.77	4.71 7.84	2.26 3.99	3.45 1.94	4.89 7.12	7.72	7.35 6.17	3 67 1.19	4 13 2.17	3.20 2.79	3.42 5.09	52.81 49.40	4845 91
1860	.64	8.61	.76	2 42	1.26	5.07	1.50	4.50	1.80	5.66	4.28	2.74	39.24	15
1861				7.58	.01	4.41	3.62	8.71	6 14	3.95	25	.76		
1862	3 79	2.76	2.83	4.10	.65	.58	4.54	2.15	4 68	1.03	.36	1.59		
1864	2 11	3.56 .30	3 73 3.05	.31	3.02	2 62 2.86	3.30	4.14	.174 2.15	1.67 2.22	.26	4.12		2 6
18:5	3.42	3.94	5.30	.98	.00	2.50	1.91	7.98	2.13	2.22	'''	. 40	26.78	1
1869			13 90	4.47	1.10	9.88	1.64	8.73	8.19	5.09	5.21	3 13	64.34	3
1870	9 46	3.61	2.85	9.22	4.41	4.09	6.08	11.58	1.64	1.85	5.15	9.52		587
1871	13.52	1.29	6.11	2.75	5.72 3.97	9 96	6.43	8.63	6.88	15.65	9.04	2.14		54 39
1873	5 22 5 61	5·91 2.20	9.73 5.49	6.73	21 50	5.78 8.58	7.03 6.75	3.95 10.82	2.36 4.46	3.38 1.80	9.06 7.35	5.69 1.87		226
1874	2.30	3.70	7.31	18.44	71.04	11 97	17.37	5.92	5.08		1.76	3.57		11
1875	9.17	16.22	13.73	10.44	3.19	6 22	8.19	11.32	8.54	2.26	6 86	5 72	101.86	61
1876	5.47	9.33	11.65	8.20	8.54	7.19		5.55	0.39	.10	2.97	8.29	72 87	42
1877	8.20 5.36	.85 3.50	5.31 4.63	4 51 1.51	1.14 6.14	2.30 7.12		3.27 4.90		9.62 5.07	6.20 7.78	5.95 8.59		4046
1879	2 34	2.13	1.36	9.56	4.63	2.96				1.36	4.20			19
1680	1.02	4.62	6.66		6.58	6.43		4 60		1 88	6 04			1 2
1881	11.16	5.80	2.75		3.20	2.84	6.97	4.21		4.84	7.24	6.62	64.02	
1882	4.54	4.04	0.92		6.83			9.47		2.16				
1883	10.63	1.56	5.01	14.21	5.41	12.03	3.31	4.12	0.25	3.43	6.27	3.47	69.72	1
Avr'ge of 42 y'ra. } 1839 to 1883	5 49	3.91	4.84	4.68	4.35	5.26	6.19	6 5	3.90	3.58	4 46	4.31	56.86	

A careful examination of the preceding table establishes no absolute relationship between the amount of the rain-fall and the prevalence and fatality of yellow fever. Thus yellow fever has been absent in some comparatively dry years and has been present in others; and this disease has prevailed in some wet years and been absent in others.

The rain-fall has been greater during the past two years 1880 and 1881, when yellow fever has been absent, than during 1841, when 1325 deaths were occasioned by yellow fever; 1847, 2306; 1848, 808; 1849, 760; 1853, 7849; 1854, 2425; 1855, 2670; 1858, 4845; 1878, 4046 deaths from yellow fever. On the other hand, the rain-fall and deaths from yellow fever, during the years yielding the highest rain-fall were as follows: 1846, rain-fall 78.12, deaths from yellow fever, 160; 1856, rain-fall 67.12, deaths from yellow fever 74; 1870, rain-fall 69.46, deaths from yellow fever 587; 1871, rain-fall 88.12, deaths from yellow fever 54; 1872, rain-fall 68.81, deaths from yellow fever 39; 1873, rain-fall 78.17, deaths from yellow fever 226; 1874, rain-fall 7.46.

Digitized by GOOGLE

deaths from yellow fever 11; 1875, rain-fall 101.86, with deaths from yellow fever 61; 1876, rain-fall 72.87, deaths from yellow fever 42; 1877, rain-fall 70.71 inches deaths from yellow fever 1

70.71 inches, deaths from yellow fever 1.

From the preceding table we gather as a general result that whilst during the past fifty years there has been a gradual increase in the rain-fall, there has also been a marked decrease in the number and fatality of epidemics of yellow fever.

The annual rain fall in New Orleans, during the period embraced in the table, embracing a period of forty years, may, in round numbers, be regarded

as ranging from 26.78 to 101.86; average 56.79 inches.

The general mean of the months may be stated thus: January 5.39; February 3.97; March 4 93; April 4.44; May 4.26; June 5.16; July 6.32; August 6.52; September 4.05; October 3.62; November 4.48; December 4.33 inches. If an average of a series of years be selected, it will be found that the heaviest rain-fall occurs in the summer and the least in the autumn. Thus if we select the statistics of the U. S. Barracks, for a period of fifteen years, 1839-1853 inclusive, the rain fall in inches were as follows: Spring. 11.29; summer, 17.28; autumn, 9.62; winter, 12.71; year, 50.99. treme quantities of rain in New Orleans, of a period of 17 years, according to the U.S. Military Register, and the observations of Dr. Barton, were: January, max. 10.5, min. 0,11; February, max. 9.84; min. 0.73; March, max. 7.88, min. 0.90; April, max. 10.70; min. 0.53; May, max. 8.06; min. 0.45; June, max. 14.07, min. 1.31; July, max. 14.74, min. 0.89; August, max. 8.39, min. 1.37; September, max. 8.92, min. 0.63; October, max. 6.45, min. 0.75; November, max. 8.83, min. 0.11; December, max. 9.44, min. 0.80; maximum for year, 62.64 (1853); minimum, 39.96 inches (1852).

The rain-fall of 1841, when yellow fever destroyed a large number of citizens, was large, 60.53; it was also much above the average amount in 1847 and 1848, but it reached 67.12 inches in 1856, when yellow fever did not prevail as an epidemic. It is worthy of note that during the entire period embraced in the table, there is not a single month in any year without

more or less rain-fall.

At Fort Pike, Louisiana, latitude 31.10 N.; longitude 89.88; altitude 10 feet; meteorological observations conducted during four years, 1843-1846 inclusive, gave the rain fall as follows in inches: January, 5.62; February, 2.41; March, 7.13; April, 4.98; May. 4.59; June, 10.49; July, 8.46; August, 4.66; September, 8.43; October, 3.72; November, 6.81; December 4.62; spring, 16.70; summer, 23.61; autumn, 18.96; winter, 12.65; year 71.92 inches.

Observations at Baton Rouge, north latitude 30° 26′, longitude 91° 18′ altitude 41 feet, conducted during twelve years (1843-1854 inclusive), gave the following average rainfall in inches: January, 5.26; February, 4.91; March, 4.68; April, 5.22; May, 5.18; June, 5.52; July, 7.42; August, 6.20; September, 3.91; October, 2.67; November, 5.90; December, 5.23; spring, 15.08; summer, 19.14; autumn, 12.48; winter, 15.40; year, 62.10 inches.

Similar observations at Port Jesup, Louisiana, north latitude 31° 33′, longitude 93° 31′ altitude 80 feet, continued during ten years (1836-1845), gave the following mean results: January, 4.70; February, 2.76: March, 5.02; April, 4.86; May, 3.80; June, 4.61; July, 3.36; August, 2.97; September, 3.02; October, 3.80; November, 2.92; December, 4.03; spring, 13.68; summer, 10.94; autumn, 9.74; winter, 11.49; year, 45.85.

The preceding observations upon the monthly and annual rainfall in different portions of Louisiana, establish the important fact that the rains are so distributed as to prevent disastrous drouths, and also to promote in the best possible manner the cultivation of the soil, and the rearing, watering and support of vast herds of cattle. In fact, the entomology of several of the regions of Louisiana indicate its adaptation to the raising of large herds of cattle. Thus, the word Ouachita is composed of two Choctaw words, namely, ouac, a buffalo, a cow, horned cattle in general; and chito, large (pronounced tchito, bearing lightly on the initial t). It means the country of large buffaloes, numerous herds of these animals having formerly covered the prairies of Ouachita. All the names, now translated into French, of Riviere aux Bœufs, Bayou Bœuf, have the same origin, from the numerous herds of buffalo which previous to the introduction of the civilized races of Europe, formed the principal support of the Indian tribes.

2. The climate of Louisiana is rendered moist and suited to the culture

of the sugar cane, by the winds from the Gulf of Mexico.

Owing to several causes, as the one just mentioned, the absence of protracted drouths, the abundant rain-fall, and the presence of large bodies of water in the city and lakes surrounding New Orleans, the climate, as well as that of the gulf coast, comprising a large area in the Southern States, is very humid, containing a large quantity of vapor, though not in the sensible form of clouds or fogs. This condition of the atmosphere, combined with the tropical heat of summer, favors the rapid development of animal and vegetable organisms.

Dr. Barton has accurately observed the humidity at New Orleans for many years, and the following results for 1853, when yellow fever prevailed in its most destructive form, will show nearly the general average

then:

	New Orleans.	New Orleans.	St. Louis.	Greenwich.
Months.	Humidity.	Weight Vapor per cubic foot, grains.	Humidity.	Humidity.
January	88	3.85	68	85
February		4.58	67	85
March		5.38	61	80
April	1	6.80	46	80
Мау	1 .	7.60	66	75
June		9.14	69	73
July	1	8 80	70	
August		9.74	78	77
September		8.57	80	74
October		6.05	63	83 .
November	-	6.06		86
December		4.01	6 8	84
Year	86	6.72	67	80

This shows a high measure of humidity for the whole year at New Or-

leans, and an excess of vapor in the air in the warm months.

That portion of the continent which embraces the United States, is situated in the zone of southwest winds, and these winds are found to prevail with regularity on the Atlantic, north of the calms of Cancer; but in the region of the Caribbean Sea and the Gulf of Mexico, there are abnormal conditions which present a marked deviation from the fixedness and uniformity observable in the winds of the mid-Atlantic and the north of Africa. Both southerly and northerly winds blow with violence across the parallel 30° (in the belt of the calms of Cancer), which, away from the American continent, acts as a great wall between the southwest and northwest winds.



In the summer season, the northeast trades, hot and moist from the equatorial zone, as they enter the Caribbean Sea, are deflected by the lofty chains of the Andes which girts the coast, and pass into the Gulf of Mexico. where they become inland breezes on the coast of Texas; and as they pen etrate the interior, they are gradually deflected east, until they reach about latitude 39°, where they assume the direction of the great southwest aerial current. It is this deviation from the regular flow which gives to the Mississippi Valley its moist tropical summer climate.

Voluey was the first to point out this deflection:

"Mariners relate that from Cape Vela, a projecting point of the Gulf of Maracaibo, the winds vary, and swerve into a course parallel to the stream, which flows into the Caribbean Sea, and entering the Bay of Honduras it varies a little and blows from the southeast. The bank of sand cailed Yucatan is interposed between the two bays, but is so low and level that it is no obstacle to its progress. Bernard de Orto, who has published some careful information on the winds of Vera Cruz, tells us that southeast winds prevail in these parts."

He further adds that the trade-winds are deflected by the table-lands of Mexico, and become the south winds of the Mississippi Valley. Redfield admits that it is to this current that the Mississippi Valley owes its fertility, and Russell, in his work on "North America: Its Agriculture and Climate," also sustains the same views, and calls attention to the remarkable generalizations of Volney, made at a time when no wind or rain charts

were available.

Blodget remarks that the southeast winds prevail almost exclusive from April to October, or during the whole period of warm months, when the Western plains receive their excess of moisture. Humphreys and Abbot, in their "Physics and Hydraulics of the Mississippi River," remark the great resemblance between the winds of Key West and those near the mouths of the Mississippi. "Both have, in part, the characteristics of the northeast trade-winds. Blowing chiefly between the northeast and southeast, they veer towards the south as summer approaches, and continue to blow from that quarter and from the east during the summer and early part of the autumn; changing towards the north upon the approach of winter, they blow principally from that direction during the winter months." This course conforms, too, to the track usually pursued by the great hurricanes which, originating in the West Indies, first blow southeast, then cease abruptly, and sweep the Atlantic coast in a northeast direction.

3. The presence of large masses of water within and around Louisiana, as well as the mass of cold water introduced from the northern regions, or from the Rocky Mountains, into the heart of the continent by the Mississippi River, render the climate of this State less liable to extremes of heat than positions far north and in the interior portion of the Mississippi

Valley.

Thus New Orleans, in the summer and fall months, is less liable to great and sudden elevation of temperature than Nashville, Tenu, or St. Louis, Mo.

CLIMATE OF NEW ORLEANS-ITS RELATIONS TO MALARIAL AND YELLOW

FEVERS-MONTHLY AND ANNUAL KLEV CTIONS AND DEPRESSIONS, AND

MEAN OF TEMPERIURES—SUMMERY OF VETEOROLOGICAL OBSERVATIONS.

I have consolidated the following tables from the most reliable sources, and they constitute valuable reconsists present and future study of epidemics in New Orleans and the Mississippi Valley:

MONTHLY MEAN TEMPERATURES.—MEAN TEMPERATURES: SPRING, SUMMER, AUTUMN AND WINTER—MEAN ANNUAL TEMPERATURE IN NEW ORLEANS, LA., LATITUDE 29° 57', LONGITUDE 90° 50', ALTITUDE 10 FEET. CONSOLIDATED BY JOSEPH JONES. M. D.

	Year.	Jannary.	. !	February.	·	March	; -	April.		May.		June.		July.		August,		September		October.		November.		December		Spring.		Summer.		Autumn.		Winter.		Year.	
	1822 1822 1825 1826 1827	53. 53 56	26 20 74	53. 63. 66	33 ¹ 27 85	64 . 67 . 70 . 64	10 80 71 31	70. 66 72. 73.	80 ° 90 8 54 ° 03 °	72. 81. 77. 74	20' 82 61 00'	84. 88 83. 82.	30°6 54°6 24°6	81 .: 84 : 84 :	50 (95 (16 (50 (32. 34. 35.	80° 335 155 405	79. 30. 36.	50 17 64 60	71 35. 72.	40 70 97 57	62 (65 62 (30 60 55 04	44 (58.5	70 6 00 7 2×-7	58 8 72 1 78 0 70 1	36 8 17 8 32 8 11 8	2.t 5.2 4.1 3.1	16 7 27 6 18 7	2.5 9.4 3.6	73 5 19 5 05 5 01 6	4.0 0.9	21 (25 7 36, 1	18. 72	90 27
	1828 1832 1833 1834 1835 1838	55 51 - 56 -	37 60 61	60 . 49 . 52	35 60 32	60 . 60 . 64	71 40 10	 68. 67.	 00 19(79. 68	50 65	 ⊬I ⊬2.	HO 1	71 92.	10	: :3.	00 11	76.0	60 (85 ₁ 0	70. 59 58.	74 90 39	68.6 63.	0H :	59 1 63 9 52 8	10 30 (8 30 8 35 8	1.3	33 6 22 6	6.	73.5	1.	70 (87.	6
	1839 1841 1841 1842 1843 1844	55. 55. 56.	09 46 96	61 - 55 58 -	77 61 50	99. 64. 71	15 81 35	70. 71 69.	38 ' 62 ' 80 '	77. 76. 74.	30 17 96 70	79. 8 4 . 80 78	97 (35 (56)	35 37 30.:	56 t 02 r 25	14. 53. 79.	96 (86 58 20	18.1 18.1 18.1	91 1 58 (63 (74 .: 59 89 .:	33 17 03	65.6 61.6 59.6	66 83 06	56.1 55.4 53.2	13 7 10 7 29 1	73.6 70.8 72.0	51.8 57.8 53.8	3.5 5.0 0.1 0.0	50 7 18 7 13 6	2.9 0.1 8.9)6 5 6 5 1 5	57.6 55.4 55.5	66 49 25 (71. 70. 69.	9(4(3)
	1844 1846 1846 1847 1848 1849	55. 58. 60.	.85 .18 .89	57 61 . 56 .	30 68 08	61. 64. 70.	90 36 17	72 69. 71.	46 39 00	76 . 76 . 76 .	56 47 82	75. 82. 81.	75 (86) 04 (11 .1 20 . 31 .	82∤ 42∤ 10 5	°2. ₹1. ₹5.	68 25 10 8	79. 31.	51 1 00 (71 . 73 . 59 .	16 67 80	69 .: 59 . : 66 . :	58 00	58.; 59.4 61.9	25 (3 (3 90	59 9 59 1 7 2 (73 5 63 8	1.4	18 7 51 7 12 7	1. 19. 12.	13 :	55. 59. 59.	13 (76 62	69. 70. 71.	3 4 7
	1850 1851 1852 1853, 1854 1855	54 46 50 53	43 59 65 40	59. 62. 56 56	79 10 51 50	61. 63. 62. 66.	64 96 70 2 0	68. 67. 70 64	24 27 42 60	75. 78. 74. 75.	20 10 33 10	83. 80. 80. 80.	10 80 23 60	25.9 24.0 12.0	20 8 00 8 60 8	84. 83. 84. 81.	00 : 20 : 30 : 50 :	0. 0. 30.	50 (90 10 (10 (59 . 74 . 65 . 59 .	67 25 80 90	60 .: 61 .: 66 .: 57 .	89 37 90 10	55.9 61.9 51.3	91 98 19 20	68.9 67.1 69.1	23 8 77	4.1 2.6 2.3	10 66, 37 73 (0. 2. 0. 8.	35 : 17 : 93 : 36 :	56 56 52 54	48 89 78 03	71 . 70 . 67 . 68 .	5470
	1856 1857 1858 1859 1860	55 50 59 53	27 58 96 91	58. 64. 56 C 3 59	35 98 23 40 51	64. 62. 64. 66.	15 35 41 48 97	70. 64. 71. 70. 76.	06 96 50 43	75 74 77. 79.	62 16 05 10 03	81 80 81 82 86	11 09 07 11	82. 81. 83. 83.	79 8 80 8 57 8 35 8	82. 81. 83. 82.	87 80 93 50 37	78 . 30 . 29 . 10 .	94 15 96 43	71. 89. 74. 70.	75 77 96 74 13	62. 61. 54. 65.	44 10 73 67 55	55.9 58. 61. 53.0	98 13 17 65 31	69.9 67.1 70.9 72.0	94 8 15 8 99 8 01 8 68 8	2.5 11.5 12.5 16.5	26 23 86 97	70. 70. 39. 72.	71 34 89 28	56. 57. 59. 57.	53 89 22 02 97	69. 69. 70. 71.	1705
	1874 1874 1875 1877 1878	49 56 53,	89 71 89 08	60, 59, 55,	12 59 23 93	61. 67 64.	37 81 10 64	67 66 65 67.	95 22 82 56	75. 76. 77. 73.	19 91 42 53	81 82 80 78	66 62 89	H3. H6. B3. B1.	37 33 09	82. 85. 80. 83.	28 1 02 1 140 29 1	79. 30. 77.	56 (41 21 44	68 70. 88. 70.	21 94 15 49	61 - 64 - 66 - 68 -	46 10 44 41	56. 59. 62. 56.	92 48 62	68. 70. 69.	17 37 8 11 8 24 8	2.3.3.3.1.1	50 (32 34 04 (9. 11. 70.	74 65 60 11	55. 58. 57.	64 58 24 26	69. 70. 69. 68	1
Mean of 8 Years.	1820 to 1878	_				_			_	_			_		_		_		_	-					_		_		_ .		_	_		_	
	1876 1879 1880 1 8 81	52 63	9:	55. 59	.40	64 65	.30 .50	67. 71.	00i 20i	74. 75.	. 60 . 50	79. 20	.00 .30	61. 82.	80 60	79. 81.	30 50	77. 77.	00 20	71. 68.	50 00	64. 56.	10 00	59. 53.	50 10	57 62.	53 52	10.0 15.0	60 67	79. 30.	43 37	65. 59.	03 03	68. 69	. 1
Mean of 4 Years.	1876 to 1881	56	.86	57	.69	62	.53	68	76	74	.84	80	.97	82.	41	80.	. 77	74.	40	69	.71	59.	30	53.	5 <u>Q</u>	59.	02	74.	12	80.	19	61.	13	6 8.	
Mean of 2 Years.	1820 to 1881	56	_			_		_				_	_	L-	_	_							_		_		_		_		_		_	_	
	1883	56	.70	62	.59	61	.89	71	. 16	74	. 23	81	.26	83. 	.69 —	83	.17	79.	20	75	32	63.	59 59	60.	28	69.	09	32.	61	72.	68	57.	71	71	
Mean of 4 Years.	1820 to 1883	56	. 45	58	. 22	64	.35	69	. 51	74	.97	81	.33	83.	.18	82	.99	79.	. 50	76	. 43	69.	.24	55.	50	67.	05	92.	28	71.	04	57.	16	69	•

The preceding record has been constructed from the most reliable data extant, with reference to the climatology of New Orleaus, namely: the meteorological records of the Military Post of New Orleans, extending over a period of twenty years, 1825-1853; the statistics published by Dr. Barton, embracing a period of nineteen years, extending from 1833 to 1853, and the manuscript of D. T. Lillie, Esq., and from reports of the Board of Health, and the records of the United States Signal Service.

From the preceding record of forty-two years, extending (with some interruptions) from 1820 to 1881 inclusive, the mean annual temperature of New Orleans is 69.48°. According to the meteorological records of the Military Post of New Orleans, extending over a period of twenty-five years, the mean annual temperature is given a fraction higher, namely, 69.9°;

whilst, according to Dr. Barton, it is much less, or 67.6°.

The statistics which I have presented in the preceding table must be regarded as the fullest and most accurate expression of the temperature of New Orleans, and we must accept the mean annual temperature as 69.480, with a range during the period specified of 72.50° maximum to 67.21° minimum annual temperature. The mean annual temperature of New Orleans is lower than that of Havana, Cuba, 75.9°; of Matanzas, Cuba, 78.3°; Ubajay, Cuba, 73.4°; of Nassau, Bahamas, 78.7°; of Rio Janeiro, South America, 73.7°; of Vera Cruz, Mexico, 77 to 79.8°; of Kingston, Jamaica, 78.7. The isothermal line of mean annual temperature of New Orleans passes through the north of Africa, through Morocco and Barbary, skirting the northern boundary of the Great Desert of Sahara, and crossing Egypt in a line with the Isthmus of Suez, and in the latitude of Alexandria, and passes on through the northern portion of Arabia, the middle of Persia, and Afghanistan, the north of India and the south of China. By its climatic relations, and especially by its mean annual temperature, New Orleans is connected with those portions of Africa and Asia from whence have sprung in past ages some of the greatest plagues which have desolated the The isothermal 70°, for the year, which is very uearly that human race. of New Orleans, is nearly on the parallel of 300-rising above it at the Gulf of California, and falling below in the interior and in Texas, it follows the northern coast of the Gulf of Mexico, and crosses the Atlantic and Africa nearly in a straight line. It bends north at the head of the Red Sea, and across the desert until it strikes the Himalayas, from which point it turns southward and is below the Tropic of Cancer. Off the west coast of California it falls nearly as low, its general course being in a right line along the thirtieth parallel, from which it is abruptly turned southward in approaching Canton from the west and in leaving the California coast. The last curvature is due to the now well-known masses of cold water off that coast, and at the east of Asia it is apparently a mere continental effect, which would have been felt here if the continent had occupied the place of the Gulf of Mexico.

It is remarkable that the average position of this line is further north in the New than in the Old World.

The average temperature of the spring in New Orleans is 69.58°, and very nearly 12½° below that of the winter, 57.04°. The average spring and winter temperatures of those places in which yellow fever is said by the contagionists and quarantinists to be indigenous are as follows: Havana, Cuba, spring 75.7°, winter 68.4°; Kingston, Jamaica, spring 78.1, winter 76.1; Matanzas, Cuba, spring 78.9°, winter 73.4°; Nassau, spring 77.7°, winter 70.7 Rio Janeiro, spring 74.7°, winter 79.1°; Vera Cruz, Mexico, spring 77.8-78°; winter 77-79.8°. The mean summer temperature of New Orleans is 82.53°, of Havana 84.2, of Vera Cruz 81.5°. The mean autumnal temperature of New Orleans is 69.48°, of Havana 75.9°, of Vera Cruz 77.0-79.8°.

The most marked difference between the climate of New Orleans, and that of Havana, Cuba, is that the winter is colder by 11° F., and the spring colder by 6° F., in the former. The average temperature of the summer in New Orleans is 1° higher than that of Vera Cruz, and 1.7° cooler than that of Havana: the average autumnal temperature of New Orleans is

4.8° lower than that of Havana, and between 7° and 8° lower than that of Vera Cruz. It is evident, therefore, from these results, that the differences of climate between New Orleans and Havana are not so great as to warrant the dogmatic and oft-repeated assertion that yellow fever cannot originate de novo in New Orleans; neither do they sustain the lucubrations about the so-called hibernation of the yellow fever germ.

If the curve of the monthly temperature of New Orleans be projected upon a chart, it will be found to rise in January from a mean temperature of 56.30° to 58.02° in February, 64.33 in March, 69.40° in April, 75° in May, 81.34° in June, 83.23° in July, and 83.06° in August; the mean temperature of June and July then descends to 79.58° in September, 70.25° in October, 62.20 in November, and 55.43° in December. The rise and progress of the temperature during the summer corresponds to the rise and progress of yellow fever in New Orleans.

The maximum temperature, 100° F., for the entire series of years 1817–1881, was attained in 1841 and 1850; in the former year about 1800 deaths were occasioned by yellow fever, and in the latter the victims numbered only 107. The next highest temperatures with the annual mortality by yellow fever, were as follows: 1874, 99°, deaths from yellow fever, 11; 1838, 98°, no epidemic; 1840, 98°-3 deaths; 1873, 98°, 226 deaths; 1860, 97°, 15 deaths; 1881, 79°, no deaths; 1877, 96.5°, 1 death; 1826, 96°, 5 deaths; 1839, 96°, 800 deaths; 1852, 96°, 456 deaths; 1843, 95°, 1000 deaths; 1855, 95°, 2615 deaths; 1875, 95°, 61 deaths; 1878, 95°, 4056 deaths; 1847, 94°, 2600 deaths; 1848, 94°, 872 deaths; 1849, 94°, 769 deaths; 1853, 94°, 7849, deaths; 1862, 94°, 2 deaths; 1863, 93.5°, 2 deaths; 1864, 93.5°, 6 deaths; 1879, 91°, 19 deaths; 1880, 92° 2 deaths. Such facts indicate that the prevalence of yellow fever in New Orleans is not necessarily associated with the prevalence during the hot months of the highest degree of heat.

The minimum temperatures, were reached in the following years, with the accompanying mortality from yellow fever: 1870, 16° F., 587 deaths; 1852, 17°, 456 deaths; 1864, 18°, 6 deaths; 1872, 19°, 39 deaths; 1877. 21°, 1 death; 1838, 22°, no epidemic; 1878, 23°. 4056 deaths; 1876, 24°, 42 deaths; 1826, 25°, 5 deaths; 1845, 26°, 2 deaths; 1850, 26°, 107 deaths; 1879, 20°, 19 deaths; 1880, 20°, 2 deaths; 1881, 31° no deaths. Such facts would seem to sustain the proposition, that extremes of cold were unfavorable to the generation of yellow fever. But a more critical examination will show, that this proposition should not be unconditionally accepted: for the effects of the extreme cold temperature of each year should be considered in the months of January, February and March, and of the months of December, November and October of the year immediately preceding. The early supervention of cold weather and of frost without doubt, exerts a marked effect, in arresting the progress of epidemics of yellow fever, and it would also appear that an excessive degree of cold in the winter preceding, tended to remove or retard the operation of the cause or causes inducing yellow fever. It is worthy of note, that during the entire period covered by the following table, in almost every year, the temperature fell in New Orleans, during the winter months, to that point which insured the occurrence of frost, and the induction of that low point of temperature, which insured the arrest of the epidemic constitution necessary to the generation and propagation of yellow fever.

The connection of yellow fever with the rain-fall is worthy of study; and as a scientific basis for this investigation we have consolidated from the most reliable sources the preceding table.

Digitized by Google

YEARS.
A SERIES OF DE 10 FRET.
A. DURING A
IW ORLEANS, L.
NUDALLY, IN NEW FUDE 29° 57' N., LO
Y AND ANNUA NS, LATITUDE
E MONTHLY
EMPERATUR NES, M. D. N
BY JOSEPH JC
MAXIMUM AND
50

Year	Mex. Min.	CRESSESSES
	****	90
å l		:
	Max.	17794949494: 474474494756782979679679
Nov.	. 14	
	.xsh	
October.	din.	######################################
Oct	.xelf	
Sept.	Min.	######################################
*	.xalk	28812228824
August.	.aik	823831223993
Ang	Max.	15588888888888888888888888888888888888
ly.	.aiM	55448854554455444444444444444444444444
July.	Max.	88888888888888888888888888888888888888
ne.	.aib	2528324238863
June.	dax.	22222222222222222222222222222222222222
. I	. aiM	
May	.xsM	\$2222222222222222222222222222222222222
- I	.aib	888828886688888868666668888884646 64888848864
April.	dax.	3882882228622238888238888888238823823 66
ų l	.aiM	:53588388828
March.	Max.	2122222222 83128 22144822182884828888888888
ary.	.ui14	· · · · · · · · · · · · · · · · · · ·
February.	Max.	7.285225625851128881265555 11285 15852183555 3
. 1	Min.	######################################
January	Max.	12847188481 : 12427
		817 819 829 829 841 841 841 844 844 844 844 844

8 28.8 8.5 8.5 8.8	91
2828	8
8382	2 9
St t t	86
	ន
£882	2
8838	ಹ
	8
ននឧន	8
8288 3	8
225E	8
28 8 8 8 8 8 8 8 8	100
282 88	ß
\$322 	2
8278	88
92.8	32
8888	3
88 88 88 E	88
& 832	8
2222	16
5 522	84
86.45	8.
2888	81
E228	£
5 288	=
1880 1881 1883 177	_ 85
1880 (73 1881 (73 1883 (77	
	. 181
	mir esra
	and 7
	aximum and minimum } during 47 years, 1817- }
1880 1881 1883 1883	Maximum and minimum adving 47 years, 1817.
E 5 5 5 1	×

Whilst the summers are never excessively hot, and at the same time the thermometer during the winter season, in Louisiana, rarely falls below the freezing point, and even in the severest weather never reaches a point lower than 16 degrees below the melting of ice.

The great valley, walled in on the east and west by two diverging mountain chains, and presenting between the Gulf of Mexico and the Arctic Sea, no elevation much to exceed 2000 feet, there is no great barrier to arrest the flow of the hot, moist southerly winds of summer, or the cold, northerly winds of winter. Along the Gulf coast, the climate assimilates in its features to that of the tropics—clear, blue skies in the morning, starlight nights, gentle showers at midday, and a luxuriant vegetation, with spreading leaves. But even here, the fluctuations occasioned by the change of air currents, are very great. The south winds sweeping over the Caribbean Sea and the Gulf of Mexico, are moist and warm, while the north winds, meeting with no barrier to arrest their progress, and being overland, are dry and cold; and hence the changes of temperature are abrupt.

At New Orleans snow occasionally falls, and for a short time whitens the ground. The frosts which accompany the "northers' are of sufficient intensity to destroy the sugar cane and cotton plants, but at the same time, while they do not strip the trees of their leaves, they hardly admit of a perpetually verdant vegetation. The processes of fructification and exfoliation are arrested, and the distinction between winter and summer are faithfully preserved. It results from the sudden cool changes in winter, that the human constitution in Louisiana is invigorated, and those causes which produce the various forms of malarial diseases are temporarily suspended. While, on the other hand, the warm, moist air of the Gulf has a singular, softening and beautifying effect upon the human form, and the golden climate of Louisiana produces the most beautiful and refined woman.

The climate of Louisiana is still further varied in the salubrious and elevated good uplands of North Louisiana, which cover the greater part of the parishes of Caddo, DeSoto, Sabine, Bossier, Webster, Red River, Claiborne, Bienville, Union, Jackson, Ouachita, Morehouse, and a small part of Caldwell. In the "Florida parishes," east of the Mississippi, a tract of country similar to the good uplands of North Louisiana is found in the eastern part of the two Feliciana's, and in the northeastern corner of East Baton Rouge. A great part of the good upland region is extremely hilly, some of the ridges being almost mountainous in elevation, reaching a height of at least 300 feet above the valley of the main streams, and from 400 to 500 feet above the Gulf of Mexico.

OBSERVATIONS OF THE ELEVATED TEMPERATURE AND SUNSTROKE OR HEAT APOPLEXY OF JUNE, 1881.

EXTRACTS FROM THE PROCEEDINGS OF THE BOARD OF HEALTH, JUNE 23, 1881.

The President, Dr. Joseph Jones, directed the attention of the board of the relations of sudden deaths to elevated and continuous solar heat:

ELEVATED TEMPERATURE OF JUNE, 1881.

During the week ending June 18, the maximum temperatures are as follows: June 12, 91-F.; 13th, 92-; 14th, 95-; 15th, 94-; 16th, 96-; 17th, 92-; Leth, 91-.

The mean of the maximum temperature during this period was %°, and the mean of the minimum temperature %0.1°, giving an average range between the hottest period of the day and the coolest period of the night of only 12.9°. The mean barometric pressure

was high, being 30.01 inches, or that which the instrument maintains at the level of the eea. During this hot weather, which has continued unabated up to this day, June 23, there has been rain only on the eighteenth, when less than an inch of water (0.64 inch) dell, and the deleterious effects of the prolonged and excessive heat have been in a measure counterbalanced by the low mean humidity, which was 66°. While dry weather with elevated temperature may lead to sunstroke and fatal congestions of the internal organs, at the same time the surface of the earth is dried, noxious vapors are dissipated, formentation is in a measure arrested, and malarial fevers diminished in number and intensity. The effects of this excessive and prolonged heat were shown in the marked for the week ending June 11, 1881, the deaths from the causes just indicated were as follows: Sunstroke, 2; congestion of the brain; 4; apoplexy, 2; total from these three causes, 8. For the week ending June 18, 1881, sunstroke, 7; congestion of the brain, 15;

apoplexy, 4; total, 26 deaths.

The deaths from congestion of the brain and apoplexy were, without doubt, due largely to the causes inducing the deaths referred to as sunstroke, and we observe that during the last week they had increased more than three-fold.

The total deaths of the week ending June 18, were 189, about one-seventh of which were undoubtedly caused by or traceable to the effects of the heat upon the human system. tem; but, in reality, a much larger number were due to heat, as we find that nearly onehalf, or eighty-six deaths, occurred among children under ten years of age, and of this number 51 were under one year of age. Cholera infantum caused 17 deaths, tabes mesenterica 9, enteritis 13, dysentery 10, diarrhea 5, teething 9, phthisis pulmonalis 14. Total from these diseases 90; that is one-half the mortality was caused by these well-known diseases, recognized as existing in all cities and towns. If to these diseases be added the twenty.six sudden deaths most directly referable to elevated temperatures, we have a grand total of 116 deaths. A critical analysis of the remaining seventy-three deaths reveals the important fact that only six deaths were caused by the various forms of malarial fever, as follows: Remittent one, congestive one, malariel foul. It is a remarkable and encouraging fact that in a city containing 220,000 inhabitants, and situated below the level of the high water of the Mississippi River, only six deaths were caused by malariel form desirable containing the containi by malarial fever during the seven days of intense heat.

ELEVATED TEMPERATURE IN THE MONTH OF JUNE, IN THE CITY OF NEW ORLEANS DURING A SERIES OF YEARS-1817 TO 1881.

YEARS.	Maximum.°	Minimum.º	YEARS.	Maximum.c	Minimum.
1817	92		1857	. 88	73
18 19	89	74	1858	. 86	72
826		75	1859	. 90	73
838	98	64	1860		77
839		69	1861		69
840	94	70	1862		65
841	94	72	1863		67
842		72	1864		63
.843	87	71	1867		70
844		69	1869		65
845	91	67	1870		63
846	89	68	1871	1 77	69
847	94	ŽΪ	1872		71
846		. 70	1873		72
849	1	70	1874		74
850		58	1875		67
851		71	1876		69
852		70	1877		67
	1 11	73			66
	1 12	71	1878		•
		70	1879:		
8\$5		78	1880		78
856	89	1 18	1881	. 96	10

It will be observed from the preceding observations that only in a single year (1838) was the heat greater than that of June, 1881, and in only two years was it equal, namely, 1839 and 1854.

The mortuary records of New Orleans establish the fact that in past years sunstroke has not caused any great or unusual mortality. The following table, giving the number of deaths from sunstroke in New Orleans during the periods specified, sustains the preceding proposition:

DEATHS FROM SUNS	FROKE T	NNEW	ORLEANS
------------------	---------	------	---------

		11			
YEARS.	Deaths.	YEARS.	Deaths.	YEARS.	Deaths.
1849	20	1865	22	1874	25
1850	18	1866	18	1875	4
1853	21	1867	7	11876	7
1856		1869		1877	9
1857		1870		1878	2
1858	20	1871		1879	1
1863		1872	7	1880	2
1864		1873		1881	

It should be observed that the preceding data relates to the total number of deaths from sunstroke during the entire year. It is evident that New Orleans has never suffered from such devastating effects of solar heat as have upon several occasions occurred in New York, Philadelphia and St. Louis.

The following table illustrates the relations of apoplexy, sunstroke and congestion of the brain to the variations of temperature:

DEATHS FROM SUNSTROKE, APOPLEXY, AND CONGESTION OF BRAIN DURING THE YEARS 1840 TO 1865.

YEARS.	Cong. of Brain.	Apoplexy.	Sunstroke.	Total.
1849	118	101	20	239
1850		107	68	276
1853	111	133	21	265
856	97		12	201
.857	92	105	1 4 1	201
858	156	114	20	240
1863	81	61	6	148
1864	111	7 5	1 1	187
1865	97	100	22	219

THE BRAIN, TOGETHER WITH THE MONTHLY INCLUSIVE.	SEPTEMBER. OCTOBER. TOTALSIX MONTHS.	Mean Temperature. Sunstroze. Apoplexy. Congestion of Brain. Sunstroke. Apoplexy. Congestion of Brain.	25
TO 18		Mean Temperature. Sunstroke.	28.88.89.44 28.88.50.00.44 29.88.50.00.44
CONGESTION OF EARS 1866 TO 1891,	UST.	Congestion of Brain.	2871881876
~>	AUGUST	Apoplexy.	13 11 11 11 11 10 10
THE		Sunstroke.	a
EXY ING T		Mean Temperature.	88.3.8 88.3.8 89.1.1.3 89.1.1.4
APPOPLEXY RE DURING	JULY.	Congestion of Brain.	0 4 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	7	Apoplexy.	
MAX	!	Supetroke	
SUNSTROKE, TEMPERATU		меви Тетретаture.	 : : : : : : : : : : : : : : : : : :
N TE	JUNE.	Congestion of Brain.	
FROM S MEAN	j	Sunstruke.	:a : : : : : : :
DEATHS		Mean Temperature.	25,25,25,25,5 30,48,53,60,00
	Į.	Congestion of Brain.	
TING	# FK	. V.zelqoq.A.	\$4400000na
R.A		Sunstroke.	
TABLE ILLUSTRATING		Yours.	1886 1871 1872 1873 1873 1873 1876 1876 1870 1870 1880
7	1		1 20 20 20 20 20 20 20 20 20 20 20 20 20

*Comprises only the first eighteen days in June,

The statistics of the great Charity Hospital still further demonstrate that the citizens

of New Orleans are not liable to sun-stroke.

I have examined carefully the records of the great Charity Hospital of this city during a period in which a population greater than that of New Orleans at this moment, and exceeding 300,000, were gathered within its walls. The following table presents the total number of cases and deaths from sun-stroke in the Charity Hospital for the years specified:

SUN-STROKE	8.		SUN-STROKES.								
Years.	Cases	Deaths.	Years.	Cases.	Deaths.						
1842 1843		2	1860	40	32						
1844			1866	20	7						
1845 1846	2	17	1868	. 4	i						
1848 1849		1 4	1869 1870		2 2						
1850 1851	. 57 26	32 26	1871	13	-						
1852 1853	. 29	16 12	1873 1874	11	7						
1854 1855	. 52	13	1875	2	2						
1856	. 9	3	1877	2	1						
1857 1858	. 10	4	1878. 1879.	6	1						
1859	. 12	10	1880	1							

From the preceding statistics it is established that during a period of t hirty-four years in the Charity Hospital, in which the annual admissions from all diseases varied from 18,476 in 1850 to 4,277 in 1842, the total cases of sun-stroke entered upon the books of the Charity Hospital were 399, and the deaths 212. No relationship whatever can be traced in the statistics of the Charity Hospital between sun-stroke and yellow fever.

Thus, the largest numbers of cases and deaths from sun-stroke occurred in 1845, 1850, 1851, 1852, 1854 and 1860. The cases and deaths from yellow fever in the Charity Hos-

pital during these years were as follows:

1845—No deaths, 1 case. 1850-6 cases, 4 deaths. 1851-7 cases, 2 deaths.

1852-496 cases, 339 deaths. 1854—2,743 cases, 1,233 deaths. 1860—2 cases, no deaths.

On the other hand, in 1853, when there were 3,217 cases and 1,890 deaths from yellow fever, only 20 cases and 12 deaths from sun-stroke were recorded. In 1858, 2,727 cases and 1,382 deaths from yellow fever, 10 cases and 4 deaths from sun-stroke. In 1867, 1,493 cases and 672 deaths from yellow fever, 10 cases and 4 deaths from sun-stroke. In 1878, 817 cases and 411 deaths from yellow fever, 6 cases and 1 death from sun-stroke.

It is evident, therefore, that the mere occurrence of prolonged and elevated solar heat forms no ground for the prognostication of evil with reference to the origin or spread of

yellow fever and the various forms of malarial fever.

There are three well-defined forms or varieties of sun-stroke, under the designation of sun-stroke, coup de soleil, isolation, heat apoplexy, heat asphyxia, thermic fever, ardent fever and sun fever. Careful observers have recognized certain essentially different pathological states, which are not unfrequently confounded.

Thus excessive heat, whether projected in rays directed from the sun, or accumulated

in close, ill-ventilated rooms, may cause:

1. Exhaustion, ending in simple syncope, during great fatigue or over-exertion, when

there is depression of vital power during exposure to high temperature.

The skin is pale, cold and moist, and the pulse feeble, indicating depression of nerve force and muscular power. Death may occur in this state from failure of the heart, but with proper care and treatment recovery frequently takes place.

2. The direct rays of a powerful sun often induce an effect upon the brain and spinal cord analogous to that known to surgeons and physicians as shock. During the exposure of the head and spine to the direct rays of a powerful sun, when the atmosphere is much heated and the nervous energy is so depressed by over-fatigue, illness or dissipation, asphyxia or aphnœa (stoppage of breath) may come on, after premonitory symptoms of depression and weakness. The brain and respiratory nerve centres are overwhelmed by the sudden rise of temperature, respiration and circulation fail, and death often results. Without doubt this sudden and fatal action of the rays of the sun is frequently aggravated by or consequent upon the improper and free use of alcoholic stimu lants and to excess of various kinds which have impaired the tone and vigor of the ner yous system. Pre-existing disease of the heart or kidneys, brain and spinal cord, may in like manner give a peculiar susceptibility to the effects of heat. The susceptibility is also sometimes established by the effects of severe grades of fever.

3. The rapid elevation of the temperature of the blood, and of the entire body, above

the normal standard, either from direct exposure of the sun's rays, or more frequently to a higher temperature of the surrounding medium. In the thermal fever caused by the action of heat whether artificially applied to the nerve centres, or directly received from the sun, there is paralysis of the vaso-motor nerves, failure of the respiration and circulation, followed by asphyxia and death. Even when recovery takes place after this form of sunstrokeit is often tedious and imperfect, and sometimes ends in serious impairment to the intellect. The sudden rise of temperature from the normal standard of health, 99° F. to from 108° to 111°, may, as is well known, occur independently altogether of the direct action of the sun's rays, during the night, in crowded, hot, badly ventilated rooms, in persons depressed by facigue, foul air, overcrowding and alcoholic stimulants. As the normal temperature of the body is maintained at a certain standard, at the Poles and in the hot regions of the Tropics, by the relative activity of the respiratory and cutaneous funtions, and the tempeature and evaporation of the moisture from the skin and lungs, it is evident that incrersed chemical change due to overheating or to abuse of alcoholic stimulants, and the suppression of the functions of the skin and lungs by overcrowding, and hot and foul air, must be prolific of mischief during such a heated term as we are now experiencing. Alcoholic stimulants, when used to excess, may exert deleterious influences, more especially during the hot weather, by overwhelming the nerve centres, paralyzing the vaso-motor nerves, and inducing fatal congestions. Such instances have frequenty been observed by the experienced physicians of New Orleans.

It is not the province of this Board to enter into the question of the treatment of diseases; and when its executive head has faithfully stated the nature and causes of the fatal and prevailing forms of disease, and placed the public in possession of the essential facts of sanitary and hygienic science, questions of remedial measures and agents may be left where they properly belong, namely: In the hands of the enlightened and faithful physicians of New Orleans, who have been noted for their skill, humanity and patriotism. It may be claimed that the physicians and surgeons of New Orleans have contributed as much to the cause of suffering humanity as any body of scientific and learned men of equal numbers in the civilized world.

During this century alone the medical profession of New Orleans have faithfully and gratuitously attended in the great Charity Hospital patients from every State in the Union, and from every country under the sun, to a number which reached over 450,000, or twice the present population of this city.

RELATIONS OF MALARIAL AND YELLOW FEVER TO CLIMATE.

Malarial fevers prevail chiefly in the summer and autumn in New Orleans, but they are never absent during any portion of the year. Yellow fever on the other hand prevails chiefly during the months of June, July, August, September and October, the heaviest mortality occurring as a general rule in August and September, as will be seen from the following tables:

MONTHLY DEATHS BY YELLOW FEVER DURING A PERIOD OF 32 YEARS, 1847-1878.

_										
YEAR.	Жау	June.	July.	Angust.	September.	October.	November.	December.	Total deaths by Yellow Fever.	Date of First Case.
1847 1848 1849 1850	1	4	74 33 1 4	200 17 62 8	214 33 6	296 416 4 2	112	9	808 769 107	July 6th. June 21st. July 28th. I death January, 2 March, 1 May.
1852 1853 1854 1855	2	31 2 5	29	532 1286 14	1934 874 40	147 490 97	28 131 19	4 7	7849 2425 2670	July May 29d. First death June 12th. June 19th. June 28th.
10 Years.		49	2046	8225	5041	1794	453	55	17481	
1857 1858 1859 1860	•••••			1140		1137 59	224	5	4845	l death reported in January. l death reported January 10th. June.
1862 1863 1864			1		1 2		1	1	2 2 6	About 100 cases in U. S. river fleet. About 300 cases and 57 deaths U. S. gunboats and river fleet.
1865 1866	•••••			1 5	56	89	31	4	192	1 death 10th August.
10 Years.	• • • • • • • • • • • • • • • • • • • •	3	137	1154	2277	1387	366	21	5354	
1867 1868 1869	· • • • • ·	3	11	255	1637	1072 5	103	26	5	1 case died June 10th. October 5th, died in Charity Hospital.
1870 1871 1872	• • • • • •	1	••••	3 2 1	931 9 5	242 22 24	106 19 7	5 2	588 54	July 17th. May 26th. July 30th. August 28th.
1873 1874 1875				5	908 2 24	6 20	17 2 9	1 3	226 11 61	July 9th. August 19th. August 8th.
1876 10 Years.		 ;	<u>—</u>	286	19 2135	17	267		4136	August 11th.
1877									1	November.
1878					1893	1044	90			May 254.
2 Years		•••••	50		1893		91	3	4057	
32 Veara.	5	49	2248	10639	11346	5714	1177	119	3128	•

From the preceding table, it is evident that as a general rule the great epidemics, as those of 1847, 1849, 1853, 1854, 1855, 1858, 1867 and 1878, commenced early in the hot months (May, June and July) and attained their maximum intensity in August and September. Thus during the period of thirty-two years, the deaths from yellow fever in New Orleans were as follows: January, 6; February, 0; March, 2; April, 0; May, 5; June, 49; July, 2248; August, 10,639; September, 11,346; October, 5714; November, 1177; December, 119.

The curve of yellow fever, therefore, corresponds to a certain extent with the curve of temperature. Thus, from the records of thirty-eight

years, which I have consolidated and calculated from the most reliable data, the mean temperature of New Orleans is as follows: January, 56.28; February, 58.03; March, 64.27; April, 69.41; May, 75.00; June, 81.35, July, 183,21; August, 83.14; September, 79.64; October, 70.27; November; 62.30; December, 56.43; spring, 69.56; summer, 82.53; autumn, 70.75; winter, 56.91; year, 69.51 F.

The origin and spread of yellow fever, therefore, depends absolutely upon an elevated temperature, ranging from 10° to 85°, and its decline depends upon a mean temperature ranging from 65° to 56° F. These figures, of course, relate to the mean or average monthly temperature, the extremes being much higher or lower, ranging during the year, in New Orleans, as shown by meteorological observations extending from 1817 to 1878, from 17° to 100° F.

On the other hand, the various forms of malarial fever are more uniformly distributed throughout the months of the year, although this class of diseases, as well as yellow fever, show their maximum intensity in number of cases and fatality in those months of the year in which the temperature is most favorable to the putrefaction of animal and vegetable matters, and the development of the lower and most prolific forms of animal and vegetable life, and especially those forms which are active agents in putrefaction and fermentation. Thus, the deaths caused by the various forms of malarial fever were, in 1878, as follows: January, 6; February, 3; March, 9; April, 15; May, 12; June, 13; July, 25; August, 136; September, 146; October, 111; November, 41; December, 6.

The mortuary records, however, give but an imperfect and delusive view of the relative prevalence of the various forms of paroxysmal or malarial fever in New Orleans, from the well-known fact that these diseases rarely prove fatal. The favorable results obtained in the treatment of intermittent, remittent and congestive malarial fever, are, at the present day, mainly due to the free and prompt administration of quinine by the physicians of

this city and of other parts of the Southern country.

The relationship of the forms of malarial fever to the climate and seasons, and to other diseases as yellow fever, are best established by the statistics of fever hospitals situated in malarial districts, where also yellow

fever is at times endemic and epidemic.

The records of the Charity Hospital of New Orleans furnish the best field for such inquiries, as it has been justly regarded as one of the great fever hospitals of the world. The following statistics will serve as illustrations of the numerical relations of malarial fevers to climate and yellow fever.

It appears from the records of the Charity Hospital, that during a period of ten (50) years—January 1, 1841, to January 1, 1851—there were admitted into this hospital, 91,892 patients; of which number there were admitted, all the different forms of fever, 45,149; and among these last, for

intermittent fevers, 25,183.

It would thus appear that nearly one-half of all the patients admitted into this hospital were for the different forms or types of fever and that more than half of these were intermittents. It should be mentioned that this vast number of patients included a lunatic asylum, having from sixty to ninety inmates up to June 1848, when it was removed to Jackson. large number of fever patients included many that were imported by sea, and brought from neighboring States and foreign countries, and furnished also by the army of Mexico, which twice passed, during this period, through New Orleans. The intermittent and paroxysmal form of fevers mostly originate in the Mississippi Valley, whilst the continued fevers are mostly imported.

 $\mathsf{Digitized} \; \mathsf{by} \; Google$

The following statement will show the prevalence of intermittent fevers at the different seasons of the year, for the time specified:

TABLE OF ADMISSIONS OF CASES OF INTERMITTENT FEVER IN CHARITY HOSPITAL OP NEW ORLEANS, IN THE DIFFERENT SEASONS OF THE YEAR—1841-1849, INCLUSIVE.

YEAR.	Spring.	Summer.	Autumn.	Winter.	All Fevers	Yellow Fever.
1841	112	403	177		1991	1113
1842	114 85	453 208	394 413	135 137	1758 2222	410 1053
1844 1845	117 180	469 353	732 664	231 206	2207 1763	132
1846	236	569	1045	218	9603	148
1847 1848	391 282	50e 689	691 874	602 535	6901 6361	2811 1234
1849	420	1701	3738	1275	7575	1060
Total	1937	5353	8718	2431	33,381	7902

During the years specified, there was but one single year (1845) in which New Orleans was exempt from yellow fever,

It is evident, from this table, that intermittent fever prevails in New Orleans the year round, gradually increasing from the winter up to the autumn, when it begins to decline. Whilst variations appear in different seasons and years, and whilst the cases were most numerous when there was less yellow fever, still intermittents are never absent, even when yellow fever committed its greatest ravages, as in 1841, 1847, 1848 and 1849.

If, during the nine years specified, the months be selected in which yellow fever prevailed to the greatest extent, the following relations to the cases of this disease and malarial fever will be established:

FEVER STATISTICS, CHARITY HOSPITAL, NEW ORLEANS, LA. TABLES SHOWING THE ANNUAL AND MONTHLY ADMISSIONS OF THE DIFFERENT FEVERS.

Year.	Total Admissions.	FEVERS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total Fevers.
1841	4380	Intermittent Typhoid. Congestion Remittent. Malignant Intermittent. Yellow. Billous.	3 1 4 3	27 3 2	45 1	39	28	65	7 31 31	151 3 13 3 174	18 5 642	66 3 1 252	93 5 1 7 	72 6 2 2 2 8 3	794 12 24 81 6 1113 3
- 1		Total	11	32	46	41	- 37	71	228	344	665	322	143	93	2033
1842	4404	Intermittent Itemittent. Typhoid Bilious. ongestive. Gastric. Catarrhal Yellow Nervous Adynamic.	45 4 9		35	-	4	124 8 4 3 	12	34	41 2 1	140 35 2 2 9 9 1 93 1		61 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1101 156 22 23 40 11 3 410
		Total 1842	59	31			52	142	197	259	439	284	150	69	1768
*843	5013	Intermittent. Typhoid Remittent Catarrhal Bilions Typhus Congestive Gastric Continued Yellow Cophalic	31 2 1 1 1		35	31 1 	15	9	40 37 6	75 1 5 4 1		136 12 2	2	76 10 2 4	905 205 71 94 1065
- 1		Total 1843	36	30	35	33	34	60	203	379	544	501	273	107	

FEVER STATISTICS, CHARITY HOSPITAL-Continued.

$\overline{}$															
Year.	Total Admissions.	FEVERS.	January.	February.			May.	- 1-						December.	Total Fevera.
1844	5846	Intermittent	66 2 2 6	49	41	32	44	75	176	258 47	255	961 5 55 52		116	1509
- 1	1	Remittent Yellow	2	2	2	1	4	24			67	55	5 25	3	244
		x enow	8	2	1			3	1 10	1 12	68 11	8	25	20	152 80
	1	Simple	3	6	3].].				19
	ì	Gastric	1		• • • • •	• • •	2	1].		• • •	5	2		[11
- 1	}	TyphusBilious	• • • •	4		•	٠٠,	•••	•••	· · ·	••• •				4 13
- i	1	Inflammatory			î.			:	2	:::	2	2	2	2	11
- 1		Congestive			• • • •	1	7	11	17	14	13	15.	•••	3	81
- 1		Adynamic Continued			•		•••		2	•••	2	3			5
- 1		Eruptive								· i	٠٠٠.				1
- 1				 -'	 -	-	-	 -]-	-	-	-1		
	4440	Total 1844	80		50	41							254	145	2207
845	6136	IntermittentTyphoid	7	75 6	57 5	44	79 10	112	145 11	96 14	279 18	196 20	189	124	1403
		Damittant	2	1		î	ii	17	38	34	33	17			154
- 1		Congestive	3		1	· • • •	1	2	1	4	5	4.			21
- 1		Yellow	2	:		•••• •	• • • •		1	1.	•••	•••	• • • •	• • •	4
- 1		Continued	l	i		3	1	1			• • • •			••••	1 5
		Nervous	'. .		• • • •	1	اي	1	1.		••:	ايا		¦	3
- 1		BillousSimple	····		• • • •	1	2	6	1	1	1	1	-]	4	14
1		Pernicious					2		2	1		*			9 4
1		Other fevers		!].		2	1	8	1	ě
- 1		Total 1845	21	84	63	52	106	151	201	151	339	241	206	148	1763
1846	-00.4	Intermittent	79		75	76	85	138	214	227	359	376	310		2078
1040	0011	Typhoid	. 30			5	10	12	14	17	5.	7	23		195
ļ		Remittent	.∤ ઃ	3 3		i	7	61	2	9	22 5	3 6	7		103
i		Congestive		• • • • •	1		1	2	41	2	90	83	1 2	5	31
		Congestive Yellow Billous				i		1			2				148 4
- 1		Pernicious	.] :	2		• • • •	- 1				9	;			11
l		Catarrhal		: ;	• • • • •	1		••••	••••			• • • • •	• • • •		1
İ		Nervous	.] ;	2	2		1	2			••••	i.	!		8
- 1		Malignant	.						2			٠. ٥	• • •	1	2
		Larvata	• •••	-1			• • • •	•••	••••	• • •	2	2:	11	1	6
		Pernicious intermittentGastric hepatic		٠,	1	1 1						421	- ;		
				-				• • • • • • • • • • • • • • • • • • • •	::::			6		1	11
1		Ataxic	:			::::						6 1			11 1 1
- 1		Ataxic	<u>: :::</u>	7.	 			161	'	955	433	i! 	390	147	1
1847	11.890	Ataxic Total 1846	11				104		236	255 74	433	522	380	-	2603
1847	11,890	Ataxic Total 1846 Intermittent. Typhoid	<u>: :::</u>	4 11° 0 2	7 98 1 50	153 73	104 140 66	211 20	236 223 7	74		522 258 6	380	341	2603 2192 457
1847	11,890	Ataxic Total 1846 Intermittent Typhoid. Typhoid	11	4 11 2	7 98 1 50 2 4	153 73 107	140 66 165	211 20 369	223 7 57	74 2 1	53 1	522 258 6 4	380 60 100	0 341 0 111 0 236	2603 2192 457 1045
1847	11,890	Ataxic Total 1846 Intermittent Typhoid. Typhus Remittent	11	4 11 0 2 4	7 98 1 50 2 4 1 4	153 73 107 9	140 66 165 17	211 20 369 38	223 7 57 69	74 2 1 64	53	522 258 6 4 12	380 60 100	341 111 236 8 8	2603 2192 457 1045 269
1847	11,890	Ataxic Total 1846 Intermittent Typhoid Typhus Remittent Congestive Vellow	11	4 11 0 2 4 1	7 98 1 50 2 4 1 4	153 73 107 9 2	140 66 165 17 3	211 20 369	223 7 57 69 10	74 2 1 64 1 1611	53 1	522 258 6 4 12 1 219	380 60 100 18 2 49	0 341 0 111 0 236 8 8 2 2 9 2	2003 2192 457 1045 269 36 2811
1847	11,890	Ataxic Total 1846. Intermittent Typhoid Typhus Remittent Congestive Yellow Bilious	11	4 11 0 2 4 1 1 2	7 98 1 50 2 4 1 4	153 73 107 9	140 66 165 17 3	211 20 369 38 12 5	223 7 57 69 10 148	74 2 1 64 1	53 1 25 777 1	522- 258 6 4 12 1 219 9	380 60 100 18 2 49	0 341 0 111 0 236 8 8 2 2 9 2	2003 2192 457 1045 269 36 2811 42
1847	11,890	Ataxic Total 1846 Intermittent. Typhoid Typhus Remittent. Congestive. Yellow Bilious Permicious intermittent.	11 14 4	4 11 0 2 4 1 1	7 98 1 50 2 4 1 4 1 1	153 73 107 9 2	104 140 66 165 17 3	211 20 369 38 12 5 4	236 7 57 69 10 148	74 2 1 64 1 1611 2	53 1 25 777 1	522 258 6 4 12 1 219	380 60 100 18 18 49	0 341 0 111 0 236 8 8 2 2 9 2 7 8	2003 2192 457 1045 269 36 2811 42 5
1847	11,890	Ataxic Total 1846 Intermittent Typhoid Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers	11 14 4	4 11 0 2 4 1 1	7 98 1 50 2 4 1 4 1 1 1	153 73 107 9 2	104 140 66 165 17 3	211 20 369 38 12 5 4 1	236 223 7 57 69 10 148 7	74 2 1 64 1 1611 2	53 1 25 777 1	522- 258 64 122 1 219 9	380 60 100 18 2 49	0 341 0 111 0 236 8 8 2 2 9 2 7 8	2003 2192 457 1045 269 36 2811 42 5 40
		Ataxic Total 1846 Intermittent. Typhoid. Typhoid. Typhus Remittent. Congestive Yellow Bilious Permicious intermittent. Other Fevers. Total 1847.	11 14 4	4 11 0 2 4 1 1 2 1 03 14	7 98 1 50 2 4 1 4 1 1 1 2 157	153 73 107 9 2 2	104 140 66 165 17 3 2 2	211 20 369 38 12 5 4 1 1	236 223 7 57 69 10 148 7	74 2 1 64 1 1611 2 1756	53 1 25 777 1 	522 258 6 4 12 1 219 9 1 2	380 60 100 18 2 49 7 2 6 6 6 6 6 6 6 7	0 341 0 111 0 236 8 8 2 2 9 2 7 8 6 26 2 734	2003 2192 457 1045 269 36 2811 42 5 40
		Ataxic Total 1846. Intermittent Typhoid. Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers. Total 1847.	11 14 4	4 11 0 2 4 1 1 1 03 14	98 1 50 2 4 1 4 1 1 1 2 157 5 101	153 73 107 9 2 2 346	104 140 66 165 17 3 2 2 396	211 20 369 38 12 5 4 1 1 661	236 223 7 57 69 10 148 7	74 2 1 64 1 1611 2 1756	53 1 25 777 1 857	522 258 6 4 12 1 219 9 1 2 512	380 60 100 18 2 4 2 62 4 27	0 341 0 111 0 236 8 8 2 2 9 2 7 8 6 26 2 734	2803 2192 457 1045 269 36 2811 42 5 40 6897
		Ataxic Total 1846. Intermittent Typhoid. Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers. Total 1847.	11 14 4	4 11 0 2 4 1 1 1 1 1 1 1 1	98 1 50 2 4 1 4 1 1 1 2 157 5 101 8 17	153 73 107 9 2 346	104 140 66 165 17 3 2 2 2 39(211 20 369 38 12 5 4 1 1 661	236 7 57 69 10 148 7 521 219 101	74 2 1 64 1 1611 2 1756 310 87	53 1 25 777 1 857	522- 258 64 122 1 219 9 1 2 512 512	380 60 100 18 2 4 2 62 62 4 2 7 8 3 3	0 341 0 111 0 236 8 8 2 2 9 2 7 8 6 26 2 734	2003 2192 457 1045 269 36 2811 42 5 40 689 7
		Ataxic Total 1846. Intermittent Typhoid. Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers. Total 1847.	11 14 4	4 11 0 2 4 1 1 1 03 14 77 11 5 5 60 58	98 1 50 2 4 1 4 1 1 1 2 157 5 101 8 17 8 267	153 73 107 9 2 2 7 346 169	104 140 666 165 17 3 2 2 396 110 25 117 2	211 20 369 38 12 5 4 1 1 661 160 57 28	2236 7 577 699 100 1488 7	74 2 1 64 1 1611 2 1756	53 1 25 777 1 857 299 64	522- 258 64 12 1 219 9 1 2 512 512	380 60 100 18 2 4 2 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0 341 0 111 0 236 8 8 8 2 2 9 2 7 8 6 26 2 734 1 233 9 3 4 30	2003 2192 457 1045 269 366 2811 42 5 40 6897 490 0 1882
		Ataxic Total 1846. Intermittent Typhoid. Typhoid. Typhus Remittent Congestive Yellow Bilious. Pernicious intermittent Other Fevers. Total 1847 Intermittent Remittent Typhus, Typhoid Yellow Catarrhal.	11 14 4 4 	4 11 0 2 4 1 1 2 1	98 1 50 2 4 1 4 1 1 1 1 2 157 5 101 8 17 8 267	153 73 107 9 2 2 7 3466 1 72 14 169	104 140 66 165 17 3 2 2 396 110 25 117 2	211 20 369 38 12 5 4 1 1 661 160 57 28	236 223 7 57 69 10 148 7 521 219 101 23 31	74 2 1 64 1 1611 2 1756 310 87 11 462	53 1 25 777 1 857 299 64 9 597	522- 2588 6 4 4 122 1 2199 9 1 2 5122 5122 5120 3344 656 103	380 60 100 18 2 49 7 2 6 6 6 6 6 6 6 6 6 7	0 341 111 0 236 8 8 2 2 7 8 6 26 2 734 1 23; 9 3 4 30 4 1	2003 2192 457 1045 269 36 2811 42 5 40 6897 6897 18824 1334
		Ataxic Total 1846. Intermittent Typhoid. Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers. Total 1847 5 Intermittent Remittent Typhus, Typhoid Yellow Catarrhal Bilious	11 14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 11 0 2 4 1 1 2 1 1 1 2 1 1 2 1 1 2 1 2	98 1 50 2 4 1 4 1 1 1 1 2 157 5 101 8 17 8 267	153 73 107 9 2 2 7 3466 1 72 14 169	104 140 66 165 17 3 2 2 396 110 25 117 2	211 20 369 38 12 5 4 1 1 661 160 57 28 2	236 223 7 57 69 10 148 7 521 219 101 23 31 32	74 2 1 64 1 1611 2 1756 310 87 11 462	53 1 25 777 1 857 299 64 9 597	522- 258 6 4 12 12 19 9 9 1 22 5123 686 103	380 60 100 18 2 4 2 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0 341 0 236 0 236 8 8 2 9 2 7 8 6 26 2 734 1 233 9 3 4 30 4 1	2803 2192 457 1045 269 36 2811 42 5 40 689 7 40 11234 11234 1133 1733 1733
		Ataxic Total 1846 Typhoid. Typhoid. Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers. Total 1847 5 Intermittent Remittent Typhus, Typhoid Yellow Catarrhal Bilious. Ephemeral Congestive	11 14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 11 0 2 4 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 2	98 1 50 2 4 1 4 1 1 1 1 2 157 5 101 8 17 8 267	153 73 107 9 2 2 7 346 169 14 169	104 140 666 165 17 3 2 2 2 2 110 25 117 2 4 4 4 4 3 3	211 20 369 38 12 5 4 1 1 661 160 57 28 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 1 1 1 1 1 1 1	236 7 57 69 10 148 7 521 219 101 23 31 32 5	744 2 1 1 644 1 1 1611 2 2 1 1 7 566 3100 877 1 1 4622 27 1 4 1 1 6	533 1 255 7777 1 1 8577 2999 64 9 5977 1 1 9 5 5 9 7	522- 258-66-44-12-12-12-12-12-12-12-12-12-12-12-12-12-	380 60 100 100 180 49 7 2 6 6 5 3	0 341 0 236 0 236 8 8 2 9 2 7 8 6 26 2 734 1 233 9 3 4 30 4 1	2003 2192 457 1045 269 36 2811 42 5 40 6897 6897 1234 133 173 173 173
		Ataxic Total 1846. Untermittent Typhoid. Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers Total 1847 Suntermittent Remittent Typhus, Typhoid Yellow Catarrhal Billious Ephemeral Congestive Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Synthesis Scarlet Scarlet Scarlet Scarlet Scarlet Synthesis Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Scarlet Synthesis Scarlet S	11 14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 11 0 2 4 1 1 2 1	98 1 50 2 4 1 4 1 1 1 1 2 157 5 101 8 17 8 267 7 11 5 8	153 73 107 9 2 2 7 346 169 14 169	104 140 666 165 17 3 2 2 2 2 110 25 117 2 4 4 4 4 3 3	211 20 369 38 12 5 4 1 1 661 160 57 28 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 4 1 1 1 1 1 1	2236 7 577 577 699 100 1488 7 521 2199 1011 23 31 31 55 8	74 2 1 64 1 1611 2 1756 310 87 11 462	533 1 255 7777 1 8577 299 644 9 9 597 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	522- 2588 66 44 122 1299 99 1 22 5122 5122 5120 3344 688 9 560 103	380 60 100 100 180 49 7 2 6 6 5 3	0 341 0 111 0 236 8 8 2 2 9 2 2 7 8 6 26 2 734 1 23; 9 3 3 4 30 4 4 1	2693 2192 457 1045 269 36 2811 42 2811 6897 400 0 1882 1 234 1 234 1 234 1 73 1 73
		Ataxic Total 1846 Intermittent Typhoid. Typhoid. Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers Total 1847 Intermittent Remittent Remittent Typhus, Typhoid Yellow Catarrhal Bilious Ephemeral Congestive Scarlet Departs	11 14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 11 0 2 4 1 1 2 1	98 1 50 2 4 1 4 1 1 1 1 2 157 5 101 8 17 8 267 7 11 5 8	153 73 107 9 2 2 7 346 169 14 169	104 140 666 165 17 3 2 2 2 2 110 25 117 2 4 4 4 4 3 3	211 20 369 38 12 5 4 1 1 661 160 57 28 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 4 1 1 1 1 1 1	2236 7 577 577 699 100 1488 7 521 2199 1011 23 31 31 55 8	744 2 1 1 644 1 1 1611 2 2 1 1 7 566 3100 877 1 1 4622 27 1 4 1 1 6	533 1 255 7777 1 1 8577 2999 64 9 5977 1 1 9 5 5 9 7	522- 2588 66 44 122 1299 99 1 22 5122 5122 5120 3344 688 9 560 103	380 60 100 100 180 49 7 2 6 6 5 3	0 341 0 236 8 8 2 9 2 7 8 6 26 2 734 1 233 9 3 4 30 4 1	2803 2192 457 1045 269 2811 42 5 40 6897 3 3 2411 5 490 1882 1 1234 490 1 1234 1 1234 1 1234 1 1234 1 1234 1 1234 1 1234 1 1234
		Ataxic Total 1846. Intermittent Typhoid. Typhoid. Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers. Total 1847 Intermittent Remittent Typhus, Typhoid Yellow Catarrhal Billious Ephemeral Congestive Scarlet Dengue Puerperal	11 14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 11 1 2 2 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1	98 1 50 2 4 1 4 1 1 1 1 2 157 5 101 8 17 8 267 7 11 5 8	153 73 107 9 2 2 7 346 169 14 169	104 140 66 165 177 3 396 2110 25 1177 2 2 396 4 4 4 4 4 8 8 8 117 117 117 117 117 117	2111 200 3699 388 122 5 4 1 1 1 661 1 1600 288 2 2 2 133 3 113 1	2236 7 577 577 699 100 1488 7 521 2199 1011 23 31 31 55 8	744 2 1 1 644 1 1 1611 2 2 1 1 7 566 3100 877 1 1 4622 27 1 4 1 1 6	533 1 255 7777 1 8577 299 644 9 9 597 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	522- 2588 66 44 122 1299 99 1 22 5122 5122 5120 3344 688 9 560 103	380 60 100 100 180 49 7 2 6 6 5 3	0 341 0 111 0 236 8 8 2 2 9 2 2 7 8 6 26 2 734 1 23; 9 3 3 4 30 4 4 1	2603 2192 457 1045 269 36 2811 42 5 40 6897 16897 11234 1733 1733 1733 1733 1733 1733 1733 17
		Ataxic Total 1846 Intermittent Typhoid. Typhoid. Typhus Remittent Congestive Yellow Bilious Pernicious intermittent Other Fevers Total 1847 Intermittent Remittent Remittent Typhus, Typhoid Yellow Catarrhal Bilious Ephemeral Congestive Scarlet Departs	11 14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 11 2 4 4 1 1 1 2 2	77 988 1 500 1 500 22 4 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1533 733 107 9 9 2 2 2 2 144 169 14 6 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	104 140 66 165 17 3 2 2 39€ 110 25 117 2 4 4 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	211 200 369 388 12 5 4 4 1 1 661 160 57 28 2 2 13 3 13 1 1	2366 2233 7 577 577 699 100 1488 7 7 521 2199 101 233 331 332 348 358 368 378 318 318 328 338 348 358 368 368 368 368 368 368 368 36	744 2 1 1 644 1 1 1611 2 2 1 1 7 566 3100 877 1 1 4622 27 1 4 1 1 6	533 1 25 25 2777 1 1 8577 2999 64 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	522- 2588 6 6 4 12 1 2199 9 1 2 2 512 334 6 6 6 6 10 3 6 6 6 6 10 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	380 60 100 100 180 49 7 2 6 6 5 3	0 341 0 111 0 236 8 8 8 8 8 2 2 2 2 77 8 6 6 26 6 26 6 26 1 123 1 23 1 1 23 1 1 23 1 1 23 1 1 23 1 1 23 1 1 1 23 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 1 23 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2003 2192 457 1045 269 36 2811 42 5 40 6897 3 2411 5 440 0 1882 1 1234 1 733 4 733 4 73 4 73 6 6

FEVER STATISTICS, CHARITY HOSPITAL-Continued.

Rei Bill YYe Ep Coo Coo Co Co Co Co Co Co Co Co Co Co C	stermittent. yphus yphus yphoid. emittent ilious ellow phemeral ongestive uerperal carlet erebral ontinued.	109 56 6 1	127 10 6 8	138 193 18	117 140 14 9	30	65 49 10	43 72	166 20 28 8	223 11 374 7 8	21 116 3	360 23 76 1 130 2 4	684 58 50 6 1 6	189 198 198 198 198 198 198 198 198 198
Re Bil Co Co	Total, 1849	205	200	_										
Re Bil Co Co Ty			265	381	298	241	292	539	867	1438	1392	598	806	7322
Ma Co Ep Mi Po Se (A1	emittent illious ongestive ongestive Intermittent yphus ongestive Remittent falignant Intermittent ontinued		ļ			,								7891 9276 86 31 105 1044 34 34

Tables 1841-1849, embrace those consolidated from records of Charity Hospital by Dr. Fenner.

It is thus made evident that paroxysmal fevers prevail every year and in every month of the year in New Orleans, thus presenting a marked contrast to the prevalence of yellow fever, which is shut up to much narrower limits.

It appears that the cause of yellow fever, requires for its generation and propagation a higher degree of heat, and that the conditions of its existence are more narrowly defined than those of malarial fever. The cause of the latter disease not only resists successfully a much lower temperature than that of yellow fever, but when once engrafted on the human system, it is far more persistent and indefinite in its duration, and in fact in many cases produces such profound alterations in the constitution of the blood and in certain organs as the spleen and liver, as to constitute a condition of the system, which may underlie and modify supervening diseases. In this respect, therefore, the prolonged action of the malarial poison, resembles that of syphilis, in that it produces radical changes in the blood and arteries.

Yellow fever, on the contrary, acts as a specific well defined disease, affecting as a general rule, the constitution but once, and in the vast majority of cases leaving no recognizable traces of its action.

The preceding proposition will be still further illustrated by the following table, showing the deaths caused by malarial fevers in each month in New Orleans during a period of twelve years, 1869 to 1880, inclusive:

TABLE SHOWING DEATHS FROM MALARIAL FEVERS BY MONTHS, DURING THE YEARS 1869 TO 1880, INCLUSIVE.

-	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Tota!.	Death rate per 1000 per annum	Population.
1869	13 15 7	8 9 11	13 20 15	16 20 15	22 31 11	19 50 35	47 43 40	60 46 64	61 90 65	35 48 45	46 26	21 17 14	435 348	1.79 2.26 1.82	191.000
1872 1873 1874	15 17 11 10	20 14 12 8	20 20 12 14	14 17 16 19	31 30 24 15	18 25 24 26	34 62 67 39	46 55 125 63	38 91 50 100	32 79 79 55	11 25 36 18	12 11 32 16	446	1.52 2.33 2.32 1.82	(
1876 1877 1878	15 22 10	14 20 7	13 12 16	19 23 23	20 18 16	23 47 26	55 41 47	38 61 177	83 79 229	56 40 163	41 29 55	24 17 8	401 409 773	1.91 1.95 3.68	210.000
1879 1880	10	13	11 18	8 14	13 26	16 32	33 26	30	19 79		20 32	12 19		0.96	
Total	150	139	184	204	257	341	534	795	984	703	366	203	4854		
Average	12.5	11.6	15.3	17.0	21.4	28.4	44.5	66.2	82.0	58.6	30.5	16.9	4.04	1.99	202.500

During the entire 12 years, embracing 144 months, deaths occurred from malarial fever in every individual month.

STATISTICS OF YELLOW FEVER IN CHARITY HOSPTAL OF NEW ORLEANS, DURING A PERIOD OF 57 YEARS.

YEAR.	Admissions.	Discharges.	Deaths.	Per cent	Date of First Case.	Date of Last Case.
1 Daile	Yellow Fever.	Yellow Fever.	Yellow Fever.	Mortality.		Date of Date Chart.
1899	337	98	239	70.92	September 3.	December 21.
893	1		1	100.00	September 11.	
894	167	59	108	64 67	August 4.	November 13.
895 896	99 24	40 19	59 5	59.45 20.83	June 23. May 18.	December 19. November 18.
Total 5 years.	698	216	412	65.63		
897	372	963	109	29.30	July 17.	December 5,
8928	290	160	180	44.83	June 19.	December 10.
(482)	435	220	215	49.42	May 23.	Novomber 29.
e 30	965 3	139	117	45.72	July 24.	November 29.
831	<u>_</u>	1		66.67	June 9.	October 7.
Total 5 years.		783	573	42.23		
832	26	8	18	69.23	August 15.	October 25.
833	422	313	· 210	49.77	July 17.	November 17.
834	150 505	55 221	95	63 33	August 28.	November 22. November 27.
635	6	1	248 5	56.24 83.33	August 94. August 24	October 25.
Cotal 5 years.	1109	497	612	55.18		
837	998	536	442	44.29	July 13	November 28.
838	24	5	19	77.25	August 25.	November 1.
839	10%	634	452	41.62	July 23.	November 17.
840 841	1 3 1114	520	3 593	100.00 53.14	July 9. August 2.	November 17. December 8.
Cotal 5 years.	3925	1715	1510	43.72		
	495				August 4.	V
843		214 609	211 487	49.65 44.44	July 10,	November 26. December 31.
844	169	86	83	46.11	September 4.	November 25.
845	i	ì ì			August 10.	August 10.
846	146	50	96	65.82	August 29.	December 1.
lotal 5 years.	1837	960	877	47.74	i	
847	2479	1584	895	46.11	June 29.	December 11.
P48	1334	814	490	34.26	June 7.	December 2.
849 850	1062 10	517	345	51.66 40.00	July 28. August 23.	Docember 4. November 16.
831	7	6 5	4 9	28.57	August 1.	October 9.
Total 5 years.	4799	2926	1866	39.06		
858	496	157	339	68.74	August 20.	November 29.
853	3317	1327	1890	56 71	May 21.	November 23.
854	2743	1510	1233	44.91	July 2.	December 1.
855	319%	1099	1099 51	50.00 52.04	June 3. August 10.	December 11. November 3.
Total 5 years.		4140	4612	52.69		
			133	65.91	September 17.	December 18.
858	1 8282	1345	1389	50.67	June 16.	December 23,
859	107	23	64	78.50	August 29.	November 29.
860	1 3	i	l		August 12.	November 4.
861			i <u></u>			•••••
Total 5 years.	3071	1450	1621	39.78	!	
982	i	ļ		i } ·····	• • • • • • • • • • • • • • • • • • • •	
%63 -	,ā	1	1	50.00		l
1865	130	95	' 35	28.92	August 27.	November 14.
206	100					

STATISTICS OF YELLOW FEVER IN CHARITY HOSPITAL-Continued.

YKAR.	Admissions.	Discharges.	Deaths.	Per cent	Date of First Case.	Date of Last Case.	
	Yellow Fever.	Yellow Fever.	Yellow Fever.	Mortality.			
1967	1493 8 4 518 29	821 3 3 256 9	679 5 1 269 20	45 01 62 50 33 33 50 75 68 96	June 9, October 5.	October 22. October 22.	
Total 5 years.	2052	1092	960	46.36			
1878 1973 1874 1875	11 118 9 16	3 43 8 5	8 75 6 11 2	72.72 63.55 66.66 68.75 66.66			
Total 5 years.	157	. 55	102	64.96			
1877 1878	817	406	411	50.44	July 18.	November.	
10 years, 1829-1831	1984	. 999	985	49.64			
10 years, 1839-1841	4334	2212	2192	48 75			
10 years, J842-1851	6629	3886	·2743	41.47			
10 years, 1852-1861	11893	5590	6933	59.71			
10 years, 1869-1871	2184	1188	996	45.57			
Total in 50 years.	26974	13875	13079	48.55			

From the preceding table consolidated from the yearly reports of the Charity Hospital, it will be seen that during a period of fifty years, 1822-1871, 26,974 cases of yellow fever were treated in the Charity Hospital, with a mortality of 48.55 per cent., and if we include the five years, extending to 1876 inclusive, 27,130 cases of yellow fever were admitted, 13,181 of which proved fatal, giving a mortality of 48.65 per cent. for the entire period.

During the entire period of fifty-five years, extending from 1822-1876 inclusive, only four years can be specified in which no case of yellow fever was entered upon the Hospital Register, namely, 1861, 1862, 1863 and 1865. In 1864, only two cases were entered. It is important to note that the period 1861-1865, embraces the American Civil War, when the relations of New Orleans to commerce and emigration were altered, and the city was, to a great extent subject to a strict military government and rigid quarantine.

A progressive increase in the number of cases of yellow fever, admitted into the Charity Hospital, is observed from 1822 to 1858. Thus, if periods of ten years be compared, the following results will be obtained:

Admissions during ten years 1822-1831, 1984; 1832-1841, 4334; 1842-1851, 6629; 1852-1861, 11,823.

This increase should be referred not so much to a relative increase of the disease, as to the growth of New Orleans, and the progressive increase of emigration from European countries and Northern and Northwestern States, during the forty years, extending from 1822-1861 inclusive.

The truth of this proposition can be shown by the statistics of the Charity Hospital and the march of population:

TOTAL ADMISSIONS AND DEATHS IN CHARITY HOSPITAL DURING 35 YEARS—1829-1877.
INCLUSIVE.

Year.	Admis- sions	Dis- charged.	Deaths.	Remain- ing.	Yеаг.	Admis- sions	Dia- charged.	Deaths.	Remain- ing.
1822	1,689	1,116	57.:	82	1850	18,476	15.989	1,884	719
1823	1,966	963	, 983	78	1851	18,319	17,074	1,869	
1894		.		100	1852	18,031	15,057	2,098	
1825.	1,367	989	318	70	1853	13,759	10,733	3,164	
1836	1,408	1.919	196	125	11854	13,192	9,976	2,702	
1827	1.853	1,549	304	90	1855	12,192	9,701	2,391	545
1838	2,390	1,989	401	. 94	1856	9,439	8,398	974	
1929	2,548	2,065	483	138	1857	8,903	7,913	1,017	1
1830	2,790	2,366	424	148	1858	11.337	8,923	2,290	644
1831	3,558	3,149	409	116	1859	12,775	11,957	1,321	730
1839	2,271	1,703	568	309	1860	14,060	19,357	1.390	891
1833	3,731	2,617	1.114	169	1861	8,665	7,918	798	l
1834	5,797	4,745	1,059	962	1862	6,016	5,532	719	l
1835	6,225	4,999	1,996		1863			l	373
1836	4,748	4.163	583	292	1864	4.861	3.999	812	493
1837	6,060	4,640	1,430	228	1865	6,466	5,880	669	493
1838	4,373	3.890	683	271	1866	9,399	8,108	1,122	738
1839	4,566	3,611	955	239	1867	8,612	7,960	1.438	637
1849	4,969	4,370	619	967	1868	4.981	4.365	490	000
1841	4,949	3,093	1,156	314	1869	6,177	5,397	784	716
1ê42	4,404	3,516	760	1	1870	7,837	6,764	1.118	672
1843	5.013	3,672	1,041	1	1871	6,651	5,730	891	700
1844	5.846	5,059	830	1	1872	5.541	4.846	895	570
1845	6.136	5.446	563	283	1873	5,090	4,194	993	543
1:46	5.044	7.074	855	401	1874	5,931	4.360	860	554
1347	11,406	9.369	2,037		1875	4.845	4 191	753	595
1848	11,945	10,010	1.897	898	1876	5,690	4 780	749	653
1549	13.554	12,133	2.741	609		1	1		1

NATIONALITIES OF PATIENTS ADMITTED TO THE CHARITY HOSPITAL, NEW OB-LEANS FOR THE PERIODS SPECIFIED.

YEARS.	Foreigners.	Natives of the United States	Natives of Louisians	Unknown.
12 Years.				
1430-141	37,543	16,947	5378	•••••
1842	3,449	921	34	1
1843	3,921	1,033	59	
1244	4.330	1.903	113	
1-45	4.786	1.231	119	
1546	6.151	1.698	145	199
186	10 171	1.507	ž	157
1848	10 2-0	1.46	ເນັ	. 86
1849	13.634	1.635	' i c	1 142
1839	16.586	1.519	954	104
1.61	16.543	1.485	961	191
1:02	16.144	1.361	945	
153	12.333	1.078	226	' 176
	11 686	1.850		190
1854	10 251	1.5.0	. 22	84
1955				43
1:05	ક. લ્ડ	1.039	369	1.8
1857	7.53	i 1.153	354	· · · · · · · · · · · · · · · · · · ·
1636	9.500	1,391	, 386	, 1,8
P.39	10,753	1.637	। इस	. 8
k*64	7.966	1.167		1 4
1802	7 (E)	1.014	304	i 20.
1869	3.44	1 841	557	19
1:70	4.907	± 163	1 793	4
M71	4 101	1 347	1 671	' 32
1623	3 255	1.692	i en	3
1673	2 th L	1,363	632	īī
1574	3 :3	1 437	754	ii
P-73.	2 534	1,336	l <u>===</u>	13
1676	1.991	1,000	1,015	រើ
Total	20: 0:1	33, 493	11,74	1.40

Total admissions of Foreigners, Natives of the United States and of Louisiana (MSS-MSS inclusive) PA 638.

A comparison of the preceding tables will illustrate the relations of the foreign population to the disease, and especially to yellow fever, treated in the Charity Hospital of New Orleans.

During the period of forty years 1830-1876, 316,659 patients were admitted to the Charity Hospital, and of this number 248,011 were foreigners; 55,403 natives of the United States, outside of Louisiana, and 11,761 were natives of Louisiana.

PRACTICAL OBSERVATIONS ON YELLOW FEVER IN NEW ORLEANS, LA.

Sanitary measures and reforms must be based on facts and not on speculation.

The first step is to view calmly and dispassionately the magnitude and true nature of the evils under which the people labor; and then when the public mind is sufficiently enlightened, those charged with the sanitary improvement of the city, may be either aroused, or compelled to do their duty in the execution and perfection and maintenance of works absolutely essential to the comfort and health of the entire people.

Rome in former times, before she had perfected her wonderful system of sewers, and drained the Pontine marshes, conquered surrounding nations with the sword and destroyed her citizens by fevers; New Orleans on the other hand, has conquered her territory from the domain of the Father of Waters, and by the progressive improvement of her system of drainage, she may hope, flually to banish those fevers which have destroyed her citizens.

The statistics of our great Charity Hospital furnish data for the comprehension of the magnitude of the sufferings, pecuniary expenses, and mortality inflicted upon the citizens of New Orleans by fevers.

At great expense of time and labor I have been able to consolidate the records of the Charity Hospital during a period extending from 1841 to the present time, and now present some of the more important results. (See Tables A and B).

During eighteen years preceding the civil war, 1842-1860, the total admissions into the Charity Hospital of New Orleans 207,356; total deaths, 29,614; the per cent of deaths, 14.2.

During sixteen years following the civil war, 1864-1881, total admissions, 96,857; total deaths, 14.104; per cent, 14.5.

Total admissions during 34 years, 304,213; total deaths, 43,718; per cent. 14.3.

Yellow Fever—1842-1860 (18 years): cases, 16,073; deaths, 8,081. Per cent. of mortality in yellow fever, in the Charity Hospital, for the period specified, 50.2.

1864-1881 (16 years): cases, 3,160; deaths, 1,560. Per cent. of mortality, 49.6.

It is evident, therefore, that during the 34 years specified, that there were treated in the wards of the Charity Hospital 19,233 cases of yellow fever, with 9,667 deaths, giving a mortality of 50.2 per cent.

It would appear from the preceding statement that yellow fever has greatly diminished during the past thirty-four years. This fact will be still more evident by extending the review over a longer period, from 1821 to 1881.

CASES OF YELLOW FEVER FOR TEN YEARS, AS FOLLOWS:

YEARS.	CARES.	DEATHS.	PER CENT.	
1822 to 1831	1,984	985	49.64	
832 to 1841	4,334	2.122	48.75	
842 to 1851	6,614	2,743	41.47	
852 to 1861	11.823	6.233	52.71	
862 to 1871	2.183	996	45.57	
1872 to 1881	817	411	50.44	

Total cases of yellow fever treated in the Charity Hospital during the past sixty years, 26,958; deaths, 13,079. per cent of mortality, 48.55. During the last twenty years, 1862 to 1881, the cases numbered 3000, and the deaths 1407; during the middle series of years, 1842 to 1861, the cases numbered 18,437. and the deaths 8976; during the first series of twenty years, 1822 to 1841, the cases numbered 6318, and the deaths 3107.

The remarkable decrease in the number of cases of yellow fever occurring in the city of New Orleans, as evidenced by the statistics of the Charity Hospital, during the past twenty years, is rendered still more apparent when we reflect that during the period of the sixty years specified, the population of the city of New Orleans had increased from 41,351 (city 27,242, parish of Orleans 14,175) in 1820, to 216,359 in 1880.

This marked diminution of yellow fever cases in New Orleans may be

referred to several causes, *s-

1. The progressive improvement of the sanitary condition of the city by the extension of the drainage system, the prompt removal of garbage and feecal matters, and the more general use of disinfectants.

2. The marked diminution in the rate of increase amongst the white

population from the influx of emigrants from foreign countries.

This proposition will command special consideration and amplification.

3. The substitution of iron steamships for wooden sailing vessels, and the displacement of smaller vessels by those of greater size and increased speed; the modern revolution in naval architecture, consequent upon the introduction of steam as the motor and iron as the material, has been attended with great gain, by rendering voyages much shorter, and by permitting of better ventilation and more perfect sanitary arrangement.

The stay of ships in infected ports has, in like manner, been shortened.

The mechanical appliances for loading and unloading ships are vastly improved, and the number of seamen necessary to conduct the same amount of commerce greatly diminished; although, from the increase of manufactures, and the increase of traffic, the total number of men now engaged in commercial pursuits is greater than at any former period in the world's history.

4. The improvement in the sanitary condition of ships, and the increased attention to the hygiene and comforts of seamen in the matter of sleeping quarters, clothing and food.

Here is a field worthy of the labors of the wisest and best sanitarians

and humanitarians.

The interest awakened in our day amongst the masses with reference to public and private sanitation, has pervaded even the great mercantile and commercial world, and one of the grandest achievements of modern sanitary science will be the development and perfection of such a sanitary system, including ventilation and disinfection, and personal cleanliness, that the importation of contagious and infectious diseases by ships from

one country to another will be rendered impossible. As President of the Board of Health of Louisiana, I have endeavored to advance this important work by every means at my command.

We have stated that the second proposition needed further consideration and amplification, and we shall now endeavor to throw light upon this

important subject.

During ten years inclusive, 1817-1826, the population of the city proper, of New Orleans increased from 24,196 to 40,766; actual increase 16,570 or 64 per cent. The deaths from all causes numbered 17,500, and the deaths from yellow fever 2734; or one death from yellow fever in 6.7 deaths from all causes.

During the ten years, 1827-1836, the population increased from 40,766 to 65,600; actual increase 24,834, or 69 per cent. Deaths from all causes, 32,382; deaths from yellow fever, 3042; one death from yellow fever in 10.6 deaths from all causes.

During the ten years, 1837-1846, the population increased from 65,600 to 102,070; actual increase 36,470, or 55.6 per cent. Deaths from yellow fever 4453; one death from yellow fever in 8.4 deaths from all causes.

During the ten years, 1847-1856, the population increased from 102.070 to 161,404; actual increase 59,334, or 58 per cent. Deaths from all cause 92,018; deaths from yellow fever 18,043; one death from yellow fever to 5.1 deaths from all causes.

During the ten years 1857-1866, the population increased from 161,404 to 178,042; actual increase 16,638 or 10.3 per cent; total deaths from yellow fever 5367, or one death from yellow fever in 14.14 deaths from all causes.

During the ten years 1867-1876, the population nucreased from 178,042 to 204,424; actual increase 26,382 or 14.8 per cent; deaths from all causes 69,886; deaths from yellow fever 4133 or one death from yellow fever in 16.9 deaths from all causes.

During the entire period extending from 1817 to 1878 inclusive, sixty-two years, the population of New Orleans increased from 24,196 to 210,000; actual increase in sixty-two years, 175,804 or 727 per cent. The total deaths during this period amounted to 342,480, and the total deaths from yellow fever 41,829; or one death from yellow fever in 8.2 deaths from all causes.

If the increase of the population of New Orleans be estimated at the regular intervals of the United States census, we obtain the following figures: In the ten years, 1820-1830 New Orleans gained 19,134 inhabitants or 70 per cent; in ten years 1830-1840, increase, 55,883, or 120 per cent; in ten years 1840-1850 inclusive 14,192, or 13 per cent; in ten years 1850-1860, increase 52,295, or 46 per cent; in ten years 1860-1870, increase 22,748 or 13 per cent.

There are no accurate statistics to show the actual population in 1878, but judging from the disturbed state of politics from 1870 to 1878, and the contraction of business, and the loss of commerce, the increase of taxes and public debts, the estimate of 210,000 as the population of New Orleans

in 1878, appear to me very near the true figures.

It is worthy of note that during the ten years 1860-1870, embracing the entire period of the civil war, and still more disastrous period of so-called "reconstruction," there was an actual decrease in the white population of New Orleans from 144,586, to 140,923, whilst there was an increase of colored population (negro race) from 27,074 to 50,456.

Whilst therefore the whites actually decreased 3,673, the colored popula-

tion increased 23,382 or 85 per cent.

Whilst the negro population of New Orleans had nearly doubled itself in ten years, 1860-1870; on the contrary during the ten years 1850-1860

(according to the United States census), the white population had increased from 59,459 to 144,596, showing a gain of 55,137; and the negro popula-

ion from 26,916 to 27,074, showing a gain of only 158.

A complete revolution was therefore made in the population of New Orleans by the results of the civil war. The loss of 3673 white citizens during the period embracing the civil war (1860-1870) did not represent the actual destruction occasioned amongst the whites by the casualties of the war, for it will be admitted on all hands that a large immigration set in to New Orleans from all parts of the Southern States after the close of the war, and this city probably contained a larger white population in 1866 and 1867, than at any previous or subsequent time.

The prevalence, as an epidimic, of yellow fever in 1867, was mainly due

to two causes:

1. The absence of yellow fever, as an epidemic, since 1858, and consequently all children under eight years of age were liable to the disease; and,

2. To the influx of unacclimated strangers into the city.

The immunity of New Orleans from yellow fever in 1863, 1864, and 1865, can no more justly be referred to the sanitary measures of the United States government during that period, than to those of the city and State and Confederate governments in 1859, 1860, 1861 and 1862, when New Orleans enjoyed an almost equal immunity from yellow fever, the deaths from this disease being in these years respectively: 1859, 92; 1860, 15; 1861, none; 1862, 2. We have no data to show the actual number of deaths amongst the Federal troops on land and water in and around New Orleans, 1863 to 1865; but that yellow fever was present is well established. The comparison of the preceding facts with the statistics of yellow fever in the Charity Hospital, leads still more strongly to the conclusion that epidimics of yellow fever occur most frequently, and prevail to the greatest extent, in those seasons in which a large number of passengers from foreign countries arrived in this city.

Thus far, the following are the number of passengers from foreign countries who have arrived in New Orleans and paid a specific tax to the Charity Hospital: 1842. 30,832; 1843, 24,930; 1844, 19,788; 1845, 29,97; 1346, 34, 540; 1847, 41,052; 1848, 40,962; 1849, 43,398; 1850, 38,423; 1851, 36,376;

1852, 45,335; 1853, 34,870.

A progressive increase in the number of cases of yellow fever admitted into the Charity Hospital is observed from 1822 to 1858. Thus, if a period of ten years be compared, the following results will be obtained: Admission in ten years, from 1822-1831, 1984; 1832-1841, 4334; 1842-1851, 6614; 1852-1861, 11,823.

This increase should be referred not so much to a relative increase of the disease, as to the growth of New Orleans and the progressive increase of immigration from European countries, and Northern and Western States, during the forty years from 1822 to 1861, inclusive. Thus during a period of forty years, from 1830 to 1876, 317,286 patients were admitted to the Charity Hospital, and of this number 238,753 were foreigners; 44,119 natives of the United States, outside of Louisiana; and 11,760 were natives of Louisiana.

During a period of thirty years, 1830-1859: total admissions, 260,372; foreigners, 203,946; natives of the United States, 29,664; natives of Louisisiana, 4334.

During a period of ten years, 1864-1868-1876: total admissions, 56,914; foreigners, 34,807; natives of the United States, 14,455; natives of Louisiana, 7426.

It is clearly shown by these statistics that the effects of the American civil war, and the subsequent destructive and hostile legislation during the following ten years, were to diminish emigration from foreign countries and at the same time to impoverish the natives of Louisiana, who, in thirty years preceding the war, furnished only 4332 patients to the Charity Hospital, out of a total of 260,372; and who in ten years, including 1864, 1868, 1869, 1870, 1871, 1872, 1873, 1874, 1875 and 1876, furnished 7426 patients, out of a total of 56,914 admissions.

From the preceding facts, we draw the following conclusions:

1. The increase in the number and extent of the epidemics of yellow fever in New Orleans has been intimately associated with the accumulation of unacclimated human beings in the city, and with the increase of commerce and in consequent crowding, and the accumulation of filth and crowd-poison in ships, and in badly constructed and badly drained and policed habitations.

Yellow fever is not necessarily the outcome from the causes and conditions stated in Proposition No. 1, for it has been frequently absent as an epidemic even in the city, when all these conditions existed; and in like manner it is unknown in and around the Asiatic countries, where all the supposed factors for the generation of yellow fever exist.

3. Periods of great movements of population are periods of great danger to the maritime cities of the coast of the Gulf of Mexico; consequently, eternal vigilance should be exercised by those charged with the execution

of sanitary and quarantine laws.

4. As the poison of yellow fever can be conveyed by ships and railroad cars, the vigilance of the health authorities of New Orleans should never be abated; but it should be especially manifested at such time as the city becomes filled with unacclimated material. When the city is crowded with strangers and immigrants from regions in which yellow fever usually prevails, the introduction of the disease by ships may act as the match to the magazine.

5. The stationary condition of the population of New Orleans argues

well for the future exemption of this city from sweeping epidemics.

The population of the city is evidently sufficient for all the needs of commerce, but it needs application and direction to the more useful branches of manufacture and labor, as ship building, cotton, jute, paper and other branches of manufacturing industry. The idle and dissolute might thus be ntilized to the suppression of vice and crime, and the advancement of the city and State.

6. By its geographical position; by its peculiar topography; situated upon a low, alluvial, badly drained, swampy plain; surrounded by large bodies of water; by the exposure of an extensive river bank, putrid, stagnant canals and marshes; by defective drainage, sewerage and police, and by its hot and moist climate, New Orleans has been peculiarly exposed to the ravages of yellow fever.

Whilst it is the wish of every true patriot to claim all excellencies of position and health for the land of his choice and love, at the same time future advancement of sanitary science, and the highest interests of humanity, demand that all causes of disease, whether existing in the soil or

climate, should be honestly stated and fully weighed.

In sanitary science, as well as in disease and the science of medicine the proper remedies or preventives can only be fully appreciated after the comprehension of all dangers and difficulties.

7. It follows, from proposition No. 6, that one of the most essential measures for the improvement of the sanitary condition of New Orleans, is the

thorough excavation and cleaning of the drainage canals. Provided the city continues in its present state of good health, the city authorities should commence the excavation and cleansing of the drainage canals of New Orleans before the end of October, and the work should be continued during the cold months of winter until completion.

It is not just that the filth of the gutters in the front and of the more elevated portions of the city should be perpetually pushed and washed back upon the citizens of the rear, or swamp portions of the city, to choke up the drainage canals with foul black mud. This pernicious practice has been persued for years, until the drainage canals are literally choked up with filth.

I have agitated this question of the thorough excavation and cleansing of the drainage canals of New Orleans, and I shall continue to agitate it as long as they remain in their present condition; and whilst the hot summer months are unsuited for this work, it might have been undertaken last winter, and it should certainly be executed as soon as the weather becomes sufficiently cool.

8. Every system which would look exclusively to the defense of New Orleans from pestilence by quarantine, is vicious and destructive at once to commerce and the best interests of the city, in that it leads to the neglect of those sanitary measures, which will best promote the removal and eradication of the causes of disease, and the removal of those physical conditions which promote the rapid spread of destructive epidemics.

Quarantine, to be effective, must be efficient and thorough.

Justice to the commercial community demands that rigid rules as to

the length of quarantine should be fixed by legislative enactment.

According to the existing laws of Louisiana, the funds derived from quarantine should legally be devoted to its maintenance, and should not be diverted to pay either the Sanitary Police or Sanitary Inspectors, the salaries of whom, according to the legislative acts of 1870 and 1877, are directly

chargeable to the city of New Orleans.

An advance in the quarantine system of Louisiana will be effected by the thorough equipment of the Rigolets and Atchafalaya stations, and the construction of a capacious and well-ventilated floating hospital for the harbor of New Orleans, to which all contagious and infectious diseases occurring amongst the shipping could be immediately transferred. It is not right that cases of small-pox, typhus and yellow fever, should be carried from the shipping into the heart of a great city, as has been the case in former times. There is no remedy for this evil but the establishment and thorough equipment of a floating hospital, and the employment of a competent physician at a liberal salary to take charge of it, and to be on duty at all times.

This measure should be supplemented by the appointment or employment of a competent, experienced physician, whose sole duty shall be the continuous inspection of the shipping and the prompt removal of all infectious diseases to the floating hospital. To the accomplishment of these important results, the Board of Health of the State of Louisiana should devote its energies and those resources which the State has allotted to the maintenance of quarantine and the protection of the State from foreign

pestilence.

9. The results of the quarantine and sanitary operations of 1880 and 1881, demonstrate that it may be possible to institute at once a just and enlightened system of quarantine and hygienic rules among the agents and in the vehicles of commerce, and an enlarged and progressive system of sanitation, embracing thorough drainage, abundant water supply, rapid and efficient removal of all excrementitious matters, and the proper elevation and construction of well ventilated and thoroughly policed houses.

RELATIONS OF FEVERS TO DRAINAGE—MALARIAL FEVERS.

SANITARY MEASURES RECOMMENDED BY THE PRESIDENT OF THE BOARD OF HEALTH.

The relations of fevers, and more especially of malarial fevers to drainage; the great injury inflicted upon New Orleans by the systematic neglect of the drainage, as well as the sanitary measures best adapted to overcome the difficulties and evils of soil and climate, will be illustrated by the following letters addressed to his honor the Mayor of New Orleans, November 14 and December 9, 1881.

OFFICE BOARD OF HEALTH, STATE OF LOUISIANA, State House, New Orleans, November 14, 1881.

His Honor Joseph A. Shakspeare, Mayor of the city of New Orleans:

Dear Sir—In accordance with section 4 of Act No. 80, "An act to reorganize and render more efficient the Board of Health of the State of Louisiana," approved April 20, 1877 (a copy of which marked A is hereunto annexed), and in accordance with a resolution of Col. I. N. Marks, adopted unanimously by the Board of Health at the regular meeting held November 10, 1881, as follows:

"Resolved, That the estimate and statement of the President of the Board as to the receipts and expenditures of the Board of Health for 1881, and the sums necessary for the conduct of the sanitary affairs of the city of New Orleans for 1882, be accepted and endorsed, and that the President be required to transmit the same to the honorable, the Mayor and Admiristrators of the situation of the same to the honorable, the Mayor and Admiristrators of the situation of the same to the honorable, the Mayor and Admiristrators of the situation of the same to the honorable, the Mayor and Admiristrators of the situation of the same to the honorable, the Mayor and Admiristrators of the same to the honorable of the same to the honorable, the Mayor and Admiristrators of the same to the honorable of the

ministrators of the city of New Orleans."

I have the honor to transmit to his honor, the Mayor, and to the honorable the Administrators of the city of New Orleans, the following:

1. Statement of sums necessary for the maintenance of the quarantine and sanitary operations of the Board of Health during the year 1882.

2. Estimated and actual receipts and expenditures of the Board of

Health for the year 1881.

The said estimates in accordance with the requirements of section 4, Act 80, of the General Assembly of Louisiana, approved April 20, 1877, have been sworn to and subscribed before Oscar Drouet, Esq., notary public, on the twelfth day of November, 1881.

The attention of your honor, and of the honorable the Administrators of the city of New Orleans, is most earnestly and respectfully requested and directed to "the estimate of expenditures for the conduct of the sanitary affairs of the city of New Orleans for 1882, under the direction of the Board

of Health."

It will be seen that the sum which the Board of Health requires for the conduct of the sanitary affairs of the city of New Orleans, including the pay of Sanitary Inspectors, and the cost of disinfectants for the entire city, is \$16,422 50 (sixteen thousand four hundred and twenty-two dollars and fifty cents).

This would be at the average rate of about five cents (or more accurately.

5.2) per inhabitant.

The cost to the city of an epidemic of yellow fever has been estimated at

not less than \$15,000,000 (fifteen millions of dollars).

The estimate which the board now submits for the conduct of the sanitary affairs of the city of New Orleans, is not more than the thousandth part of the cost of a single epidemic of yellow fever.

In the conduct of the sanitary affairs of New Orleans, the organic acts of the Legislature of Louisiana (see sec. 1 of an act supplementary to an

act entitled "An act relative to quarantine," approved March 18, 1858; also, sec. 2 of an act to amend "An act to establish quarantine for the protection of the State," approved March 16, 1870; also, sec. 5 of Act No. 80, "To reorganize and render more efficient the Board of Health of the State of Louisiana," approved April 20, 1877; all hereunto annexed, and marked respectively B. C. and D,) have made the honorable Mayor and Administrators of the city of New Orleans responsible not merely for the prompt supply of the necessary funds for the payment of the Sanitary Inspectors, and for the purchase of the necessary disinfectants, but also for the detail of the necessary police for the proper and regular execution of the orders of the Board of Health.

Accordingly, the Board of Health respectfully urge the honorable Mayor and Administrators of the city of New Orleans to detail, for the execution of the sanitary orders of the Board of Health for the preservation of the city from pestilence and infectious diseases, the seventeen

policemen and eight carts with their drivers and teams.

Upon the action of the honorable the Mayor and Administrators of the city of New Orleans, in providing the necessary means for the payment of the Sanitary Inspectors and in furnishing the necessary police, and the necessary disinfectants and the carts for their distribution, depends in a large measure the sanitary condition of New Orleans, and the health and commercial prosperity of her citizens.

New Orleans has no system of sewers; the excrement from the 210,000 inhabitants, and from the strangers that constantly crowd her streets,

must be removed by hard manual labor.

It is horrible to contemplate the effects of hoarding up this vast accumu-

lations of human filth in this damp, hot, semi-tropical climate.

In the present condition of New Orleans, this only method of dealing with this gigantic evil, which is a constant menace to the health and comfort of the people, is to clean the privies by mechanical means—by well devised odorless apparatus—and to keep them continually disinfected by cheap and reliable disinfectants, accessible to all at the lowest prices.

The constant and systematic removal of the human and animal excrement, as well as the maintenance of a good sanitary condition of all private premises, must be based upon systematic house to house inspection. Thorough inspection and thorough attention to domestic sanitation requires intelligent, faithful and honest sanitary policemen, subject to rigid discip-

line by the legal authorities.

The prompt fulfilment of these important requisitions of the Board of Health by the honorable Mayor and City Council, will establish the fullest confidence in surrounding communities, and will promote the highest and best interests of the city and State, in protecting foreign and internal commerce from unnecessary quarantine, and above all in protecting the lives and promoting the health of the people.

With great respect and high esteem, I have the honor to remain, your

obedient servant, (Signed)

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

RELATIONS OF FEVERS, AND ESPECIALLY MALARIAL FEVERS, TO DRAINAGE—CLEANLINESS AND DRAINAGE OF PARAMOUNT IMPORTANCE TO THE CITY OF NEW ORLEANS.

Hon. Joseph A. Shakspeare, Mayor of the city of New Orleans:

Jocar Sir—The following facts, illustrating the importance of the immediate attention to the cleaning out of the drainage canals of this great

city, which holds within its borders one quarter of a million of people, and represents a large portion of the wealth and intelligence of the State of Louisiana, and commercially occupies the gateway of the Mississippi Valley, are respectfully submitted.

DRAINAGE CANALS OF NEW ORLEANS.

From the following tabulated statement, it will be seen that the drainage canals within the populated portion of the city, bounded by Metairie Ridge, extend 118,915 feet, or 22.5 miles in length:

NAME OF CANALS.	FF	ET.
NAME OF CANALS.	Width.	Length.
FIRST DRAINAGE SECTION.		
Galvez, from New to Old Canals	25	5100
Broad, from New to Old Canals	20	4500
Hagan, from New Canal to Draining Machine	60	4200
Carrolton, from New Canal to Orleans street	90	5800
laiborne, from Canal street, to Canal Carondelet	6	1820
Carondelet, from Claiborne street to Draining Machine	20	6750
Poydras, from Galvez to Broad street	20	2150
Poydras, from Galves to Broad street Tail race from Draining Machine to Metairie Road	25	6100
SECOND DEAINAGE SECTION.		
Dublin, from Tenth street to New Canal	40	5815
Claiborne, from Dublin street to New Canal	40	15850
Tail race from Dublin street to Upper Line Canal	25	4850
Pail race of Melpomene Draining Machine	25	10450
Camp. from Felicity Road to Clio street	15	2600
Melpomene, from Camp to Dryades street	15	2300
Melpomene, from Drysdes street to Draining Machine	25	3800
THIRD DRAINING SECTION.		!
Claiborne, from Canal Carondelet to Elysian Fields	15	6400
Broad, from Canal Carondelet to London Avenue	25	8480
London Avenue. From Broad street to Draining Machine.	40	2400
Orleans, from Claiborne street to Bayou St. John	25	6450
St. Bernard, from Claiborne to Broad street.	25	4300
Claiborne, from Elysian Fields to Poland street	8	8800
Total lengths of canals	••••	118915

Outside of these limits, the length of the canals amounts to 12.5 miles more, making a total of about 35 miles.

An inspection of the canals reveals the following important facts:

1. The various sections of the drainage canals of New Orleans are uniform neither in breadth nor depth. Such variations induce marked deviations in the currents and in the deposits contained in these canals, and promote the accumulation of filth at the bottom and the constant existence of foul and staguant water.

A moment's consideration will show that the drainage canals should be uniform in depth; and without such uniformity the entire system is imperfect, and a constant menace to the public health.

The Claiborne canal, in the upper districts, which was originally seven feet in depth, is said to have been dug out several years ago to the depth of fourteen feet, and now acts as a reservoir of the foul, stinking waters of the more shallow cauals.

2. Examination and measurement shows that there is a muc deposit in all these canals, varying in depth from four to eight feet. Fermentation and the evolution of foul gases is constantly going on in this immense mass of filth, accumulated from the gutters and open sewers and from the streets of this city.

Every known or unknown combination and product of the putrefaction of vegetable and animal matter can be found in these foul reservoirs, which should more truly be termed "cloaca."

- 3. The drainage canals of New Orleans, unless thoroughly excavated and graded upon mechanical principles, and kept constantly flushed with fresh water, become nothing more nor less than receptacles of putrefying animal and vegetable matter of the most deleterious character to the health of the citizens of New Orleans.
- 4. The drainage machines do not fulfill their capacities, as there is a necessity during the warm and hot months of spring, summer and autumn, to keep a layer of two or three inches of water upon the foul deposits of the canals, to prevent the rapid evolution of the foul gases resulting from the direct action of the sun.
- 5. It is not just perpetually to wash the filth of the front and more elevated portion of the city back upon the unfortunate inhabitants of the rear or swamp portions of the city, who, in virtue of the declination of the plane upon which New Orleans is built toward the lake, are perpetually exposed to this nuisance.

THE REMEDY.

The immediate and thorough excavation of the drainage canals.

The proper grading of the drainage canals.

The constant supply of fresh water to the drainage canals after their thorough cleaning.

THE TIME.

Now is the time for the inauguration and rapid prosecution of this work. Work should be, if possible, commenced by large bodies of men upon all the canals under the direction and control of the constituted authorities, namely the honorable Mayor and Administrators.

The warm months of spring and the hot months of summer and autumn are manifestly improper for such excavations, but December, January and February are well adapted to this work. The offensive mud should be disinfected if necessary with quick-lime and copperas, and if practicable should be removed out of the habitable limits.

If the funds of the city are inadequate let the plan of operations be fully explained, and the tax-payers of the city will without doubt countenance this most important of all sanitary works for the protection of their health, the improvement of their property and the enlargement of the commerce of New Orleans by establishing its reputation for health upon a firm basis.

SHIP CANAL CIRCUMVALLATING THE CITY OF NEW ORLEANS.

This scheme, originally advocated several years ago by Prof. Fontaine, has been revived by certain professional journalists, and is without doubt worthy of the consideration of the National Government, and sufficiently grave in its nature to require for its proper execution the national resources.

Whatever may be done in the future, it is evident that the dangers and the needs of the present are absolute, and cannot with safety be neglected.

The digging of a canal extending in the form of a bow entirely around the city of New Orleans, from above Carrollton to below the present limits of the parish of Orleans, sixteen miles in length, three hundred feet in width, and sixty feet in depth, will require years for its completion, and will demand millions for its execution.

Whatever system of sewerage or of drainage may in the future be adopted, the storm-waters and surface drainage of New Orleans must be provided for, and the surrounding great canal will facilitate the speedy evacuation of the drainage canals on both sides, if the proper machinery

be used during the stages of high water; but it can under no circumstances abolish the uniform operations of nature with regard to rainfall and the

periodic elevations or depressions of the Mississippi river.

The annual rainfall of New Orleans varies from forty-two to seventy-two inches—that is, from three and a half to six feet. In a wet year, the drainage canals must remove from the fifty-five square miles of this city a volume of water equal to that contained by a lake fifty-five square miles in extent and six feet in depth. This water is storm water, thrown from the heavens above, and does not include the vast quantities of water used by manufactories, for household purposes, for the extingishment of fires, for the watering of the streets, and for the flushing of the gutters. Under any system of drainage, these waters must have the fullest possible exit out of the limits of the city. In this hot, moist climate, stagnant water loaded with exuviæ of man and animal, means putrefication, disease and death.

DIFFICULTY OF ESTABLISHING A CORRECT SYSTEM OF DRAINAGE IN THE

AREA OCCUPIED BY THE CITY OF NEW ORLEANS.

In the city of New Orleans, bounded by the Mississippi River, which has truly been compared to an inland sea, on the one side, and on the other by extended marshes, lakes, swamps and lagoons, and in high water lying far below the line of the surrounding waters, the question of drainage, sewage and sanitation have been of the most difficult and complicated character, and from her earliest history sanitary measures have engaged the earnest and intelligent care of her rulers and medical faculty.

In the year 1727 the land on which New Orleans stands, not being protected by an adequate levee, was subject to annual inundations, and was a fearful quagmire, presenting no better aspect than a vast sink or sewer, and Gov. Perrier announced his intention to cut a canal from New Orleans to Bayou St. John, in order to open a communication with the sea through

the lakes.

Gov, Perrier, in 1727, mentions the arrangements which he had made with the inhabitants, in relation to the negroes which were to execute this work, which was actually begun, but to which subsequent events put a stop.

Thus it is to be seen that the plan of the canal which now bears the name

of "Carondelet," did not originate with the Spanish government.

On the ninth October, 1796, Baron de Carondelet completed the canal which carries off the waters of the city and its environs into one of the branches of Bayou St. John, which relieved the ditches surrounding the ramparts and the stagnant pools within and around the city, of the putrid waters which produced those epidemics which were so fatal to its prosperity.

Thus "drainage," the great sanitary problem of New Orleans, engaged the attention of its governors for sixty years before the practical and valuable experiment of Baron Carondelet. The drainage of the city was still further improved by the labors of the "Canal and Banking Company," and subsequently to the civil war by the Mexican Gulf Company. That New Orleans has been rendered more salubrious by these labors will be

demonstrated by the following statistics:

TOTAL NUMBER OF CASES AND DEATHS OF THE VARIOUS FORMS OF FEVER TREATED IN THE CHARITY HOSPITAL DURING A PERIOD OF THIRTY-FOUR YEARS.

DISEASES.	ing the	n years p ne civil o 1860.	reced- war—	ing tl	years f ne civil n 1880.		Total for thirty-four years—1842 to 1880.			
·	Cases.	Deaths.	Per ct	Савыв.	Deaths.	Per ot	Cases.	Deaths.	Perci	
Yellow Fever	16,073	8,081	50.2	3,160	1,568	49.6	19.233	9.667	58.2	
Typhus Fever		1,301	18.0	2		100.0	7.299	1 303	18.0	
Typhoid Fever				377	180	47.7	3,521			
Dengue Fever		l		155			636		1	
Nervous Fever	50		26.0	1		l	51	13	25.4	
Advnamic, or Ataxic Fever	27		14.8	l		l	927	4	14.9	
Ephemeral Fever	560			3	í		563		ļ	
Continued Fever	1,020	75		70	13		1,099	88	8.0	
Catarrhal Fever	97		0.0	19	1	5.2	111		9.0	
Gastric Fever			2.7				113	1 3	8.7	
Remittent Fever	13,157			2,904			15,361	311	2.0	
Intermittent Fever				20,881	75	0.8	75,670	198	0.1	
Congestive Fever	952			266			1,218		57.3	
Pernicious Fever	346	221	63.0	139		75.0	478	390	86.9	
Malarial Fever				6,251			6.251	636	10.1	
Malarial Poisoning			ļ	431			431		11.6	
Malarial Cachexia	. 5	1	20.0	90		7.7	95		8.4	
Typho-malarial Fever				117			117			
Other Fevers	190	15	12.5	15	5	33.3	135	20	14.8	
Total from all diseases	207,356	29.614	14.2	96,857	14,104	14.5	304,213	43.718	143	

It will be observed that during the period of thirty four years, 132,332 cases, with 15,480 deaths, of the various forms of fever, were treated in the Charity Hospital.

If the cost of treatment of each case to the State be placed at the low figure of \$20, then Louisiana expended during these thirty-four years, \$2,646,700 for the treatment of fevers alone—a sum sufficient to have thoroughly drained and sewered the whole territory.

DEATHS FROM THE VARIOUS FORMS OF FEVER IN THE CITY OF NEW ORLEANS DURING A PERIOD OF THIRTY-FOUR YEARS.

DISEASES.	Minoteen years pro- ceding the civil war 1844 to 1865 Num- ber of deaths.	Fifteen years follow- ing the civil war, 1866 to 1880. Num- ber of deaths.	Total thirty-four
Small-pox and varioloid	1.856	3,870	5,726
Meaalēs	760	899	1,589
Scarlatina	1,575	491	2,066
Dengue	6	15	21
Typhus fever	1,290	102	1,483
Cerebro-spinal fever	135	937	371
Enterie, or typhoid fever	2,686	1,034	3,790
Simple continued fever		993	407
Yellow fever		8,393	98,739
Gastric fever		16	19
Intermittent fever	454	467	981
Remittent fever	503	796	1,999
Congestive fever	9,871	3,466	6,337
Typho-malarial fever		185	93
Malarial (unclassified)	9,336	1,400	3,747
Total			56,478

Deaths from cholera, cholera morbus and cholera infantum in New Orleans during a period of thirty-four years, 1844 to 1880: Cholera, 11,847; cholera morbus, 889; cholera infantum, 2408. Total, 15,144.

Deaths from enteritis, diarrhoea and dysentery in New Orleans during a period of thirty-four years, 1844 to 1880: Enteritis, 6915; diarrhoea, 8289; dysentery, 7097. Total, 22,301.

Deaths from phthisis-pulmonalis in New Orleans during thirty-four

years, 1844 to 1880, 24,071.

Total deaths in New Orleans during thirty-four years, 1844 to 1880, from all causes, 242,426.

From the preceding statistics we gather the following general (results)

conclusions:

1. Fevers appear to be decreasing in frequency and fatality in New Orleans, and such decrease should be referred chiefly to increased drainage

and to improved sanitary methods.

2. While fevers of all varieties destroyed in the city of New Orleans 56,478 citizens in thirty-four years, yellow fever destroyed only one-half of this number, namely, 28,739; and nothwithstanding the fact that only about one-half of the mortality from fever in New Orleans during the period specified was due to yellow fever, the attention of the entire Missis sippi Valley is directed to this disease, and it is sought to impose immense burdens upon the citizens of the United States for the support of a cumbrous and expensive system of railroad and steamboat inspection, whilst the equally destructive and far more prevalent forms of fevers are ignored.

If these fevers be divided into separate groups, the mortality will stand

thus:

The deaths from the various forms of malarial fever, indigenous to the soil and common to all parts of the great Valley of the Mississippi, were very nearly half as numerous as those caused by yellow fever; congestive fever alone caused 6337 deaths.

It is well established by the records of medicine extending back over 2000 years, that drainage and agriculture are the great and only absolute

and certain means of destroying the cause of malarial fever.

If the value of a citizen to the State be rated at \$1000, then the city of New Orleans has lost during thirty-four years \$56,478,000 by fevers alone. Other diseases, however, whose existence and propagation are largely dependent upon defective drainage have been busy in the work of destruction.

Thus during the thirty-four years specified phthisis pulmonalis destroyed nearly as many citizens as yellow fever, namely: 24,071; enteritis, dysentery and diarrhea 22,301; and cholera, cholera morbus and cholera infantum 15,144.

Total from phthisis pulmonalis and bowel affections, 61,616.

These diseases, which are common to the entire valley, count 61,616

deaths, exceeding those by fevers 5138.

Without doubt, a large proportion of the deaths from phthisis pulmonalis and bowel diseases are preventable and directly referable to defective drainage.

Fevers. bowel affections and phthisis pulmonalis alone caused in New Orleans 118,094 deaths in thirty-four years, out of a total of deaths from

all causes of 242,426.

We may therefore affirm that nearly one-half of the deaths in New Orleans curing the past thirty-four years (118,095) were caused by preventable diseases, the remedy for the diminution of the same being effective drainage.

From these diseases New Orleans has lost in thirty-four years, according to reliable data \$118,094,000 (one hundred and eighteen million ninety-

four thousand dollars).



In conclusion, extended and valuable experience has convinced your Honor, that no city in the world has suffered more obliquy than New Orleans in relation to health, and more especially in regard to its epidemics of yellow fever, and however devoid of sanitary laws and hygienic regulations, and however filthy and neglected the towns and cities situated within the valley of the Mississippi and its tributaries have been in past times, they have ever sought to lay their own devastating epidemics at the door of this great commercial centre.

The rapidly advancing millions of the great valley look with increasing interest upon the sanitary condition and quarantine laws and regulations

of New Orleans.

It will not be beyond the bounds of truth to affirm that, but for the American scourge, New Orleans, even at this day, after the ravages of civil war and the ruthless plundering of her hostile rulers, would have exceeded every other city of America as well in the magnitude of her imports as her exports. The opening of the great state of Texas to railroad trade and traffic, and the vast movement of grain and cattle inaugurated, inspire all good and true citizens with renewed hopes of a brighter future, and solemnly warn those who are charged with the sanitary and quarantine interests of this great city and fertile State that the welfare of millions may be involved in their action.

If, by the application of all the facts known to science, the sanitary condition of New Orleans can be so improved as to exclude yellow fever, it is not unreasonable to believe, when we consider the extent and extraordinary fertility of the basins of the Mississippi and Missouri, that New Orleans is destined to become the great emporium, not of America only, but of the

world.

Even at this present day she holds commercial relations with almost every maritime nation and large city of the globe; and, as the representative and port of this mighty valley, her health and prosperity are not merely national but cosmopolitan.

With great respect, I have the honor to remain your obedient servant, JOSEPH JONES, M. D.,

President Board of Health, State of Lousisiana.

The first and most solemn duty of the State and Municipal governments is to secure the people from overflow, and to enlarge and perfect the drainage of New Orleans.

Such important works should be conducted upon a general and practical plau, and the highest engineering talents should be employed.

During the past four years I have advocated the view that the protection from overflow and the drainage of New Orleans should be confided to General G. T. Beauregard. It is well known that the distinguished engineering services of General Beauregard protected Charleston and Savannah from the powerful fleets and armies of the North, and that his defense of those and other Confederate towns, opened a new chapter in the history of defensive warfare. At my earnest request General Beauregard, permitted the reproduction in this connection of his valuable report on the drainage of the First Drainage District.

NEW ORLEANS, MARCH 2, 1884.

Dr. Jos. Jones, New Orleans.

My Dear Dector:—I have found at last, my report and estimate of the "proposed system of drainage for the FirstDrainage District of New Orleans," made in 1856, and which I had promised you; but I could not find it until this morning. As it is the only copy I have left, I beg you to be careful with it.

I am, yours very truly,

G. T. BEAUREGARD.

REPORT ON PROPOSED SYSTEM OF DRAINAGE FOR FIRST DRAINAGE DISTRICT, NEW ORLEANS—BY MAJOR G. T. BEAUREGARD, CHIEF ENGINEER. NEW ORLEANS, DEC. 26, 1858.

NEW ORLEANS, December 26, 1858.

To the Board of Commissioners of the First Draining District, New Orleans:

Gentlemen—I have the honor herewith, to submit for your approval the following report and estimate, relative to the best method of draining the First Draining District of this city, as defined by the Legislative Act of March 18, 1858. On this important subject a very elaborate treatise might be written, but I have thought it best to confine myself to the leading points embraced in the investigation, in order to make my report as concise as practicable.

Two systems offer themselves to our consideration for attaining an object so desirable

and important to the health and prosperity of our city.

1. The system of Colmates, adopted principally in Italy, which consists in successive overflows from the waters of any sedimentary stream contiguous to the land to be drained, by which operation its soil is gradually raised until sufficiently elevated to carry off naturally by means of surface ditches, the rain water which may fall upon it.

2. The system of Polders, adopted in Holland, or where no sediment bearing streams

2. The system of *Polders*, adopted in Holland, or where no sediment bearing streams are at hand, and which consists in dividing into sections, by means of canals and levees, the land to be drained, and removing the waters therefrom artificially with "turbines," or screw pumps, water wheels or suction pumps, set in motion by the wind or by steam. It is evident that when circumstances will favor it, the first of these two systems is to

It is evident that when circumstances will favor it, the first of these two systems is to be preferred, en account of its economy, and healthiness to the locality thus reclaimed, and is the one best adapted generally, to reclaim the swamp lands contiguous to the Mississippi River; but after mature consideration, I have concluded, that it cannot be applied to those in rear of the First Dranning District, on account of the great cost and long time it would require to derive any material benefit from the deposit; hence we are

constrained to the best application of the second or Holland system.

By examining the topographical map of the envirous of this city, made by E. H. Spring-bett and L. Pillé, in 1839, it will be seen that Bayou St. John is the natural outlet to the lake, of the waters of the whole of the first part of the Third Draining Districts, said bayou occupying nearly the central line between the new canal on one side, and Esplaade street, Bayou Sauvage or Gentilly-ridge and Pontchartrain railroad embankment on the other, the area thus enclosed draining naturally towards Bayou St. John; hence it is a matter of great surprise, that when the charter of the Navigation Company was about expiring, advantage was not at once taken of this natural and economical method of draining perfectly the whole of said area, by reserving the Old Basin, canal and bayou, entirely for draining purposes, as by the establishment of a judicious system of flood or sluice-gates, and several large draining wheels at the mouth of the bayou; the water in the latter could always have been kept, even during the heaviest rains, several feet below the general surface of the contiguous swamps, which could then have been made to drain at once into this natural reservoir, merely by the construction of a few secondary canals cut perpendicular to the general direction of the bayou, intersected at right angels by smaller canals or ditches, so as to carry the waters of the intermediate areas into the larger canals, and from thence into the bayou or main reservoir.

areas into the larger canals, and from thence into the bayon or main reservoir.

The average level of the swamp lands referred to, being about 2'6" above ordinary low water, the bayon could generally be drained to that level, by the sluices of floodgates at its month, and the additional quantity of water could be taken off by the draining engines, thus obtaining a great economy of fuel whenever the tides in the lake would permit. By having a covered drain in Basin or Claiborne street, the waters of that part of the city lying between either of said streets and the river, could be drained at once into the Old Basin or canal, and would be thereby cut off from the lower levels, in the rear of said streets, without having as now to flow over one mile before reaching the

draining engine, at the lower extremity of Hagan Avenue.

Such a system of drainage would have been economical, perfect in itself, and easily carried into execution, so that what is now swamp-land of an impassable character, would have become in less than four or five years from the starting of the project, high lands, as available for cultivation and building purposes, as any to be found along the banks of the river. We would soon after have seen magnificient summer residences and gardens of all dimensions, wharves and landings, constructed along the lake shore, from the New Canal to the Pontchartrain railroad, and the whole area from the lake to the river intersected with shelled avenues and street railroads, and the active commerce of the city would soon have extended from the river to the lake. The health of the city would also have been materially improved, not only from the perfect drainage of its site, but by the lake breezes, which would have swept over it, unaccompanied by the missmas,

which are constantly generated in the swamps intervening between it and the lake; and to which may, no doubt, be greatly attributed, the yearly epidemics which decimate our population, and spread terror and dismay amongst our non-acclimated citizens.

I would respectfully recommend that a strong effort should be made to carry into operation this system of drainage, which I consider far superior in every respect to any other

I could suggest.

Accompanying this report, however, is a sketch showing the other plan proposed by me, and which I guarantee, if carried faithfully into practice, will also drain thoroughly the whole of the First Draining District, which I have divided off into six separate sections—each one provided with its requisite canals, ditches, and draining-engines—for it is evident that the latter can only perform a certain amount of work in a given time, to which must be proportioned, the area to be drained, and the canals and ditches required to conduct the water freely and continuously to the draining-wheel, the latter being situated in as central a position as circumstances will permit; and it is equally evident that two engines, of a certain power each, placed in one locallity, will not do the work as quickly, effectually and economically, as if the area to be drained was subdivided into two equal parts, and these engines placed in the most favorable position to drain each section separately; for, in the first place, larger and more costly canals would be required to convey the waters to the engines, or the land contiguous to them would be drained almost immediately, and they would then have to be stopped or worked to disadvantage, while the lands more remote would still remain for several hours under water. Again, our awamp-lands being almost on a dead level, they require to be cut up into as many amall sections as practicable, by small ditches leading into larger ones, these into small canals, the latter into larger ones, and finally, these last, into the main canal or reservoir, conducting the waters directly to the draining-engine.

The whole area of the First Draining District is 5,518.3 acres, but the part actually to be drained will measure about 5,430\frac{1}{2} acres, which have been divided into six polders or sections, as follows:

1. ¥.	**	the river to Galves street Canal, about	.1.385	acres.
•••		Rayou St. John and the discharge Canal, along Orleans street,	803	"
4.	**	The latter to the New Canal, and corresponding to Section 3, about	803	••
5.		Section 4, to Lake Pontchartrain, and from the New Canal to the discharge Canal in Orleans street, about	(aus	44
K	**	Section 3, to the lake, and from the discharge Canal on Orleans street, to Bayou St. John, about	803	66
		Total	5,4301	- "

An important principle in draining is, that with a sufficiency of canals, the power of the engine and the proportions of the wheel should be such as to carry off the rain and filtration waters as that as they fall or accumulate, under the most unfavorable circumstances, upon the area to be drained. Thus when the soil is already saturated, and six inches of rain fall in twenty-four hours, (which occasionally occurs in this latitude), 945 penada of water per acre from that source alone, or about 1,000 pounds (16 cubic fost, 120 gallons, about 1 from all sources, would have to be removed per minute; and if we take my feet as the ordinary left to which that water has to be raised, we will then obtain the tollowings results for each of the sections to be drained:

1987 1987	i an kunz Yu in	draduling wheel
M. M. M. M. M. M. M. M. M. M. M. M. M. M	•	3.5

The above engine and wheels are calculated to raise 39,097,800 gallons of water, six feet high per hour, and should be so arranged as to drive out the water under ordinary circumstances, and to lift it over the height of the levees in severe and long continued northerly storms, which backs up the waters of the lake several feet outside of those levees.

The last four sections are not exactly of the same area as represented in the above division, but the difference between them being slight, has been neglected without effecting the general results of this Report. Whenever the work comes to be executed, their

precise ereas, etc., can be determined with acurracy.

The first two sections comprise now, but one, and that very imperfectly drained by two wheels of different sizes, placed at the intersection of Bayou St. John and Hagan avenue, one of 35 feet 4 inches, diameter, 6 feet 2 inches wide, and the other 29 feet 3 inches, diameter, 4 feet 5 inches wide.

The cubic contents of the draining canals at present in use in these two sections, ex-

clusive of gutters and small ditches, are as follows:

For the first Section, 473,400 cubic feet, or 568 1.7 cubic feet to one acre.
For the second Section 2,907,000 cubic feet, or 2,099 cubic feet to one acre, which is indeed a very small proportion, altegether too small for perfect drainage; then the two engines and wheels are placed together in one locality, which exposes them to destruction by an explosion of boilers or by fire, as has lately taken place. But as they are being repaired and put in good order, they can at present be allowed to remain where they are, for the sake of economy. Another great objection to the present system is, that a part of the area drained, having a fall from the river ridge to Rampart street of 5 feet 9 inches, and from thence to Claiborne street of 2 feet 8 inches, the rest being nearly level, it follows, that the waters of the higher lands are precipitated at once upon the lower levels, where they remain until removed by the above draining engines, which being very far off (nearly 11 mile) from the foot of the slope, and not provided with a sufficiency of "conduits" or canals, perform their work very slowly; indeed, I am informed, as should have been anticipated) that these lands remain sometimes thus submerged several days, to the injury of residents who live upon them, and to the detriment of the health of the city. (See note at bottom of page.) Whereas, if another draining engine of proper power had been erected near the intersection of Galvez street canal and Old Canal, as I now propose, increasing the dimensions of the former, so as to answer the purposes of a reservoir, and a discharge canal had been made along the old canal, falling into the head of Bayon St. John, near the site of the present draining engine, the waters of the higher lands would have been removed at once, or as fast as they would have accumulated into said reservoir, and the low lands below the latter, being separated from it by small levee or an elevated street, would have been drained at once of their own waters, by the engine at the head of Bayon St. John, particularly if section 2 had been better provided with small canals, leading into the existing ones, as marked in dotted lines on the accompanying sketch. We would then have had for each of these two sections the the accompanying sketch. following cubical contents of canalling exclusive of gutters and small ditches.

For first Section, 1,037,400 cubic feet, or 1,245 cubic feet to one acre. For second Section, 5,038,000 cubic feet or 3,6371 cubic feet to one acre.

But I am informed that the present Carondelet Navigation Company objects to the city draining into Bayou St. John, because the waters thrown into it, containing a great deal of sedimentary matter, tend to obstruct the navigation by muddy deposits immediately below the site of each engine. This is probably so, but it is an obstacle which can be easily removed at little cost to the city. This company, however, does not seem to be aware of the immense injury which would result to said bayou by excluding from it entirely all the waters of the first and third draining districts, which naturally flow into it and maintain its present depth; for it is a natural law of all streams in alluvial soils, that their regimen or cross section is proportioned to the quantity of water which passes through them. If we divert or exclude from them any portion of said water, their depth and width will gradually accommodate themselves to this diminution. Thus, before the construction of the new canal, which cut off the head-waters of Bayou Metairie, the latter was several feet deeper than at present—being now nearly dry in many places. Bayou Gentilly is filling up gradually from a similar cause; Bayou Terre-aux-Boufs was once navigable for skiffs and canoes to the river, whose waters then passed through it, but it is now nearly dry in many places for several miles from its source. The same fate, no doubt, awaits Bayou St. John, should the navigation company persists in its

Note on Plantation Drainage.—From the above remarks it follows, that where practicable, when plantations composed of high and low lands have to be drained, the true system is to separate these by a canal and levee, allowing the waters of the high lands to run off along the side lines to the swamp, as to a grand reservoir, and levee-in, the low lands to be drained separately and alone by the draining entine, otherwise all the waters of the high lands which ought to run off naturally, are precipitated upon the low lands, and must be got rid of artificially, while the low lands are kept much longer under water than they would otherwise remain. Moreover, the engine and wheel have in consequence to be made much stronger, and the canals much larger than are setually necessary.



suicidal policy, and instead of only having a few deposits here and there to contend with, they will have to keep open the whole bayon from its source to its mouth, particularly the latter. I would, on the contrary, advise them by all means to concentrate into that bayou all the waters they could conveniently, and at little expense, get to flow

By a map, in my possession, I find that the area of the other four sections has a slight inclination from the new canal to Bayou St. John, and from the Metairie ridge and lake shore, towards the centre of said area. Along the first of these lines, the ground averages less than 2 feet below the high-water mark of the storm of 1831; along the second, it is about 4 feet 6 inches below it, and along the third it is above said mark, and along the fourth about 2 feet 6 inches below it. In the interior of this area, the ground is generally about 4 feet 6 inches below said level, requiring to be protected from similar storms by levees along the lines referred to, from 1 foot to 18 inches above the highest waters of that storm. These are the considerations which have guided me in determining the dimensions of the levees estimated for. The one along the lake shore being exposed moreover to the waves of the lake in northerly storms, requires in addition to be protected by a strong plank revetment.

The details of these levees, ditches, canals and reservoirs, are given in the accompanying sketch, intended merely to illustrate my report, without regard to the plans of the city extending in that direction, which will, however, have to be followed in the execution of the work. Should it be found necessary hereafter, the surfaces of these sections can be subdivided still more by the construction of additional main and secondary ditches. But it is probable that when the streets and gutters shall have been conatructed in that part of the city, none but the main canals or reservoirs will be required

for the perfect drainage of each section.

The canals and reservoirs are made gradually to increase in dimensions as their length increases, so as to produce the maximum effect at a minimum cost. I will also remark that, not designing to have any interior ditches or canals immediately next to the exterior levees, no filtration waters, which are generally so troublesome and expensive, need be apprehended, if said levees are kept in good condition. So soon as any of these levees are finished, I carnestly recommend that Bermuda grass seeds or cuttings should be sown on their crest and slopes to protect them from the effects of the sun, rain and high waters of the lake during northerly storms. This grass matting, when thick, as it will soon become, will even prevent weeds and bushes from growing on the levees.

The planting of several rows of sun-flowers (helianthus) along the berms of every canal would, according to Lieut, Maury, U. S. Navy, cause the absorption of the miasmatic gasee arising from these canals, when the latter are neglected or not cleaned out, and

would remove, if successful, one of the greatest objections to their use in large cities.

The secondary ditches (D) are 4 feet wide at top, 2 feet wide at bottom, and 3 feet deep.

The main ditches (C) are 6 feet wide at top, 3 feet wide at bottom, and 4 feet The secondary canals are as follows:

At their beginning, 8 feet wide at top, 4 feet wide at bottom, 4 feet doep. At their lower end, 12 " " 6 " " 6 " " 6 " " 6 " 4 " Averaging 10 " " " 5 " " 5 " " " 5 " "

The main canals or reservoirs are as follows:

At their beginning, 36 ft. wide at top, 30 ft. wide at bottom, 6 ft. deep. At their lower and, 36 ft. wide at top, 30 ft. wide at bottom, 6 ft. deep.

Averaging. 31 ft. wide at top, 25 ft. wide at bottom, 6 ft. deep.

They present together, in each section an average cubical content of 2,987,037 cubic feet, or 3.718 cubic feet to an acre.

In order to place the draining sections of the last four sections in the most favorable locality to do their work advantageously, by diminishing as much as practicable the distance the water has to pass over in getting to the draining wheel of each section, it becomes necessary to construct a central discharge canal along the middle of Orleans street (Nelson arrease), to carry off to the lake the discharged waters. Moreover it might be used hereafter for the same purpose for sections 1 and 2, if necessary

This canal would thus be situated about half-way between Bayon St. John, its dimensions should be such, also, as to furnish the earth required for the protection levees on each use of it, i. a., it should be 36 feet wide at top, 30 feet wide at bettern, and 6 feet deep, its length from the middle point of the line of separation of sections 3 and 4 to the lake would be about 10,350 feet. The feet of the outer slope of those levees must be at

least 10 feet from the edges of the canal.

The draining engines of sections 3 and 4 ought to be placed near the upper extremity that canal, discharging their waters into it. These of sections 5 and 6 ought to be of that canal, discharging their waters into it put, for the same reason, as near to it as practicable, at about the middle distance between the two first sections and the lake. The engines thus placed near each other, two in each locality, will require but one engineer to each set, and can be so arranged as to drain the contiguous sections in case of recessity. But they should be put far enough from each other to be beyond the reach of danger, should one of them be destroyed by the or by an explosion of believe.

The entire separation from each other, or, more properly, isolation of these sections by their levees, enables us to complete the draining arrangements of any one of them independently of the others, and, according to the means at our command, leaving the drainage of the others to be commenced and completed as circumstances will permit.

The Board of Commissioners must decide to which of the sections referred to in this Report the means at present available shall be applied, and the order in which the

others shall be undertaken.

By referring to the accompanying detailed estimate, it will be seen that the perfect drainings of the first district, comprising 5,430\frac{1}{2} acres, will cost as follows:

The 1st section, \$42,961.16, or \$51.56 per sere, or \$5.16 per lot. 37,389.55, " 26.99 " " 2.70 " 37,389.55, 26.99 " " 44 " 46 3d 111,676.51, 139.09 13.91 " " " 111,676.51, " " 4th 139.09 13.91 " 66 " " 5th 116,764.01, 145.41 14.54 " " " " " 46 6th 116,764.01, 145.41 14.54 537,231.75, " • 6 66 Total, 98.93 9.89

Requiring 1,316 2-5 horse power, at a cost per horse power of \$408 11, the horse power

being taken at 33,000 lbs. raised one foot high in one minute.

The above estimate may appear large at first sight, but when compared with the immense benefits to be derived from its proper and judicious expenditure, and with the large sums expended on some of the public and private buildings of this city (the St. Charles Hotel for instance, \$500,000; the St. Louis Hotel, \$1,000,000; the Municipal Hall, \$356,000, etc.), it sinks into insignificance, particularly when it is considered that this sum is to be called for only during a series of years, and to be borne by a whole community who are directly interested in this vitally important improvement, which is to bring, in the opinion of the best informed, health and rapid prosperity to our metropolis, and entitle it, ere long, to the proud appellation of the first city in the Union, not only in commerce, but in population.

Respectfully, your obedient servant, G. T. BEAUREGARD,

Brevet Major of Engineers and Chief Engineer of First Draining District.

ESTIMATED COST OF DRAINING FIRST DRAINING DISTRICT, NEW ORLEANS. FIRST SECTION.

designation.	Square Feet.	Length Run- ning Feet.	Cubic Yards	Price per Yard	Совт.	TOTAL.
For re-excavation of Galvez street canal for purposes of a reservoirre-excavation of Canal streetdischarge canal and levee near old canal	104 39 90	4,900 1,700 4,500	18,874 2,015 15,000	40c. 50c.	\$7,549 60 806 00 7,500 00	\$15,855 60
" 209-horse power engine, boiler and wheel " transportation and erection complete		•			\$9,000 00 1,200 00 6,500 00 6,500 06	23,900 00
Add for contingent and unforeseen expenses 10 per ct.	l					3,905 56
Total amount of estimate			35,889			\$42,961 54
That is \$51 56 per acre, or \$5 16 per lot, assuming ten lots per acre.					1140	
SECOND SECTION. For re-excavation of old can als. " excavation of new canals, B " ditches, C	37½ 18	10,000 16,800	53,615 13,889 11,200	40c. 50c.	\$21,446 00 6,944 56 5,600 00	33,990 56
335.76-horse power engine, boiler and wheel transportation and erection complete foundations building					12,500 00 1,400 00 8,500 00 7,500 00	30,900 00
Deduct draining engine already in use						63,890 50 29,900 00
Add for contingent and unforeseen expenses 10 per ct.						33,990 56 3,390 05
Total amount of estimate		l	78,704			\$37,389 55
That is \$96 99 per acre, or \$2 70 per lot.	1		1			
THIRD SECTION. CANALS AND DITCHES. For excavating main canal or reservoir, A	168 37½ 18 9 100	4,575 20,850 27,300 27,800 6,950	28,467 28,958 18,900 9,966 25,740	50c. 	\$14,233 50 14,479 00 9,100 00 4,633 00 12,870 00	\$55,315 50
Levees. For Bayon St. John levee. " middle levee between sections 3 and 6	115 1 82 <u>1</u> 82 <u>1</u>	8,335 4,550 6,950	35,655 13,903 21,236	60 c. 15c.	14,262 00 5,561 20 3,185 40	83,000 60
" draining engine, building, etc., complete, as per section 1			70,794		j	93,900 00 10,152 41
Total amount of estimate			181,425			\$111,676 51
That is \$139 09 per acre, or \$13 91 per lot.			1		1	
FOURTH SECTION. The same as for section 3			181.495			\$111.678

FIFTH SECTION. The same as sections 3 and 4	4,6%5	181,425	\$ 1 00	\$4,625 00 462 50	\$111,676 5,087	
Total amount of estimate		161,425	Ţ.		\$116,764	01
That is \$145 41 per acre, or \$14 54 per lot.	1		<u> </u>			_
SIXTH SECTION. The same as for section 5		181,425			\$116,764	01
That is \$145 41 per acre, or \$14 54 per lot.						

ESTIMATED COST OF DRAINING FIRST DRAINING DISTRICT, NEW ORLEANS. RECAPITULATION.

DESIGNATION.	Cubic Yards.	Cost.
For First Section Second Third Fourth Fifth Fifth Sixth	78,704 181,425 181,425 181,425	37, 389, 55 111, 676, 51 111, 676, 51 116, 764, 01
Total That is, 5.430.25 acres will require for perfect drainage— 1.316.40 horse-power, at a total cost of Or 4.125 acres will require one horse-power, at cost of Or one acre at 286 93, or one lot at.		\$537,231 75 408 11

G. T. BEAUREGARD, Chief Engineer First Draining District.

VITAL STATISTICS OF NEW ORLEANS, LOUISIANA, TABLE ILLUSTRATING THE RELATIONS OF THE POPULATION OF NEW ORLEANS TO THE TOTAL MORTALITY FROM ALL CAUSES, DURING A PERIOD OF NINETY. FOUR YEARS. COMPILED BY PROF. JOSEPH JONES, M. D.

Year,	Population.	No. of Deaths.	Death Rate per 1000 Inhabitants.	Year,	Population.	No. of Deaths.	Death Rate per 1000 Inhabitants
1787	5,984	836	63.96	1844	86,632	4690	58.38
1796	8,756	638	72.86	1845	89,261	2783	31.17
1808	17,061	773	45.25	1848	102,070	4230	41.34
1810	17,949	963	55.85	1847	108,699	9048	83.19
1811	18,935	1239	67.94	1848	115,503	7407	64.13
1814	19,229	694	32.50	1849	199,511	9969	80.49
1813	90,219	939		1850	129,747	7819	60.96
1814	21,216	996		1851	138,599	7275	52.40
1815	22,909	1259		1852	147,441	9693	56.95
1816		651	27.93	1853	154,139	15,987	102.49
1817		1779	73.27	1854	156.556	11,347	72.47
1818	95,190	1106		1855	158,980	10,096	63.50
1819	96,183	2138		1856	161,404	5689	35,94
1890	67,176	1766	64.98	1857	163,828	5581	34.07
1821	29,441	1165		1858	165,450	11,720	70.83
822	31,706	2734	86.22	1859	166,500	6849	41.13
893	33,971	1002		1860	168,670	7341	43.52
824	36,936	1748	48.23	1961	169,907	5772	23.97
895	38,501	2177		1962	171,134	6978	36,10
0	40,766	1948		1863	172,361	7179	41.61
897	48,031	1057		1864	173,588	8498	48.95
18 1 18	45,996	1490		1865	174,815	7016	40.13
899	47,561	9590	52.98	1866	178,049	7754	48.55
1830	49,896	2022	40.58	1867	181.269	10,096	55.57
1831	59,455	1996	36.71	1868	184,496	5943	28.96
1832 1833	55,084 57,713	8099	147.01	1869	187,793	5593	29.79
833	57,713	4976	86.29	1870	191,418	6949	26.95
834	60,349	3687	61.10	1871	193,419	6059	81.94
835	62,971	38T3		1872	196,406	6588	33.54
836	65,600	2734		1873	198,900	7995	40.19
837	68,939	4907		1874	201,394	7193	85.71
838	70,858	9606		1875	203,888	6535	32.05
839	73,487	3934		1876	206,382	6565	39.30
840	76,116	2977		1877	208,876	7160	34.38
841	78,745	4549		1878	211,371	10,717	50.70
849	81,374	3375		1879	213,865	5199	28.94
			40.04	9000 I			

1843.... 84,003 4050 48.21 1880... 216,359 5182 25.96

TABLE ILLUSTRATING DEATHS AND DEATH RATE FROM ALL CAUSES AND FROM YELLOW FEVER, IN THE CITY OF NEW ORLEANS DURING A PERIOD OF SIXTY-FOUR YEARS. COMPILED BY PROF. JOSEPH JONES, M. D.

]		Death Ra	te per 100.				Death rate per 1000			
Year.	Deaths from all causes.	Deaths from Yellow Fever.	from all causes.	from Yellow Fever.	Year.	Deaths from all causes.	Deaths from Yellow Fever.	from all	from Yellow Fover.		
1817	1779	893	73.27	3.40	1849	9862	769	80.49	6.20		
1818	1106	115	43.90	0.40	1850	7819	107	60.96	0.80		
1819	2138	495	81 65	1.60	1851	7275	17	52.48	0.10		
1890	1766	400	64 98	1.40	1858	8693	456	58.95	3 00		
1891	1165	•••	39.57		1853	15797	7849	102.42	50.90		
1893	2734	808	86.22		1854	11347	9495	79.47	15.40		
1893	1663	1	48.92	0.01	1855	10096	967ú	63.50	16.80		
1894	1748	108	48.93	0.30	1856	5689	81	35.94	0.50		
1895	9177	49	56.54	0.10	1857	5581	200	34.07	1.90		
1896	1948	5	80.61	0.01	1858	11790	4855	70.83	29.39		
1897	1057	109	24 . 56	0.90	1859	6849	98	41.13	0 50		
1898	1490	130	32.89	0.80	1860	7341	15	43.52	0.00		
1890	9590	900	52.98	1.90	1861	5779		33.97			
1830	2099	117	40.58	0.90	1862	6278	9	36.10	9.01		
1831	1996	2	36.71		1863	7179	8	41.61	0.01 -		
1839	8099	400	147.01		1864	8498	6	48.95	0.43		
1833	4976	1000	86.22		1865	7016	1	40.13	0.61		
1894	3687	95	61.10		1306	7754	185	43.55	1.44		
1835	3678	984	61.50		1867	10096	3107	55.57	17.30		
1836	2734	5	41.67		1868	5343	2	99 .96	0.00		
1837	4807	1300	70.45		1869	5593	3	29.79	0.00		
1838	9606	17	36.77		1870	6949	568 54 39	36.96	3.30		
1839	3934	800	53.53		1871	6059	34	31.94	0.50		
1840	2977	3	39.11		1872	6588	39	23.54	9.35		
1841	4540	1895	57.76		1878	7995	996	40.19	1.10		
1869	3375	911	41.47		1874	7193	ii	35.71	9.86		
1843	4050	487	48.91		1875	6535	61	30.05	: #		
1844	4690	148	53.33		1876	6585	49	39.29	0 30		
1845	9788		31.17		1877	7193		34.25	0.01		
1846	4990	160	41.34		1879	10717	4956	50.70 93.94	n		
1867	9048	9804	83.19			5199	19		.alah		
1948	7407	873	64.19	7.50	1880	5693	Dia tized.	hv (4.9))σ (0. 00		

POPULATION AND MORTALITY OF NEW ORLEANS 1850-1883— VITAL STATISTICS OF NEW ORLEANS DURING FOUR YEARS, 1880-1883 INCLUSIVE.

POPULATION OF NEW ORLEANS.

	POPUI	LATIC	ON OF	NEW ORLEANS.			
WHITE.			-	COLOR	ED.		
YKAR.	Males.	Females.	Total.	YKAR.	Mules.	Femules	Total.
1880	75693 76451 77224 77986 78753	83844 84994 86178	160295 162218	1883	25247 25740 26246 26756 27277	3:3450	57748 58556 59375 60206 61048
				and Colored.		- '	-
	3	YEAR.			Мајев.	l emales	Total.
1880	 .	. .	· · · · · · · ·		102190 103471 104742	116660 118122 119628	218850 221593 224370
	MOR	ralit	Y OF	NEW ORLEANS.			
WHITE		_		COLOR	ED.		
YEAR.	Males.	Females.	Total.	YEAR.	Ма!ек.	Fennales.	Total.
1890. 1881 1882. 1883.	2050 2419 2104 2657	1587 1708 1478 1805	2637 4127 3582	1880 1881. 1882. 1883.	1178	983 1101 1115 1337	1986
Total	9230		15898 Whitee	Total	5040	4536	9576
		EAR.			Males.	Femnies.	Total.
1880	• • • • • • • • • • • • • • • • • • • •				3053 3593 3329 4291	2813 2593	6406 592

W	HIT	E.							COL	ORE	D.		
YEA".		Malen.	Formales		Total.		Y	BAR.			Malen.	Females.	Total
		26	8 1	902	2 82	1880				3	9.34	30.09	34
•••••••												33 36	
				71,2	1.85	ાસ્ટ2ા.				4	6.22	33 49	39
		35	1 2	182	7 56 1	1583	· • • • •			6	0.47	49.78	49
Mean	••	30	1: 1:	9 5 2	4 46	Me	a		· · • •	4	7.84	34 18	40
			Tot	al Wi	ites a	ind C	olored	l					
			***							1	. }	8	
			YEA	K.						1	ales.	eniale s	1
											Ž	<u></u>	LE
·											00 03 14.94	22.16 23.96	
												21.81	
											0.71	26.84	
										- -			_
Mean													
			ADT 1	PANS	PE	R 100	00 P	OPIII	ATIC	ON E	XCL	USIV	E
ATH-RATE OI	F NI												
TH-RATE OF	F NI			8 FI	ROM								_
r.		DF	EATH	S FI	ROM	SMA car.	LL-I	POX.					
r.		DE	EATH	8 F1	ROM Y S 85 1	SMA ear. 882.	LL-I	POX.					2
r.		DE	EATH	8 FI	ROM Y 5 85 1 9 06 1	8MA ear 882. 883	LL-I	POX.			••••		24
r.		DE	EATH	8 FI	ROM Y 5 85 1 9 06 1	8MA ear 882. 883	LL-I	POX.			••••		24
r.	ARY	DE	EATH	8 FI	ROM Y 5 85 1 9 06 1	8MA ear 882. 883	LL-I	POX.	e1, M(LY M	ORTA	24
r.	ARY	DE	EATH	25 OF	80M 5 85 1 9.06 1 NEW	8MA ear. 882. 883 ORLE	ANS,	POX.	e1, M(ONTH	LY M	ORTA	24 27 LI
AL AND MORTU		DE	EATH	8 FI	ROM Y 5 85 1 9 06 1	8MA ear 882. 883	LL-I	POX.			••••		24 27 LI
AL AND MORTU YEARS.	ARY	February.	CISTIC	25 OF	80M 5 85 1 9 06 1 NEW	8MA 6ar 882 883 ORLE	ANS.	1949-18 1949-18 485	Gebren Ber	000 P100	November.	December.	24 22 LI
AL AND MORTU YEARS.	ARY	February.	MTASI DITEIT	25 OF 25 OF 968 491	85 1 0.06 1 NEW	8MA 687. 882. 883 ORLE	ANS,	POX.	Gebren Ber	October.	November.	ORTA December 639	24 22 LIT
AL AND MORTU YEARS.	ARY	STAT	1307 888 456	22 22 25 OF Page 491 532	80M 6 85 1 9 06 1 NEW 1007 601 601 851	8MA ear. 882. 883 ORLE 686. 870. 459. 656. 1316.	ANS. 435 5916 1052	1849-18 1849-18 1949-18 1949-18	81, M(20, 20, 20, 20, 20, 20, 20, 20, 20, 20,	910 674 502	November. Novemb	ORTA	24 22 11
AL AND MORTU YEARS.	ARY 1182 582 581 1 379	DF STAT 	1307 888 456	25 OF 25 OF 26 491 532 334	85 1 0 .06 1 NEW	8MA 682 883 ORLE 68 68 68 686 1316 797	ANS, 435 591 2216 1002 583	1849-18 1849-18 1849-18 1849-18	666, M(C 653) 1627 1454 497	910 690 674 509	LY M LY M 719 899 719 391 488	0RTA 1990 1990 1990 1990 1990 1990 1990 199	29 20 LIT
AL AND MORTU YEARS.	1182 582 583 1379 379 448	STAT	1307 888 456 342 458	25 F] 22 S OF P 968 491 532 492 492 492 492 492 492 492 492 492 49	1907 601 1907 601 601 651 390 576	8MA 682. 883. ORLE 686. 1316. 797. 457. 531	ANS, 435 5216 1052 583 421	1849-18 1849-18 485 9101 1747 569 482 1836	81, MO E92 20, 20 666 6527 1454 4977 4177 3069	910 910 690 690 481 510 1775	LY M Teques Note: 1989 719 391 489 609 834	ORTA	24 20 1.17
AL AND MORTU YEARS.	1182 582 581 1379 372 448	DE STAT STAT 	1307 888 456 3492 498 438 438	25 F] 22 S OF 28 OF 491 532 530 479 479	1007 601 601 601 671 851 390 504 574	882 883 ORLE 08 6 6 7 7 870 459 656 1316 797 497 531 5925	ANS, 435 594 9216 10583 429 813 701	1849-18 1849-18 1949-18 1949-18 1949-18 1956-1956-1956-1956-1956-1956-1956-1956-	666 653 1627 1454 497 417 3069 656	910 690 674 504 510 1775	T19 ME C C C C C C C C C C C C C C C C C C	0RTA 2000 639 736 844 446 1	24 22 LIT
YEARS.	1182 582 583 1379 379 448	DE STAT STAT 	1307 888 456 1307 848 456 1342 498 518 567	968 482 482 482 482 482	1907 601 1907 601 601 651 390 576	8MA 682. 883. ORLE 686. 1316. 797. 457. 531	ANS, 435 5216 1052 583 421	1849-18 1849-18 485 9101 1747 569 482 1836	81, MO E92 20, 20 666 6527 1454 4977 4177 3069	910 910 690 690 481 510 1775	T19 899 719 391 489 601 834 788 533	ORTA 199 200 639 736 844 446 476 476 671	24 22 LIT
AL AND MORTU YEARS.	ARY 1182 582 581 1 379 448 567 591 397	DE STAT 	13077 8888 456 3 428 518 4388 4488 4488 4488 4488 4488 4488 44	25 OF 26 25	1007 6 85 1 9 .06 1 NEW 1007 601 671 851 3504 574 672 646 510 316	8MA ear. 882. 883. ORLE 870. 459. 656. 1316. 730. 657. 525. 525. 531. 525. 531. 525. 531. 531. 531. 531. 531. 531. 531. 531. 531. 531. 531.	ANS. 435 591 2216 1052 5813 701 779 463 551	1849-18 1849-18 1849-18 1849-18 1849-18 1849-18 1849-18 1849-18 1849-18 1849-18 1849-18 1849-18 1849-18	61, M(C E 20, E 30	910 690 674 502 1775 611 590 491	LY M	ORTA	24 22 LIT
AL AND MORTU YEARS.	ARY 1182 582 581 1 379 379 448 504 567 518 399	STAT 6000 425 463 473 362 473 362 473 362 473 362 473 362 473 362 473 362 473 473 473 473 473 473 473 473 473 473	13077 8878 456 456 458 458 458 458 458 468 468 468 468 468 468 468 468 468 46	25 FI 25 OF	1007 601 1 1007 601 1 851 500 576 602 510 3166 602	8MA 882 883 ORLE 98 98 98 98 98 98 98 98 98 98	435 Seq 1002 Seg 313 701 1719 463 551 551	1849-18 1849-18 1849-18 1849-18 1849-18 1916 6901 1747-569 4826 503-557-485 1039-421	666 653 1627 1454 497 417 3069 656 622 395 2498	910 6340 6346 509 4811 1775 611 1949 474	LY M	ORTA 139 000 000 000 000 000 000 000 000 000 0	24 22 LIT
AL AND MORTU YEARS.	ARY 1182 582 581 1 379 448 567 591 397	DE STAT 	TISTIC 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	25 OF 25 OF	1007 6 85 1 9 .06 1 NEW 1007 601 671 851 3504 574 672 646 510 316	8MA ear. 882. 883. ORLE 870. 459. 656. 1316. 730. 657. 525. 525. 531. 525. 531. 525. 531. 531. 531. 531. 531. 531. 531. 531. 531. 531. 531.	ANS. 435 591 2216 1052 5813 701 779 463 551	1849-18 1849-18 4805 916 6900 1747 1836 503 557 482 1039 421 480 480 480 480 480 480 480 480 480 480	6666 6333 1627 1153 4157 4177 3069 656 6325 3498 4236 4256 836	910 0 630 674 500 1775 611 500 1999 474 661	LY M	ORTA	24 22 LIT
YEARS.	ARY 1182 562 561 179 379 379 379 466 467 467 467 467 467 467 467 467 467	DF STAT	13077 828 828 4566 4586 4586 4600 4630 4630 4630	8 FI 225 OF 25 OF 26 V 968 4919 3344 539 473 3441 3395 545 4410 4418	1007 601 1007 601 300 602 621 411	8MA 882. 883. ORLE 870 459 457 556 557 551 551 552 553 553 553	435 429 435 439 439 439 439 439 439 439 439 439 439	1849-18 1849-1	81, MO 200, MO 6666 633 1434 4977 4177 3069 682 838 8498 431 435 431 435	910 630 674 481 510 431 1943 474 661 434 434	TY M 1-9-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	100 ORTA 100	24 25 11 11 11 11 11 11
T. AL AND MORTU YEARS.	ARY 1182 582 581 7 379 372 448 567 518 443 447 642	DE STAT STAT 	13071 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 F] 228 S OF 28 S OF 28 S OF 28 S OF 29 S OF 49 S OF 411 S OF 479 S OF 470	1007 601 1007 601 851 3900 576 666 666 666 662 661 171 3930	8MA 882 882 870 870 459 656 656 1316 797 730 657 730 730 730 730 730 730 730 73	ANS, 1 435 564 10022 563 363 429 463 155 157 488 488 488 488 488 773 773	1849-18 1849-1	81, MO B 220, 25 6666 6533 11454 4977 11454 4977 11454 4978 11554 4978 11554	910 930 930 930 934 931 931 931 931 931 931 931 931 931 931	7192 8999 7119 8999 7119 894 499 604 786 535 456 456 456 450	ORTA	290 200 1.1.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7
TEARS.	ARY 1182 562 561 179 379 379 379 466 467 467 467 467 467 467 467 467 467	DF STAT	13077 888 456 8 1 458 458 458 468 600 603 452 453 453 453 453 453 453 453 453 453 453	8 FI 225 OF 10 P 9681 491 334 539 479 633 441 355 544 418 660 660	80 M NEW S 1007 6011 NEW S 1007 6011	8MA 882. 883. ORLE 870 459 457 556 557 551 551 552 553 553 553	435 429 435 439 439 439 439 439 439 439 439 439 439	POX. 1848-18 1848-1	81, MO 200, MO 6666 633 1434 4977 4177 3069 682 838 8498 431 435 431 435	910 930 930 930 934 931 931 931 931 931 931 931 931 931 931	719 899 719 321 486 486 450 456 5567 5667 5667 5667 5667 5667 5667	0RTA G39 639 756 844 446 477 593 594 594 594 594	20 20 11 11 11 11 11 11 11 11 11 11 11 11 11
YEARS.	ARY 1182 1182 562 562 563 579 372 471 564 447 642 447 642 443 447 643 447	OF STAT	H 13077 448 4566 4586 4586 4586 4586 4586 4586	8 FI 22 22 25 OF 112 A 49 89 89 11 530 15 15 15 15 15 15 15 15 15 15 15 15 15	300 M M W W W W W W W W W W W W W W W W W	8MA 882 882 883 0RLE 870 459 459 459 459 459 459 459 459	ANS, 4355 591 2216 2	POX. 1949-18 1949-18 4855 6901 1747 569 4926 1935 1039 4936 1949 494 495 1949 495 495 495 495 495 495 495 495 495	81, MO 81, MO 8666 6333 1877 1157 1477 1477 1477 1477 1477 1477 14	910 630 674 502 674 481 510 431 1942 474 481 433 681 473 474 474 474 474 474 474 474 474 474	LY M 2	ORTA G30 G30 756 844 446 549 549 541 780 543 443 443 443 443 443 443 443 443 443	200 200 111 11 11 11 11 11 11 11 11 11 11 11
YEARS.	ARY 1182 5592 551 179 372 4489 5571 4431 642 553 572 4366 5571	DE STAT	13077 82 3 13077 82 4 13078 4456 7 4456 7 448 450 461 450 461 450 461 450 461 450 461 450 461 450 461 450 461 461 461 461 461 461 461 461 461 461	8 FI 223 OF 968 491 334 530 479 633 4479 648 4479 555 555 555 545 660 660 660 660 660 660 660 660 660 66	ROM NEW 10077 6011 NEW 10077 6011 300 601 316 6621 4111 9300 601 403 601 738	8MA 882 883 ORLE 970 459 656 656 1316 657 730 657 551 562 552 552 552 653 653 653 653 653 653 653 653	ANS, 12 435 564 1052 5216 1052 551 487 799 4883 773 700 622 556 564	1849-18 1849-18 1849-18 1856 n 4855 9166 n 490 490 490 490 490 490 490 490 490 490	81, MO 24, MO 6666 6573 1677 1177 1177 1177 1177 1177 1177 11	9100 6900 6910 6910 6910 6910 6914 691 510 1775 611 1949 4774 477 417 417 417	LY M 199,0 199	0RTA 6399 7566 844 445 549 671 7560 553 519 429 429 429 429 429 415	200 LIT
YEARS.	ARY 1182 1182 562 562 563 579 372 471 564 447 642 447 642 443 447 643 447 643 447	OF STAT	13077 8838 456 518 4484 450 4491 4509 4529 4529 4529 4529 4529 4529 4529 452	8 FI 222 S OF 124 P 968 491 530 475 475 440 478 533 545 545 546 660 669 547 547 547 547 547	300 M M W W W W W W W W W W W W W W W W W	8MA 882 882 883 0RLE 870 459 459 459 459 459 459 459 459	ANS, 4355 591 2216 2	1849-18 1849-18 1849-18 1856 n 4855 9166 n 490 490 490 490 490 490 490 490 490 490	81, MO 81, MO 8666 6333 1877 1157 1477 1477 1477 1477 1477 1477 14	910 630 674 502 674 481 510 431 1942 474 481 433 681 473 474 474 474 474 474 474 474 474 474	LY M 2	0RTA 	24 22 LIT
YEARS.	ARY 1152 552 1152 553 179 379 446 557 358 471 443 443 443 443 443 444 444 444 444 44	DISTATI STATI	ISTIC 22 4 56 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	8 F] 222 S OF 222 S OF 334 423 423 423 424 424 424 425 427 535 427 536 427 545 646 646 647 658	1007 6011 NEW 1007 6	8MA 8883	ANS,	1849-18 1849-18 1849-18 1849-18 1848-1848-	81, MO 82, MO 82, MO 83, MO 84, MO 85	910 630 634 461 509 474 473 477 477 1845 498 498 473 473 477 477 1845 498 498 498 498 473 473 473 473 473 473 473 473 473 473	LY M	0RTA 	24 22 LIT
YEARS.	ARY 1182 5892 179 372 3488 5671 443 447 443 447	DISTATE STATE 130771 130771 130771 130771 130771 130771 130771 14081	8 FI 222 S OF 11 PA 968 491 532 1 S 1	ROM NEW 10077 6011 NEW 10077 6011 300 6011 310 6021 4111 730 6011 4113 9300 6017 5683	8MA 882 883 ORLE 970 459 656 656 1316 657 730 551 552 552 552 553 552 553 457 457 457 551 553 553 553 554 555 553 553 553	ANS,	1849-18 1849-18 1849-18 1846-18 1846-18 1846-18 1846-18 1849-1	81, MO 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	910 930 930 930 930 930 930 930 930 930 93	LY M	6399 7566 844 445 549 671 756 549 671 756 549 473 557 494 558 473 474 485 485 485 485 485 485 485 485 485 48	24 25 11 11 11 11 11 11 11 11 11 11 11 11 11	
YEARS.	ARY 1152 552 1152 553 179 379 446 557 358 471 443 443 443 443 443 444 444 444 444 44	DISTATE STATE 130771 130771 130771 130771 130771 130771 130771 14081	8 F] 222 S OF 222 S OF 334 423 423 423 424 424 424 425 427 535 427 536 427 545 646 646 647 658	1007 6011 NEW 1007 6	8MA 882 883 ORLE 970 459 656 656 1316 657 730 551 552 552 552 553 552 553 457 457 457 551 553 553 553 554 555 553 553 553	ANS,	1849-18 1849-18 1849-18 1846-18 1846-18 1846-18 1846-18 1849-1	81, MO 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	910 930 930 930 930 930 930 930 930 930 93	LY M	6399 7566 844 445 549 671 756 549 671 756 549 473 557 494 558 473 474 485 485 485 485 485 485 485 485 485 48	24	

•
Ø
国
Н
Η
Н
H
4
Z
٠.
0
Н
Η
4
Z

COUNTRY.	1863	1857	1858	1839	1860	1867	1968	9981	1870	1871	1878	1873	1674	1875	1876	1877	1878	1879	1880	1881	Total 0 years
Australia	ğ	2	:00 8	.6.	*	:23	are	801-	:00	.00	:=`	:23	13	64 6	- 6-9	. we	o 9	<u>∞</u> <u>*</u>	. → 0	-46	7.3
Austria	3 : 6		:	: "		oi <u>s</u>	•	80 4	01 <u>F</u>	Ø -		+0	جنا		-	- 2	2	- 2	— e	· · · ·	1
British AmericaBelgium	35	201	22	1	:	2=9	क्र	4-5	9		:	:		100	-C 4	+	9	· 60	4	40	25
China	:			- F		3-8	3 60 4		1-1	104		70	1 - 0	0 - 2	<u>, u </u>	42	: == 8	00 ¥		220	2 66 5
Denmark East Indies	8	* 8	4 4	3-6	10.5	<u>E</u>	•	· 😅	8:	. 8	.	- 8	8	: : : : : : : : : : : : : : : : : : :	28	3	: 28		519	· : 8	: 8 5
Finand	305	98	677	808	219	2	8	. 88	8	ន	212	8	858	25	3	3	58	8	- 86	ន	2987
Germany	1593	8	1411		\$	ŝ	3 6	Ŝ	97-	3	₹-	3 ~	- 01	9 4	g -	₹	3 10	<u> </u>	3 -	‡ ~	
Greece	2000		: 6	: :	2 8	200	C4 2	ON T	2	က်ရှိ	8	64.6	က ရှိ	e &	4.8	а -	œ +	31	4	e 6	9 -
Ireland Italy	000	§ 8.	111	32,	8	₹.	38.	8	198	38,	₹.	8	£.	্ন _,	7	2 2	87	28	47	8	1,59
Louisiana	3	•			2		=	6	-	13	*	12	00	6	Ğŧ	<u>8</u>	; ;	200	90	3	17.
Madeira. Norway and Sweden	28	12	<u>ં ક્ર</u>	2	18	. 5	- 60	~ <u>0</u>	3 <u>4</u>	તે <u>જ</u>ી -	12	- 5	<u>- 1</u> 2	=		7	ĸ	<u>:</u> =	•	==	₹£,
Persia	:			:	01 9	- 20	H-	CN W	619	.	CR <u>-</u>	: - «	017	41	. m a	61 0	5	•	•	-	σğ
Portugal			<u> </u>		68	,E8	· 8	. 5 -	었	·8.	17.	ন্ত্ৰ	7.	- 00 m	==	• •		- •		:	. 15 o
Busis		*!		:	\$	88	2,	161	8	°2	8	8	. 55	8	15	÷		•	:	7	, ‡ ,
Sandwich Islands				:	Ç4	- m		<u> </u>	. CR	: - ;		. 64	. ON	24 2	O1 (ন্	m	ca g	:		. 65
Spain	82	= 2	8 %	38	\$ 2	32	87	5 4	18	នីត	និត	\$ 2	8 6	500	82	\$ 8	3 3 (28	5 21	28	2 S
Turkey United States (not Louislans)	495	3309	5624	4073	3263	4990	3338	3971	4753	583	4474	5517	5041	4616	4517	1066	1531	87.5	799	1017	67,40
Wales West Indies Not stated	8,059	25.03	1278	121	2003	. ¥ &	385	. E. E.	320	. 5 8	38'	288	88.	4.5	* 78 99	200	2. Og	4 8	*53	- 98 to	18,651 18,651
Total	15,633	5,581	11,710	6.847	1.341	10.096	5.343	6,001	1,391	6,039	6,122	7,505	6,798	6,117	6,257	6,708	10.318	5,192	5,623	904'9	148,976
• Included under United States.	2	000	Inolog		4	00.01	3	3	3	0,000		3	3		2	3	5	- 1	اک	5	ODE O

VITAL AND MORTUARY STATISTICS OF NEW ORLEANS.

DEATHS FROM ZYMOTIC AND EPIDEMIC DISEASES (SMALL-POX. MEASLES, SCARLA TINA, TYPHUS FEVER, TYPHOID FEVER. YELLOW FEVER, MALIGNANT OR ASIATIC CHOLERA. DIPHTHERIA. WHOOPING COUGH), AND FROM ALL DISEASES. WITH DEATH RATE PER 1000 INHABITANTS, FROM EPIDEMIC AND ZYMOTIC DISEASES, FROM ENDEMIC DISEASES. AND FROM ALL CAUSES.

	Deaths from Small Pox and Varioloid	Deaths from Measles.	Deaths from Scarlatina.	Deaths from Typhus Fever.	Deaths fr'm Enteric. or Typhoid Fever.	from ow Feve	Deaths from Ma- lignant or Asiatic Cholers	Deaths from Diphtheria.		Total Deaths from Zymotic and Epidemic Diseases.	Total Deaths from all Other Dis-	Grard Total Deaths from all Causes.	Population of the City of New Orleans.	Death Rate per 1000 per Annum from Zymotic and Epidemic Diseases.	Death Rate per 1000 per Annum from all other Diseases	Death Rate per 1000 per Annum from All Causes.
1844		10	4	3	44	148			22		4245		86632	2.66	49.00	51.66
1845			121	154	76 233	2	• • • • • •	···		199 2797	2408	2607	89261	2 22	26.98	29.20
1847	27 105	38 61	15 119	372	223	2306 808	1 1646	1	22 41	3375	4506 5510	7303 8885	108699 115503	25.73 29.22	11.45 47 70	67-18 76.92
184×	133	10	22	164	178	769	3176		27	4479	5093	9572	122511	36.56	41.57	78.13
1850.	37	57	21	199	103	107	1448		13		5546	7531	129747	15.29	43.67	58.96
1851	38	. 26	29	228	103		430		16	870	6405	7275	138599	6.42	46.06	52.48
1852						456	1329			1785	6594	8379	147441	12 10	44.72	56.82
1623	17	123	126	103	146	7849	585	• • • •	44	8991	6296	15287	154132	58.33	40.85	99.16
1835			19			2670	883	• • • • •		2572	3934	7506	158980	22.46	24.75	47.81
1836	2	53	18	22	115	74 199	43	•••	53	380 662	4955 4561	5335	161404	2.35	30.70	33.05
1837	103	104	79 79	20	118	4845	24 26	95	27 28	5397	4301 5975	5223 11372	163828 165450	4 04 32.62	27.64 36.11	31.88 68.73
1859	43	13	121	7	214	91	27	253	31	800	5694	6494	166500	4.80	.34.20	39.00
1860.	22	60	200	10	163	15	30	145	75	720	6621	7341	168670	4 26	39 26	43 52
1861	1	35	198	5	102		12	78	14	445	4654	5099	169907	2.62	27 48	30 10
1863	2	98	43	9	257	22	4	188	55 39	658	6352	7010	172361	3.81	36.86	40.67
1864	605	34	200	11	260	6	5	337	39	1505	7061	8566	173588	8 67	40 67	49.34
1865	613	31	161	5	154	1	9	104	13	1091	5608	6699	174815	6.24	33 0€	38.32
1866.	188	82	41	12	116	192	1294	98	41	2064	5278	£342	178042	11.59	29.64	41.23
1867	47	1	24	23	119 58	3107 3	581 129	31	28 4	3962 245	5624 4593	9586 4838	181269 184496	21.85	31 03 25.07	.¥2.8€ 96.25
1869	141	217	15 13	5	63	3	123	16 19	121	586	5007	5593	187723	1.39 3.12	29.67	29 79
1870	528	23	44	13		587,	3	19	9	1306	5636	6942	191418	6 84	29.42	36.96
1871	2	12		4	71	54	ő	14	1	169	5426	5595	163412	0.87	28.05	28 92
1-72	29	76	5	4	67	39		39	23	282	5840	6122	196406	1.43	29.74	31.17
1873	509	69	5	5	57	236	142	46	61	1120	6385	7505	198900	5.58	32.15	37.73
1874	5≿7		4	2	95	11	6	102	16	823	5975	6796	201394	4.08	29.67	33 73
1875.	342	1	144	2	57	61	4	69	58	738	5379		203688	3.61	36.39	30 00
1879	232	231	123	2	53	43		40	39 26	762 1254	5495	6937	906389	3 69	26.63	30.39
1877	1099	15	10	23	14	4046		33 59	200	1327	5454 5991	6708 10318	208876 211371	6.00 20.47	26.11 28.34	32.11 48.81
1878	131	3	,		33	19		50	9	120	5002	5122	213865	0.54	23 34	23 94
180.	1	97	56	i	39	2		81	70	360	5963		216140	1 66	94.32	25.94
1881	ŝ	96	197	•	66			92	ĭ	387	6019	6406	216140	1.79	27 85	29 64
	-1	- 1	¦	:	— ¹						!					
	57 3 1	1615	3363	1422	32-6	26136	11847	2017	1027	58447	190385	248832	5957750	9.81	31.95	41 76

CONSUMPTION (PHTHISIS PULMONALIS).

On examination, the mortuary records of New Orleans will show that phthisis pulmonalis, commonly called consumption, does not confine its ravages to more northern cities, but is the cause of an alarming mortality even amongst the natives (creoles of New Orleans). I have carefully examined and consolidated the mortuary statistics of the Charity Hospital of New Orleans, with the following results:

During a period of eighteen years—preceding the civil war—1842 to 1860—there were treated in the Charity Hospital of New Orleans, 5699 cases of phthisis pulmonalis, of which 3084 terminated fatally, giving 54.1 per cent mortality. During the sixteen years following the recent civil war, there were treated in the Charity Hospital—5251 cases of phthisis pulmonalis, in which 2525, or 40.8 per cent, died. During a period of thirty-four years—1842 to 1880—there were treated in the Charity Hospital of New Orleans, 10,950 cases of phthisis pulmonalis, 5669 or 51.2 per cent of which

terminated fatally. While the statistics of the Charity Hospital refer chiefly to the laboring classes, and to those who have been reduced in circumstances by misfortune and disease, at the same time the statistics of the city at large illustrate to an equal extent the destructive effects of this insidious disease.

Thus, the deaths from phthisis pulmonalis were as follows in New Orleans for the respective years:

YEARS.	Deaths from Phthisis Pulmonalis.	YEARS.	Deaths from Phthisis Pulmonalis.	YEARS.	Deaths from Phthisis Pulmonalis.
1845	360	1860	834	1871	780
1848	576	1861	654	1872	784
1849	592	1862	761	1873	850
1850	674	1863	839	1874	810
1852	787	1864	664	1875	799
1853	755	1865	600	1876	882
1855	652	1866	671	1877	888
1856	568	1867	632	1878	8∺0
1857	624	1868	684	1879	823
1858 1859	779 876	1870	657	1880	863

During a period of years extending from 1845 to 1881, the deaths from phthisis-pulmonalis have, with the exception of a single year, annually exceeded half a thousand, and in many years have been more than eight hundred

During ten years—1845-1858—the deaths from phthisis-pulmonalis, in New Orleans numbered 6367; during ten years, 1859-1869, 7251; during eleven years, 1870-1880, 9016. We have thus during a period of thirty-one years, 1845-1880, a grand total of 22,598 (twenty-two thousand five hundred and ninety-eight) deaths by phthisis-pulmonalis.

Surely a disease which steadily and remorsely claims its victims each year, which in any long series of years has been as destructive as the dreaded yellow fever, should secure the earnest consideration of those charged with the sanitary affairs of this city. The epidemic of 1878, threw the professional minds of a certain order, into a state of morbid excitability on the subject of yellow fever, and the public have been served with numerous lucubrations on this subject, and quarantine.

In comparison with phthisis-pulmonalis, which every year destroys its thousands in every State of this Union, yellow fever should be regarded only as a causal and minor disease, visiting only certain limited portions of the tropical and temperate regions at long intervals. We hear much of the cost of epidemics, but nothing as to the fearful cost of such diseases as phthisis, which holds its doomed victims in its deadly embrace for months and even years, and inflicting, in addition to indescribable tortures, vast and ruinous pecuniary expenses. I have given the stern facts with the design of arousing the attention of this people to the consideration of some of the prominent causes of this disease and some of the modes of prevention. This subject of personal and domestic sanitation should appeal to all alike. You may escape the yellow fever by leaving infected places; in other words when the disease appears the only sure remedy is flight, but you cannot escape those causes of disease which spring from your habits, modes of living and climate, and which are ever present with you, in your assem-

blies, in your counting-houses, in your dwellings, around your firesides and in your beds devoted to quiet and rest.

The chief causes of the prevalence of phthisis-pulmonalis in New Orleans

appear to be:

Imperfect drainage.

5. The saturation of the atmosphere with moisture.

3. Imperfect construction of houses.

4. Imperfect ventilation of houses.

5. Crowding.

6. The absence of regular exercise for diversion and recreation.

7. Imperfect nourishment.

8. Hereditary taint or predisposition.

A volume might be written on the preceding divisions or causes, but our intention is clearly to present practical observations which may prove of benefit to those interested.

Owing to the peculiar topographical and geographical situation of New Orleans, the soil is saturated with moisture, and the atmosphere is habitually near the dew point. Large portions of the city are compactly built with brick, and the sudden changes of the fall, winter and spring are frequently manifested by the precipitation of the moisture on the cold walls in the form of streams of water.

Dampness checks the cutaneous perspiration; it abstracts the normal heat and electricity from the body; it holds the noxious exhalations from the human body, and from all sources and it promotes the devolopment of

low forms of disease, of which phthisis may be taken as a type.

In many instances no attention has been paid to the proper filling in with sand and gravel of building lots, and stagnant water frequently stands under the houses, and is a potent source of disease. Whole blocks of buildings can be pointed out in the heart of this great city in which there is no proper ventilation, and in which the lowest floor rests directly upon the damp earth. It is not to be wondered at that the floors of these damp, ill-ventilated rooms and stores rot continually, and must be almost annually renewed.

Houses, churches, school-houses, stores, and all buildings inhabited or occupied by human beings, should be thoroughly ventilated—laterally and perpendicularly. The air should circulate freely under the lower floor. The air should be admitted by ventilators both in the front and rear of each room, and also, when practicable, laterally; and a system of ventilation should be so arranged as to allow of the escape of the foul air of the sleeping apartments directly up through the roof into the open air.

If people would send for the carpenter and properly ventilate their houses, they would not so often need his services in the grave-yard.

The effects of imperfect ventilation and close confinement and crowding, with insufficient food, is fully illustrated by the frequent occurrence of phthisis pulmonalis among females who are compelled to live by the needle alone, and who occupy small, unventilated houses, resting almost directly upon the ground. Regular exercise in the open air. nutritious food, and such thorough ventilation as shall at all times secure pure air in the store, workshop, sitting room and bedroom, are the great means of preventing the development of phthisis (consumption.)

War destroys its thousand, but phthisis claims its tens of thousands! The improvidence, ignorance and avarice of mankind, as manifested in the neglect of sanitary laws, in the construction and conduct of dwelling-houses, stores, factories, school-houses and churches, are more destructive

to human life than yellow fever or all other pestilences.

TABLE SHOWING DEATHS FROM PHTHISIS PULMONALIS BY MONTHS, DURING THE YEARS 1869 TO 1880, INCLUSIVE.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death rate per 1000 per annum	Population.
869	42	43	48	72	59	62	67	59	51	60		60		3.58	(
870	56	52	81	74	53	64	66	48 63	71	55	53	. 84		3.96	191.000
871 872	55 56	54 81	84 58	56 49	59 79	74 66	58 56	76	63 57	66 79	88 68	60 59		4.08	101.000
873	90	58	66	68	73	58	88	64	67	89	57	72		4.10	(
874	81	64	52	79	67	58	68	69	51	81	66	74		3.85	(
75	80	84	67	65	52	59	77	62	87	58	52	56		3.80	1
376	76	60	94	58	70	64	82	63	88	66	92	69	882	4.20	210.000
377	74	81	86	57	71	92	70	57	83	63	83	71		4.23	100
378	65	75	77	66	68	108	69	88	89	59	89	47		4.19	(
379	76	73	77	74	71	37	98	47	54	101	54	61		3.92	
880	67	69	85	68	69	70	67	54	65	60	94	95	863	3.99	216.000
Total	'818	774	875	786	791	812	866	750	826	837	857	808	9800		
verage	68.1	64.5	72.7	65.5	65.9	67.9	72.1	62.5	68.8	69.7	71.4	67.3	816	4.03	202.500.

DIARRHCEAL DISEASES.

The deaths from diarrhoal diseases in New Orleans, appear, in a measure, to be related to the elevation of temperature, as they are most numerous in the months of May, June and July, as will be shown by the following statistics:

TABLE SHOWING DEATHS FROM DIARRHŒAL DISEASES, BY MONTHS, DURING THE YEARS 1869 to 1880. INCLUSIVE.

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death rate per 1000 per annum.	Population.
1869	21 22 26 24 20	8 10 16 35 27	21 11 31 14 34	35 19 64 24 108	68 238	55 81 67 41 56	54 42 46 30 71	36 37 39 39 30	35 41 27 29 30	28 27 26	45 45 31	35 35 26 29 31	422 432 452 390 724	2.04 3.79	191,000
1874	24 48 18 23 16 23 29	18 16 14 9 15 13	11 21 21	24 18 17 32 32 28	66 38 47 54 55 42 45	33 81 62 101 52 53 56	39 57	42 26 27 37 57 21	36 38 37 38 39 21	34 46 20 35 27 24 26 25	27 22	36 21 25 20 24 22	429 399 386 449 385 345 331	1.90 1.83 2.13 1.83 1.64	210,000
Total	294	196	227	421	800	738	588	417	378	348		326	5144	2.11	216,000

RELATIONS OF MILK AND ITS ADULTERATIONS TO THE DIARRHOEAL DIEASES OF CHILDREN.

From the fact that persons may be entirely sustained upon a diet of milk, for an indefinite period, it is evident that this fluid must contain all the elements necessary for the growth and sustenance of the human body; and chemical research has shown that milk contains the three classes of principles which are required for human food, namely: the albuminous or nitrogenous, the oleagenous and the saccharine. Milk consists of water holding in solution casein or cheese, sugar of milk, various salts, and in suspension, fatty matters, in the form of myriads of semi-opaque globules, to which the color and opacity of milk is due.

As milk is the only article supplied by nature which combines all the elements requisite to secure healthy nutrition in a form suited to the young animal; and as the entire human race after birth and for an indefinite period ranging from one to two years is dependent upon milk for its support and existence, it is evident that it should not be omitted from the category of the necessaries of life, to which the attention of those charged with the conduct of the sanitary affairs of this city and State should be earnestly and efficiently directed.

The vast importance of regulating the milk supply of New Orleans, is clearly demonstrated by the great prevalence and frightfully destructive effects of such infantile diseases as cholera infantum, tabes mesenterica,

convulsions, teething and infantile debility.

The fearful mortality which occurs in this city amongst "teething" children and infants, is shown by the statistics of the following table:

TABLE GIVING THE DEATHS IN THE CITY OF NEW ORLEANS DURING A PERIOD OF TWENTY-SEVEN YEARS (1847-1880) FROM INFANTILE DISEASES (CHOLERA INFANTUM TABES MESENTERICA, CONVULSIONS, TEETHING AND DEBILITY).

YEAR.	Cholera Infantum.	Tabes Mes- enterics.	Convul.	Infantile Conv'lsions.	Teething.	Infantile Debility.	Total.
1847	31	50	176		96		353
1849	40	i	314		102	65	598
1850	73	19	351		137	76	656
1853	75	21	465		143	100	804
1856,	115	162	10	345	189	74	865
1857	91	125	12	375	151	69,	893
1858	108	201	7	521	189	75	1101
1859	88	176	7	367	202	83	923
1860	108	184	26	409	154	91	979
1863	68	200	29	265	104	45	711
1864	80	194	12	296	214	80	676
1865	79	213	18	275	164	68	817
1866	88	204	50	236	88	58	794
1867	100	161	68	870	107	54	670
1868	85	125	222	50	56	17	355
1869	56	159	74	215	63	29	596
1870	65	182	22	206	78	59	605
1871	84	178	18	200	88	161	799
1872	52	258	19	227	90	163	800
1873	118	238	13	256	98	140	863
1875	80	261	11	203	70	112	131
1876	100 73	185	14	233	80	120	732
1877	113	191	18	140	80	102	604
1878	77	150	69 88	132	99	100	963 744
1679	98	166 163	15	175 122	86 86	150	668
1880	89	144	5	172	88	184 161	659
Total	2236	4311	2133	5690	3102	2429	19901

During a period of twenty-seven years, cholera infantum, tabes mesenterica, convulsions, teething, and infantile debility, diseases peculiar to children and infants. destroyed in the city of New Orleans, 19,901.

On the other hand, during the same period, yellow fever occasioned the following deaths: 1847, 2804; 1849, 769; 1850, 107; 1853, 7849; 1856, 74; 1857, 199; 1858, 4855; 1859, 92; 1860, 15; 1863, 2; 1864, 6; 1865, 1; 1866, 185; 1867, 3107; 1868, 3; 1869, 3; 1870, 587; 1871, 54; 1872, 39; 1873, 226; 1874, 11; 1875, 61; 1876, 42; 1877, 1; 1878, 4056; 1879, 19; 1880, 2; total deaths from yellow fever during the twenty-seven years specified, 25,172.

The deaths from yellow fever during the twenty-seven years specified exceeded those caused by the diseases of infancy, 5271; or in other words were only a little less than one-fifth greater. By what process of reasoning, and for what ends does the medical profession at large, and the Board of Health of the State of Louisiana in particular, neglect the consideration

of 19,901 deaths from infantile diseases, and concentrate all available skill and knowledge upon a disease which commits its ravages only at comparatively long intervals ?

All diseases and all causes of deaths should be equally considered, by those charged with the conduct of the sanitary affairs of the city and

State.

It is of course impossible to determine the exact proportion of the 19,901 infants who perished from improper nourishment and from adulterated milk, but that improper and insufficient food as well as crowding, imperfect ventilation, and exhalations from foul privies and filthy canals and gutters, enter as important factors in the production of the grand results, will not be denied.

It is not our purpose at this time, to enter into a minute description of the methods of analyzing milk microscopically and chemically; and even if it be granted that nothing but water has been added to dilute the milk, this water may itself have been derived from a foul source, and in the outbreaks of diphtheria, scarlet fever and typhoid fever, the medical inspector should not neglect a single link in the chain of evidence as will be shown by the following example: Fever once appeared in a large public schools, and as no mode of the entrance of the poison could be discovered it was at first supposed to have arisen spontaneously. The water supply on analysis proved to be pure. The milk was supplied from two or three sources, and was not complained of, but making an analysis of the milk it was found to have been manipulated with water. An analysis of the water from each of the farms, whence the milk was derived, was made, and one of these waters was discovered to be polluted with animal excrement, whilst the other two waters were undoubtedly pure. On visiting the dairy farm possessing the polluted water supply, it transpired that the closet and well were in affectionate proximity, and that the former had recently received the specific poison of typhoid fever from one of the laborers. If milk under such circumstances, should not evince by chemical examination, any decided departure from the usual state of the secretion, due regard being paid to its variation in composition, by reason of the age and food of the cow, time after calving, weather, etc., it must not be concluded that the poison of the disease has not been communicated to the milk through the medium of water, for there is every reason to believe, that the smallest quantity of water containing the specific poison, such as may be introduced by merely rinsing the milk cans, is sufficient to infect a large quantity of milk.

In outbreaks of scarlet fever, no ray of light should be neglected, how ever feeble, in tracing the mode in which this disease is disseminated, and a most rigid and careful examination by means of the microscope should be instituted, between milk that has been exposed to infection—as for example, from being stored within a few yards of persons suffering or recovering from this disease—and the milk of the same animal that has been thus endangered, with the object of discovering epithelial scales, for the poison of scarlet fever would seem to be mainly distributed through the air

by the aid of the dust of the skin to which it attaches itself.

MALIGNANT OR ASIATIC CHOLERA.

It would be foreign to our purpose to enter fully into the history of this foreign pestilence, which has at various times reached the shores of Louisiana from the cities of Europe, across the waters of the Atlantic Ocean and the Gulf of Mexico. Asiatic cholera has played no insignificant part in the grand carnival of disease and death.

In 1832, Asiatic cholera, in conjunction with yellow fever, swelled the mortality of New Orleans to 8099, in a population of 55,084; and marked this year as the most terrible in the annals of this city, the death rate reaching the enormous proportions of 147.10 per 1000 inhabitants. In 1832 the inhabitants of New Orleans were more than decimated, for more than one-seventh of their number was destroyed chiefly by Asiatic cholera and vellow fever, acting in addition to the usual endemic and epidemic diseases.

The Charity Hospital affords the following statistics of cholera: 1848, cases 662, deaths 396; 1849, cases 1813, deaths 1122; 1850, cases 724, deaths 530; 1851, cases 382, deaths 292; 1852, cases 485, deaths 358; 1853, cases 194, deaths 115; 1854, cases 478, deaths 352; 1855, cases 351, deaths 225; 1856, cases 32, deaths 11; 1857, case 1, death 1total (1842-1860, eighteen years), cases 5122, deaths 3402; per cent of deaths,

66.4.

During, the sixteen years following the American civil war, New Orleans has been comparatively exempt from Asiatic cholera, as shown by the statistics of the Charity Hospital; thus, in 1866, cases 300, deaths 237; 1867, cases, 94, deaths 70; 1868, cases 15, deaths 9; 1873, cases 34, deaths 2. total during[sixteen years (1864-1880), cases 443, deaths 343; per cent of deaths, 77.4.

There were received into the Charity Hospital during thirty-four years (1842-1880) 5565 cases of Asiatic cholera, of which 3745 terminated fatally,

giving a rate of mortality of 67.3 per cent.

The first authentic records which we have of the appearance of Asiatic cholera in New Orleans relate to the year 1832, when it occasioned 4340 deaths out of a total of 8090 deaths from all causes; yellow fever claimed only 400 deaths in this most pestilential year in the annals of this city. The disease lingered through 1833, when it claimed 1000 victims out of a total of 4976 deaths. In 1832 the population of New Orleans was 55,084, and of this number more than one seventh perished, giving a mortality from all causes of 147.10 per thousand inhabitants, and from Asiatic cholera 78.78, and from yellow fever 7.20. Cholera appeared again in 1848 and destroyed 1646 inhabitants, and continued its ravages for several years, the deaths being: 1849, 3176; 1850, 1448; 1851, 430; 1852, 1329; 1853, 585; 1855, 883; 1856, 43; 1857, 24; 1858, 26; 1859, 27; 1860, 30; 1861, 12; 1863, 4; 1864, 5; 1865, 9; total deaths from Asiatic cholera during a period of nineteen years (1844-1865) 9678. Cholera appeared again in 1866, and continued its effects for three years. The deaths were as follows: 1866, 1294; 1867, 581; 1868, 129; 1869, 4; 1870, 3; 1871, 6; 1873, 142; 1864, 6; 1875, 4; total deaths during fifteen years (1866-1880) 2169.

It is evident, from the preceding statistics, that during a period of thirtyfour years (1844-1880) Asiatic cholera destroyed 11,847 of the citizens of New Orleans; and, if we add to this number the deaths occasioned by this

disease in 1832 and 1833, we have a grand total of 17,187 deaths.

Those charged with the conduct of the sanitary affairs of the city and State should view these 17,187 dead citizens as victims to a foreign or exotic pestilence, imported from the shores of Europe in the cargoes and passengers of ships.

The State of Louisiana can protect herself and the entire valley only by maintaining, at all times and under all circumstances, a vigilant quarantine at the mouth of the Mississippi river; and all parties who, under the guise of promoting commerce, endeavor to destroy an efficient quarantine, should be regarded as public enemies.

It is probable that the mortality occasioned by Asiatic cholera was even far in excess of these figures, for we find upon careful examination of the mortuary records of New Orleans, that during a period of thirty-four years (1844-1880), the deaths from bowel affections were as follows: Cholera Morbus, 889; cholera infantum, 2408; teething, 3430; gastritis, 743; enteritis, 6915; dysentery, 7097; diarrhea, 8289; total from these diseases, 29,771.

During the same period of thirty-four years, yellow fever occasioned

28,739 deaths.

It is evident, therefore, that the so-called ordinary bowel affections, diarrhoa, dysentery, cholera morbus, enteritis, gastritis, and teething) actually caused a larger number of deaths in New Orleans than yellow fever. And if we add the 11,847 deaths caused by Asiatic cholera, we have a grand total of 41,618 deaths from those diseases in which derangements of the gastro-intestinal mucous membrane forms the most prominent symptom.

The continuous and fearful mortality from this class of diseases, must be diminished by improved domestic and general sanitation. The great essentials of sanitary reform for the diminution of the number and fatality of

the cases of bowel affections in New Orleans must be based upon-

1. Thorough drainage of the entire parish of Orleans, and especially that portion occupied by the city of New Orleans.

2. The prompt removal of all fœcal matters out of the limits of the city;

3. The daily removal of garbage;

4. Systematic and thorough cleansing of private premises, public buildings, factories, markets, streets and gutters;

5. The filling up with sand and gravel of all low lots.

SCARLATINA, MEASLES, WHOOPING COUGH AND DIPH-THERIA.

During a period of thirty-four years (1844-1880); scarlatina occasioned 2066 deaths; measles, 1589; whooping cough, 1026; diphtheria, 1925; total from this class of diseases, 6606.

Without doubt, much may be accomplished by certain hygienic measures, and by disinfection, for the mitigation and limitation of this class of diseases.

VENEREAL DISEASES—SYPHILIS, GONORRHŒA AND ORCHITIS.

The mortuary records of New Orleans like those of most American cities, affords but imperfect data, for the determination of the effects of venereal diseases upon the general mortality of population. The shame and disgrace which attaches to the loathsome results of promiscuous intercourse, often leads to the concealment of the true cause of death, by those immediately concerned in the framing of the death certificate. In addition to this fact, it is well known that the poison of syphilis, often induces profound constitutional derangements, which may not only be transmitted to the offspring to the third and fourth generations, but may also modify, and intensify various diseased processes.

The only available statistics to show the prevalence of venereal diseases

in New Orleans, are those afforded by the Charity Hospital.

During a period of eighteen years (1842-1860), the number of cases of Syphilis in the Charity Hospital was 6767, of which 63 died, mortality 0.9 per cent; sixteen years (1864-1880) cases 5761, deaths 96, per cent 1.6. Total cases sypihlis, 12,528, total deaths from this disease 159 per cent 1.2 in the Charity Hospital, during a period of thirty four years, 1842-1880. What portion of the 11,721 cases of rheumatism, with 84 deaths, or of t'

10.950 cases of phthisis pulmonalis and 5609 deaths (51.2 per cent) were either directly or indirectly connected with constitutional syphilis, cannot be determined.

During the same period (1842-1880) the cases of gonorrhoa numbered 2392 with four deaths, and of orchitis 794 cases and three deaths.

It would appear from these statistics that venereal diseases have occasioned no marked mortality in New Orleans, but, nevertheless, they have furnished 15,714 cases to the Charity Hospital, which have been treated at the expense of the taxpayers of this city. We have no data by which to determine the actual cost of the treatment of venereal diseases in the Charity Hospital; but if the actual expenses attending the treatment (food, clothing, medicine, etc.) of each case be fixed at the moderate sum of \$10-(ten dollars), then we have a grand amount of \$157,140, expended in thirty four years for venereal diseases alone.

This estimate is below, rather than above the truth; for we find that during the same period of thirty-four years that 10,513 cases of ulcers, with 48 deaths, were treated in the Charity Hospital.

We know from experience that a large proportion of the ulcers treated in the Charity Hospital have been, either directly or indirectly, the result of syphilitic taint. A portion also of the 2794 cases of abscess, with 97

deaths, must also be referred to the action of venereal poisons.

It is well known that chronic ulcers and constitutional syphilis are the most tedious of all diseases which fall to the lot of the hospital physician, and that, in proportion to their numbers, they consume far more of the public charity than such diseases as yellow fever, cholera, and the acute forms of malarious diseases.

It would not be extravagant to assert that the treatment of venereal diseases in the Charity Hospital during the past thirty four years has cost the

taxpayers of the city and State between \$300,000 and \$400,000.

These facts represent but a portion of the expense, mischief and suffering caused by the venereal poison or poisons, for the statistics relate only to the poorer classes, who are without the means of obtaining proper medical attendance or suitable medicines, food and accommodations.

It would be just to estimate the number of cases of venereal disease which never enter a hospital as at least five times as numerous as those

recorded upon the books of the Charity Hospital.

Without doubt, vast numbers of visitors, strangers, mercantile and maritime agents, and seamen from all parts of the globe, contract syphilis and gonorrhoa in New Orleans, as well as in all other large cities.

The existence of venereal diseases in this and in all other cities in this and other countries, must be recognized by those charged with the conduct of the sanitary affairs.

No form of quarantine has yet been devised which can prevent the spread of venereal diseases, but much good may be accomplished by the institution of a proper system of medical inspection and treatment, and police regulation, of the great sources of these diseases, namely, *Prostitutes*.

It would be foreign to our purpose to elaborate a plan for the proper registration, restriction to prescribed limits, and medical inspection and tree subject is worthy of the careful considers the subject is worthy of the careful control of the careful

alminations of the pulpit, actments of the lawgiver.

That prostitution exists, is a fact to be recognized; and that the prostitute is one of the manifestations of humanity, even in this enlightened, advanced and civilized age, equally demands the recognition and earnest attention of

the wise and humane legislator.

Good will be accomplished by the enactment of such laws as will restrain vice within the smallest possible limits, and at the same time, by medical inspection, treatment and isolation, reduce the most loathsome diseases to the lowest practicable minimum.

TYPHUS OR SHIP FEVER, AND TYPHOID OR ENTERIC FEVER.

It is not our intention, upon the present occasion, to enter upon a minute history of continued fevers, and show how they have devastated at various times the fairest cities and most populous countries of Europe; and how, even in modern times, they have followed in the wake of great armies, and inflicted untold damage alike upon the victor and the vanquished.

A volume might be written upon the birth of the fearful typhus in the mud hovels, and amongst the oppressed and starving poor of Ireland, and Hungary and Poland; but whatever may be our sympathies for these struggling people, our present duty and our present inquiry, relates to the great city of New Orleans, the commercial emporium of the Mississippi

Valley.

It has been asserted that typhus and typhoid fevers are unknown in New Orleans, and elaborate theories have been built upon this false premise; and learned arguments by learned and accomplished physicians have been launched against systems of underground sewerage, and even against the received theory that filth and excrements, when carefully hoarded in our yards and under our houses, may prove detrimental to human health. But to the facts.

TYPHUS. OR SHIP OR FAMINE FEVER IN NEW ORLEANS.

We find the following important data, after careful examination and consolidation of the records of the Charity Hospital of New Orleans, during a period of eighteen years (1842 1860) preceding the recent civil war. There were treated in the Charity Hospital in New Orleans, 7220 cases of ship or typhus fever, of which 1301, or 18 per cent, proved fatal; while during the sixteen years succeeding the civil war (1864-1880) only two cases, both of which proved fatal, were treated in this hospital.

Surely, this is a very remarkable fact. Truly, the prevalence of typhus fever during the eighteen years preceding our civil war, and its almost total absence in the sixteen years following the great civil convulsion, can be

referred to well-known causes.

First, typhus fever was imported to New Orleans by means of the emigrant ships, which bore to these hospitable shores the fever and famine-

stricken and oppressed inhabitants of Ireland.

Previous to the year 1847, typhus fever does not appear to have made any serious lodgment in the city of New Orleans, although it had been committing its ravages in Europe for centuries before. Thus, in 1841, no case of typhus fever was entered on the records of the Charity Hospital, nor in 1842. In 1843, we find 9; in 1844, 4; in 1845, no case; in 1846, no case; but in 1847, we find the record of 1045 cases; in 1848, 1383; in 1849, 891;

duced in 1847, both from Mexico (by the United States prope from the fever-stricken and starving districts of epidemic in this city for several years.

We find the following mortality occasioned by typhus fever in New Orleans for the respective years: 1847, 154; 1848, 164; 1850, 199; 1853, 103; 1856, 21; 1857, 8; 1858, 20; 1859, 7; 1860, 10; 1861, 5; 1863, 9; 1864, 11; 1865, 5; 1866, 12; 1867, 23; 1868, 5; 1869, 5: 1870, 13; 1871, 4; 1872, 4; 1873, 5; 1874, 2; 1875, 2; 1876, 2; 1877, 1; 1878, 23; 1879, 0; 1880, 1.

The following practical conclusions may be drawn from the preceding

facts in the medical history of New Orleans:

1. Typhus fever was imported into New Orleans in 1847, and prevailed for several years thereafter, causing the death of about 1500 of the inhabitants of New Orleans. The disease was confined chiefly to the poor and ill-fed, as the majority of the deaths occurred in the wards of the Charity

Hospital.

2. Quarantine is essential to the protection of New Orleans from the introduction of typhus fever; and to be effective it must be perpetual. The public mind has been so excited and manipulated upon the subject of yellow fever that, in the Mississippi Valley, it has become synonymous with quarantine. The quarantine against yellow fever may be practically limited to six months in the year, embracing that peculiar thermic condition favorable to its lodgment and spread; but typhus fever is not thus limited by climatic changes, but is often developed with most destructive effects in the dead of winter, and may at any time and any season be trans-

ported across the ocean in ships.

3. As President of the Board of Health I have held that the quarantine of Louisiana, at the mouth of the Mississippi River should be maintained in an effective condition at all times and under all conditions, and that the inspection of vessels by the quarantine physicians should at all seasons, both summer and winter, be thorough. It is natural that commercial and mercantile men should oppose and endeavor to defeat all measures which appear in any manner to diminish their business or put apparent obstructions in the way of the continuous and rapid accumulation of money and capital; but in the true light of public good and of substantial advancement, the exclusion of foreign pestilence, the preservation of the public health, is the only true road to permanent prosperity.

4. No mere sanitary measures within the limits of the city of New Orleans, will in the absence of an efficient system of inspection and quarantine, exclude such infectious and contagious diseases as typhus fever and

small-pox.

5. Typhus fever introduced into New Orleans tends gradually to become extinct; this result should be attributed to the better food, better

living, or ventilation of the mass of the inhabitants of this city.

6. The establishment of an extensive system of street railroads, during the past twenty-five years in New Orleans, has without doubt promoted the health as well as the comfort of the people, by scattering the dwellings upon a far greater area and thus promoting ventilation, and preventing crowding.

TYPHOID FEVER.

Typhoid, or enteric fever has been present in New Orleans for an indefinite period, as will be shown by the following statistics: The number of cases of typhoid fever entered in the Charity Hospital in 1841 was 12; 22; 1843, 4; 1844, 80; 1845, 139; 1846, 195; 1847, 457; 1849, 79.

harity Hospital, 983 or 31.2 per cent of which termi-

sixteen years, 1864-1880, following the civil war, only deaths, 47.7 per cent of typhoid fever were entered Charity Hospital.

During thirty-four years, 1842-1880, 3521 cases and 1163 (33 per cent mortality) deaths were entered upon the records of the Charity Hospital

as caused by typhoid fever.

This disease in like manner with typhus fever has diminished since the cessation or great diminution of foreign immigration to New Orleans, which has characterized the close of the great civil convulsion of 1861-1865.

These two diseases, typhus and typhoid fever, figure upon the records of the Charity Hospital during the past thirty-four years, with 10,743 cases,

and 2466 deaths.

The mortuary records of New Orleans show the following deaths from typhoid, or enteric fever, for the respective years: 1845, 70 deaths from typhoid fever; 1847, 233; 1849, 178; 1850, 103; 1853, 146; 1856, 108; 1857, 148; 1858, 189; 1859, 214; 1860, 163; 1861, 102; 1863, 257; 1864, 268; 1865, 159; 1866, 116; 1867, 119; 1868, 58; 1869, 63; 1870, 80; 1871, 71; 1872, 67; **1873**, 57; **1874**, **95**; **1875**, 57; **1876**, 53; **1877**, 6**9**; **1878**, 74; **1879**, 33; **1880**, 52.

It is evident from the preceding statistics that New Orleans has not been

exempt from typhoid or enteric fever.

It appears to be true, however, that New Orleans, and in fact the entire alluvial portion of Louisiana, suffers less from typhoid fever than more ele-

vated portions of our country.

This comparative exemption has been referred, by some writers, to the absence of underground sewers in New Orleans; but it would rather appear to be due to those peculiar climatic conditions which do not favor the generation and propagation of the typhoid poison.

From the preceding facts, we may draw the following

PRACTICAL CONCLUSIONS. -

1. Typhus, or ship fever. can be transferred from one country to another, and is capable of reproducing itself and spreading in populous towns or cities; more especially amongst the poorer classes in crowded houses.

2. Typhoid fever appears to be closely related to climate and soil, and in some instances has been traced to such local causes as the contamination of drinking water with feecal matter; and whilst tacts exist to show that under certain circumstances it may become infectious, this disease is not possessed of contagious qualities to an equal degree with typhus fever.

3. Both typhus and typhoid fever should be embraced in any system of

maritime quarantine.

4. The chief means for preventing or arresting typhus or typhoid fever, are free ventilation, full supplies of pure drinking water, abundance of wholesome food, and the prompt removal of garbage and feecal matters.

PRISONS, POLICE STATIONS AND CHARITABLE INSTITUTIONS AS SOURCES OF DISEASE.

Shortly after my election as President of the Board of Health in April, 1880, I directed the earnest attention of this honorable body to the condition of the prisons, police stations, Insane Asylum, Boys' House of Refuge and Charity Hospital. Again, in the early part of 1881, I agitated this question and brought the attention of the Grand Jury of the parish of Orleans, prominently to the condition of the Parish Prison, police stations and Insane Asylum. Other matters, as the neglected and foul condition of 'rainage canals were also urged upon the consideration of the Grand

I have reason to believe that the agitation of important questions relating to the physical, mental and moral welfare of those accused and convicted of crimes—the innocent as well as the guilty—resulted finally in the establishment of a Commission charged with the investigation of all matters relating to the conduct of prisons, houses of correction and asylums. It is confidently hoped that good will result from the labors of the philanthrophic gentlemen composing the honorable commission.

POLICE STATIONS.

The attention of the Board of Health, and of the administrators of police and public building, have been directed to the structure and conduct of the police stations; to the want of sanitation; to the foul practice of receiving the discharges from the stomach and bowels of prisoners confined in these "dungeons" into open buckets, which are allowed during the entire night to exhale their noxious gases in these confined, badly ventilated cells.

PARISH PRISON.

The discussion of prison discipline and prison reform in New Orleans would cover far more ground than can be embraced in this report. It has engaged my earnest attention, and upon more than one occasion has the Parish Prison of Orleans been thoroughly and carefully investigated.

STATEMENT OF ADMISSIONS AND DEATHS IN PARISH PRISON, PER MONTH. FOR THE YEARS 1856-60.

	1	185	6.		:	185	7.			18	358		1			1	85	₽.					1	960).				
		D	led	of		D	ied	of		1	Die	d	of				Di	ed	01					Di	ed	of	E	Tota	ls
MONTHS.	Admitted.	Stabbed.	Not Stated.	Total.	Admitted.	Fracture of Skull.	Not Stated.	Total.	Admitted.	Yellow Ferer.	Intemperance.	Executed.	Total.	Admitted.	Pneumonia.	Diarrhosa.	Phthiais.	Іптетретяпсе.	Janndice.	Executed.	Total.	Admitted.	Pneumonia.	Typhoid Fever.	Intemperance,	Executed.	Total.	Admitted.	Deed
January February March April May June July August September October Nocember December	49 74 123 239 137 171 239 173 210 167 163 203	1 1 1 3 · · · · · · · · · · · · · · · ·	2	1	225 222 221 172 228 245 231 226 207 178 341 627	1	1	1 1 1 1	653 555 713 556 416 399 513 366 449 380 445 558	2 2 1		1 2 1	::	580 530 602 503 569 455 468 353 457 432 620 622		1	1	1	1	1	2 3	673 561 620 519 359 368 849 851 789 894 950	1	· · · · · · · · · · · · · · · · · · ·	1 3 1		2 4 1	2186 1946 2286 1990 1709 163 2298 1960 2110 2055 2510 309	9 1 5 9 2 1 9

1870.	Died of	Not stated. Total. Admitted. Bellifted.	1 3 3 3 3 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
<u> </u>		.bettied.	15 25 25 25 25 25 25 25 25 25 25 25 25 25
	ا الح	LatoT	
1869.	Died	Small-pox.	
		Admitted.	2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00
٠.	Died of	Total.	
1868.	<u> </u>	Pneumonia.	5572 5572 5572 5572 5572 5572 5572 5572
	-		693 610 610 610 610 610 610 610 610 610 610
	ļ	Total.	
		Cholora.	O1 ~ €
1867.	Died of	Phthisis	<u> </u>
~	!	Гисепретапсе	
	1	Yellow Fever.	-6-
	·	Admitted.	250 250 250 250 250 250 250 250 250 250
		Total.	Gt
.	Died of	Phthisis.	-
1886		Сројета.	25.55.25.25.25.25.25.25.25.25.25.25.25.2
		Admitted.	25 25 25 25 25 25 25 25 25 25 25 25 25 2
		MONTHS	January February March April May July July September October November February

as follows:

From the preceding statistics the following points are worthy of note:
1. During five years preceding the civil war, 1861–1865, namely: 1856, 1857, 1858, 1859 and 1860, 25,770 persons were admitted into the Parish Prison of Orleans, and that of this number thirty eight died within the walls of the Bastile. We have no means whatever to determine the number of deaths in the Charity Hospital among the dangerously wounded (stabbed, shot and maimed), poisoned and sick. It is, however, a fact of considerable importance in a sanitary point of view that in 1859 five of the prisoners died within the walls of yellow fever.

It has been affirmed that this disease has never invaded the Parish Prison, and that its exclusion was due to two causes, namely: the isolation (quarantine) of the inmates, and the exhalation of ammonia from the excrements of the bats which inhabit the garret of the building in vast numbers, and

also from the urine of the prisoners.

2. During five years following the civil war—1866, 1867, 1868, 1869 and 1870—35,375 prisoners were admitted within the walls of the Parish Prison, of which thirty-six are said to have died. The five years following the war gave a richer harvest of prisoners, by the amount of nearly ten thousand.

During the five years preceding the civil war we find ten deaths credited to the haugman (executed). During the five years following the civil war we find not a single death in accordance with the mandates of the law.

Whilst the results of the civil war of 1861–1865 appeared to favor the increase of crime, they also appeared to relax the extreme rigors of the law, Cholera claimed twelve victims in 1866 and three in 1867, and yellow fever occasioned five deaths in 1867, and even small-pox invaded "the sacred precincts," and destroyed two of the unfortunate prisoners in 1869.

The subject of the physical, mental and moral treatment of prisoners, in every prison, workhouse and institution for correction and reform, in every parish throughout the State of Louisiana, is worthy of the most serious consideration and investigation on the part of his Excellency the Governor, and the Senate and House of Representative of the State of Louisiana.

THE SICK, DESTITUTE POOR OF NEW ORLEANS.

Some estimate of the amount of unrelieved suffering endured by the destitute poor of New Orleans during sickness, may be formed by the review of the number of deaths occurring in the Charity Hospital and in the various other public and charitable institutions, and more especially from the number of deaths recorded upon the certificates of the coroner. Thus, during the months of January, February, March and April, 1881, the number of deaths occurring in charitable and public institutions were

DEATHS IN THE CHARITY HOSPITAL DURING THE MONTHS OF JANUARY. FEBRUARY, MARCH AND APRIL, 1881.

MONTHS.	Whites.	Colored.	Total by Months.
January	37 47 42 30	35 22 28 24	79 69 70 54
Totals	156	109	966

DEATHS IN PUBLIC AND CHARITABLE INSTITUTIONS DURING THE MONTHS OF JANUARY, FEBRUARY, MARCH AND APRIL, 1881.

YEARS.	Different Institutions.	Number of Deaths.
1881 1881 1881 1881 1881 1881	Small-Pox Hospital Hotel Dieu Touro Infirmary. St. Vincent's Infant Infirmary Insane Asylum and Louisiana Retreat Parish Prison Orphans' Asylum. Other Institutions.	90 9 13 19 10 5
Totals		104

INQUESTS HELD BY THE CORONER DURING THE MONTHS OF JANUARY, FEBRUARY

MARCH AND APRIL, 1881.

MONTHS.	Whites.	Colored.	Total by Months.
January February March April	928 47	62 44 49 51	106 72 96 84
Totals	152	206	358

It is shown by the preceding table that the total deaths in New Orleans during the first quarter of 1881, in charitable and public institutions and upon Coroner's certificate numbered 727. If the same ratio of deaths to population should hold during the remainder of the year 1881, then the mortality for the entire year would be as follows:

MONTHS.	Whites.	Colored.	Total by Months
January	44	23	-
February	3 3	18	51
March	26	13	39
April	. 43	22	65
May	23	23	46
June	31	16	47
July	27	19	46
August	29	19	48
September	32	15	47
October	40	21	61
November	56	20	76
December	38	26	64
Totals	422	235	657

DEATHS IN PUBLIC AND CHARITABLE INSTITUTIONS DURING THE YEAR 1880.

YEARS.	Different Institutions.	No. of Deaths.
1880	Small-Pox Hospital	1
1880	Hotel Dieu	37
1880	Touro Infirmary	10
1880	St. Vincent's Infant Infirmary.	32
1880	Boys' House of Refuge	1
1880	City Insane Asylum and Louisiana Retreat	23
1880	Parish Prison	7
1880	Orphans' Asylum	14
1880	Other Institutions	54
Totals		179

INQUESTS	HELD	BY	THE	CORONER	DURING	THE	YEAR 1880.
----------	------	----	-----	---------	--------	-----	------------

MONTHS.	Whites.	Colored.	Total by Months
January	28	49	77
February	35	38	73
March	27	42	69
April	40	39	79
May	32	58	90
June	29	. 56	85
July	47	37	84
August	42	61	103
September	33	45	78
October	41	52	93
November	46	61	107
December	48	64	112
Total	448	602	1050

From the preceding tables we obtain the general results that, during the year 1880, the deaths in the Charity Hospital and other public and charitable institutions numbered 836; of those recorded on coroner's certificate, 1050; total, 1886 deaths.

Eighteen hundred and eighty-six deaths occurred among the poor and friendless of New Orleans, during the year 1880, out of a grand total of deaths from all causes of 5623. In other words, the deaths among those who availed themselves of public charity, or who were too poor to command medical attention, constituted about one-third, or thirty-three per cent of the deaths from all causes.

It is worthy of note that 1000 deaths were registered upon the Coroner's certificate; that is, one in about five (5.35) of those who died in New Orleans during 1880 perished without any known or recognized medical attention or service.

It is also worthy of note that the deaths upon Coroner's certificates among the colored population greatly outnumber those among the whites, in the proportion of 602 among the former to 448 among the latter; that is, the number of Coroner's inquests were, relatively to the population, more than six times more numerous among the colored population.

Such facts should arrest the attention and engage the action and earnest efforts of philanthropists.

Upon mature deliberation the following measures appear to afford the best means of mitigating a portion, at least, of the suffering among the destituted sick poor of New Orleans:

First—The employment, at a reasonable compensation, of one or more physicians in each ward, whose duty it shall be to attend to the sick poor.

Second—The establishment of one or more depots of drugs in each ward, under the charge of competent druggists, to be dispensed upon the requisition and certificate of licensed physicians.

In the present condition of the public finances, both City and State, it is not probable that any steps can be taken to accomplish these results by legislation; but it may be hoped that the good and philanthropic may be moved to assist in accordance with their means and benevolent impulses. INFLUENCE OF BACE UPON THE RATE OF MORTALITY IN NEW ORLEANS.

In the consideration of the relations of endemic and epidemic diseases to the mortality of special cities and countries, it is essential that the death-rate of the distinct races should be determined. In New Orleans we have two great divisions into the white and black, or colored race. The latter terms are almost absolutely synonymous with the negro races. The mortality of New Orleans has not as yet been perceptibly affected by the copper-colored immigrants of Asia.

From the following tables we gather that, during the series of thirtyone years embraced in the period extending from 1845-1881, fuclusive, the average annual death-rate, per 1000 inhabitants, amongst the whites of New Orleans was 39.69, and amongst the black or colored race 47.13; and the annual death-rate for both whites and blacks, 41.41.

It is worthy of note that from 1845 to 1871, the still-born were included in the total deaths. Notwithstanding the greater liability of the white race to yellow fever, and the heavy mortality occasioned during epidemic years; nevertheless the annual death-rate amongst the colored race for the

entire series was 7.44 greater than that of the white race.

The rate of mortality in New Orleans has been materially affected by its epidemics of yellow fever, and this movement has been due chiefly to the destructive effects of this disease upon the white race. Thus in 1847, the death-rate per annum, per 1000, was: whites 70.86, colored 37.08; 1853, whites 124.68, colored 48.98; 1867, white 56.79; colored 47.80; 1878, whites 52.08, colored 39.0. The year 1858, however was an exception to the rule, that in years of epidemics—yellow fever—the mortality is largely in excess of the whites, for we find the total death-rate to be 72.70, whites 69.64, colored 89.37, per 1000 inhabitants.

If we exclude the year 1878, there has been a marked diminution of the death-rate amongst both whites and blacks in New Orleans since 1867, or during the past fourteen years, the mortality amongst the colored race, however, is far higher than is comportable with an improved mental, moral,

physical and sanitary condition of this race.

We have the relative mortality of the white and black races presented in the following table, embracing a series of years, from 1845 to 1881, inclusive:

VITAL AND MORTUARY STATISTICS OF NEW ORLEANS, LA.

TABLE ILLUSTRATING COMPARATIVE MORTALITY OF THE WHITE AND BLACK RACES IN NEW ORLEANS, DURING A SERIES OF YEARS, 1845-1881, INCLUSIVE CONSOLIDATED FROM THE RECORDS OF THE BOARD OF HEALTH, UNDER THE DIRECTION OF JOSEPH JONES, M. D.

777 A 316	Populatio	on of New	Orleans.	No. of Dea	ths in Ne	orleans.		rate per or annum	
YEARS.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored
1845	114,442	79,698	34,744		2,001	789	94.32	25.10	
1847	190,890	88,530	32,360		6.274	1,225	62.03	70.86	37 08
1949	127,340	97,369	29,978	9,869	7,976		77.44	81. 92	
1850	130,565	101,778	28,787		6,319	1,500	59 88	62.08	
1859	138,187	110.342	27,845		7,499	1,199	62.90	67.91	43.04
1853	141,988	114,694	27,374	15,633	14,292	1,341	110.00	194.68	
1856	153,431	127,470	25,961	5,900	4,274	926	33.89	32.98	35.66
1857	157,242	131,753	25,489	5,581	4,593	988	35.49	34.86	
1856	161,053	136,036	25,017	11,710	9,474	2,236	73.70	69.64	89.37
1859	164,864	140,319	94,545	6,847	4,712	2,135	41.53	33.58	
1860	168,675	144,601	24,074	7,341	6.070	1,271	43.51	41.99	
1961	170,949	144,933	26,716	5,449	4,456	993	31.87	31.56	37.16
1863	175,497	143 497	32,000	7,258	5,353	1,905	41.35	37.30	
1864	177,768	143.129	34,639	8 864	6.039	9.839	49.56	42.14	
1965	180,043	142,761	37,282	7,020	4,756	9.264	38.99	33.31	60 €€
1866	182,318	149.393	39,925	7,754	5,936		42 52	36.77	65.56
1867	184,593	142,025	42,568	10,096	8,066	2,030	54.69	56.79	
1868	186,068	141,657	44,411	5,343	3,612	1,731	28 60	25.49	38.97
1869	189,143	141,290	47,853	6.001	3,857	2,144	31.73	27.29	44.89
1870	191.418	140,923	50,495	7.391	4,755		38.61	33 74	52.90
1871	193,412	142,695	50,717	6,059	3 890		31.32	27.96	42.76
1879	196,406	144,437	51,969	6,199	3,943	2,179	31.17	27.29	41.93
1873	198,900	146,179	52,721	7,505	4,794	2.711	37.73	32.79	51.42
1874	201,394	147,921	53,473	6,798	4.368		33 75	29.53	45 44
1875	203,888	149,663	54,995	6,117	3,934	2,183	30.00	96.98	40.25
1876	206.382	151,406	54,976	6,257	3,917	2 340	30.81	95 .87	42.56
1877	908,876	153,149	55,727	6,708	3,976	2.732	32.11	95.96	49.08
1878	211.371	154.892	56,479		8,062		48.81	59.05	39.94
1879	213,865	156,635	57,230	5,129	3.267		23.95	90.85	39.41
1880	216,140	158,379	57,761		3,637	1,986	96.01	92.96	34.38
1881	218,500	160,000	58,500		4,197		29.31	95.79	38 95
Total	5,485,618	4,319,777	1,965,841	227,179	167,517	59,662	41.41	39.60	47.13

The mortality from 1845 to 1871, inclusive, comprises "Still-born."

The mortality records from 1869 to 1876 give a certain number of deaths, "Color not stated." These have been divided in the above table by estimating two-thirds to be white, and one-third colored.

The figures of "Population" are taken from the United States census of 1840, 1850, 1860, 1870 and 1880, and those of the intermediate years have been derived from these by calculation.

Population of 1861 is estimated.

COLOR-VITAL AND MORTUARY STATISTICS OF NEW ORLEANS, LA., 1847-1861.

Total 12 Years.	81718 19024 892	100634
1865	4688 2231 101	7020
1964	8638	8864
1963	5015 1735 508	7258
1860	5084 1179 878	136
1859	3781	28
1858	4593 10592 968 1118	11710
1837		258
1856	14292 4274 1341 936	2800
1653		15633
1850	4 7974 6319 0 1888 1500 5	2818
1849	1888	8863
1847	68.1 88.1	7498
COLOR.		
S	7 hitee Backs for stated	Total
	7	
	Whites Elacks Not stated	Total

	-	COLOK.					2	3	3	3	<u> </u>	2	800	200	2	<u> </u>	38	12 Years.
Whites Elacks Not stated						12890	1888	6319	14992	4724 988	25.8	10502	3781	2884 1179 878	5015 1735 508	86088 	25.55 101 101 101	81718 19024 892
Total						7499	8962	181	15633	2500	5581	11710	6847	1341	7258	8864	7020	100634
																-		
COLOR.	1866	1867	1868	1869	1870	1871	1872	1873	1874	1875	1876	11677	1878	1879	1880	1881	Total 16 Years	GrandTotal 28 Years.
Whites Blacks	4984 2392 378	7866 1931 299	3503 1676 164	3757 2092 152	4602 2560 229	3782 2115 162	3871 2143 108	4739 2684 82	4299 2395 104	3869 2151 97	3847 2305 105	3976	8062	3267	3637	4127	72188 35552 1880	154906 53576 2772
Total	7754	10096	5343	6001	7391	6029	6122	7505	6798	6117	6257	6708	10318	5155	5623	6406	109620	210254

SEX-VITAL MORTUARY STATISTICS OF NEW ORLEANS, LA., 1849-1881.

		SEX.			:	1849		1850	1853	1856	1857	1858	1859	1980		1863	798	28	Total 11 Years.
Malos Females Not stated				1 : :		† . : :	36428	3017	2458 2458 116	3108	3245	1245 7673 1336 4035	2654	<u> </u>	2654 694 194 194 194 194 194 194 194 194 194 1	\$578 \$73	\$ 5 8 8	3846	34994 1626
Total				1:1				28187	15633	2900	2281	11710	6847	\coprod	1341	1858	25	7090	98135
SEX.	1866	1867	1868	1869	1870	1571	1872	1873	1874	1875	1876	-	1 11817	1878	1879	1880	1881	Total 16 years	Grand total
Males Females Not stated	4372 3052 330	6239 3566 291	2844 2292 207	3275 2598 128	4466 2838 87	3530 2481 48	3526 2568	4396 3070 39	6 3982 0 2798 9 18	23416 8 2666 8 35		3381	3650	6193	2969	3053	3593	3 62785 3 45271 1564	5, 120370 1 80195 4 2190
Total	7754	10096	5343	6001	7391	6028	6155	7505	5 6798	6117		6257	8029	10318	5122	5623	6406	6 109620	0 202755

AGES-VITAL AND MORTUARY STATISTICS OF NEW ORLEANS, LOUISIANA, 1849-1881.

	That Statistics of N	700 C	Micans:	Joseph Jones, M. D.	
Total 11 Years.	10397 19053 3783 19654 19654 19654 2336 1970 678 170 170 170 170 170 170 170 170 170 170	83135	Grand Total, 27 Years.	38691 87346 8136 19175 30444 82536 19078 19078 1983 1037 1037	302735
296		7020	Total G	20000000000000000000000000000000000000	103690
1864	2505 2505 2505 2505 2505 2505 2505 2505	88	16	~~ ~~	6406
1963	95. 69.6 69.6 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.	22.58	1880 1881		5623 64
0981	1115 1115 1115 1115 1115 1115 1115 111	1341	81 6781	~~ 1	2132 5
1839	100 100 100 100 100 100 100 100 100 100	<u>8</u>	1878	1260 455 455 693 288 416 1392 977 706 466 313 121 121 144 }	10318
	1944 1001 1001 1001 1001 1579 893 893 893 11040 1040 1040 1118 45 45 45 45 45 45 45 45 45 45 45 45 45		1877	1928 431 441 208 170 273 273 273 273 99 99	6708
31 858		11710	1876	1193 494 494 273 138 200 200 200 637 637 637 637 637 637 788 637 788 614 637 788 788 788 788 788 788 788 788 788 7	6257
1857	1568 4758 4758 4758 111 120 120 120 120 120 120 120 120 120	358	1875	1262 403 420 574 139 203 351 851 851 851 851 851 111	6117
958	8422311 8 3 1 5 2 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2200	1874		6798
- 2	1954 1954 1514 2068 2068 2068 448 84 84 84 84 84 84 84 84 84 84 84 8	2633	1873	1539 507 507 516 299 1153 1188 603 77 77 880 77 880 77 880 77 77 880 77 880 77 880 77 880 77 880 77 880 880	7505
183		-	1872	1367 405 337 337 114 1162 1170 327 327 328 529 623 363 363 363 363 363 363 363 363 363	6192
1830	1323 924 126 126 127 127 127 127 127 127 127 127	7819	1871	1596 324 324 126 108 108 370 733 667 509 509 320 166 74 16	6020
1848	1991 1991 1991 1991 1991 1992 1993 1993	86	1870	1587 410 353 180 149 2583 491 491 754 754 569 848 189 64 189 189 189 189 189	7391
	<u> </u>		1869	1385 4725 4735 493 201 105 105 106 249 280 280 280 280 280 280 280 280 280 280	6001
:			1868	1331 364 229 159 159 159 284 284 284 284 284 284 284 284 284 284	5343
			1867	1863 5229 5529 566 491 2533 466 1039 1411 946 604 604 604 163 70 103 346 163 170 163 346 846 846 846 846 846 846 846 846 846 8	10096
1			9981	1524 518 510 360 172 244 \$1060 731 520 333 147 19 10 10 649	7754
AGES.	Under 1 year From 1 to 2 years From 2 to 2 years From 2 to 15 years From 5 to 10 years From 50 to 3 years From 50 to 5 years From 50 to 5 years From 50 to 5 years From 50 to 9 years From 60 to 9 years From 60 to 70 years From 60 to 70 years From 60 to 70 years From 60 to 70 years From 60 to 10 years From 90 to 100 years From 90 to 100 years From 90 to 100 years	Total	AGES.	Under I year From I to 8 years From 2 to 5 years From 5 to 10 years From 10 to 15 years From 10 to 15 years From 10 to 15 years From 10 to 25 years From 20 to 25 years From 20 to 00 years From 30 to 10 years From 30 to 10 years From 40 to 50 years From 10 to 80 years From 10 to 80 years From 10 to 80 years From 10 to 80 years From 10 to 10 years From 10 to 10 years From 10 to 10 years From 10 to 10 years From 10 to 10 years From 10 to 10 years	Total.

VITAL AND MORTUARY STATISTICS OF NEW ORLEANS, 1881	DEATHS FROM THE PRINCIPAL CAUSES IN THE DIFFERENT NATIONALITIES, 1881—.CONSOLIDATED FROM THE RECORDS OF THE BO
	PRINCIPAL
	THE
	THE FROM
	DEA

																-
NATIVITIES.	Yello Ferer.	Malarial Fever.	Typboid TeveT	Scarlet Fever.	Mossles.	Diphtheria.	Discases. Discases.	Phthiele. Pulmonalie.	Pneumonia.	Congestion of the Brain.	Sunstroke.	Bright's Disease.	Сапсетоца . Diseases.	Suloide.	.xoq-llam8	Total.
Austria and Hungary Belgium Belgium China							; - : : °	 								
		288	nn-	- ot :	54		982	3 33	* # &	- 8 - c	មេខម	1910	-22			108 108 108 1
			ag		7	or gg		~ कुक्र	3	oig -		-g-	o.3-	01		31 1989 7
Portugal Russia South America							-	i								
Spain Sylaterhad Sylaterhad United States (not Lottsians) West Indies		a : ⊈ =	- • · · · · · · · · · · · · · · · · · ·	•		6 -1	**************************************	- wg e	भ जन्म :	8-	- : <u>2</u>	* 8	S		- 6	3=52
Total		8	\$	197	8	88	795	8	E	3	X	7	181	8	10	388

INFLUENCE OF SEX UPON THE MORTALITY OF NEW ORLEANS.

In the following table, the relative mortality amongst the different sexes (males and females) in New Orleans, during a period of twenty-six years (1849-1881) is given. The per cent relates to the relations of deaths in the two sexes to the total deaths, and not to the population.

We observe that the mortality during the entire series of years has been

relatively greatest amongst the males.

This is due to several causes: 1. The greater exposure of the male race to the changes of climate, and to violent deaths by accidents, by contagious and infectious diseases. 2. The large number of seamen and merchants frequenting New Orleans from all parts of the habitable globe. 3. The large number of paupers and sick laborers, transported from surrounding States to the Charity Hospital.

VITAL AND MORTUARY STATISTICS OF NEW ORLEANS—TABLE ILLUSTRAT-ING THE NUMBER OF DEATHS, AND PERCENTAGE OF DEATHS, AMONG THE DIFFERENT SEXES (MALE AND FEMALE) IN NEW ORLEANS.

Year	Nı	mber of Deat	hs.	Per cent	of Deaths.
Town	Total.	Male.	Females.	Male.	Females
49	9863	6458	3404	65.5	34.5
50	7819	4~02	3017	61 4	38 6
53	15633	9973	5660	638	36.2
56	5200	3108	2092	59.7	40 3
57		3245	2336	58.1	41.9
8	11710	7675	4035	65 5	34.5
9	6847	4193	2654	61.2	38.8
0		4440	2901	60.4	39 6
3		4543	2715	62.6	37.4
H	8864	5010	3854	56 5	43.5
3		3952	3068	56.3	43.7
6		4537	3217	58 5	41.5
7	10096	6485	3611	64 2	35 8
8		2948	2395	55.8	44.8
ຶ້ນ	6001	3339	2662	55.6	43.4
0	7391	4510	2881	61.0	39.0
1		3554	. 2505	58 6	41.4
3	6122	3540	25:2	57.8	42.2
3	7505	4416	3089	5 8.8	41.2
4	6798	3991	. 2:07	59.7	41.3
5	6117	3434	26/3	56.1	43 9
6	6367	3508	2749	56 0	1 44.0
7	6718	3650	3058	54.4	45.6
8	10318	6193	4125	60 0	40.0
9	5122	2969	2123	57.9	42 1
O	5623	3073	2570	54.4	45.6
ŭ	6406	35.43	2-13		

INFLUENCE OF THE EPIDEMIC AND ENDEMIC CAUSES OF DISEASE AND DEATH UPON HUMAN LIFE AT THE DIFFERENT AGES OR PERIODS.

In the following table the mortality at different periods of life in New • Orleans, for a series of years, has been calculated with reference to the stal mortality:

1881. THE ORIGINAL	Average during 27 years.	
RIGI	- <u>`-}*-</u>	
- ⁻ ⁻ 0		යිකකයයයා 4ට්ටිවක ඇස − පැවැදුරු පැවැදිව පැවැදි ජ විකකයයා පැවැදි ජිතිකයා පැවැදි ජිතිකයා පැවැදි ජිතිකයා පැවැදි
188 THT	1878 1879 1880 1881	liniai de esta esta esta esta esta esta esta est
2 %		
349 T	1877	最高的 4 4 4 4 5 5 1 6 1 6 6 4 4 7 7 7 1
A-18 DATEI	1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876	ऄ ॓॓ ॱऴ ₳ॶॶॖॳॶऄॖॖऄॖॖॖॖॖॖॗऄॖ
A IDA	1875	ପ୍ରକ୍ୟର୍ବର ଅନ୍ତର୍ଗ୍ୟର୍ଥର ପ୍ରକ୍ୟର୍ବର ପ୍ରକ୍ଷର କଳା କଳା କଳା ପ୍ରକ୍ଷର ବ୍ୟବର୍ଷ କଳା କଳା କଳା କଳା କଳା କଳା କଳା କଳା କଳା କଳା
AN	1874	8000-0000-0000-00-00-00-00-00-00-00-00-0
181	1873	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2
EP.	1872	သို့မှာလူတွဲမှာလူတွဲမှာ မြောင်းမှုတွဲမှာ မြောင်းမှုတွဲမှာ မြောင်းမှုတ် မြောင်းမှုတ် မြောင်းမှုတ် မြောင်းမှုတ်
LIFE	1871	2000 - 400 - 40 - 40 - 40 - 40 - 40 - 40
0 % O	970	ଅନ୍ୟର୍ଷ୍ଟର୍ଥର ଅନ୍ୟର୍ଷ କ୍ରମ୍ୟର ଅନ୍ୟର୍ଥ
A A NO NO NO NO NO NO NO NO NO NO NO NO NO	8	മ്പത്യപ്പെര്ച്ചര്യാക്കു ഇത്യയ്ക്ക്പര്ക്കുത്തായത്തെ
LE	898	\$044-0441-04404-1-1-1-1-1-1-1-1-1-1-1-1-1
PER	298	@ v v 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
7 C E	98	
RE	965	ರ್ಪಣ್ಣವರ ಕೃತ್ತಾಗಿ ಹಾಡಾರ್ಟ್ ಆ ಸಹ-ಪಟ್ಟರಾಗಿಯಾತಿ ಶಾಣ್ಣರ ಕಣ್ಣ ಪ ಸ್ಥಾಣಕಗಳ
FFE	<u>\$</u>	4
OF UNI	1863	20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
SS	98	Sarannadaran onewaaannenewas
E E E	- 52	2 4 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
II FI	95	
LA' NLT		
SC.	1856 1857 1858 1859 1880	K & & & & & & & & & & & & & & & & & & &
LRY E MC	1853	3. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
U.A.	1830	<u>1 </u>
ORT EELA'	1849	24 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
VITAL AND MORTUARY STATISTICS OF NEW ORLEANS, LOUISIANA-1849 TO 1881 TABLE ILLUSTRATING THE RELATIVE MORTALITY IN THE DIFFERENT PERIODS OF LIFE, CONSOLIDATED FROM THE RECORDS OF THE BOARD OF HEALTH, UNDER THE DIRECTION OF JOSEPH JONES, M. D.	AGE3.	Tonder I years From 1 to 9 years From 2 to 10 years From 5 to 10 years From 10 to 15 years From 10 to 15 years From 20 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 20 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 30 to 30 years From 40 to 30 years From 40 to 30 years From 40 to 30 years

	E PRINCIPAL DISEASES, CLASSIFIED ACCORDING TO AGE AND COLOR, DURING THE YEAR 1881, CONSOLI-
ORLEANS, 1881.	AGE AND COLC
VITAL AND MORTUARY STATISTICS OF NEW ORLKANS, 1881.	SS, CLASSIFIED ACCORDING TO
AND MOI	DISEASE
VITAL	E PRINCIPAL

al, both	Toto	396 197 197 26 26 154 197 114 117 38 38	3264
al of	C.	212 212 238 388 388 44 15 15 15 15 15 15 15 15 15 15 15 15 15	1193
Total	W.	160 455 455 211 33 118 69 85 85 85 85 85 85 85 85 85 85 85 85 85	2131
Above 9 Years	C.	6, 1	4
A Po	W.		9
	c.	14 01-	6
80 to 90 Years.	¥.	- : : : : : : : : : : : : : : : : : : :	16
to 80 ears.	. ·	1	38
70 te	¥.		09
0 70 118.	c.	8	77
60 to 70 Years.	¥.	16 10 10 10 10 10 10 10 10 10 10 10 10 10	157
_	C.	9 : : : : : : : : : : : : : : : : : : :	105
50 to 60 Years.	W.	65 1 18 65 65 65 65 65 65 65 65 65 65 65 65 65	250
	c.	E : : : : : : : : : : : : : : : : : : :	134
40 to 50 Years.	₩.	33 26 36 36 36 37 77	560
to 40 ears.	0.	13: 13: 13: 13: 13: 13: 13: 13: 13: 13:	991
30 to Yea	W.	1 1 2 2 4 1 1 1 2 2 1 2 2 2 1 8 2 1	898
38.	C.	E : E : 1 2 2 4 8 8 4 E 1	185
20 to 30 Years.	W.	1330 33 1 14 43 13	258
	0	1 4 . 40.00	2
15 to 20 Years.	W.	12.00 - 14-044-09	85
	Ö	1 :: 20000 :: 1	43
10 to 15 Years.	*	400 : 80-88	52
9.6	C	12011 40000011	45
5 to Year	¥.	: 12 to 12 to 12 to 12 to 1	115
10 %	o'	: 52 : 43 : 10 EL L E : : : :	85
2 to 5 Years	W.	1 :02 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	184
01 7	C.	0000 -0000	74
1 to 2	W.	121 23 1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	138
	c.	1:80 :: 6840 2	138
Tear Year	W	92.44 : 29.20 : : : :	284
DISEASES.		Yellow Fever Madarial Fevers Saarlet Fever Typhoid Fever Typhoid Fever Madasles Small-pox Diphtheria Diphtheria Congestion of the Brain Congestion of the Brain Forenmonia. Bright's Diseases Gorderous Diseases Sundress Sunstroke	Total

It will be observed that in an average of twenty-seven years, 20 per cent of the deaths in New Orleans occur in infants under one year of age, and 13.7 per cent between one and five years, 3.9 per cent between five and ten years, and 5.5 per cent between ten and twenty years.

Nearly one half, or more exactly 43.1 per cent, of the deaths in New Or-

leans occur between the period of birth and the age of twenty years.

The relative mortality in New Orleans between twenty and forty years, and in the most vigorous and active period of life, is heavy (twenty to thirty years, 13.7 per cent; thirty to forty years, 12.4 per cent), reaching 26.1 per cent of the entire mortality.

Without doubt this large mortality, from twenty to forty years, is due to the influx of men in the prime of life, engaged in commercial and maritime

pursuits, and the necessary exposure in this hot, moist climate.

Yellow fever occasions a heavier mortality amongst men than women, and amongst men at that period of life, when their habits are most active, and their exposure to the vicissitudes of climate greatest.

A just estimate of the progressive increase as well as the relative salubrity of cities and countries might be based upon the number of marriages and births to the population.

To reason upon such statistics, we must be assured of their accuracy.

All the marriages and all the births should be recorded.

In New Orleans, certain conditions exist, which render the statistics relating to the record of births and marriages valueless for purposes of scientific deduction, as the rate of increase or decrease of the population of New Orleans:

1. The Act of 1877, which transferred the duty of registering marriages and births to the Board of Health, is defective in that it inflicts no fine for failure; and provides no mode in which parties failing to report

either marriages or births, shall be punished.

- 2. A large proportion of the population of New Orleans, is composed of colored people in the proportion, according to the United States census of 1880, of 57,748 colored to 158,395 white. It is not to be supposed that a race so recently emancipated from slavery, should appreciate the great advantages afforded by the legal record in the public archives of marriages and births.
- 3. We have shown that over one third of the deaths recorded in New Orleans for 1881. either occurred in charitable institutions, or were certified to by the coroner. If one-third of the inhabitants of New Orleans are too poor to provide either the means of medical attendance or proper shelter and food during sickness, it is not to be supposed that they should possess either the means or the intelligence to record marriages and deaths.
 - 4. The legitimacy of a birth does not depend upon its public registration.

5. The legality of a marriage does not depend, in the United States of America, upon its mere registration in the public archives.

The following statistics embrace the total number of births and marriages recorded at the office of the Board of Health of the State of Louisiana, during the year 1881:

VITAL STATISTICS OF NEW ORLEANS, 1881—MARRIAGES AND BIRTHS BY MONTHS. CLASSIFIED ACCORDING TO COLOR AND NATIVITY IN NEW ORLEANS, DURING THE YEAR 1881. CONSOLIDATED FROM THE ORIGINAL RECORDS OF THE BOARD OF HEALTH. UNDER THE DIRECTION OF JOSEPH JONES, M. D.

MONTH.	Both whites.	Both colored.	Husband alone white.	Husband alone colored.	Both United States.	Both foreign:	Husband alone United States	Husband alone foreign	Total.
January	115	39			114	10	9	12	145
February	98	34			106	21	3	3	139
March	82	18			78	11	2	9	100
April	74	15			69	12	5	3	89
May	68	11	1		61	13	2	3	797
June	87	17			85	13	5	1	104
July	59	9			54	11	. 1	2	68
August	80	12	1		74	12	3	4	92
September	95	17	1		84	17	6	5	112
October	89	13	1.		88	7	i	6	103
November	101	26	L		100	14	6	7	127
December	122	21			113	21	3	6	143
Total	1070	223	 		1026	162	44	61	1992

VITAL STATISTICS OF NEW ORLEARNS, 1881—BIRTHS BY MONTHS, CLASSIFIED ACCORD ING TO COLOR, SEX AND NATIVITY OF PARENTS, IN NEW ORLEAS, DURING 1881.

	Co	lor.	Se	x.		Nativi	ty of Pa	rents.	
MONTH.	Whites.	Colored.	Males.	Females.	Both United States.	Both foreign.	Father alone Native.	Father alone Foreign.	Total births by months
January February March Aoril Juuo July Angust September October November Docember	246 257 264 203 196 173 232 225 193 158 193 137	37 40 41 51 21 18 32 26 26 18 20 27	135 172 454 142 118 93 117 125 101 87 107 77	148 125 151 112 99 98 147 126 118 89 106	158 172 201 153 125 93 133 157 123 103 109 84	64 69 54 57 41 59 59 59 39 41 38 41	15 11 12 11 5 8 14 3 8 19 17 7	46 45 38 33 46 31 65 58 35 21 49 39	253 297 305 254 217 191 264 251 219 219 176
Total	2477	357	1428	1406	1610	608	193	493	2834

It will be observed that only 1293 marriages were recorded in 1881, of which 1070 were white and 223 colored; during the same period, 2834 births, of which 2477 were white, and only 357 colored. The white children recorded were eight times as numerous as the colored; although the population is in the ratio of about three whites to one colored.

In 1880, the records were very similar in the general results to those of 1881: thus, the marriages recorded, whites 1040, colored 249; total 1298; births, whites 2442; colored 196; total 2738.

According to the statistics the births in New Orleans in 1881 and 1880, did not equal one-half the mortality. Such results are evidently only partial and incapable of furnishing data for careful calculation, as to the rate of increase of New Orleans, by the inherent energies and multiplication by birth of the inhabitants.

How shall full accurate statistics of the births and marriages be attained?

The law is defective, and although on the one hand the great advantages of a correct registration of births and marriages is appreciated by the in-

telligent and virtuous citizens, and although as President of the Board of Health, I have endeavored to perfect the registration, by using the sanitary police as mediums of information, and by circulars to physicians, midwives, clergymen and recorders; at the same time the results have not been satisfactory.

The mere appendage of penalties to the law, as it stands, would not secure a full registration of marriages and births amongst the poor and ignorant; and the difficulty would be solved by an annual sanitary census of the entire population. The Board of Health is without the necessary funds for such an undertaking.

PREVENTABLE CAUSES, OF DISEASE AND DEATH. INTRAMURAL SEPULCHRE IN NEW ORLEANS, EFFECTS OF THE
MODE AND PLACE OF BURIAL UPON THE HEALTH OF
THE INHABITANTS, RESULTS OF INSPECTION OF THE
VARIOUS CEMETERIES OF NEW ORLEANS. STATISTICS OF
BURIALS IN THE CEMETERIES OF NEW ORLEANS. POISON
SUICIDE, VIOLENCE, MURDER, ACCIDENTS, DROWNING,
STARVATION, INTEMPERANCE, DELIRIUM-TREMENS,
MANIA A POTU, INSANITY, NUMBER OF CASES OF POISONING ACCIDENTAL OR INTENTIONAL IN NEW ORLEANS.

INTRA-MURAL SEPULCHRE IN NEW ORLEANS, EFFECTS OF THE MODE AND PLACE OF BURIAL OF THE DEAD UPON THE HEALTH OF THE INHABITANTS.

The subject of the effects of Intra-Mural sepulchre, is of the greatest importance to the health and welfare of the citizens of New Orleans, not only from the deleterious effects of the products of putrification in all places, under all circumstances, but more especially from the peculiar topographical situation, the great commercial importance, and the warm, moist climate of the delta of the Mississippi.

In order to obtain data for intelligent action upon this important subject by the General Assembly of Louisiana, and the Common Council of New Orleans, the President of the Board of Health, instituted a careful inspection of all cemeteries within the limits of the Parish of Orleans.

The following public and private cemeteries and burial grounds are located on the east bank of the Mississippi river, within the parish of Orleans.

IN NEW ORLEANS, LOUISIANA, PUBLIC AND PRIVATE CEMETERIES AND BURIAL GROUNDS.

Lafayette No. 1, Fourth District, bounded by Washington, Prytania, Coliseum and Sixth. One square. Lafayette No. 2, Fourth District, bounded by Washington, South Basin, St. Denis and Sixth. One square. Valence Street Cemetery, Sixth District, bounded by Valence, Bordeaux, Rampart and Dryades. One

square. Carrollton Cemetery, Seventh District, bounded by Adams, Lower Line and Seventh and Eighth streets. Four squares.

St. Louis No 1. Second District, bounded by North Basin, North Liberty, Conti and St. Louis streets. St. Louis No. 2, Second District, bounded by Custombouse, St. Louis. Claiborne and Rebertson, St. Louis No. 3, Second District, bounded by North Basin, St. Louis, Conti and North Liberty. On square called American Cometery.

St. Joseph, Fourth District, bounded by Washington, St. David, South Liberty and Sixth. Two squares.
1 St. Vincent, Sixth District, bounded by St. David, Green and St. Patricks. Three squares.
Locust Grove Cemeteries Nos. 1 and 2, Fourth District, bounded by Locust, Freret and Sixth and Seventh

St. Vincent de Paul, Third District, bounded by Louiss, Piety, Urquhart and Villere. One square.
Girod Cemetery, First District, bounded by South Liberty, Perilliat, Cypress and Magnolia streets: 330
teet wide and 400 feet deep.

Holt's Cemetery, five to six acres, First District.

Hebrew Cemetery, First District, bounded by Elysian Fields and Gentilly road; one square.

Hebrew Cemetery, called Dispersed of Israel; First District, on Canal street, between Anthony and Matair is Ridge, 250 feet square

Polish Hebrew, called also Jewish Rest; First District, on Canal street, opposite Dispersed of Israel.
 Hebrew, called Hebrew Place of prayer; Sixth District, on Joseph street.
 German Lutheran, Sixth District on Canal, between Anthony and Bernadotte street, one square and four

Odd Fellows, corner Canal and Metairie streets, 360 feet square.

Charity Hospital No. 1, on Canal. between Anthony and Metiarie streets; 200 feet wide 1600 feet square.

exclusive for Hospital.

Charity Hospital No. 2, Metairie Road, between Bienville and Canal streets, one square.

Masonic, on Bienville, between Metairie and Anthony streets, three squares.

St. Patricks No. 1, on Canal, between Anthony and Metairie streets, 400 feet wide and 1500 feet long.

St. Patricks No. 2, on Canal, between Anthony and Metairie streets, 400 poposite No. 1.

St. Patricks No. 3, on Metairie, between Canal and Bienville streets, two squares, opens from St. Patricks No. 3, on Metairie, between Canal and Bienville streets, two squares, opens from St. Patrick No. 2.

0. 2. Fireman's, Metairie Ridge and Canal street.

Cypress Grove, Metairie Ridge and Canal street.

Greewood Nos. 1 and 2, Metairie Ridge and New Canal.

Chalmette National, one mile below Barracks on river, 108 acres for burial of Union Soldiers.

Olivier, Sixth District. corner of Verrett and Market.

St. Bartholemew Cemetery, Fifth District, De Armas and Lapeyrouse.
William Tell, Franklin and Hancock, Gretna, Tenth street, between Larcesler and Noveta. The Hebres Cemetary belonging to the Hebrew Association, opened in 1828, was closed in 1860.

It is evident from the preceding table that there are thirty-five cemeteries and burial grounds in New Orleans, many of which, as St. Louis Nos. 1, 2 and 3, Lafayette, Nos. 1 and 2, St. Vincent de Paul and Girod Cemetery, are situated in the heart of populous districts.

The removal, or rather establishment of a large number of cemeteries, as the Fireman's, Cypress Grove, Greenwood, Odd Fellows, Masonic, St. Patricks Nos. 1, 2 and 3, Metairie Ridge Cemetery, beyond the bounds of the thickly populated portion of the city has without doubt diminished the diseases referrable to the emanations from the putrefying corpses of the dead.

MODE OF BURIAL.

· Owing to the saturation of the soil of New Orleans and its environs with water, and the rapidity with which excavations fill with water, the custom was early introduced of interring bodies in brick or stone tombs constructed upon ground.

· At the present time, with the exception of the destitute burials at the

public expense, only Israelites are buried under ground.

Graves are dug from three to four feet deep, except at the cemeteries on Ridge, where, the ground being higher than in the other parts of the cemetery, it is possible to dig to a depth of seven feet.

All other interments are made in vaults of brick stone or iron, which are built on the surface of the ground, the bodies after being introduced into

the vaults are walled in by brick or mortar.

There is no means of escape for the foul gasses arising from the decomposition of the corpses, except through the pores of the brick and mortar. Of course, whenever a vault, or a division of a vault, is opened, before putrefaction is completed, there is an immediate escape of noxions gases.

Girod Street Protestant Cemetery, fronts on South Liberty, between Periliut and C press streets, and in the rear by the city Work House, 600 feet in length by 260 feet in width, Sexton Mr. Peter Barr, since 1865. There are no records to show when the cemetary was started. The oldest tomb dates from 1817. Number of vaults and tombs : 5736 vacities and 1099 tombs. Drainage good. Drains into the street gutters. Sanitary condition good. The vaults and tombs are in general good condition, the walls are good, having be repaired two years ago. There have not been any interments in the ground since April 1535, being prohibited by law.

Digitized by Google

rts. al n-

atricks To. 3 in Healy.
Healy.
Tombe: 20
htts 31,37
f 5653.
Tress Grc harity I of Grove Cypress 374. W1 aking a fever, • Yos. 1 a the Carr h to New k Locust 2 1840 to myed, the dispette leading t ains 1778 riceptio cracks layette d and 8 anlts. I those o lence C eaux e ery con cal inte tons: Olivie co, 186 1874 tc to date arity I anded on etery ed Ma ipress 1850, red Ja 1857 H 22.52 red 2 15; c hrt st rided 1 , [: 0.5et bez, 1 e sma l Jon d str inage x. Joe inage lasoci Bent Pole



t. Patricks Cemeteries are located, No. 1 in the First District, No. 2 in the Second Dist, No. 3 in the Second District. St. Patricks' No. 1, is very much crowded and it is iost impossible to dig a new grave without coming in contact with an old grave. Sexton H. Healy. When opened: no records previous to September 1841. Number of vaults tombs: 269 vaults and 163 tombs. Drainage fair, sanitary condition good. Total in-ments 31,375; died of yellow fever 4253, of small-pox 186, of cholera 1214, making a

y press Grove No. 1 and 2, are located, No. 1, bounded by Canal street, Metairie Road i Charity Hospital cemeteries; No. 2 adjoins No. 1. Sexton J. B. Faget. When opened pres Grove No. 1, no records previous to July 1841, No. 2, no records previous to June. 6. Cypress Grove No. 1, number intered in vaults and tombs 5591, in the ground 3783, al 9374. Whites 9327, colored 47. Deaths from yellow fever 820, small-pox 144, cholera, making a total of 1312. Cypress Grove No. 2, total interments, 34,412. Deaths from low fever, 5308; small-pox, 700; cholera, 2466; total, 8474. Drainage good sanitary

Vashington Cemeteries—The preceding table comprises five cemeteries, viz: Lafate Nos. 1 and 2. Locust Grove, Valence and Carrollton, as near as the records show t the Carrollton interments were included from the year that Carrollton was annexed 74) to New Orleans, up to January 1, 1883, Valence Cemetery, from 1874 to January 1, 4, Locust Grove Cemetery from 1865 to 1879, when it was closed, Lafayette No. 2, m 1840 to 1884. Lafayette No. 1, the records of the cemetery previous to 1843 were

stroyed, the oldest record is a receipt dated 1829.

afayette No. 1—Located on Washington street, between Coliseum and Prytania, and anded in the rear by Sixth street. Size 300 feet square, opened about the year 1829, itains 1778 lots and about 600 vaults. Drainage good, sanitary condition good, with exception that the walls of the vaults fronting on Washington street are cracked; see cracks must be refilled with cement each year.

Lafayette No. 2, located on Washington street and bounded by St. Patrick street, St. wild and Sixth streets, size 295 by 348 feet long, opened in 1840, contains 480 lots and I vaults. Drainage and sanitary condition good, tombs and walls in better condition

an those of Lafayette No. 1.

Valence Cemetery, located on Valence street, bounded by St. Denis, St. Patrick and rdeaux streets, opened in 1872, size 300 feet square, contains 800 lots. Drainage and

hitary condition good.

Total interments Washington Cemeteries, 44,366.

Sextons: B. S. Quinman, from 1832 to 1844, H. G. Hicks, from 1844 to 1861, Philip Harty 61, Olivier Rice, 1862, D. F. Simpson, from 1862 to 1865, Jas. Hogan, 1865 to 1867, J. F. Calling 1871 to 1874, Corneling Dono. illico, 1867 to 1869, Jim Tracey, 1869 to 1871, J. F. Callico, 1871 to 1874, Cornelius Donom, 1874 to 1876, Denis Irvin, 1876 to 1878, P. Gallagher, 1878 to 1879, J. F. Birchmier, 79 to date.

Charity Hospital cemeteries, Nos 1 and 2. Location—Charity Hospital Cemetery No. bounded by St. Patrick's Cemetery No. 1, and Cypress Grove Cemetery No. 1, and onts on Caual street. Charity Hospital Cemetery No. 2, bounded by St. Patrick's metery No. 3 and Metairie road. Interments in Charity Hospital cemeteries compared to the comp sneed May, 1850; previous to this date interments from Charity Hospital cemeteries compenced May, 1850; previous to this date interments from Charity Hospital were made Cypress Grove No. 2. Interments in Charity Hospital Cemetery No. 1 commenced ay, 1850, and ended January, 1872. Interments in Charity Hospital Cemetery No. 2 commenced January, 1872, and continue to date. Sexton, Charles Rolling. Interments harity Hospital No. 1, from May, 1850, to January, 1872. Whites, 21,418; colored, 1104; tal, 22,522. Charity Hospital, No. 2, January, 1872, to date, interments, 6864; whites, 4128; lored, 2736. Grand total, 29,386. Total interments from yellow fever, 6939; small

ox, 15; cholera, 1572; total, 8526.
St. Vincent de Paul, Nos. 1 and 2, No. 1 bounded by Louisa, Villere, Piety, and Urahart streets, No. 2 bounded by Villere, Piety, Desire, and Urquhart streets, No. 3 winded by Louisa, Robertson, St. John Baptist, and Piety streets. These cemeteries e opened in 1840, but all records previsus to 1851 have been destroyed. Sexton, V. rez, 1851. Contains—No. 1, 1501 vaults, 211 tombs; No. 2, 1580 vaults. Total internarez, 1851. Contains—No. 1, 1501 vaults, 211 tombs; No. 2, 1580 vaults. Total inter-nus: Whites, 26,053; colored, 6879; total, 33,832. Total interments from yellow fever, 183; smallpox, 1127; cholera, 1261; total, 5651. 8t. Joseph's No. 1, located on Washington street, bounded by St. David, Liberty and

inth streets, opened in 1855, size 300 by 250 feet, and contains 522 lots and 422 vaults. rainage and sanitary condition good.

St. Joseph's Cemetery No. 2, located on Sixth street, and bounded by St. David, Liber-) and Seventh streets; same size as No. 1, contains 2 tombs, no vaults and 522 lots. rainage and sanitary condition good; Sexton: Wm. Maura, for both cemeteries; total iterments 14,912, died of yellow fever 1088, small-pox 191, cholera 105.

Association Tememie Derich Cemetery, located on Canal street, opened in 1858; all inrments in the ground; total interments, white 378, died of yellow fever 69, small-pox

cholera 10, total 85.



St. Louis Cemetery No. 1, bounded by St. Louis, Basin, Treme and Conti streets Sexton, M. Rodrigue, records previous to 1855 has been lost, number vaulte, 352; number tombs, 836. Total interments, white, 6128; colored, 2950; total, 9078. Died of yellow

St. Louis Cemetery No. 2, occupance three blocks) (a) bounded by St. Louis, Conti, Robertson and Claiborne streets, (b) bounded by Bienville, Conti, Claiborne and Robertson streets, (c) bounded by Bienville, Customhouse, Claiborne and Robertson streets, St. Louis Cemetery No. 2, opened about 1825; no records previous to 1843. Records from September 1, 1847, to January 1, 1865, were stolen, records from January 1, 1861, to February 28, 1869, lost or destroyed. Sexton, J. F. Calico, since 1881. Drainage and sauitary condition, good. Number of tombs, 1794; number of vaults, 2347; total number of interments, 13,768. Died of yellow fever, 298; small-pox, 612; cholera, 245; total, 1158

New St. Louis Cemetery, or Potter's Field, bounded by Esplanade and Jockey Clab-Park, opened June, 1856. Sexton, Hypolite Bienvenue; number of tombs and vaults, 637; total number of interments in vaults and tombs, 634; in the ground, 8760; total, 9,394. Died of yellow fever, 656; small-pox, 199; cholera, 112; total, 967. Drainage

and sanitary condition good.

Greenwood Cemetery. Records from 1855 to date: Sexton, Daniel Merritt; drainage and sanitary condition good. Interments in tombs and vaults, 2190; graves, 4042; total,

and sanitary condition good. Interments in tomos and value, 2190; graves, 4042; total, 6232. Died of yellow fever, 419; small-pox, 133; cholera, 42; total, 6226.

Grand Lodge Masonic Cemetery, bounded by Bienville, Metairie, Anthony and Contistreets, Opened in 1867. Sextons, J. L. Lippe from 1867 to 1876, William Tell, from 1876 to date. Sanitary condition and drainage good. This location is very high, it is necessary to dig eight (8) feet before striking water. Number of vaults forty-eight, number of graves lifty; total interments, 509; died of yellow fever, saxty-

two; died of small-pox, six; died of cholers, one.
Odd Fellows Rest Cemetery, bounded by Canal, Matairie and St. Patricks Cemetery, No. 2, opened in 1849, Sextons, D. Merritt, 1849 to 1868, D. Quin, 1868 to 1870, F. A. Bradley, 1870 to 1881. E. Barrett, 1881 to date, size 237 feet long by 340 feet wide. Drain-

age and sanitary condition good; number of vaults 640, tombs 44, graves 26, total number interments 2563, died of yellow fever 236, small-pox 27, cholera 59.

Congregation Dispersed of Judah Cemetery, bounded by Caual, 8t. Helena, Customhouse and Antonia streets, opened in 1846, size 180 feet front on Canal street, Sexton, Adam Eisenhauer. Drainage and sanitary condition good; total number of interments all in the ground, 518 all whites. Diseases not stated.

First German Evangelical Lutheran Cemetery of St. John's Church, bounded by

Canal, Customhouse, Authony, and Bernadotte streets, opened September, 1867. Serton, Otto Burandt. Drainage and sanitary condition good; number of tombs, 8. Total interments, 171. Died of yellow fever, 11; smallpox, 1; cholera, none.

Cemetery of the Congregation Gates of Prayer, Joseph street, Sixth district, opened in 1850. Records previous to 1867 were destroyed by fire. Sexton, L. Rosenbaum. Drainage and sanitary condition good; all interments in the ground. Total interments to 1867. previous to 1867, --; total interments since 1867, 169; died of yellow fever, 18; smallpox, 4; cholera, 2.

Cemetery Waters of Israel. Cemetery records from 1965: Sexton, H. Bonart. Drainage and sanitary condition good. All interments died of yellow fever, 10; small-pox, 1; cholera, none. All interments in graves. Total interments, 33;

Hebrews' Rest Association Cemetery. The cemetery of this name, located on Jackson street, was opened in 1828 and closed in 1866. Hebrews Rest was then removed to Elveian Fields street. Records from 1866 to date are complete. Drainage and sanitary condition good. All interments in graves. Total interments, 917. Died of yellow fever, 118; small-pox, 5; cholers, 14.

Metiairie Cemetery. Sexton, Wm. H. Benson, cemetery opened in 1874. Drainage and sanitary condition good. Total interments, 603; died of yellow fever, 32; small-pox,

none; cholera, none.

Holts Cemetery opened May 1879. Drainage and sanitary condition good. Interments, white, 407; colored, 1617; total interments (all grave), 2054; Died of yeilow fever, none; small-pox, 422; cholera, 2. Of those intered as died from small-pox in 1883. 127 died at Luzenburg Hospital, seventy-one died at Beard's City Hospital, 111 died at their residences, total 309 cases in 1883.

Campo Santo Cemetery. Located on Washington Avenue between Prosper and Sallidell streets, Third District. Sexton, Father Trevis. This cometery opened July 1.

1875. Drainage and sanitary condition good. Interments, whites 843, colored 1341, total 2331; died of yellow fever, fifty; died of small-pox, 124; died of cholera, none. Firemen's Cemetery (Algiers), right bank of the Mississippi River. Located in Algiers. Sexton, J Peterson. This cemetery opened in the latter part of 1878. The inage and sanitary conditions are good. Interments, all white, sixty-seven; died of w fever one, died of small-pox ten, died of cholera none, total eleven.

KXI lex-terppi (all nly on. lion , 9 ; ₩n. of tal hat and ice ind the

8t. I Sex to: ber to fever, 8t. 1 Rober Rober stree ti Rec OF 1, 186 age 🚁 num b total, Park 637; 1 9,39-4and sa Grø and su 6232. Gra stree 1 1876 it .is forty. two; No. 2 Brad age a ber it Co house Adan all it Cans ton, Ce in 1 Dral prev pox. age H stre ian diti 118 N

, died of small-pox ten, died of cholers none, total survey.

St. Bartholomew's, Catholic Cemetery, Algiers, right bank of Mississippi River. Sexton, Father Brady. Opened 1857. Drainage and Sanitary condition good. Total interments, 2129. Sex, color, and diseases not stated.

Getna Fireman's Cemetery, Gretna, parish of Jefferson, right bank of Mississippi River, opened 1866. Drainage and sanitary condition good. Total interments (all whites), 455. In 1878 there were 29 interments from yellow fever. This was the only year in which a record of diseases was kept.

Great Samaritan Colored Society Cemetery; located in Gretna, parish of Jefferson. Sexton, James Sparks. Cemetery opened in 1871. Drainage and sanitary condition good. Total interments, 50, all colored. Died of yellow fever, none; small-pox, 9;

cholera, none.

Union Benevolent Colored Cemetery. Location, Gretna. Sexton, C. F. Brown. Cemetery opened in 1867. All records previous to 1874 are lost Drainage and sanitary

condition good. Total interments (all colored), 45. No record of diseases.

U. S. Government Camp Chaimette National Cemetery. Locatad on left bank of Mississippi river, Parish of St. Bernard. Drainage and sanitary condition good. Total interments, 12,461. Known, 6,844; unknown, 5617. No records of diseases, except that in 1878 there were 18 interments from yellow fever. The records of this cemetery extend from 1866 to 1884.

In the execution of the inspection of the cemeteries of New Orleans, valuable service was rendered by the intelligent and faithful sanitary officers, Emanuel Bohner and Loring D. Allen, who acted immediately under the direction and supervision of the President of the Board of Health.

INTERMENTS IN THE VARIOUS CEMETERIES OF NEW ORLEANS BY YEARS—
TOTAL DEATHS AND DEATHS FROM CONTAGIOUS AND INFECTIOUS DISEASES, ACCORDING TO RECORDS.

YEAR.	Total Deatlis.	Deaths from Yellow Fever.	Deaths from Small-pox	Denthe from Cholera.	Total Deaths from Contagious and I for tions Dissessed
33	90				
34	1354				
35	400 174	••••			••••
37	397				
38	148	2			2
39	269	103			103
40	182	1			1
41	485	141	2		143
42	360 1254	23 185	3 5	••••	26 190
44	1480	24	1		24
45	1506				~~
46	2800	127	1		128
47	5910	1858	5	3	1866
48	4080	594	29	604	1227
49	6475 5447	620 45	55 22	2136 862	2811 9°9
51	5949	12	36	504	552
52	7160	411	35	957	1403
353	12955	8037	38	469	8544
354	9627	2419	21	979	3419
955	8920	2412	56	1225	3693
56 57	5036 5026	76 196	67	34 17	111 280
158.	10875	4646	68	12	4726
359	6087	96	27	9	132
360 	7171	11	18		29
361	5158	1	1	2	4
362	5884	2		1	3
363	7259 8011	6	512	3 42	560
364 365	7179	1	543	42	548
366	8417	216	182	1287	1685
367	10363	3040	47	563	3650
468	4798	6	9	100	115
369	6075 7281	2 574	129 498	3 13	134 1095
370 371	5909	39	496	7	51
372	6526	27	25	5	57
573	7727	187	459	124	770
374	6959	13	499	4	516
375	6527	51	313	5	369
876	6690 7122	41	202 1036	6 5	249 1042
878		3945	135	4	4084
879	5407	15	10.7	6	21
880	5904	1	1	5	7
881	6819		4	7	11
882	6174	3	386	2	391
883	6208	1	931	• • • •	932
Grand total	272649	31207	6406	10009	47622

bove recapitulation does not include the U.S. Government Cemetery, or the on the right bank of the Mississippi, as their records are very imperfect,

The city of New Orleans embraces a vast extent of territory, extending from the slaughter house to the upper line of Carrollton, taking in Algiers on the right bank, reaching to Rigolets and connecting Lake Pontchartrain with Lake Borgne; but the more densely populated portions lie along the course of the Mississippi river; there is, therefore, ample room for the removal of the dead out of the inhabited portions of the

It is important to note that there has been for many years, a progressive removal of the grave yards beyond the crowded limits of the city, to the Metairie Ridge; so that at the present time only nineteen cemeteries may be regarded as strictly intra-mural, viz: First District, one grave yard, American, on Basin street, near Girod; Second District, four grave yards, St. Louis No. 1, Basin, between Conti and St. Louis streets, St. Louis Nos. 2, 3 and 4, Claiborne, from Customhouse to St. Louis streets; Third District, four Ros. 2, 3 and 4, Claibfile, from Cuscommouse to St. Louis streets, Initial District, Four grave yards, New St. Louis, Esplanade, near Bayou St. John, Hebrew, Gentilly Road, St. Vincent de Paul, Louisa and Urquhart, Campo Santo, Urquhart, near Girod street; Fourth District, Lafayette No. 1, Washington, near Prytania street, Lafayette No. 2, Washington and St. Patrick streets, St. Joseph No. 1, Washington, near St. Patrick streets, St., Joseph No. 2, Sixth, near St. Patrick street; Fifth District, two grave yards, streets, St., Joseph No. 2, Sixth, near St. Patrick street; Fifth District, two grave yards, streets, St., Joseph No. 2, Sixth, near St. Patrick street; Fifth District, two grave yards, streets, St., Joseph No. 2, Sixth, near St. Patrick street; Fifth District, two grave yards, streets, St., Joseph No. 2, Sixth, near St. Patrick streets, St., Joseph No. 2, Sixth, near St. Patrick streets, St., Joseph No. 2, Sixth, near St. Patrick streets, St., Joseph No. 2, Sixth, near St. Patrick streets, St., Joseph No. 2, Sixth, near St. Patrick streets, St., Joseph No. 2, Sixth, near St. Patrick streets, St., Joseph No. 2, Sixth, near St. Patrick streets, St., Joseph No. 2, Sixth, near St. Patrick streets, St., Joseph No. 2, Sixth, near St. Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St., Patrick streets, St., Joseph No. 2, Sixth, near St. Bartholemew, Algiers, Hughes, Algiers; Sixth District, two grave yards, Valence, Valence street, "St. Vincents," St. Denis street; Seventh District, two grave yards, Catholic. Carrollton, City, Carrollton.

The remainder of the cemeteries, including Holt. Metairie, Odd Fellows, Masonic, Lutheran, Cypress Grove, Greenwood, Potter's Field, Hebrew and St. Patrick's, are situated

at a considerable distance from the city proper, and are not strictly intra-mural

Without doubt the General Assembly of Louisiana should give the most careful consideration to the subject of intra-mural sepulture, and should frame such laws as would effectually close the cemeteries in the populous portions of New Orleans and confine the burials to localities removed as far as possible from the thickly populated portions.

The question as to the influence of intra-mural sepulture upon the health of the citizens of New Orleans has never been fully or satisfactorily investigated, and unfor-

tunately the medical history of the city is sadly deficient in past times in the monthly and yearly observations upon the relations of the soil, climate, commerce and epidemics upon the public health.

A thorough investigation of the subject of the deleterious effects of cemeteries upon

human beings, should embrace the following inquiries.

1. Mode of burial.

2. Number of burials.

3. Nature of diseases causing deaths.

4. When burials take place in the ground, the nature of the soil and the character, depth and origin, and periodic changes of the sub-soil water.

5. The effects of the different seasons, and of the degrees of heat and moisture upon

the nature and rate of the purtrefactive process.

6. Chemical and physical properties of the gases exhaled.

7. The nature of the organisms developed during the putrefaction of the dead bodies.

8. The effects of the products of putrefaction in general upon the nature and composition of the surrounding atmosphere.

9. Effects of the putrefaction of the bodies of those who have died of infectious and contagious diseases, as small-pox, scarlet fever, measles, asiatic, cholera and yellow fever.

10. To what distances can the deleterious gases and organized bodies developed during putrefaction penetrate to the detriment of living human beings?

11. In what manner is this deleterious product of putrefaction chiefly desseminated to by diffusion and multiplication in the soil and subsoil waters? by progessive erial diffusion from the foci of infection in all directions, laterally as well as upwards? by volitization upwards, in the atmosphere there by condensation in combination with water, at night or during the period of rain, forg or mist, thus contaminating our drinking water.

HISTORICAL.

After a careful examination of the mortuary and historical records of New Orleans, the earliest reference to the injurious effects of intra-mural sepulture was found in the manuscript records of the Old Cathedral, and relate to the year 1788.

During a period of seventy years after the foundation of New Orleans, we have no reliable data by which to form an opinion of the effects of the mode and place of burial

upon the health of the inhabitants.

The great fire of 1788, which broke out on Good Friday in the month of March, in a chapel of a Spaniard on Chartres street, about three o'clock in the afternoon, and which being fanned by a high wind, desrroyed nine hundred houses before it was extinguished, was followed by pestilence.

Through the courtesy of Mr. T. O. de Jaham, custodian of the records of the Cathedral, I have been furnished with the following extracts from the manuscript volumes.


"I, brother Antonio de Sedella, Capuchin priest of the very holy Church Cathedral of the City of New Orleans, certify on the faith that I have: That because of the epidemic that the inhabitants of the city and neighbourhood suffered after the great fire which took place the 21st of March of the year 1788, the governor of these colonies, who was then Don Esteban Miro, after consulting those empowered, and with the consent of the Administration (Agustamiento), gave the power to remove the cemetery or Holy Grounds in the rear of the Charity Hospital, farther than the other from that city, to which I consented because of the reasons that they gave me, and which related to the public health. I also certify that it was then said to me, and I never heard anybody say, that they intended taking from this church the ancient right of property and possession that they had, and have, on those grounds; and I also certify that in the above great fire perished, several books, and many parcels of documents concerning the same church, from its foundation or establishment; and to make this legal I, with superior orders, have given this in New Orleans, 9th of April, 1801.


"(Signed), Fr. Antonio de Sedella."
"Your Highness,—The cemetery of this city is situated in the centre of the last block, which I have thought a long time since prejudicial to the public health, which was really shown this year, everybody having been sick in the colony, with putrid and deadly fevers, and specially dysentery, so that a large number of people died. I have myself experienced that loathsome smell emitted by the cemetery."


The remainder of this paper consists of a prayer to have the cemetery removed.

The paper is in the handwriting of Father de Sedella.

The petition was accompanied by the following plan, illustrating the position of the old cemetery.







th for the city of

of th pr loc

tio of or the acc wi pu tar

1. Protection of the city from overflow by substantial levees, elevated

at least four feet above the line of the highest waters.

- 2. Thorough surface and sub-soil drainage. Under this head should be included the reclamation of the swamps in the rear of the city, the perfection and proper grading of gutters and surface drains, and the proper excavation, perfection, cleansing and flushing of the canals which receive the storm waters and those continually yielded by the gutters.
 - 3. The immediate and continuous removal of all fœcal matter.
 - 4. The daily removal of garbage by an efficient scavenger force.

5. The constant repair and cleansing of the streets.

6. Paving the streets with the most substantial materials.

7. Abundant supply of river water for the use of the inhabitants and for the cleansing of private premises and the daily putrification of the

markets, gutters and streets.

- 8. The protection of the citizens of Louisiana from unqualified druggists, midwives and practitioners of medicine, and the perfection and extension of the system of registration of marriages, births and deaths to the entire State.
- 9. The regulation and restriction of the sale of drugs, medicines and poisons.

10. The regulation and restriction of the sale of alcoholic and intoxicating

stimulants.

11. The prevention of adulteration of food.

12. The proper elevation and construction and ventilation of all private dwellings and public buildings. Under this head, also, should be included the proper supply of pure air and pure water.

13. The proper construction, ventilation and conduct as regards all sanitary matters affecting the material, intellectual or moral nature of all inmates of prisons, jails, police, stations, schools hospitals and asylums.

INSPECTION OF DRUGS, MILK, ARTICLES OF FOOD, FERMENTED AND DIS-

TILLED DIQUORS, (WINES, MALT LIQUORS, DISTILLED LIQUORS, BRAN-

DY, WHISKY, GIN, RUM, BITTTERS, ETC.)

It is of great importance to the welfare of the citizens that the City Council and Board of Health, acting in concert, should appoint and commission one or more inspectors, of the highest moral and intellectual character, and of undoubted scientific attainments, and thoroughly skilled in chemical and microscopical science, and learned in the physiological, the rapeutical and toxicological action of drugs, medicines and poisons, and of the substances usually employed for the adulteration of food, whose duty it shall be to inspect all drugs and medicines, and all articles of food (including milk and meat), and to determine, by careful microscopical and chemical analysis, all adulterations of drugs, medicines and articles of food.

It should also be the duty of said Inspector, or Inspectors, to examine the quality of the drinking waters, microscopically and chemically and not only point out impurities and draw up plans of relief, but also to determine, as far as practicable, the effects of drouth and of excessive rains, and of the changes of season upon the chemical constitution and properties of the waters of the Mississippi River, and of the cisters.

Facts might be accumulated to show that far more victims perish from the adulteration of medicines and articles of food, than from the direct

administration of poison, either accidentally or intentionally.

It is difficult to estimate the number of infants who perish annually in this and in other cities from the infamous practice ef adulterating and

diluting milk.

A small portion of the vast sums expended on amusements, spectacular shows, boat and horse races, lotteries, political campaigns, gambling-houses, and bar-rooms and clubs, would suffice to expose and prevent these adulterations of drugs, medicines and articles of food, which, directly or indirectly, destroy large numbers of useful and precious lives.

DIFFICULTY OF CONTROLLING THE SALE OF POISONS.

The difficulty of controlling the sale of poisons arises not only from imperfections in the laws and their enforcement, and in the insufficient and inefficient character of the police regulations and forces, but also from the

nature and uses of the substances designated as poisons.

The term poison in popular language is applied only to those substances which destroy life in small doses; but this view of the nature of a poison is too restricted, for it obviously excludes numerous compounds, as the salts of copper, tin, zinc, lead and antimony, the poisonous properties of which cannot be disputed, but which, generally speaking, act as poisons only when administered in large doses. In a medico-legal point of view, it is immaterial whether a man dies from one ounce of a comparatively inert poison or from two grains of such poisons as arsenic, strychnine or cyanide of potassium.

When death is caused by the substance taken, the quantity required to destroy life cannot enable us to distinguish a poisonous from a non-poison-

ous substance.

If we adopt the comprehensive definition, that "a poison is a substance which, when absorbed into the blood, is capable of seriously affecting the health or of destroying life," a large number of substances used in the treatment of disease, of both animal, vegetable and mineral origin, would be included, as well as a large number of compounds, as those of arsenic zinc, lead, copper, cyanogen and mercury, used in the arts and manufactures.

If a substance be capable of destroying life or injuring health, it is of little importance so far as the responsibility of the prisoner is concerned, whether its action on the body is of a mechanical or chemical nature, and

whether it operates fatally by absorption into the blood or not.

Whether the administering to any person of any poison or other deleterious thing be followed by any bodily injury or not, is a felouy, provided

the intent has been to commit murder.

The difficulty of dealing efficiently with the subject of the sale of poisons is sill further shown by the large number of substances employed in medicine and in the useful arts which possess poisonous properties. These poisons have been divided into several classes, according to their mode of action on the system, namely, irritant, nacrotics and narcotico-irritants.

I .- IRRITANT POISONS.

Under this head may be included sulphuric acid (oil of vitriol), sulphate of indigo, nitric acid (aqua fortis), nitro-muratic acid (aqua regia), hydro-hloric acid (muratic acid), oxalic acid, acid oxalate of potash, tartaric id, acetic acid, potash, soda, carbonates of soda and potash, ammonia d carbonate of ammonia, nitre (saltpetre), sulphate of potash, iodide of tassium, chloride of barium, carbonate of baryta, phosphorus, arsenic, senious acid, arsenite of potash (Fowler's solution,) asenite of copper, eele's green, emerald green), arsenic acid and arsenates, sulphides of



arsenic, (orpiment,) chloride of arsenic, arsenuretted hydrogen, corrosive sublimate (perchloride of mercury), calomel (subchloride of mercury), ammoniated mercury (white precipitate), red oxide mercury (red precipitate), persulphide of mercury (cinnibar, vermilion), cyanide of mercury, subsulphate of mercury (Turpeth Mineral), nitrates of mercury, iodides of mercury, (red iodide and green iodide), acetate of lead (sugar of lead), subacetate of lead (Goulard's extract), carbonate of lead (white lead), oxides of lead (yellow oxide, massicot, litharge, and minium or red lead), copper, sulphate of copper (blue vitriol), subacetate of copper, (verdegris), antimony (tartar emetic), sulphate of zinc (white vitriol), chloride of tin (Dyer's spirits), nitrate of silver (lunar caustic, lapis infernalis), perchloride of gold, sulphate of iron (copperas, green vitriol), muriate of iron (tincture of perchloride of iron), subnitrate of bismuth, bichromate of potash, chromic acid, chromate of lead, thallium, iodine, aloes, colocynth, gamboge, jalap, scamony, savin, croton oil, castor seeds, colchicum, hellebore, oil of turpentine, oil of tar, mouldy bread, carib or locust bean, cantharides, poisonous fish, mussels, cheese, sausage, poisonous, pork, bacon, trichiniasis, putrescent food.

II.—NEUROTIC (NARCOTIC OR CEREBRAL) POISONS.

Opium, poppies, Godfrey's cordial, Dalby's carminative, camphorated tincture of opium (paregoric elixir), powder of ipecac and opium (Dover's powders), black drop Battley's sedative solution, chlorodyne, nepenthe, tincture of opium (laudanum), morphia and its salts, hydrocyanic or prussic acid, cyanide of potassium, essential oil of bitter almonds, narcotic liquids and vapors, sulphide of carbon, coal naptha, wood naptha, amylene, fusil oil, (amylic alcohol), benzole, nitrobenzole, aniline, oil of wormwood, nitroglycerine or gleonoine, alcohol, ether, chloroform, camphor, tobacco, nicotina, cocculus indicus, picrotoxine, darnel seeds, calabar bean, fungi, henbane, lactucarium, solanum.

III.—SPINAL POISONS.

Strychnia, brucia.

IV .- CEREBRO SPINAL POISONS.

Conium maculatum (hemlock), conia, cenanthe crocata, cethusa cynapium, aconite (monksbane), aconitina, atropia belladonna (deadly nightsbade), atropia, lobelia inflata (Indian tobacco), digitalis purpura (fox glove), datura stramonium (thorn apple), cristus laburnum (laburnum), taxus baccata (yew), ligustrum vulgare (birch).

V .- GASEOUS POISONS.

Carbonic acid, charcoal vapor, carbonic oxide, coal and coke vapor, sulphurous acid, vapor of lime, cements and brick kilns, confined air, coal gas, carburetted bydrogen and water gas, sulphuretted bydrogen. effluvia of drains and sewers, mephitic vapors, exhalations from the dead.

VI.-LIGHTNING, COLD, HEAT, STARVATION, DROWNING.

Under the last head are included certain physical causes of death which cannot be strictly classed with poisons.

It is evident from the preceding enumeration that, in a medico-legal view, many substances must be regarded as poisons which are daily employed as medicines and as valuable materials absolutely indispensable in the arts and manufactures.

Thus arsenic, a violent poison, enters into the composition of many pigments, and of many preparations used in destroying insects and pests of all kinds, and for the preservation of stuffed birds and animals, and the

embalming of dead bodies. Cases of ill health and actual poisoning have occurred from the extensive use of arsenic in the preparation of certain kinds of decorative wall paper. Paris green, extensively used for the destruction of caterpillars in the cotton fields, has destroyed life upon various occasions, and pigments containing arsenic have actually been used in coloring candies, and have destroyed the lives of children.

COPPER VESSELS AND COPPER IN ARTICLES OF FOOD.

At the meeting of the Board of Health, on Friday evening, November

27, 1881, the following paper was submitted by the President:

The extensive employment of copper vessels in cooking, as well as the use of certain salts of this metal as pigments for coloring wall papers, several articles of food—as pickles, fruits and candies—have been the occasion of accidental poisoning in this and other cities, and the attention of medical inspectors and of sanitarians should be directed to this source of disease.

All the salts of copper are poisonous, only those more commonly known in commerce as Scheele's green (arsenite of copper), blue vitrol (sulphate of copper), and verdigris (subacetate of copper), will be considered.

The sulphate of copper (blue vitriol) has been frequently taken and administered in large doses for the purpose of suicide and in attempts at murder; in the latter case the strong metallic taste possessed by this salt would in general render it impossible that the poison should be taken unknowingly.

The arsenite of copper (Scheele's green / owes its poisonous properties

chiefly to arsenic.

With the exception of these salts, poisoning by copper is usually an accidental result of the common employment of the metal for culinary pur-

poses.

The sulphate of copper, it doses of half an ounce and upwards, acts as a powerful irritant on adults, and a much smaller quantity would; suffice to destroy infants or children. It speedily causes vomiting of the most violent kind, and the vomited matters are remarkable for being generally of a blue or green color. If the green color of the vomited liquids is owing to altered bile, it will not acquire a blue color when adding to a portion of the green liquid a srtong solution of ammonia; but if it is caused by a salt of copper, the change of color will indicate the fact. The symptoms of poisoning by the sulphate of copper are headache, colicky pains in the abdomen, with purging and vomiting; and in aggravated cases, spasms of the extremities and convulsions have been noted.

The medicinal dose of sulphate of copper, as an emetic, is from five to

fifteen grains; and as a tonic, from one or four grains.

The subacetate of copper (verdigris) produces symptoms somewhat similar to those caused by the sulphate, namely, a strong styptic, metalic taste; also, a sense of constriction in the throat, followed by some colicky pains, vomiting of a green colored liquid, and purging, with violent straining (tenesmus).

In consequence of the uncertainty of its operation, subacetate of copper

is not employed internally.

The arsenite of copper (Scheele's green) is met with in commerce and the arts, and constitutes, wholly or in part, a great variety of green pigments, known as emerald green (aceto-arsenite of copper), employed for paper hangings, mineral green, Brunswick, Schweinfurt or Vienna green; in oil paint, in cakes, in boxes, of water colors, in the green coloring mutter

spread over confectionery, in wafers, in adhesive envelopes, and in various kinds of green decorative papers used for covering the walls of sitting and bedrooms. Although the arsenite of copper is insoluble in water, it is sufficiently soluble in the acid mucous fluids of the stomach to be taken up by the absorbents and carried as a poison into the blood. The symptoms induced are similar to those caused by arsenic—violent irritation of the stomach, vomiting, purging, and intense burning sensation and colic.

Toxicologists have recorded many cases of fatal poisoning in children from eating confectionery colored by the green arsenite of copper. Many of the colors used for confections are of a poisonous nature; the pink color given by cochineal or madder is the only one which can be regarded as

innocent.

Death has been caused by the employment of the arsenite of copper, to give a rich green color to blance mange, and it has thus been ignorantly employed for the coloring of materials served at public dinners, under the impression that emerald or mineral green was nothing more than an extract of spinach.

The use of this poison to impart a bright green color to the shelves of bakers and green grocers shops is dangerous and should be prohibited, as, the bread and meats resting upon these shelves may be contaminated.

It is well known that wall papers covered with loosely adhering acetiarsenite of copper are, from their cheapness as well as their brightness of

color, extensively used in dwellings.

This pigment consists of fifty-nine per cent of arsenic, and from these unglazed papers the poison may be easily scraped or removed by friction. It has been computed that a square toot of this paper may yield from twenty-eight to seventy grains of the arsenical compound, and in rooms exposing five or six hundred square feet arsenic is thus liable to be dissolved in the state of a five dust or powder in the air of the room. It has been observed by the physicians and toxicologists, in this and other countries, that workmen who hang these papers or who strip them from the walls suffer from symptoms referable only to the action of arsenic.

The symptoms as described by careful observers are of a uniform character, showing their origin from a common cause, namely: dryness and iritation of the throat, with cough, irritation of the mucous membrane of the eyes and nostrils, dry cough, languor, neadache, loss of appetite, nausea, colicky pains, numbness, cramp, irritability of the bowels, attended with mucous discharges, great prostration of strength, a feverish condition and

wasting of the body.

Medical writers have recorded various deaths among children from the use of the paper; and it is held by eminent toxicologists that many insidious cases of illness and chronic diseases may be referred to the noxious practice of covering the walls of sitting-rooms and bedrooms with arsenic.

The manufacture, as well as the use, of paper thus colored with arsenite of copper, or any other poisonous compound, should be prohibited by leg-

islative enactment.

The sub-chloride and carbonates of copper are also irritant poisons, but ard not employed to any extent in the arts and medicine.

The action of certain articles of food on copper, when it is used for culinary purposes, is not an unfrequent cause of accidental poisoning.

Metallic copper undergoes no change by contact with water, unless air is present, when a hydrated carbonate, inixed with oxide of copper is formed. If the water contain any acid, such as vinegar, or common salt, or if there is oily or fatty matter in contact with the metal, then the copper is more rapidly oxidized, and the liquor or fat acquires a green color.

If the copper vessel is kept perfectly clean, and the food prepared in it is allowed to cool in other vessels, there is no great risk of its acquiring a poisonous impregnation.

The sanitarian, however, should insist that no acid, saline, fatty or oily

liquid should be prepared as an article of food in a copper vessel.

The preparation of fruits, such as preserves, and the boiling of milk,

coffee and tea in copper vessels, shold be discontinued.

In this form of copper poisoning the symptoms rarerly appear until after the lapse of three or four hours, and are characterized by nausea,

vomiting, colicky pains, and pinching cramps in the limbs.

It should be firther observed that all the ordinary copper employed in culinary vessels contains arsenic. It has been stated that an impure alloy used by some deutists has been so largely composed of copper as to affect the health of those who have used the plates. The acids and salts in the saliva facilitate the production of a poisonous salt of copper, and probably set free arsenic.

In the making of preserved fruits and vegetable pickles, the salts of copper (blue vitriol) are sometimes used for the purpose of giving a rich

green color.

LEAD AND ITS COMPOUNDS.

Lead and its compounds occasion, perhaps, a greater number of cases of disease and death than any other poison, and, in fact, than all other

poisons combined.

In the use of lead pipes and lead cisterns it has been established that the purest forms of water, like that furnished by the clouds and stored in our cisterns, act most energetically upon lead, and most rapidly induce symptoms of lead poisoning—violent cramps (colica pictonum) and general paralysis.

The use of lead pipes, lead gutters, or lead tanks, for conveying and

storing water in this city, is fraught with danger to health and life.

Some estimate of the effects of lead as a poison upon the citizens of New Orleans may be formed by examining the records of our great Hospital.

CASES OF DEATHS FROM COLICA PINCTONUM (LEAD COLIC) IN THE CHARITY HOSPITAL OF NEW ORLEANS DUBING A PERIOD OF THIRTY-FOUR YEARS, 1842—1880.

During the 18 years preceding the civil war (1842-1860) the total admissions into the Charity Hospital from all causes numbered 207,356; total, deaths, 29,616, 14.2 per cent; and during this period 710 cases of colica pictonum were treated, with 15 deaths—per cent, 2.7. During the 16 years following the civil war (1864-1880) the total admissions numbered 96,857; deaths, 14,104; per cent; 14.5; colica pictonum, 122; deaths, 4; per cent of deaths, 3.2.

During 34 years (1842-1880) the total admissions numbered 304,214; total deaths, 43,710; 14.3 per cent deaths; total cases of colica pictonum during this period 840, with 19 deaths. We find upon careful analysis of the records that during this same period of 34 years, 684 cases of colic, with 5 deaths, were entered upon the books of the Charity Hospital, a large portion of which were, without doubt, due to the slow action of lead upon the human system.

If to these statistics it were possible to add the large number of patients entered with paralysis caused by lead, it will show that not less than 2000

of the citizens of New Orleans have been compelled during the past 34 years to seek relief and treatment for the effects of lead within the walls of the Charity hospitol; of course a far greater number thus afflicted did

not seek relief at the hands of charity.

Various destructive and corrosive poisons, as sulphuric, nitric and hydrochloric acids, are extensively used in the arts, manufactures and agriculture, and can at all times be purchased in any quantity desired. The same thing is true of oxalic acid, a potent vegetable poison, and used by shoemakers, and also by washwomen to remove ink stains, etc., from clothes.

POISONOUS EFFECTS OF CYANIDE OF POTASSIUM.

Cyanide of potassium is one of the most formidable poisons known to to the chemist; and the extensive use of this salt in certain arts, and especially in photography, has given rise to many accidents, and also afforded facilities for its easy procurement for suicide and poisoning.

GASEOUS POISONS.

No subject is of greater importance to the sanitarian than the effects of impurities in the atmosphere upon the health and comfort of the people. The full discussion of the effect of aerial poisons upon the human race would embrace such questions as—

1. The variations of the constituents of the atmosphere under the con-

ditions of climate and soil.

2. The variations in the normal amounts of carbonic acid aqaeous moisture, ammonia, nitric acid, sulphuretted hydrogen, carburetted hydrogen, organic albumenoid matters, and living animal and vegetable cells.

3. The effects of terrestrial exhalations and emanations upon the atmosphere. Under this head would be included the matters and gases ejected by volcanic eruptions, and the various products of the putrefaction of animal and vegetable compounds, in swamps, cess pools, gutters and sewers.

4. The effects of variations in the composition of the atmosphere and in the matter, gases and germs resulting from putrefaction. In this report we propose to limit our researches to the following:

POISONOUS EFFECTS OF ILLUMINATING AND HEATING GASES WATER GAS (HYDROGEN AND CARBONIC OXIDE), AND OF COAL GAS (CARBU-RETTED HYDROGEN AND CARBONIC OXIDE.)

The reletive merits of water gas and coal gas, as well as their comparative poisonous effects, have recently engaged the attention of the civic authorities of this and other States, and the question, as far as it relates to the city of New Orleans, was referred by the Mayor and City Council to the President of the Board of Health of the State of Louisiana.

CONCLUSIONS.

From the preceeding facts we conclude:

1. Water gas is superior to the ordinary coal gas in heating power.

2. Water gas can be furnished at less cost to the consumer than ordinary coal gas.

3. The products or effects of burning water gas are less objectionable and less injurious than those arising from the combustion of gas from coal

4. All forms of illuminating gases, from whatever source derived, are poisonous when inhaled in large quantities, or in small quantities during considerable periods of time.

5. The public health should be secured from the accidents arising from imperfect apparatus for supplying illuminating gases, by the most stringent laws, and by repeated and thorough inspections.

5. The subject of the influence of illuminating gases upon the health of cities and towns should receive the careful attention of the Board of Health.

7. One argument in favor of the electric light as contrasted with that furnished by illuminating gas is, that it is neither explosive nor poisonous, and produces little or no injurious contamination of the surrounding atmosphere.

ACTUAL NUMBER OF CASES OF POISONING, ACCIDENTAL OR INTENTIONAL, IN NEW ORLEANS.

The great Charity Hospital of the city furnishes the most important field for this investigation, and I have examined, classified and consolidated its records with care, with the following results:

TOTAL ADMISSIONS AND DEATHS FROM ALL CAUSES, AND TOTAL CASES AND DEATHS FROM POISON IN THE CHARITY HOSPITAL OF NEW ORLEANS, DURING A PERIOD OF THIRTY-TWO YEARS—1842-1881, BY JOSEPH JONES, M. D.

			Po	ison.		
Years.	Admissions	Deaths.	Cases.	Deaths.	Remarks	
1842	4404	704	2	1		
18 43	5013	1041	2 2 2	0		
1844		713	2	0		
18 45		855	0	0		
848		1897	ì	Ŏ	Laudanum.	
849		2741	5	3	Laudanum.	
850		1884	2	! 1	Laudanum.	
851	1×319	1869	1	1	Laudanum.	
852	. 17957	2098	1	1	ll .	
1853	13759	3164	1	1	Chloroform.	
1854	13192	2702	.0	0	l .	
l 855		2391	0	U]	
18 56		974	2 0	1	Landanum.	
l 857		1017		0	1	
1858	11337	2299	0	0	11	
1 859	12775	1321	0	0	I	
1860	14000	1390	0	0	1	
Total for 17 year	ars		. 19	9	1	

			Poi	son.	
Years.	Admissions.	Deaths.	Cases.	Deaths.	Remarks.
1864	4861	812	2		Arsenic 1, laddanum 1
1866		1122	9		Belladonna 1, nitric acid 1, opinm 1, camphor 1.
1867	8612	1438	3	1 1	Phosphorus 1.
1868	4981	490	9	4	
1869	6177	784	2	Ŏ	
1870	7837	1118	2 7	Ŏ	
1871		891	6 7	2	
1872	5541	825	7	3	Opium 3, arsenic 1, strych- nine 1.
1873	5090	993	6	2	Sulphate of zinc 1, opium 4.
1874		860	2	Ö	Opium 2.
1875		753	5	i	Opium 2, strychnine 1.
1876		742	7	i	Opinm 4.
1877	6002	805	4	2	Opium 2, carbolic seid 1.
1879	5246	693	8	4	Arsenic 2, opium 3.
1880		658	8	. 1	Phosphorus 2, opium 3, chloral 1, poison oak.
Total for 15 years.			85	25	Coogle
					Digitized by GOSTC

It will be observed that during a period of seventeen years—1842-1860—nineteen cases of acute poisoning [exclusive of lead poisoning] were treated, about one-half [nine] of which proved fatal; while during a period of fifteen years [1864-1880] following the recent civil war eighty-five cases of acute poisoning [excluding lead poisoning] were treated, less than one-third [twenty-five] proved fatal.

These facts would indicate that poisoning is becoming more frequent in

New Orleans.

At this time it is clearly shown that the disease and death arising from the administration of poison, either for purposes of suicide or malice, form but a very small fraction of the total diseases and deaths from all causes in New Orleans.

The comparatively small effect of poison upon the death rate of New Orleans is still further illustrated by a consideration of the large number of patients treated in the Charity Hospital for mechanical injuries, as shown by the following statistics:

DURING 18 YE	AR8-1	842-60.	during 16 years—1864-80. during 34 years—184		42-80.			
Causes.	Cases.	Deaths	Causes.	Cases.	Deaths	Causes.	Cases.	Death
Burns	547	73	Burns	442	79	Burns	989	152
Scalds	274	33	Scalds	12		Scalds		34
Fractures	1962	227	Fractures	1202	103	Fractures	3164	330
Contusions	4417	29	Contusions	863	13	Contusions	5280	42
Luxations	308		Luxations	209		Luxations		6
Wounds	3319	189	Wounds	3415	134	Wounds	6464	323
Total	· · · · · · ·					· · · · · · · · · · · · · · · · · · ·	16700	887

Whilst, therefore, during a period of thirty-four years, 16,700 cases of wounds and mechanical injuries, with 887 deaths resulting therefrom, were treated in the Charity Hospital, only 104 cases, with 34 deaths, by poisoning were reported.



The deaths occasioned by accidental or intentional poisoning in New Orleans, generally, in like manner, form but a small proportion of the deaths, and are far less than those occasioned by violence, as will be seen from the following table:

DEATHS FROM POISONING, SUICIDE, KILLING AND MURDERING, AND FROM
GENERAL AND LOCAL INJURIES IN NEW ORLEANS, DURING A PERIOD
OF 23 YEARS.

YEAR.	Deaths from poison.	Suicide.	Killed or Murdered.	Local Injuries.	General Injuries.	Total deaths from all Causes.
1849	5	0		91	165	9862
1850	9	10		66	156	7819
1853	4	14		47	200	15787
1856	l i l	20	26	51	127	5069
1857	5	19	18	59	109	5581
1858		21	6	77	183	11720
1860	3	20	31	60	237	7341
1865		10	9	49	123	7016
1866		7	6	40	133	7754
1867	6	16	55	31	126	10096
1868		19	17	72	102	5343
1869	0	8	3	57	152	5593
1870	6	11	5	86	137	6942
1871		14	14	80	190	6059
1872		26	18	77	218	6588
1873		9	27	56	149	7995
1874	18	20	12	119	182	7193
1875		18	12	70	161	6535
876	10	12	9	66	154	6685
1877	2	3	9	36	182	7169
1878	1 1	16	10	52	147	10717
1879	2	21	8	42	119	5122
1880		20	4	43	128	5623
Total	154	334	309	1428	3580	168255

During a period of twenty-three years there perished in New Orleans by poison, 154; by suicide, 334; killed or murdered, 309; by local injuries 1328; by general injuries, 3580; out of a grand total of deaths from all causes, of 168,255.

SOCIETY FOR THE RECOVERY AND RESCUE OF DROWNED PEOPLE—DROWNED IN AND AROUND NEW ORLEANS.

It is worthy of note, on the other hand, that the number drowned annually in the city of New Orleans exceeds those dying by poison and suicide. Thus in 1860 the deaths by drowning numbered 88; 1861, 79; 1867, 80; 1868, 62; 1869, 59; 1870, 69; 1871, 74; 1872, 64; 1873, 77; 1874, 93; 1875, 73; 1877, 61; 1878, 59; 1880, 54.

During the fourteen years specified 1002 (one thousand and two) of the inhabitants of New Orleans perished by drowning. Without doubt, the majority of the unfortunate beings perished in the full vigor of manhood and womanhood. The value of each inhabitant to the State has been estimated at \$1000 (one thousand dollars), and if this estimate be accepted, New Orleans has lost, through this channel alone, one million of dollars during the past fourteen years. But this is a mercenary view, and leaves out of view the physical, mental and moral distress of the afflicted friends and families.

Situated upon the banks of the most important river in the world, whose bosom is plowed by the ships of all nations, New Orleans, of all cities, should establish a society or association for the recovery and salvation of drowned and drowning people.

POISONOUS EFFECTS OF ALCOHOL—DELIRIUM TREMENS AND MANIA A POTU.

It can be clearly demonstrated, by facts, that alcohol is the most destructive of all poisons to the human race, and to this general assertion the citizens of New Orleans form no exception. Thus in 1857, in the city of New Orleans, the deaths from intemperance and delirium tremens numbered 84; 1858. 139; 1859, 138; 1860, 175; and during the four years specified 526 individuals perished in New Orleans from the direct effects of alcohol.

A more direct demonstration of the effects of alcohol in producing disease and deaths can be derived by a careful examination and consolidation of the statistics of the Charity Hospital, which must be regarded as the great pathological thermometer or weather-gauge of the health of New

Orleans.

The records of the Charity Hospital of New Orleans show the following

important facts:

During a period of thirty-four years—1842-1862; 1864-1880—there were treated in the wards of this institution 4694 cases of delirium tremens and mania a potu, of which number 914 (19.4 per cent) died; during the same period 1873 cases of intemperance were treated, of which 97 (5.1 per cent) terminated fatally.

That is, during a period of thirty-four years, in the city of New Orleans, an army of 6567 trembling, maddened, raving, drunken men and women, poisoned by alcohol, were conveyed to the wards of the Charity Hospital, and of which number more than one-seventh, or 1011 (one thousand and eleven), perished.

To estimate fully the destructive effects of alcohol we must add the cases of death from the following diseases, treated in the Charity Hospital during

the same period of thirty-four years, 1842-1880:

Diseases.	Cases.	Deaths.	Per Cent.
Chirrhosis of Liver	390	240	61.5
Abscess of Liver	131	88	67 1
Ascites	981	428	43.6
Gastritis	1673	124	7.4
Anasarca	896	269	30 .0
Hepatitis	806	221	27.4

From the diseases just specified, which, as are well known, are in a large measure dependent upon the use of distilled liquors in hot climates, there resulted 4877 cases and 1370 deaths.

It would be fair to estimate that, during the last thirty-four years (allowing for the relative proportion of deaths and cases of sickness in the city and Charity Hospital), alcohol has directly caused at least 20,000 cases of sickness and occasioned over 5000 deaths in the city of New Orleans.

It is impossible to form any correct estimate of the pecuniary loss to the city and State by the destructive effects of alcohol, for of all poisons it occasions the greatest physical, mental, moral and industrial loss.

But the worst feature of the question of the influence of spirit drinking upon the population is its direct relation to crime.

New Orleans is not only the great seaport of the Mississippi Valley, and an important gateway for foreign immigrants to the Southern and Southwestern States; but its population is heterogenous, and its streets are throughd by the representatives of every country upon the globe.

A large portion of its population have no interest, either personal or inherited, in the institutions of the State and general governments. The emptyings of prisons, hospitals and almshouses, and the worst elements of the surrounding States and European society, are constantly fermenting and putretying in this vast caldron.

It is, therefore, not a matter of surprise that the government and proper policing of a city with such diverse elements should not only be difficult, but that rowdyism, crime, drunken rioting and "hoodlumism" should be common, and that officials dependent for their election upon such elements, and often sprouting like the foul fungus from its native soil, should not only fail in the execution of the laws, but should often furnish the most striking examples of their infraction. These difficulties are common to all great seaport towns and cities in this country and Europe, and the term "modern Sodom" is no more applicable to New Orleans than to New York, Philadelphia, Baltimore, Paris, Liverpool, Glasgow or London.

On the other hand, it must be admitted that in New Orleans, as well as in the other great cities just named, those great monuments of the Christian religion, churches, hospitals, public schools and benevolent societies, are mighty agencies for the preservation and advancement of the material and moral and intellectual welfare of the citizens.

If the files of our daily papers and the records of our police courts, prisons, hospitals and asylums be examined, it will be found that the great cause of misery, want; insanity and crimes of all kinds, culminating in suicide and murder, originates in the unrestrained sale and the unrestricted consumption of alcoholic stimulants, known to the public under the various names of whisky, brandy, gin, rum and absynthe.

The vast proportion of street fights, stabbings and shootings occur within and around the liquor saloons, corner groceries and barrel-houses, found upon every square within the populous districts of this city; and six-sevenths of the inmates of our prisons, work houses and insane asylums, were directly or indirectly brought to their degraded and distressed state by whisky.

In the drinking saloon, bar-room and barrel-house, the rank and file of voters congregate, and the candidates for place and power too often find such places a grand field for bargaining and bribing, and use whisky as a potent agent.

It is the province of our wise, learned and incorruptible legislators to devise ways and means to regulate the unrestrained sale of distilled liquors, and to command the peace at all times and in all places. It is not our intention to inquire whether expostulation would be useless and entreaty despised, and legal proceedings utterly unavailing, through the intricacies of law processes and the failures of the officers of justice; but, as President of the Board of Health, of the State of Louisiana, I desire by stern facts to arouse the public to a sense of the effects of the greatest and most destructive of all poisons.

The poison, alcohol, which is accessible in all places and at all times to all the citizens of Louisiana, dethrones reason, undermines and gangrenes the moral and intellectual nature, dissipates credit, blasts the reputation, disrupts the tenderest and purest family and social ties, and destroys both body and soul.

ADULTERATION OF FOOD AND MEDICINE.

As President of the Board of Health I desire to arouse the attention of its members and of those charged with the sanitary and quarantine legislation of this great State to the importance of establishing efficient means to protect its citizens from the adulteration of food and medicine.

At the meeting of the Board of Health held August 11, 1881, I urged the establishment of the inspection of articles of food, milk, fermented and distilled liquors, and drugs, upon an equitable and thoroughly scientific basis.

Not only was this subject amply illustrated by the sanitary and medicolegal history of New Orleans, but the great truth was recognized that such labor should be confided only to men of the highest intellectual and moral character and scientific attainments. If any scheme looking to the protection of the most vital interests of the citizens be adopted, either by the Board of Health and City Council, acting in conjunction, or by the Legislature of the State, acting in its sovereign capacity, it is important that intellectual, moral and scientific attainments alone should be recognized and employed.

If such offices, demanding thorough microscopical and chemical training and knowledge of the most profound and varied character, be peddled out by political demagogues for the reward of some past political service, it would be best to stop at the threshold, and leave to wiser times the establishment of a system of inspection and investigation by skilled chemists, pathologists and toxicologists—labors of the highest value to the common-

wealth.

Nepotism is not confined to Popes, Kings, Presidents and Generals; but it may sadly impair the influence and usefulness of sanitary boards and

State and municipal governments.

Since the great epidemic of 1878 the medical mind has been to a large extent deranged on the subject of yellow fever, and the professional and public mind has been concentrated upon this disease, which prevails only at long intervals of time, to the almost total neglect of the consideration of those causes of disease and death which are ever active and which are far more potent and destructive.

The results of the agitation of 1880 and 1881 have, however, established the important fact that the President of the Board of Health of the State of Louisiana has enjoyed the confidence of the health authorities of Texas, Alabama, Kentucky and Missouri, to such an extent that any organized system of quarantine against healthy New Orleans has been impossible, despite the doubting, if not hostile, attitude of certain interested parties.

FOOD RESOURCES OF LOUISIANA.

The soil of this State, in virtue of its variations in composition and elevation, is adapted to the successful cultivation of sugar cane, rice, cotton, corn, wheat, rye, barley, oats and all the fruits common to the temperate and sub-tropical zones. Louisiana possesses, perhaps, the most fertile soil of any of the States of this Union, in virtue of the large proportions of the alluvium of the Mississippi Valley enclosed within her borders.

As is well known, a wide belt of recent alluvium borders the Mississippi river from the mouth of the Ohio to the Gulf, seventy-five miles wide in the greatest expansion at Napoleon, and twenty-five miles in its greatest contraction at Natchez and Helena. The area of the alluvial tract above the delta is 19,450 square miles. The depth of the alluvial deposits, from Cairo to New Orleans, ranges, between twenty-five and forty feet.

Cairo to New Orleans, ranges between twenty-five and forty feet.

The area of the delta of the Mississippi river, which lies almost wholly within the borders of Louisiana, assuming that it begins where the river sends off its first branch to the sea, namely, at the month of Bayou Atchafalaya, is estimated at 12,300 square miles. This would be at the mouth of Red River, in latitude 31°, whilst the mouths of the Mississippi are in latitude 29°; so that the delta extends through two degrees of space. The entire delta is elevated but a few feet above the level of the Gulf of Mexico, and from its fertile soil, and proximity to the Mississippi river and bayous, is perhaps as fertile as any body of land in this or any other continent, and is admirably adapted to the cultivation of rice and the sugar cane.

RICE.

The production of rice has been steadily increasing in Louisiana, and the quality of this invaluable grain will compare favorably with the famed rice of South Carolina and Georgia.

It has been asserted that a larger number of the inhabitants of the globe live upon rice than upon any other grain, and here in Louisiana we have one of the most important articles of human food produced in the greatest abundance and in absolute purity. The very form and nature of the beautiful snow-white grain of the clean rice absolutely precludes the possibility of aduleration.

PURITY OF THE SUGAR AND MOLASSES OF LOUISIANA.

CHEMICAL EXAMINATION OF SEVERAL KINDS OF MOLASSES, OFFERED IN THE MARKETS OF NEW ORLEANS, LA.

[By Joseph Jones, M. D., Professor of Chemistry in the Medical Department of the University of Louisiana.]

The method of manufacture of sugar pursued by the planters of Louisiana, as I have determined by actual investigation and analysis, insures not only good sugar, but also pure and wholesome molasses.

In response to the request of sugar refiners and merchants, I made a careful chemical analysis of the most important varieties of molasses and syrup offered for sale in New Orleans, with the following results:

Gentlemen—In accordance with your request, I have submitted the samples of molasses furnished, to careful chemical analysis, with the following results:

This examination has been executed with care, and has been extended so as to embrace the points of interest, in a sanitary as well as in a commercial point of view.

The public, as well as the sugar manufacturer and refiner, is interested in the investigation of the quality and purity of a product which is daily consumed in large quantities as an article of food.

This report also contains matter of special importance to the sugar planters of Louisiana. The value of one of the staple products of Louisiana is seriously threatened by the importation of inferior kinds of molasses from Northern manufactories.

NO. I .- LOUISIANA MOLASSES.

Physical Properties.—Clear, rich, brownish red color. No deposit. Free from all dark particles, specks or impurities.

Sweet, pure saccharine taste.

The Louisiana molasses leaves no unpleasant taste in the mouth, and it is well established that it never blackens the teeth.

Chemical Properties.—Ferrocyanide of potassium, ferricyanide of potassium, tincture of galls, and other tests of iron, produced not the slightest discoloration.

The absence of the salts of iron from the Louisiana molasses was rendered still further evident by the character of the ash obtained by careful incineration. Each gallon yields less than 350 grains of white ash, consisting almost entirely of the carbonate and sulphate of lime, and the chlorides and carbonates of soda and potassa, with only slight traces of iron

The characteristic tests for lead and other metals, in like manner gave

no indications of metallic impurities.

other analyses recorded in this report.

Solutions of nitrate of silver, chloride of barium and oxalate of ammonia, produced only that slight turbidness in solutions of Louisiana molasses which is characteristic of all products from the juices of such plants as the sugar cane.

Specific gravity of Louisiana molasses, 1377.8.

The specific gravity in this case, as in all others recorded in this report, was accurately determined upon the balance, and not in the ordinary and less accurate method with the saccharometer.

The following is the composition of 70,000 grains of Louisiana molasses as determined by chemical analysis.

SEVENTY THOUSAND GRAINS OF LOUISIANA MOLASSES CONTAIN:

Sugar.

Sugar, including both varieties, Crystalizable \ Crystalizable sugar, grains 41,845.2 and Uncrystalizable, grains 53,845.20..... \ Uncrystalizable " " 12,000.0

Saline Constitutents.

The method of Barreswill is founded upon the following facts:

Grade sugar forms definite but unstable combinations with the alkaline bases; and their compounds, even at ordinary temperatures, gradually undergo change. Their solution, which is at first strongly alkaline, becomes neutral, owing to the formation of a powerful, colorless but uncrystalizable acid (glucic acid), which remains in combination with the base.

Glucic acid, when boiled with water, absorbs oxygen and becomes brown. A new acid which is not crystallizable, termed by Mulder apoglucic acid, is formed. If an alkaline solution of grape sugar be heated, the sugar is rapidly destroyed, or converted into a dark brown acid body, termed melassic acid. This body has a powerful affinity for oxygen, and when boiled with an alkaline solution, to which a salt of black oxide of copper has been added, speedily reduces the black oxide of this metal to the condition of the red oxide.

The amount of sugar which any mixture contains may be estimated by in alkaline solution of tartrate of copper and potash of known strength.

Fehling recommends for the preparation of the standard copper solution he following proportions, as reduced to English weights; I ounce of crys-

tallized sulphate of copper; three ounces of cream of tartar; one and a half ounces of pure carbonate of potash; fourteen or sixteen ounces of a solution of caustic soda (Sp. Gr., 1.12), and water, until the solution measures 15,160 water grains. Two hundred measured grains of this solution contain a quantity of copper, which would be reduced by one grain of sugar reducing ten equivalents of the black oxide of copper to the state of suboxide.

A given volume of this solution is placed in a porcelain capsule and heated nearly to its boiling point. The solution of sugar to be tested is then added by degrees from a burette, until the addition of the syrup ceases to produce any further precipitate. The proportion of sugar which is present in the liquid will be inversely as the volume of the saccharine solution consumed.

Cane sugar, however, does not reduce the alkaline solution of tartrate of copper; consequently, no indication of the presence of cane sugar is afforded by this re-agent. Nevertheless, a quantative determination, even of this variety of sugar, may be effected by means of this method, provided that a given volume of the saccharine liquid, accidulated slightly with sulphuric acid, be diluted with water and boiled two or three hours. The cane sugar is thus converted into fruit sugar, and on diluting this liquid with water until it occupies a definite volume, the proportion of altered sugar which it contains may be ascertained.

Supposing both kinds of sugars to be present, a preliminary experiment is made before boiling with acid, in order to estimate the amount of fruit or of grape sugar, and by deducting this from the quantity found after acidulating the liquid and boiling, the proportion of the came sugar is as-

certained.

The results of the preceding analysis establishes not only the high commercial value of Louisiana molasses, but also its great purity and absolute freedom from all injurious ingredients.

Louisiana molasses is therefore valuable, not only as a source of crystallizable sugar, but also as an article of food of the most nutritious and superior quality.

NO. II -- CUBA MOLASSES.

Physical Properties.—Dark reddish brown color, with black flakes and specks of carbonized organic matters. Upon standing, deposited a slight, dark colored, inclining to black sediment.

Taste peculiar to Cuba molasses, and giving the impression of saline ingredients.

Chemical Properties... Ferrocyanide of potassium, ferricyanide of potassium and tincture of galls, revealed the presence of the oxides of iron in small amount. Upon chemical analysis of the molasses in solution, and of the saline ingredients upon incineration, no other metallic salts were detected.

Solutions of chloride of silver, chloride of barium and oxalate of amonia produce bulky precipitates.

Upon incineration, the saline residue amounted to 2100 grains in 70,000; and the saline constituents presented a reddish brown color, from the presence of the oxide of iron.

Specific gravity 1376.4.

The following is the composition of 70,000 grains of Cuba molasses:

70,000 GRAINS OF CUBA MOLASSES CONTAIN:

Sugar.

Sugar, including both varieties, Crystalliza- \ Crystallizable sugar, ble and Uncrystallizable grains 46.666 \ llncrystallizable "	30,194 16,472
. Saline Constituents.	
O. 1. A. C.C. 1. Defense and Manuschin	 DEA 04

. Saline Constituents.		
Carbonates of Soda, Potassa and Magnesia	grains	350.94
Carbonate of Glucate of Lime		634.10
Sulphate of Lime	. "	254.27
Chloride of Sodium and Potassium	- "	738.19
Sulphate, Carbonate and Glucate of Iron	. ••	122.50
Seventy thousand grains yielded, upon analysis, the individual calls in the following quantities:	onipone	nts of the
Lime	graine	450 97
Chlorine		
Onlubratio A aid	• "	140.06

NO. III.-LONG ISLAND FACTORY MOLASSES.

Physical Properties.—Dark reddish brown, almost black color. Taste similar to that of Cuba molasses. Contains black specks, as in the case of Cuba molasses.

Specific gravity, 1391.7.

Salts of Iron

Chemical Properties.—Ferrocyanide and ferricyanide of potassium and

tincture of galls gave evidence of the presence of the salts of iron.

The saline matters obtained by incineration gave evidence of the presence of the oxide of iron in the brownish red color. The characteristic tests of such metels, as lead, tin and copper, failed to reveal their presence either in solutions of the crude molasses, or in solutions of the saline ingredients. the saline ingredients obtained by incineration were even more abundant than in the Cuba molasses, being 2625 grains in 70,000 grains of Long Island Molasses.

The following is the composition of 70,000 grains of Long Island factory

molasses:

ing

70,000 GRAINS OF LONG ISLAND FACTORY MOLASSES CONTAIN:

Sugar.

Sugar, including both varieties, Crystalli- \ Crystallizable sugar, grains 20,222.88. zaule and Uncrystallizable, 38,886.88 grs. \ Uncrystallizable " 18,666.00. Saline Constituents.

Carbonates of Soda, and Magnesia	"	779.69
Sulphate of Lime Sulphate Carbonate and Glucate of Iron Sulphate Carbonate and Glucate of Iron Seventy thousand grains yielded the individual components of the segmentations:	44	£03,00
Lime	. "	545.07

NO. IV .- 100 BARRELS NORTHERN MOLASSES.

Physical Properties.—Dark, reddish brown color. Unpleasant taste, leaving the astringent, metallic taste of the salts of iron, and more especially of copperas, upon the tongue.

This kind of molasses is said to blacken the teeth and derange the bowels. Ferrocyanide and ferricyanide of potassium and tincture of galls, and other characteristic tests of the salts of iron, gave decided precipitates with this metal. When a solution of ferrocyanide of potassium is added to a solution of this molasses it is changed to a deep blue color, from the formation of prussian blue.

Digitized by Google

203.00

The ash obtained by incineration, which amounted to 1750 grains in 70,000, was colored of a deep reddish brown color, from the presence of the oxides of iron.

Both the crude molasses in solution, and the ash obtained by incineration, were carefully tested for various metallic salts, as those of lead, copper and tin, but no other metallic body besides iron was discovered.

Secific gravity 1372.5.

70,000 GRAINS (100 BARRELS) OF NORTHERN MOLASSES CONTAIN: Sugar.

Sugar, including both varieties, Crystalliza- Crystallizable sugar, grains 20,000 ble and Uucrystallizable 40,000 grains Uncrystallizable " " 20,000

Saline Constituents.

Carbonates of Sods, Potassa and Magnesia	grains	169.05
Carbonate and Glucate of Lime	"	250.77
Sulphate of Lime	66	428.57
Chlorides of Sodium and Potassium	"	551.61
Salts and Oxides of Iron	**	350.00
Seventy thousand grains yielded the individual components of the sa	ilts in t	he follow-
ing quantities:		
Lime	grains	316.9 .
Chlorine	"	311.4
Sulphuric Acid	. "	252.1
Salts and Oxides of Iron		350.0

PHYSICAL PROPERTIES-DARK BROWNISH, ALMOST BLACK COLOR, WHEN SEEN IN MASS.

No. V. Seventy-nine barrels Northern Syrnp.

Sour taste, but leaves a decided astringent and metallic taste in the mouth, similar to that of a solution of copperas.

The characteristic tests for iron, as ferrocyanide and ferricyanide of potassium and tincture of galls, gave heavy precipitates, and abundant evidences of the presence of the salts of iron in considerable amounts.

The characteristic tests for lead, tin, copper and other metallic salts, applied to the molasses in solution, and to the saline constituents, revealed their absence.

The salts of iron were the only metallic compounds present.

The saline constituents, which amounted to 1750 grains in 70,000 grains of molasses, were discolored of a deep brown color from the presence of the salts of iron.

The prussian blue precipitated from this Northern molasses was collected upon a filter; it made fully as striking an appearance as in the case of the preceding sample.

The following is the composition of 70,000 grains of these seventy-five

barrels Northern syrup.

SEVENTY THOUSAND GRAINS (SEVENTY-NINE BARBELS) OF NORTHERN SYRUP CONTAIN.

Sugar.

Sugar, including both varieties, Crystaliza- Crystallizable sugar, grains 18,461.20 ble and Uncrystallizable, 40,000 grains Uncrystallizable "21,538.00"

Saline Constituents.

Carbonates and Glucates of Soda, Potassa and Magnesiagrai	ns 437.62	;
Carbonate and Glucate of Lime	325.36	
Sulphate of Lime "	561 22	,
Chlorides of Sodium and Potassium	709.80	į

ing quantities.
Lime.....grains 415.00

Chlorine	44	430.50
Sulphuric Acid	••	330.13
Salts of Iron		343.00

The results of the preceding analyses have been calculated for a uniform quantity in each analysis of 70,000 grains, because this is precisely the weight of one gallon of dislilled water at 60°.

Thus the weight of one galion of these various samples of molasses is,

respectively:

Weight of one gallon of Louisiana molassesg	rains	96,446
Weight of one gallon of Cuba molasses	44	95,648
Weight of one gallon of Long Island molasses	••	97,419
Weight of one gallon (100 barrels) of Northern molasses	**	96,075
Weight of one gallon (75 barrels) of Northern molasses	••	96,419

If, therefore, the analyses be all calculated for 100,000 grains, the proportions would represent very nearly those of one gallon of each of the samples of molasses reduced to a uniform standard. The figures would be slightly in excess of the actual amounts contained in each gallon, but for practical and commercial purposes would be sufficiently accurate.

The following table presents the actual amounts of the constituents entering into 100,000 grains, or very nearly one gallon of each of these

varieties of molasses:

TABLE GIVING THE COMPOSITION OF 100,000 GRAINS (VERY NEARLY ONE GALLON) OF EACH OF THE VARIETIES OF MOLASSES, ANALYZED IN THE PRESENT REPORT.

CONSTITUENTS.	Louisiana Molaeses. No. 1. Grains.	Cubu Molasses. No. 2. Grains.	Long Island Factory Molasses. No. 3. Grains.	One hundred Barr'ls Northern Molasses No. 4. Grains.	Seventy-nine Barr'la Northern Molasses No. 5. Grains.
Both varieties of sugar, crystallizable and un- crystallizable. Crystallizable sugar. Non-crystallizable sugar. Saline Ingredients.	76927 59778 16921	66665 43134 23521	55555 28889 20665	57142 28571 28571	57142 26373 30769
Carbonates of soda, potassa, etc. Carbonate and glucate of lime. Sulphate of lime. Chloride of sodium and potassium. Salts of iron	123 204 213	501 905 363 1054 175	697 1113 370 1277 288	241 358 612 788 500	625 468 801 1012 490
Total saline ingredienta	550	3000	3750	2500	2500

The percentage of the different ingredients may readily be determined in the preceding table, simply by cutting off the three last figures.

The following conclusions have been drawn from the preceding analyses:

1. The Louisiana molasses is decidedly superior in appearance and taste to the other four samples of molasses.

2. The proportion of crystallizable sugar is greatest in Louisiana molasses, whilst the proportion of uncrystallizable sugar is the least.

Thus, the proportions of sugar in the different samples are as follows: In Louisiana molasses, 59 per cent of crystallizable sugar, and 16 per cent uncrystallizable sugar; in Cuba molasses, 43 per cent of crystallizable

sugar, 23 per cent uncrystallizable sugar; in Long Island molasses, 28 per cent crystallizable sugar 26 per cent uncrystallizable sugar; in 100 barrels Northern molasses, 28 per cent crystallizable sugar, and 28 per cent uncrystallizable sugar; in 79 barrels Northern syrup, 26 per cent crystallizable sugar, and 30 per cent uncrystallizable sugar.

3. The Louisiana molasses is, therefore, the best for the sugar refiner,

because it contains the largest amount of crystallizable sugar.

4. Molasses consists of a concentrated solution of the products of the conversion of raw sugar into caramel and other products of decomposition, which, however, compose the smallest portion of the entire mass. It contains, also, those salts which are not precipitated by lime, and which have accumulated; also, certain soluble salts of lime and combinations with the sugar; also, compounds of sugar with the salts; and lastly, a kind of gum or mucus.

The solution of all these substances is necessarily saturated with raw sugar. In a practical point of view, therefore, without reference to the foreign ingredients, molasses is a solution containing sugar in two modifi-

cations, in the crystallizable and uncrystallizable condition.

The sugar trade will only be established upon a sure footing when those interested in it are enabled, at any time, to obtain an accurate knowledge of the real intrinsic value of the raw material.

The value of these goods consists, according to circumstances, either in the amount of saccharine matter generally, or in the amount of crystallizable cane sugar, or in the entire quantity of both which they contain.

In other words, a test is very much required, or a means of accurately ascertaing this value readily, without any special experience or knowledge, and at in inconsiderable cost and trouble.

A test of this kind would be invaluable to refiners, and for the collection

of duties and imports.

No part of the business of the refiner is of so great importance as the purchase of the raw material, since a knowledge of the quantity of raw sugar can only be attained by long practice and experience.

A person possessing a sound knowlege of the markets with only a superficial knowledge of the technical processes of manufacture, will have a great advantage over the most able practical refiner, who is without experience in the purchase of raw sugar.

It will be also quite impossible to preserve the integrity of the principle upon which the duty is levied, from frauds and the like, so long as the duty is levied upon the external forms and appearances of the produce, and from the want of an accurate test and the real value of the article.

The loss of sugar in the process of abstraction from the cane, and subsequent boiling is very great. Only two-thirds of the juice are actually obtained by the ordinary process, and these only contain 12 per cent of the sugar contained in the fresh cane, so that 6 per cent of the sugar is left in the bagasse or fibrous structures of this sugar cane.

In the cane juice, as first expressed, the entire amount of sugar is of that crystallizable variety, and varies in amount from 18 to 22 per cent, the mineral matter varying from 0.14 to 0.21 per cent.

It is, therefore, worthy of note, that by the present process of boiling, of the 18 or 20 per cent of crystallizable cane sugar which is contained in the sugar cane, not more than 7½, or between 6 and 10 per cent is actually obtained, or not quite one-half. Two causes are principally active in producing this loss: First, the defective method of exposing the juice; second, the chemical changeability of the sugar, which, during the course of boil-

ing, gives rise to the production of the well known secondary product, mo-

lasses or uncrystallized sugar.

The uncrystallizable sugar is capable of being substituted for cane sugar only in a very limited number of cases, and will by no means supply its place for sweetening tea or coffee, or other alimentary substances. For these purposes, it is, however, that a large amount of sugar consumed is employed. The causes for this arise from greater difficulty of crystallizing grape sugar, which is a guarantee to the public of its purity, and its lesser sustaining power and degree of solubility.

Both kinds of sugar are soluble, in all proportions, in boiling water; but under similar circumstances, 100 parts of grape sugar require 133 parts, or according to others 163 parts of cold water; while 100 parts cane sugar only require 33 parts to be completely dissolved. In both cases, whether the water is hot or cold, the solution of the grape sugar takes place more slowly; and in order to produce an equal sustaining effect, two-and-a-half

times as much grape sugar as cane sugar is required.

Powdered grape sugar has a flowery taste, when placed upon the tongue, and very gradually becomes sweet as it dissolves, leaving a mucilaginous taste at the same time; cane sugar gives a perfectly sweet taste, in a much greater degree, and in a direct manner.

In order to render the two kinds upon an equality, in an economical point of view, five pounds of grape sugar should only cost as much as two pounds

of cane sugar.

5. The Louisiana molasses contains far less inorganic salts than the other varities of molasses. Thus a gallon of Louisiana syrup contains about 500 grains of salts, whilst two other varieties contain from 2500 to 3700

grains per gallon.

This point is of great interest to the sugar manufacturer and refiner, because the presence of these salts explains not only the difficulty attending the crystallization of molasses, but also its power of absorbing moisture from the air, which it communicates to the raw sugar. It is well known that many kinds of raw sugar melt into syrup when exposed to the atmosphere.

These salts also account for the purging action of the molasses.

The Louisiana molasses may be considered as almost entirely free from

these impurities.

6. The Louisiana molasses is entirely free from iron salts, whilst in the samples of Northern molasses these salts of iron vary from 280 to 500 grains per gallon. Cuba molasses in like manner contains iron salts, but to a less degree.

The salts of iron contained in the Northern molasses, are injurious to the health, and especially to children, and at the same time they blacken and

injure the teeth.

7. In every respect the Louisiana molasses is superior to each of the other samples of molasses, and combines richness and purity of composition with an elegant appearance and pure taste and wholesome action. As an article of food it is far superior to the Northern molasses, and should, for this purpose, command at least four-fifths more than the price of the latter.

COTTON SEED OIL.

On submitting to strong pressure the oily seeds of the cotton plant (Gossypium barbadense), a valuable and agreeable smelling and pleasant tasted oil is obtained, which, in a purified state, is now employed for the usual purposes in commerce and in the arts, and in pharmacy, for which other brands of oils and fats are employed.

The production of cotton seed oil has been steadily increasing, and large importations of the oil and cake are annually made from New Orleans to England. France and other European countries

Eugland, France and other European countries.

As the cotton seed oil shipped to France, Spain and Italy is often returned to this country labled "Olive Oil," it is of great importance to the citizens of the United States to ascertain whether cotton seed oil is a proper substitute for olive oil—whether, in fact, it be wholesome.

This inquiry is entirely pertinent, because it is well known that the root

of the cotton plant is a powerful and even dangerous medicine.

I have endeavored to examine this question with care, and have employed the cotton seed oil as a local application, and as the basis of liniments in the treatment of various painful affections, as rheumatism, with marked benefit, and no instance has come to my knowledge in which its use as a substitute for olive oil has produced any deleterious effect. The following facts, also established by a careful personal investigation of the nutritive value and chemical composition and agricultural uses of the cotton seed, have led me to believe that cotton seed oil may be substituted with impunity for olive oil, both as food and as a basis for liniments.

In Europe the cotton seed cake is regarded with high favor, both on account of its great nutritive value and as a superior manure. The value of cotton seed as an efficient fertilizer has long been recognized by experi-

enced planters in the Southern, Atlantic and Gulf States.

REPORT ON THE NUTRITIVE AND AGRICULTURAL VALUE OF DECORTICATED COTTON SEED CAKE AND MEAL.

BY JOSEPH JONES, M. D.

In accordance with the request of the directors and officers of the Louisiana Oil Company, I have carefully inspected the works and subjected the cotton seed and its products to careful chemical examination, with the following results:

On submitting to strong pressure the oily seeds of the cotton plant (Gossypium barbadense), a valuable and agreeable smelling and pleasant tasted oil is obtained, which in a purified state is now employed for the usual purposes, in commerce and in the arts, and in pharmacy, for which other kinds of oils and fats are employed.

The production of cotton seed oil has been steadily increasing, and large importations of the oil and cake are annually made from New Orleans to

England, France and other European countries.

In Europe the cotton seed cake is regarded with high favor, both on ac-

count of its great nutritive value, and as a superior manure.

The value of cotton seed as an efficient fertilizer, has long been recognized by experienced planters in the Southern, Atlantic and Gulf States.

PHYSICAL PROPERTIES AND CHEMICAL CONSTITUTION OF COTTON SEED

CAKE AND MEAL AS MANUFACTURED BY THE LOUISIANA OIL COMPANY

The cotton seed cake and meal, prepared by the Louisiana Oil Company, is manufactured from the shelled or decorticated seed, and is far superior to that obtained from the whole seed, which contains less oil, and a much greater proportion of ligneous fibre.

The decorticated cotton seed cake has a rich yellow color, is free from any strong or disagreeable smell, and has an agreeable taste; it is almost entirely free from the dark brown, comparatively valueless seed shells; and it does not contain any large amount of mucilage, nor anything that produces on

mixing with water, a volatile, pungent or injurious essential oil. Cattle take to it at once, and rapidly improve in flesh and fat when fed upon it; and so valuable is this article regarded by the most experienced and intelligent European farmers, for the feeding of stock, that it readily commands from £6 to £8 per ton.

Owing to its superior qualities as food, it offers considerable economic advantages to the feeders of stock in comparison not only with other varie-

ties of cake, but also with corn and wheat.

The chemical composition of the decorticated cotton seed cake is presented in the following tables:

CHEMICAL ANALYSIS BY JOSEPH JONES, M. D., OF DICORTICATED COTTON SEED CAKE AND MEAL, MANUFACTURED BY LOUISIANA OIL COMPANY.

One hundred parts of decorticated cotton seed cake and meal	contain:
Water	8.65
Oil	
Albuminous compounds, (flesh forming principles), capable of yielding 6.5	,
per cent of Nitrogen; valuable as a fertilizer; in the soil undergoes	
rapid change and yields Ammonia, Carbonic Acid and Phosphates	. 3 8.50
Sugar, Starch, Gum, Mucilage, digestible fibre, &c. (Heat producing	
matter), valuable as food	.26.60
Mineral matters; ash composed chiefly of phosphate of lime and potash 7.5	
per cent capable of forming blood and bones in stock, valuable as a fertilizer:	
composed of	
Phosphate of Lime	3.04
Phosphate of Potassa	3.51
Chlorides, containing chlorine 0.18	0.30
Sulphates, containing sulphuric acid 0.19	0.43
Carbonates of lime and magnesia	0.20
One hundred part of ash of seed, contain:	
Phosphate of lime	30.62
Phosphate of potassa	46.87
Chlorides of sodium and potassium, containing chlorine 2.42	3.97
Sulphates of soda, potassa and magnesia, containing sulphuric acid, 2.59	
Carbonates of lime and magnesia.	2.85
Corporate or main and makeness	4.00

NUTRITIVE AND AGRICULTURAL VALUE OF COTTON SEED CAKE AND MEAL.

The nutritive and agricultural value of decorticated cotton seed cake will be readily seen from the following table giving the composition per ton:

One ton of decorticated cotton seed cake contains:

Oil	.00
Oil	
lbs. of nitrogen lbs. 770	.00
Starch, sugar, gum, mucilage and digestible fiber (heat producing ele-	-
ments)	.00
Mineral matters, composed chiefly of phosphates of lime and potash.	
capable of forming blood and bones, and valuable as a fertilizer.	
especially to grain, 150 lbs.	
	.80
	.20
Chlorides	.00
	.40
Carbonates of lime and magnesia 4	.00

Each ton of decorticated cotton seed cake will yield 375 pounds of oil, 770 pounds of albuminous compounds (flesh-producing principles), 532 pounds of sugar, starch, gum, mucilage and wood fibre (heat-producing agents), and 150 pounds of salts. Total nutritive elements in one ton, 1827 pounds. It is fair to estimate the value of this food, rich in oil, nitrogenized matters and phosphates, at two cents per pound. This estimate is under rather than above the nutritive value in the feeding and fattening of stock.

Nutritive value of one ton of decorticated cotton seed cake and meal,

manufactured by Louisiana Oil Company, \$36.74.

In computing the agricultural value, it should be observed that each ton is capable of yielding 130 pounds of nitrogen, which alone may be estimated as possessing an agricultural value of from \$26 to \$32.50, and the phosphate of lime and potash possess an agricultural value of \$7. The agricultural value does not, therefore, differ materially from the nutritive value.

RELATIVE VALUE OF COTTON SEED CAKE AND MEAL, AND PRACTICAL CONCLUSIONS.

1. The proportion of oil is higher than in the best linseed cake, which rarely contains more than from 10 to 13 per cent of this ingredient which

is so valuable for supplying fat to animals.

2. Decorticated cotton seed cake contains a very high and much higher percentage of nitrogenized flesh-producing matter than linseed cake, corn, wheat, oats, barley, beans and peas, and this renders it especially valuable as food for young stock and dairy cows. As a large proportion of the nitrogen of the food is not assimilated in the system, but passes away with the fæces and urine, the excrements produced by stock fed upon cotton seed cake will be found particularly valuable as manure.

3. The proportion of indigestible wood fibre in decorticated cotton seed

cake is small, and not larger than in the best linseed cake.

4. The ash of cotton seed cake is rich in bone material; thus each ton is capable of yielding sixty pounds of phosphate of lime and seventy pounds of phosphate of potassa.

5. The physical condition of the cotton seed cake and meal, is excellent,

and eminently suited to the digestion and nutrition of animals.

6. At this late day no planter in the Southern, Atlantic and Gulf States is ignorant of the fact that cotton seed will compare favorably in its effects with the best commercial fertilizers.

In the application of cotton seed as a manure the planter should act upon the principle that animal and vegetable manures should always be applied if possible in their natural condition, and should never be burned under the erroneous idea that the ash alone is valuable.

The organic matters of the cotton seed will generate ammonia, and at the same time during their decomposition, the salts will be slowly given

out and supplied to the plants continuously during their growth.

The asles of cotton seed, on the other hand, are readily washed by the rains, below where the roots of plants can penetrate. It will therefore greatly deteriorate if not completely destroy the value of cotton seed as a manure to burn the organic matter.

7. That cotton seed cake and meal is a potent fertilizer is evident not only from its acknowledged beneficial effects when applied to growing

crops, but also from the following well established considerations:

Plants require a large portion of vegetable and animal matter, to afford a supply of carbon, in the shape of carbonic acid, and of nitrogen in the form of ammonia, both of which are evolved during the decomposition of organic substances. Cotton seed cake is most valuable to grain crops, because the seed of plants is, in all instances, the most highly azotized portion, and all plants require a supply of nitrogen to perfect their seed; which nitrogen cotton seed cake possesses in large proportion.

Cotton seed cake is quick in its effects, because fermentation and putrefaction take place almost immediately after its application to the growing plants, and carbonic acid and ammonia are supplied to the roots of plants

in large proportions.

The plant in its infancy feeds upon or is developed out of the matter of the seed; but after it has developed certain fibres it begins to take up nourishment from the soil, while the green leaf or shoot which it has sent upwards extracts carbonic acid from the air; if the roots find no food, near they increase in number and length, and spread over a large surface; and in poor soils, from this cause, plants have an immense number of fibrous roots and a poor stunted stem, the numerous roots having been formed at the expense of matters which should have assisted the growth of the stem. Cotton seed cake, from its rapid decomposition and the comparatively large amounts of carbonic acid and ammonia evolved, supplies the young plants with the best liquid and gaseous food at the most critical period, and consequently enables the plants to develop stouter stems and more perfect and numerous leaves; for it appears to be well established that the sooner the plant escapes from the state of transition in which it derives its food from the seed, as well as from the soil and atmosphere, the sooner will its organs for extracting its food from the air and the soil be developed, the more vigorous will be their growth, and the more efficient their use in the process of vegetation.

Cotton seed cake ensures also a better supply of moisture to the plant, because it possesses the power of absorbing from twice to ten times as

much atmospheric moisture as the finest soils.

8. Cotton seed cake and meal are greatly superior to farm yard manure, in soluble organic matters, and are equal to it in phosphates; and one tou equals in agricultural value, at least from ten to eighteen tons of farm yard compost.

9. One ton of cotton seed cake contains 150 pounds of saline matters,

chiefly phosphates.

We have in this fact a strong argument for the use of cotton seed as a manure, in order that these salts should be returned, which are essential

to the preservation of the fertility of the land.

The great advantage resulting from the application of cotton seed as a manure for corn is referable to a high percentage of phosphoric acid and potash in corn. One thousand pounds of cotton seed are capable of yielding the necessary potash for about 7000 pounds of corn, and phosphoric acid for about 2200 pounds of the same grain.

Each ton of decorticated cotton seed cake will yield 375 pounds of oil, 770 pounds of albuminous compounds (flesh producing principles), 532 pounds of sugar, starch, gum, mucilage and woody fibre (heat producing agents, and 150 pounds of salts. Total nutritive elements in one ton, 1827 pounds.

It is fair to estimate the value of this food, rich in oil, nitrogenized matters and phosphates, at two cents per pound, or \$36.74 per ton. In computing the agricultural value, it should be observed that each ton is capable of yielding 130 pounds of nitrogen, which alone may be estimated as possessing an agricultural value of from \$26 to \$32.50, and the phosphate of lime and potash possesses an agricultural value of \$7.

The agricultural value does not, therefore, differ materially from the nutritive value.

The decorticated cotton seed cake has a rich yellow color, is free from any strong or disagreeable smell and has an agreeable taste; it is almost enterely free from the dark brown, comparatively valueless seed shells; and it does not contain any large amount of mucilage, nor anything that produces in mixing with water a volatile, pungent or injurious essential oil. Cattle take to it at once, and rapidly improve in flesh and fat when fed upon it; and so valuable is this article regarded by the most experienced

and intelligent European farmers, that it readily commands from £6 to £8 per ton.

Owing to the superior qualities as food, it offers considerable economic advantages to feeders of stock in comparison not only with other varieties of cake, but also with corn and wheat.

The preceding views have led me to the conclusion that cotton seed oil possesses valuable properties as a nutritive, oleangenous heat producing food for man, and as a substitute for olive oil and butter. I am at present engaged in testing its relative value to cod liver oil, in the treatment of phthisis pulmonalis.

LOUISIANA ROCK SALTS FROM PETITE ANSE ISLAND.

Salt should be regarded not merely as a condiment, but as a most valuable mineral constituent of our food and of the solids and fluids of the human body.

Fortunately Louisiana produces her own salt of the purest quality and in vast and unknown quantities in Petite Anse or Avery's Island.

CHEMICAL EXAMINATION OF LOUISIANA ROCK SALT AND OF TURK'S ISLAND SALT, WITH CRITICAL COMPARISONS WITH OTHER VARIETIES OF SALT FROM VARIOUS COUNTRIES, BY JOSEPH JONES, M. D.

LOUISIANA ROCK SALT.

Louisiana rock salt presents the form, appearance and optical properties of pure chloride of sodium. The large crystalline masses are so perfectly transparent and free from all extraneous matter and are so uniform in their structure and density that they would be suited in all respects for the most delicate philosophical experiments upon the transmission of heat through different media. The entire mass of the samples selected was made up of crystals and fragments of crystals, derived from the cube, the primitive form of chloride of sodium. The crystals present a foliated texture and distinct cleavage; they feel when rubbed in the hand dry, and left no impression of moisture or of saline matter.

The sample of Louisiane rock salt submitted to analysis, as well as the large solid masses, weighing several tons, are the purest and finest samples of rock salt that have ever come under my observation.

One hundred grains of Louisiana rock salt yield upon analysis:

Chloride of Sodium (common salt)		99,617
Sulphate of Lime	r	0.318
Sulphate of Magnesia		0.062
Moisture (dried at 300°)		0.093

It will be observed from this analysis that the Louisiana rock salt contains less than one-half of one per cent (0.473) of those substances which may be considered as foreign, viz: moisture, and sulphates of lime and magnesia; and which are found in greater or less quantities, according to their purity, in almost all samples of salt.

The absence of both chloride of calcium and chloride of magnesium is important as these salts absorb moisture readily from the atmosphere, and when existing to even a limited extent in salt impairs more or less its value, by rendering it more hygroscopic. Meats cured with salt abounding in the chloride of calcium are more prone to absorb moisture from the atmosphere.

TURK'S ISLAND SALT.

The sample of Turk's Island salt submitted to my examination presented a less uniform appearance; some of the crystals being semi-transparent, whilst others were opaque. The differences were due rather to physical than chemical properties.

One hundred grains of Turk's Island salt was found upon analysis to

contain:

Chloride of Sodium	98.880
Sulphate of Lime	0.569
Sulphate of Maguesia	0.185
Moisture	U. 34 1
Insoluble matters (sand' etc)	

It will be seen from this analysis that the Turk's Island salt, although excellent in quality and yielding a large proportion of cloride of sodium, at the same time is somewhat inferior to the Louisiana rock salt. The Turk's Island salt yields a little over one per cent (1.12) of foreign matters, which add nothing to its antiseptic properties; whilst the Louisiana rock salt yields less than one half of one per cent.

RESULT OF THE COMPARISON OF THE CHEMICAL COMPOSITION OF LOUI-

SIANA ROCK SALT WITH THAT OF TURK'S ISLAND.

From this comparison we conclude:

- 1. The Louisiana rock salt may be considered as essentially pure chloride of sodium.
- 2. The Louisiana rock salt is superior in apperance and in physical properties to the Turk's Island salt.
- 3. The Louisiana salt contains less moisture and less adventitious matters than the Turk's Island.
- 4. The Louisiana salt contains nothing injurious whatever to meat, and is essentially and eminently adapted for all the uses to which this valuable mineral is applied in the preparation of food, or in the arts and agriculture.

It remains that a comparison should be instituted between the Louisiana

rock salt and that of various other localities.

The tables on the following page present the composition of salt derived from different parts of the earth, and from the sea water and brine springs:

ANALYSIS OF VARIETIES OF COMMON SALT FROM EUROPE AND AMERICA.

ORIGIN OF SALT—NAME OF CHEMIST.	REMARKS.	Chloride of Sodium.	Chloride of Magnesium.	Chloride of Calcium.	Sulphate of Soda.	Sulphate of Magnesia.	Sulphate of Lime.	Clay & Insoluble ma' ters.	Oxide of Iron.	Other Salta.
Louisiana Rock Salt-Joseph (Jones, M. D.		99.62				0.06	0.31			
Turks' Island Salt-Joseph ;		98.88				0.18	0.56	0.04		• • • • •
	not stated in analysis Amount of moisture not stated in analysis	99.30 99.80	• • • • • •			••••	0.005	0.02 0.002		
Crushed Cheshire Salt 66 Salt Springs, Schonbeck, (Amount of moisture and stated in analysis amount of moisture and amo		0.02		••••		0.65		0.002	•••••
Westphalia	not stated in analysis { Amount of moisture { not stated in analysis {	93.90 97.17	0.30 0.25		1.00 2.00		0.80			
Salt Springs, Montiers, boilers,	Amount of moisture (not stated in analysis) Amount of moisture)		0.61			0.25				
Salt Springs, Chateau Salin's	not stated in analysis } Amount of moisture ?	97.82	2.12					• • • • •	• • • • • •	
Salt Springs, White of Sulz. Salt Springs, Ludwigshall?	not stated in analysis	96.88	3.19		0.005		ļ		• • • • • •	
middle grained Salt Springs, 'Konigaborn, \	not stated in analysis } Amount of moisture (•••••	1	•••		0.28	• • • • • •	•••••	• • • • • • • • • • • • • • • • • • • •
Westphalia	not stated in analysis { Amount of moisture { not stated in analysis {	95.90 97.20	0.004	0.27		 0.05	1.10	0.07		
Sea Salt of, Saint Malo	Amount of moisture (0.30			0.45	2.35			
Common Scottish Salt	Amount of moisture (93 55	2.80			1.75	1.50			
Lymington, common (Henry)	Amount of moisture and stated in analysis	93.7	1.1			3 .50	1.50	2 00	• • • • • •	
Lymington, cat (Henry)	Amount of moisture and stated in analysis	98.8	0.5			0.5	0.1			•••••
Cheshire, stoved	Amount of moisture (98.25	0.075	0.02			1.55	• • • • • •		• • • • •
Rock Salt from Wieliczka, White variety (specimen selected for its purity by Bischof.)	Dried at 212c, moisture not stated. On being dr'dgave a littlewater	100.00	trace.	trace.		.		•••••	•••••	
Wieliczka (Hrdina)	Dried at 2120	97.95	0.54			0.62	0.20		0.08	0.02
(Bischot)	Dried at 212°	99.85	0.15	trace.		.		• • • • •		• • • • • • • • • • • • • • • • • • • •
Rock Salt from Berchtesga- den, yellow variety, (Bischof)	Dried at 2120	99.92	0.079			• · · • •		• • • • • •		

ANALYSIS OF SALT FROM EUROPE AND AMERICA.

ORIGIN OF SALT-NAME OF CHEMIST.	REMARKS.	Chloride of Sedium.	Chloride of Magnesium.	Chloride of Calcium.	Sulphate of Soda.	sulphate of Magneria.	Sulphate of Lime.	Clay and Insoluble Matter.	Oxide of Iron.	Carbonate of Lime.	Carbonate of Magnesia	Aluminate and Peroxideof Iron	Water.
Rock Salt from Hall, in ? in the Tyroll (Bischof).	Dried at 212°	99.43	0.12	0.25			0 20						
Rock Salt—cracking salt) from Hallstadt, in Aus.	Dried at 212°	98.14					1.86						
tria (Bischoff)	1 .	90.14	1	• • • • • •	1		1.00						
Rock Salt from Schwa- (bisch Hall (Bischof)) Pure Rock Salt from Wil-)		99.63	0.28	0.09		 				ļ. .			
helmagluck, at Schwa- biach Hall (Fehling)		99.97			ļ. .		0.02					0 01	
Rock Salt from Wil- helmsgluck, at Schwa bisch Hall (Fehling)		98.36		· · · · · ·	0.03		0 55			0.52	0.13	0.53	
Rock Salt from Wilh helmsgluck, at Schwa- bisch Hall (Felling)		98.81		0.02	¦		0.11			0.16	0.15	0.30	
Rock salt from Vic (Ber-		99.30			 	ļ	0.50				 .	0.20	• • • •
Rock Salt from Djehel, Melah, in Algeria	After deduction of 6 6 silica and 0.4	97.00					3 00						
Rock Salt from Ouled Kebbah, in Algeria (Fournet)	After deduction of a silica and water	98.89	1.11	•			• • • • •		••••	ļ _.			
Rock Salt from Ouled Kebbah, in Algeria (Fournet)	····	98.53	0.59	0.93									
Rock Salt from Ouled) Kebbah, in Algeria (Fournet)		72.16	5.57	1.65		2.06	10.72			8 71	2.89	1.29	
Rock Salt from Holston, in Virginia (C. B. Hay- den)		99.55		trace.			••••		• • •		0.45		
Commercial Sea Salt, Venice (Schrotter & Pohl)		98.95		0.19			0.51		. 				
Commercial Sea Salt } Trepani, Sicily		98.94		0.16		0.51	0.46		• • • •				••
Salt deposited in the bot- tom of Elton Lake (Gobel)		98.79		0.13	····	0.35	1.64	•				-	
Sea Salt from St. Ubes, (in Portugal (Berthier).		95.19	1 1	• • • • •	1	1.69					. .	3	. 43
Sea Salt from St Ubes, in ! Portugal (Berthier)	 	89.19				6 20							.69
Sea Salt from St. Ubes, in { Portugal (Berthier)}		80.09		• • • • •	<u> </u>	7.27	3.57	0.20	•••		••••	8	- 36

It will be observed that in the vast majority of the preceding analyses the salt was first dried at 212°, and the amount of moisture is not stated. The neglect on the part of the various chemists to state the amount of moisture, of course, renders the analysis of the salt apparently somewhat better than it would otherwise have been. Notwithstanding that the most favorable conditions are on the side of the analyses of the salt from other countries, quoted in the tables, it will be found upon comparison that the Louisiana rock salt is of equal purity with the best samples of rock salt in the world, and is far superior to the commercial salt obtained from sea water and brine springs.

From the immense and inexhaustible deposits of Louisiana rock salt it must become a most important article of commerce and exchange throughout the Mississippi Valley.

We conclude, therefore, from the preceding facts:

1. The Louisiana rock salt may be considered as essentially pure chloride of sodium.

2. The Louisiana salt contains nothing injurious whatever to meat, and is essentially and eminently adapted to all the uses to which this valuable mineral is applied in the preparation of food or in the arts of agriculture.

ABUNDANT SUPPLIES OF FRUIT, GAME AND FISH IN LOU-ISIANA.

There is not perhaps on earth, a continuous tract of land of equal extent, presenting a greater diversity than Louisiana. Within its limits are included all the varieties, from the most recent and periodically inundated alluvium to hills approaching the magnitude of mountains; every quality of soil from the most productive to the most sterile, and from unwooded plains to dense forests.

All the southern part of this State is an alluvial tract of low champlain country, extending from Lake Borgne to Sabine River, and from the Gulf of Mexico to Baton Rouge and Red River—about 250 miles long, and from 70 to 140 wide. This extensive tract is intersected by numerous rivers, bays, creeks and lakes, dividing this country into a great number of islands.

The lower portions of the State extending up from the 28° 55′ of N. latitude, is adapted to the orange, fig and banana, whilst in the more elevated regions, peaches, pears, apples and the vine flourish.

The lakes, bayous and marshes abound with oysters, crabs, shrimp, fish

of every variety and wild ducks and water fowl.

Of the mammalia suitable for food, in addition to the domestic animals (cattle, sheep, goats and swine), the forests, swamps and marshes of Louisiana afford in considerable abundance, the black bear (ursus Americanus), raccoon (procyon lotor), otter (lutra canadensis), wild cat (lynx rufus), panther (lynx discolor), fox squirrel (sciurus capistratus), grey squirrel (sciurus Carolinensis), ground squirrel (tamias listeri), flying squirrel (pteromys volucella), woodchuck (arctomys monax), musk rat (fiber zibethicus), swamp rabbit (lepus palustris), common rabbit (lepus sylvaticus), deer (cervus Virginianus), porpoise (delphinus phocœna), opossum (didelphis Virginianus), beaver (castor fiber).

The elk (cervus stongyloceros), and the bison (bos Americanus), that formerly roamed over the plains of Louisiana, have disappeared before the

advance of civilization.

Of oviparous warm-blooded animals, fit for human consumption, Louisiana produces numerous species, some of which abound in the lakes and marshes, and contribute largely to the supply of human food. It will be sufficient to mention the following birds of Louisiana, which are consumed as food to a greater or less extent, according to their number, and according to the taste of the people: hen hawk (buteo borealis), chicken hawk (buteo lineatus), bald eagle (haliætus leucocephalus), fish hawk (pandion haliætus), barn owl (strix Americana), hooting owl (syrnium nebulosum), horned owl (bubo Virginianus), screech owl (bubo asio), king bird (muscicapa tyrannus), sealingwax bird (bombycillia Carolinesis), blue-bird (sialia sialis), cat-bird (orpheus Carolinesis), thrush (orpheus rufus), robin (turdus migratorius), chuck-will-window (caprimulgus Carolinesis), whippoorwill (caprimulgus vociferus), night-hawk (chordeiles Virginianus), nonpareil (spiza ciris), indigo bird (spiza cyanea), maybird or goldfinch (carduelis tristis), red-bird (petylus cardinalis), summer red-bird (pyranga æstiva), rice-bird, (dolichonyx oryzivora), cow bird (molothru picoris), redwing black-bird (agelaius phæniceus), jackdaw (quiscalus major), lark (sturnella ludoviciana), blue jay (garrulus cristatus), ivory billed woodpecker (picus principalis), log-cock (picus pileatus), yellow-bellied woodpecker (picus varius), red-headed woodpecker (picus erythrocephalus), rain-crow (coccyzus Americanus), ground dove (columba passerina), wild pigeon (ectopistes migratorius), turtle dove (ectopistes Carolinensis,) wild turkey

(meleagris gallopavo), partridge (ortyx Virgiana), pheasant (tetrao umbellus), plover (charadrius marmoratus), kildeer (charadrias vociferus), whooping crane (grus Americana), spoonbill (Platalea Aiaia), que w (ardea nycticorax), poorjoe (ardea exilis), blue crane (ardea ludoviciana and herodias), white crane (ardea candidissima), stone curlew (totanus semipalmatus), snipe (scolopox wilsoni), woodcock (microptera Americana), curlew (numenius longirostris), fresh water marsh hen (rallus elegans), salt water marsh hen (rallus crepitans), flamingo (phænicopterus ruber) diver (podiceps Carolinensis), ibis (tantalus loculator), white pelican (pelecanus Americanus), brown pelican (pelicanus fuscus), cormorant (plotus anhinga) black duck (anæs obscura), English or French duck, widgeon (anæs Americana), summerduck (anæs sponsa), green winged teal (anæs Carolinensis), blue winged teal (anæs discors,), canvassback duck (fuligula valisneria), wild goose (anser canadensis), shagpoke (mergus merganser).

Many other species of birds fit for food are found in Louisiana, and I have merely given examples of the different families to show the great variety of game with which the markets of New Orleans at certain seasons abound.

Of chelonians, Louisiana furnishes several varieties of great value as substantial articles of food, and even delicacies, suited to the most fastidious appetite, as follows: Gopher (testudo polyphemus), box cooter (cistuda Carolina), alligator cooter (chelonura serpentina), soft-shelled terrapin, (trionyx ferox), green turtle (chelonia mydas), loggerhead turtle (chelonia carretta), leatherbacked turtle (sphargis coriacea).

The Gulf of Mexico, the Mississippi river, the lakes and bayous, abound with fish of the greatest variety; and Louisiana produces not only the greatest abundance of delicious fish, but she has also sufficient to establish a large export trade. Amongst the important varieties of fish found in the waters of Louisiana, may be mentioned: Rockfish (labrax lineatus), grouper (serranus erythrogaster), blackfish (centropristis nigricaus), trout (grystes salmoides), maw-mouth (centrarchus gulosus,) perch and chub (centrarchus and pomotis], flying fish [dactylopterus volitans], yellowtail [leisotomus xanthurus], bass [corvina ocellata], whiting [umbrina alburnus], drum [pogonias chromis], young drum [pogonais fasciatus], croker [micropognon undulatus, sheephead [sargus ovis], porgee [pagrus argyrops], anglefish lephippus faberi, Spanish mackerel (scomber colias), spring mackerel (scomber vernalis, pompano [tranchinotus pampanus and argentus], mullet [mugil albula], salt water catfish [galeicthys marinus], fresh water catfish pimelodus catus, plaice and flounder plateisa oblonga, salt water eel muræna], fresh water eel muræna.

In conclusion, the markets of New Orleans abound with oysters, crabs, crawfish and shrimp of the finest quality and the most delicate flavor.

No city upon the habitable globe is better supplied with the most valuable products of her soil, forests and waters than New Orleans, and her resources in the matter of food and fruits are enlarged to the greatest extent by the boundless resources of the tropical islands and continential regions lying to the south.

The inhabitants of New Orleans, and Louisiana generally, have as abundant supplies of the great staples of human food, and of fruits and game, and of the actual luxuries of life, as the most famed people of the globe; and we can live with as much comfort and luxury in this city as in New York, London or Paris.

The remarkable health and longevity of the natives, is referable at once to the mild climate and the abundant supplies and great variety of the agricultural products, fruits and game of the country.

If adulterations are practiced in articles of food, they are foreign to the people and soil, with the exception, perhaps, of milk. The extensive consumption in our day, of articles of food preserved in tin cans, is without doubt a source of dauger and death from the accidental admixture of lead and other metallic salts; and the imported articles of food are no more free from adulterations than in other cities countries.

EFFECT OF OVERFLOWS UPON THE HEALTH OF THE IN-HABITANTS OF THE DELTA OF THE MISSISSIPPI RIVER.

OVERFLOW OF THE CITY OF NEW ORLEANS, ON THE RIGHT BANK OF THE MISSISSIPPI, BY THE WATERS OF THE LIVE OAK CREVASSE—
RELATION OF OVERFLOWS TO DISEASE.

[Extract from the Report of Dr. Joseph Jones, President Board of Health, State of Louisiana, delivered at the regular meeting of the Board, June 22, 1882].

Three breaks occurred in the levee at Live Oak Grove Plantation, in the parish of Plaquemines, twenty-five miles below New Orleans, on the right

bank of the river, March 17 and 18, 1882.

This water would have, in low stages of the river and swamps, found a comparatively rapid and effectual outlet, through Barataria Bay and its several arms and bayous; but the crevasses of the Bayou Lafourche, of January 29 and March 5, had filled the chain of lakes and the bayous and swamps connected with Bayou Barataria; thus on the west, Lake Cataouache, Lake Ouacha or Salvador, Little Lake, and Lake Villdiere and the surrounding swamps were filled with water, having very nearly the level of the Mississippi River; and although the water flowed continually through Barataria Bay into the Gulf, the volume rushing from above maintained the level. The high ridges of Bayous Barataria and Dupont also aided as a barrier bounding the low lands on the west, and inclosing a well marked basin between the high leveed borders or the Mississippi.

Although situated about twenty-five miles below New Orleans, the crevasse waters of Live Oak, gradually, from the causes mentioned, travelled up apparently against, or rather in a contrary direction of the natural flow and current of the Mississippi River, and filled the low lands lying between the banks of the Mississippi River and those above the above mentioned bayous, and before the end of March the waters had reached the rear of the various settlements on the right bank of the river, opposite New Orleans, known as Algiers, Gretna, McDonoghville, Tunisburg, Freetown.

(Gouldsboro).

During the past month, the lower portion of these towns have been submerged, and but for the constitution of a levee at the rear portion of Algiers, the water would cover all portions, up to within three blocks of

the Mississippl River.

This overflow has caused great inconvenience and exposure, and loss of time and money to the citizens of New Orleans, residing on the west bank, as has been rendered evident by personal inspections, the most recent of which was made in company with Hon. Ed. Booth, of the board. The question of moment for this board to consider is what effect will the overflow of New Orleans have upon the health of the citizens upon the west bank.

This question takes a wider range, and should embrace the effects upon the health and the lives of the people, of overflows generally. During the remarkable flood of 1882, a large portion of the richest and most highly cultivated and thickly populated lands of Louisiana have been overflowed by the crevasses of Airlie or Alsatia, Illawarra, Raleigh and Pecan Grove, of East Carroll; Noland-Omega, Backbone, Morancy, Upper Delta and Bayou Vidal, Madison Parish; Ion and Woodbourn, Buckner's, Point Pleasant, Buck Ridge, Ship's Bayou, Upper Hardtimes, Lower Hardtimes. Ford-Field, Hardscrable, Bondurant, Kempe and Waterproof. Tensas Parish; Lake Concordia, Fish Pond Bayou, head of Atchafalaya, Merrick, Hagan, Torras, Smithland, Old River, Raccourc', Pointe Coupée, Pointe Coupée Parish; Arizona, Iberville Parish; Landry, Ascension Parish Story, Poydras, St. Bernard Parish; Like Oak Grove, Dobard, Guesnard, St. Sophie, Monsecour, Point-a la-Hache, O'Brien, Plaquemines Parish, and numerous others in Avoyelles, St. Landry and Lafourche parishes.

In considering in a sanitary and hygienic point of view, the effects of this vast inundation of the Delta of the Mississippi River, the inquiry

should commence with a consideration of:

1. The chemical constitution of the waters of the Mississippi River.

2. The physical and chemical properties and physiological relations of the sediment deposited from the waters of the Mississippi upon the submerged surfaces.

1. Chemical Constitution of the Waters of the Mississippi River,

I have made the following examinations of the waters of the Mississippi River:

(a). Mississippi River water from the inlet pipe.

When first drawn the water presented a turbid appearance; upon standing the suspended matters settled, forming a light grayish yellow deposit; and the supernatant water remained slighty turbid from a small remaining portion of suspended matters.

The insoluble suspended matters amounted to twenty-three and twotenths (23.2) grains to the gallon of water, and under the microscope were found to consist chiefly of very finely divided sand (Silicic acid) and the silicates of alumina and contained but few specimens of animalcules or

vegetable structures.

After the removal of the suspended matters the water yielded a specific gravity similar to that of distilled water, and the amount of saline matter was found to be only eleven and nine-tenths (11.9) grains per gallon. Upon analysis it was found that those saline matters contained only traces of the sulphate of potassa, soda and magnesia, and consisted almost entirely of the carbonates of lime and chloride of sodium.

Each gallon contained 2.91 grains of lime (equivalent to 5.29 grains of carbonate of lime) and 3.378 grains of chlorine (equivalent to 5.53 grains

of chloride of sodium, common salt).

One gallon (70,000 grains) of Mississippi water contained:

Specific gravity at 60° F	1000.00
Suspended matter deposited on standing	23.30
Fixed saline constituents	
Carbonate of lime	5.29
Chloride of sodium	5.53
Carbonates and sulphates of soda, potassa and magnesia	1.08

From the results of the preceding analysis, and from those of many others which I have made, we conclude that the waters of the Mississippi, when freed from the suspended matters, are of great purity, and will compare favorable with the drinking water supplied to the largest and best

regulated cities in the world, and the truth of this assertion has been established by a critical comparison with the analysis of the various springs

and rivers used for the supply of cities in America and Europe.

If the solid saline residue of one hundred thousand parts of the Mississippi River water be compared with the solid saline matters of the drinking waters of the noted springs and rivers of this and other countries, it will compare favorable with each, and is in fact far purer than the majority of drinking waters heretofore analyzed by chemists.

In each glass of Mississippi River water, less than half a grain of saline constituents are present, and this small amount, absolutely inappreciable in its affects upon the animal system, is composed almost entirely of common salt, and carbonate of lime. If these salts exert any effect upon the animal economy, it is beneficial, and not injurious. Thus, the lime salts are clearly related to the development of the osseous and dental systems.

We conclude, therefore, that the mere presence of the Mississippi waters upon the overflowed lands will not necessarily cause sickness from any de-

leterious property or substance inherent in them.

2 The physical and Chemical Properties and Physiological Relations of the Sediment Deposited from the Waters of the Mississippi upon the Subnerged

Surface.

A point of considerable interest in a sanitary view, as established by the preceding and numerous other examinations, is that the suspended matters of the Mississippi River waters are, to a large degree, free from organic impurities, and consist almost entirely of fluely divided silicic acid and silicates, The suspended matters, so far from rendering the waters of the Mississippi unfit for sanitary purposes, add to their disinfectant properties.

It is well known that clay, resembling in its general properties the sediment of the Mississippi River, is disinfectant in its properties, and surgeons have long known that dried clay pulverized forms an admirable application and dressing to compound comminuted fractures and gunshot

wounds.

AMOUNT OF THE SEDIMENT CONTAINED IN THE WATERS OF THE MISSISSIPPI RIVER.

The amount of the sediment deposited from fixed quantities of the Mississippi River waters varies with the nature and extent of and sources of the overflows, but still certain results of a general and valuable character have been obtained from the careful collection and determination of the quantity of the sediment.

Mr. Meade and Mr. Lidell, assistants of Captain Talcott in his survey of the mouths of the Mississippi in 1838, measured the amount of sedimentary matter contained in the water. The former, from observations made in April and May, considers the quantity to be 1-1250th part by weight. The

latter adopts 1-1724th for the ratio.

Professor Riddell's first experiments upon the amount of sediment contained in Mississippi water were reported in a letter addressed to Sir Charles Lyell on March 5, 1846, and gave a ratio of dry sedimentary matter to the weight of water and sediment of nearly one to 1245, and by volume of one to 3000. In his second series of experiments, in 1846 (extending from May 21 to August 31, 1846,) Professor Riddell estimated the ratio by weight of the sediment to the water as 1 to 1158.3.

The observations of Mr. Brown, at Natchez, July 1, 1846, June 30, 1848, and of Lieutenant Marr, at Memphis, in 1849, placed the relative amount

of sediment at a much higher figure.



Professor Forshey. in 1851, in his experiment at Carrollton, established that the Mississippi water is not charged to its maximum capacity with sediment, and that the amount of sediment varied during the different periods of the year within wide limits; the maximum amount being 1-681, and the minimum 1-6383, mean 1-1808 by weight.

A comparison of the general results led Captain A. A. Humphreys and Lieutenant H. L. Abbot to the belief that no material error will result from assuming that the sediment of the Mississippi is to the water, by weight, nearly as 1 to 1500, and by volume nearly as 1 to 2900, provided

long periods of time be considered.

If this be so, and if the mean annual discharge of the Mississippi proper be correctly assumed at 19.500,000,000,000 cubic feet, it follows that 812,-500,000,000 pounds of sedimentary matter, constituting one square mile of deposit, 241 feet in depth, are yearly transported in a state of suspension to the Gulf; or, adding to the mean annual discharge of the Mississippi at Carrollton the mean annual discharge of the three outlet bayous, we have for the total discharge from the basin 21,300,000,000,000 cubic feet, containing 887,500,000,000 pounds of earth matter, which is yearly deposited upon the delta proper.

When the Mississippi swamp lands are securely protected against overflows, the earthy matter which in their usual condition was annually de-

posited upon them, was carried to the Gulf.

The discharge into any one of the great swamps during the mean annual flood, may be taken as 100,000 cubic feet per second, during a period of one month and a half for the St. Francis, Yazoo and Tensas, and three months for the Atchafalaya bottom, or delta proper. Taking into consideration the fact, that during the great flood year the breaks in the levees have been so numerous and so large, that the volume of water discharged through them has been nearly equaled to the volume discharged over the banks in their natural condition, we have for the additional amount of sedimentary matter that will be carried to the Gulf, 81,000,000. 000 pounds, or about one-tenth of that transported to it before the construction of levees.

The vast mass of sediment is spread over the overflowed districts, and leaves a brownish red deposit upon the surface of the earth, which whilst improving the fertility of the soil, at the same time in virtue of its fine division, its chemical constitution, and the absence of organic matter, capable of undergoing fermentation and change, exerts no deleterious effects upon the health of the inhabitants.

It is possible, however, for overflows to occasion the prevalence of malarial and even of malignant fevers, from causes not necessarily dependent either upon the chemical composition of the water, or of the sediment held

in suspension.

NOTES ON EARLY INVESTIGATIONS ON THE SEDIMENT OF THE MISSISSIPPI · RIVER.

At the meeting of "The American Association for the Advancement of Science," held at Philadelphia, September, 1848, Dr. Dickeson read an extended report on "The Sedi-

ment of the Mississippi River," prepared by Andrew Brown, Esq., and Dr. M. W. Dickeson, from which we extract the following results:

The committee composed of Andrew Brown, Esq., and Dr. M. W. Dickeson, charged with the duty of collecting and reporting to the association as many of the facts and characteristics respecting the condition and annual conduce of the Mississippi River, as might be practicable, submitted a series of facts and observations in connection there with, collected by virtue of the most favorable opportunities of daily observation for the last eighteen years, and continued without intermission with a view to this report, for the last two years of that term, beginning the first of July, 1846, and ending thirtieth of June, 1846, comprising a series of notations and calculations of the quantity of water

Digitized by GOOGIC

at the several stages of elevation and depression, during the river's annual oscillations, between its mean high water and low water lines, together with the quantity of detrital or sedimentary matter matter with which it is charged.

The committee found the aggregate annual quantity of water discharged by the Mississippi to be 14,882,360,639,880 cubic feet, or 551,235,579,143 cubic yards, equal to 101.1

cubic miles

As the Mississippi River is the only visible outlet for the surplus water of the vast valley, through which it passes on its way to the ocean, and as the Mississippi Valley has been found to contain an area very little, if any, short of fourteen hundred thousand square miles, it is important to determine the relative difference between the quantity of

rain water falling annually in this valley, and that discharged by the river.

The committee found by examination of the meteorological register of the late Dr. H. Tooley, of Natchez, that the mean quantity of rain water, which falls annually at Nat chez, is between fifty-five and fifty-six inches; but, as such is the quantity for the Southern extremity of the valley, it may be regarded as over estimating, if taken for an average of the whole area, the mean quantity was, therefore, assumed to be fifty-two inches; upon which basis it was calculated that the entire rainfall of the whole valley was 169,128,960,060,000 cubic feet, which is almost 11.36 times the quantity which is discharged by the river.

There can be but two ways by which this immense quantity of water can make its escape from the valley; one is by the course of the river, and the other by evaporation. Hence there is but one relative portion of this quantity passing off by the river, for every 10g parts which are exhaled into the atmosphere; or 8-91 parts are carried off by the

river, and 83-91 parts by evaporation.

The result established an important fact to the planting interest (agriculturists) of Louisiana and Mississippi; for it will be perceived that the more exhalations are promoted, the less liable will the low or bottom lands of these two States be to the periodical inundations of the river. The best method of promoting the evaporating process, namely, the clearing of large portions of the valley of its forests for the promotion of agriculture, and the consequent exposure of the lands to the action of the sun and winds, has

been in rapid and successful progress.

The committee affirm: "So rapid is the progress of this increased exposure, and its consequent evaporating tendency, and so visible have been its effects on the Mississippi River, that we may hazard the assertion with safety that there is not now by twenty or twenty-five per cent as much water passing down the Mississippi as there was twentyfive years ago, for at and prior to that time, there were annual inundations of many feet and long periods of submergence of almost all the bottom lands, from the bluffs or highlands on one side of the river bottom to those on the other side. Such lands were at that period in a great measure counted valueless; and to such a degree that but little or no hopes were entertained of the practicability of their redemption by any artificial means, that is on any general scale; but such has been the diminution in the annual quantity of water discharged from the valley, that these lands have been progressively and rapidly redeemed from overflow, until very great portions of them are now in the very highest state of cultivation, and with but comparatively slight assistance from art in the way of embankments, and then such as could not have been at all available against the overwhelming effects of floods, and the length of time of their continuance; for then there were annual inundations, both deep and expansive, of the waters, over almost all the bottom lands; but now the river seldom rises to the same elevation as formerly, and when it does, it is of much shorter duration, and the waters are almost exclusively confined to the channel of the river, in place of being spread over almost all the bottom lands the whole spring and early part of the summer."

From the same cause the quantity of floating timber and drift wood passing annually down the river has diminished in a far greater ratio than that of the water, and the aggregate quantity cannot now be even fifty per cent of that which formerly passed

down.

It will not be difficult to perceive the yearly difference there must necessarily be in the evaporation from a surface of country exposed to such action, and that which is covered by the primitive forests and their almost impervious undergrowth, through

which neither sun nor wind can penetrate but with difficulty.

With reference to the amount of suspended matters (sediment) contained in the Mississippi River, we found that there was deposited from a column of water 19.36 feet, a column of sediment or solid matters of 461 inches. But as this sediment still seemed to evince some slight disposition to further settlement or contraction, the committee assumed forty-four inches to represent the solid sediment from a column of river water of 232.32 inches; the mean proportion or quantity of sediment to the whole volume of river water being, according to these data, as 1 ts 528. As according to the determina-tion of Mr. Brown and Dr. Dickeson, the quantity of water annually discharged by the Mississippi River was 14,883,360,636,880 cubic feet, then must there be deposited from that quantity of water 28,188,053,893,1-6 cubic feet of solid matter. In this calculation



no account is taken of the coarse sand and gravel, transported by the river current, which forms numerous shifting bars, subject to perpetual change of position, and con-

sequent tendency of the matter to the river mouth.

If, in common with Sir Charles Lyell, the delta of the Mississippi be regarded as comprehending all that great alluvial plain which lies below or to the south of what, until recently, was the first branching off or highest arm of the river, called Atchafalaya, its superficial area may be computed at 13,600 square miles. If, in deciding the depth of the deposit laid down in the delta by the Mississippi, we assume the calculation of Professor Riddell and say that it is of an average depth of one-fifth of a mile, or 1056 feet, which he infers from that being the average depth of the Gulf of Mexico, from the Balize to the point of Florida, by computation from the above data, it would require not less than 400,378,429,440,000 cubic feet, or 2720 cubic miles of solid matter to constitute this "delta." Having ascertained the quantity of solid matter annually brought down to the Mississippi River, to be 28,188,083,892 cubic feet, which would be equal to one square mile of the depth of 1056 feet in 381 1-5 days, or one cubic mile in five years, eighty-one days, it therefore follows that it would require a series of 14,203 4-5 years for the river to effect the final formation of the present "delta."

"We are not disposed to consider the great alluvial plain, stretching with the river, from the above designated delta, as far up as Cape Girardeau, in Missouri, or any part of the delta proper, nor can it ever have been any continuation of the Gulfof Mexico, or arm of the ocean, as is usually supposed; the evidences are vastly against any such conclusions, inasmuch as to the diluvium which constitutes the highlands bordering on each side of this alluvial plain by its general distribution, would have been equally deposited in such gulf or arm of the sea, which, in reality, could not have been the case, for the river has excavated through this diluvium, and exposed it in many places, resting on what is evidently of another formation; and such is not only found to be the case at the base of the diluvial hills, but the same formation is found also to constitute the bed of the river at many other points, detatched for very considerable distances from any high lands. On reference to the reported diagram, right hand side, will be perceived that the position of the formation and base of the diluvial bluffs, which are in depth, to high water line, at this point, 179‡ feet; and it will be seen that they extend almost as low as the bottom of the river, making their whole depth about 220 feet."

"There have been no excavations or perforations through the alluvial matter in any parts of this vast plain, excepting those which have been affected by the river itself; but it would seem that it does not exceed, in any part, the depth of the river, whose high water line may be regarded as the average level of the plain, and from that to the bottom of the river is about 117 feet. This bed of the river is of entirely different character

from the composition of any part of the diluvial bluffs.

"In building a breakwater, your committee had occasion to quarry much of this substance, and found it to possess all the characteristics of a well formed rock, which has to be acted on by wedges, crowbars and pickaxes to effet its reduction, but on exposure to the weather it gradually pulverizes and becomes an adhesive blackish clay, but very

different from the tenacious clay of the alluvium or diluvium.

"From the above observations, should they truly represent the character of the plain, the inference is irresistable, that the Mississippi river has excavated the whole of this valley, and denuded the upper tertiary of all its incumbent diluvium, from the high lands on one side to those on the other, of which every indication is confirmatory; and there are evident traces of the river having occupied every part of the bottom, for its ancient beds are found at intervals in the form of lakes and depressions throughout the

whole extent of it.

"The superficial area of this great valley has been found to be about 16,000 square niles, bounded by high lands on either side, ranging from fifty to 350 feet above the level of the plain. Should this space, therefore, have been reduced or excavated by the river, as we assume, it must have transported the diluvial matter, and caused it to form part or portion of its delta. Now assuming the average height of the high land above the plains to be 150 feet, we will therefore obtain 454½ cubic miles, or 66,908,160,000,000 cubic feet of matter, as its proportional contribution, for the formation of the delta, the balance required being 333,451,269,440,000 cubic feet, to be derived from the reduction of other lands, the two sources being to each other as 1 to 5.98; or, by giving another expression to the same quantities, there is, in the delta, 2720 cubic miles of matter; 4544 of which would be derived from the diluvium on the excavation of this valley; the other portion would consist of 22654 cubic miles to be derived from other sources or the reduction of other lands.

"We have now traced this great river through a period of 14.204 years, but how it was occupied before that time, or what was the condition of the country over which its waters passed, is more than we can safely venture to say; but on particular examination of the bluffs, or cliffs, which bound its present plain, it will be very difficult to resist the onviction, that the river has had great agency in depositing the upper or loamy stratum hich varies from a few feet to upwards of fifty feet in thickness, and in all of which

stratum there is abundance of land and fluvatile shells, such as those now found in the deposit from the river. On receding from the river bluffs, we find that the clay, or other diluvial matter, which underlies the loam-bed on the top of the bluffs, crops out, very clearly indicating an aucient valley, or depression in the diluvium, which constituted the more primitive bed of the river, on whose sloping flanks, and more particularly, in

their depressions, this fluvatile matter or ancient alluvium, was deposited.

"Any variation of its character, from that which is now deposited, may be very readily accounted for by the varying conditions of the ground over which the waters have had to pass, for it may safely be inferred that they then had to make their way over the face of a country being different in character from the present; for they have gone on, progressing, to abrade the high lands of their lighter matter, and to cut deep channels in the valleys down through the more primitive rocks, whose detrital matter must necessarily assume a somewhat different character from that which it formerly had, particularly that on the top of the bluffs. We have found the age of that deposit to be not less than 14,204 years, through all of which time the waters have been actively engaged in changing the face of the country, and transporting 2720 cubic miles of its matter to a far distant location. " "

"Having early perceived that this report would exhibit a series of results varying very much from that obtained by Proffessor Riddell on the same subject, and reported to this association in 1846, we have on that account been the more careful that accuracy should

attend all our proceedings with reference to it.

"By this report, the mean annual discharge of water in the Mississippi is 14,883,360,-636,880 cubic feet; the Riddell report gives 11,108,275,000,000 cubic feet. The difference may be accounted for by the greater uncertainty there must be in obtaining any correct mean where conditions and velocities are so changeable; at least, there cannot certainly be the same dependence placed in quantities got by such a method as there may be in that more mathematical one adopted by this report. But the difference in the two estimates, with respect to the solid matter held in suspension by the waters, may well seem the most extraordinary that can be conceived in any two estimates for the same thing. This report gives to the solid matter, in bulk, as compared with the bulk of water, as 1 to 528; the Riddell report gives it as 1 to 3000. Why there should be anything like this difference may seem difficult to determine, and is well calculated to abate the confidence to which either report may be entisted.

"Agreeable to the Riddell report, it would require a column of water 250 feet in height to deposit one inch of sediment. Were that so, it would have required that our tin tube should have been filled 1750 times in order to have produced the quantity of sediment herewith submitted; in which case we would have contented ourselves with obtaining a much smaller quantity. According to this report, there is one inch of solid matter deposited from a column of water of forty-four feet. Every one who has traveled on the Mississippi, and seen the turbid condition of its waters, will be able to decide between

these two reported quantities.

"We will here remark, so as to account for the discrepancy, that if the waters of this river are not continually agitated by the force and turbulence of the current, the suspended sediment very soon subsides considerable below the surface; and at or opposite the Mint, in New Orleans, is below almost all the wharves, and most of the shipping. When the waters are very still, and when deposition takes place to a very great extent, so as to make much land, after the water has so parted with a portion of its sediment, it passes down past the Mint without being but slightly agitated, the principal current being altogether on the other side of the river, and but very little on that side when Professor Riddell procured the test water for his experiments, according to his own state-

"In a large excavation made for the gasworks, at New Orleans, eighteen feet deep, there were found imbedded innumerable stumps of trees, buried at various levels, in an erect position, with their roots attached, implying the former existence there of fresh water swamps, covered with trees, over which the sediment of the Mississippi River had been spread during inundations. The site of the excavation is only nine feet above the level of the sea; therefore, the lowest of the embedded stumps must be nine feet below this level. Now, this must not be at all surprising, when we reflect that the first growth of trees in this region must have taken root on the surface of new-made ground. deposited from the Mississippi, and that ground, or deposit, of the depth of 1050 feet, with a continual tendency to settle into a more compact condition by incumbent pressure, molecular affinity and arrangement of particles, as we found it to be the case with the settling of our sediment. Every year's sinking down, in this case, would be fully compensated by every year's deposit, for the lower it at any time sunk the longer it would be subject to inundation by the subsequent overflows, so that the sinking and compensatory process would go on together, and continue about equal, which will account for the circumstances of former forests being now found so far below the level of the sea.

"Should this subsidiary process be now, in any measure, incomplete in that region where the city of New Orleans now stands, and which we indeed very much question, in

that case, the compensatory equivalent being cut off by embankments, or the levying out of the waters, the time may, possibility, yet come, where the ground on which the city of New Orleans now stands, may sink to a level with the ocean, or even below it; at least, should there be any further settlement at all, it must, in the same rate approximate that level, for the final adjustment of particles in a deposit of 1056 feet deep, that may preclude any further settling, may be expected to take an immensity of time. "ANDREW BROWN,

"M. W. DICKESON, Committee."

TABLE OF THE CALCULATIONS MADE IN THE FOREGOING REPORT.

- 1. Quantity of water discharged by the Mississippi River, annually, 14,883,360,636,880 cubic feet.
- 2. Quantity of sediment discharged by the Mississippi River, annually, 28,188,083,892 cubic feet.
 - Area of the delta of the Mississippi, according to Mr. Lyell, 13,600 square miles.
 Depth of the delta, according to Professor Riddell, 1056 feet.

- 5. The delta, therefore, according to 3 and 4 contains 400,378,429,440,000 cubic feet, or 2720 cubic miles.
- 6. According to 2, it would require for the formation of one cubic mile of delta, 5 years and 81 days.

7. For the formation of oue square nule of the depth of 1056 feet, 1 year, 16 1.5 days. 8. For the formation of the delta, according to 2, 3, 4, 14,203, 4-5 years. 9. The valley of the Mississippi, from Cape Girardeau to the delta, is estimated to contain 16,000 square miles, 150 feet deep; it, therefore contains 66,908,160,000,000 cubic feet, or 4544 cubic miles.—Proceedings of the American Association for the Advancement of Sciences, May 1848, pp. 42-55.

SEDIMENT OF THE MISSISSIPPI RIVER.

At a meeting of the American Association for the Advancement of Science in 1847, a committee was appointed to report as to the practicability of reclaiming the drowned lands of the Missisippi Valley, and also as to the probable effect which the reclaiming of these lands would have on the navigation of the river. As those subjects were of vast national importance, Lieutenant Maury addressed a letter to Hon. J. Y. Mason, Secretary of the Navy, Washington, dated National Observatory, Washington, December 27, 1845, with a view of aiding the committee in its investigations, and requesting that the officers of the Memphis Navy Yard, be directed to conduct a series of observations, with a view to obtain answers to the following questions:

1. What is the average quantity of water taken up at Memphis by evaporation ? 2. What is the average volume of river water that daily passes by that place?
3. What is the quantity of silt contained in the water?

4. What is the daily rise and fall of the river?

5. What, at the different stages of the river, is the rate of the current at the surface, and successively at the depth of every ten feet?

6. What the daily temperature of the water at the surface, and what the bottom of

the main channel-way ?

7. And if not already the subject of observation, what is the quantity of rain that falia there !

The Hon, J. Y. Mason, Secretary of the Navy, Washington, promptly complied with the request of Lieutenant Maury, and the report of Robert A. Marr, Esq., of the United States Navy, was submitted to the American Association for the Advancement of Science, at their second meeting, held at Cambridge, August, 1849.—Proceedings of Association for the Advancement of Science, second meeting; held at Cambridge, August, 1848, pp. 334-435.

From the report of observations made at the Navy Yard at Memphis during the mouths

of April, May, June and a part of July, 1849, by Robert A. Marr, United States Navy.

we extract the following:

Evaporation—The average quantity of water evaporated was 13-100ths of an inch daily. Rain—The average quantity of rain falling was 11-100ths of an inch daily. The weather

was thought to be unusually wet.

Quantity of Water Passing Memphis—The average quantity of water passing during the servation was daily 57.165.356,160 cubic feet. "The river for the last few months has observation was daily 57,165,356,160 cubic feet. been unusually high, but considering this quantity as an average, the water passing by in one year would amount to 20,865,354,998,400 cubic feet, a quantity sufficient to cover an area of 100,000 square miles to the depth of 71 feet."

Currents—Mr. Robert Marr found the velocity of the current near the bottom to be to that of the surface as 268 to 300. I believe that very near the bottom it is much less. It appears that the greatest velocity of current obtains when the river is rising most rapidly, and that the rapidity of the current at high water is to that at its lowest stage

during the time of these observations. about 33 to 28.



It is impossible to observe the current of this river, and notice its effects upon the banks, without being strongly impressed with the vital importance which the serpentine course of this river (at which travelers so inconsiderately complain) is to its navigability. The winding course of this river, by diminishing the ratio of its fall to its length, greatly lessens the velocity of current; but the greatest restraint upon the fury of this current arises from the abrupt turns in the channel, which, by forcing the stream from a right course, constitutes a series of checks, without which this river would wash in

with such impetuous violence as to render its navigation utterly impracticable.

Temperature of the Water at the Bottom of the River.—"I have found the temperature of the water at the bottom of the river to be the same as that at the surface; at least, the difference is not observable with the ordinary thermometer. " " This equality of temperature is attributed to two causes: One is, that the sun does not in so short a time affect the water immediately beneath the surface to a degree observable with the common thermometer. This latter fact is evident, because whenever I have tried the experiment,

I have found the river water as warm at midnight as at noon. Another cause may be that the bottom and surface water, owing to the greater agitation of the current, frequently change positions. The water is generally affected by the temperature of the

air, but the effect is very gradual.

"The fact that the temperature of this river is so little affected by the casual and local variations of temperature of the atmosphere, suggests the idea that it may be regarded
as the mean result of innumerable observations, taken in every portion of the country
through which the river flows; and that if the temperature of all the large rivers and other large bodies of water should be carefully noted and combined, the result would indicate the average temperature of the whole country. If such observations were continued for years, they would show whether the spring of any particular year was backward or in advance.

" Velocity of Current as Influenced by Stage of Water.-The lowest stage of the river, since these observations were commenced, has been 20.2 feet above low water. At that point the average velocity of the central surface current was 27 miles per hour; at the height of 33.6 feet it was 37. When the river is at 33.6 feet above low water, there is about one-half more water in the river than when at 20.2 feet. Now, I think it may be safely assumed that if all the overflow was confined to the river, the height of the river would not be increased more than fifteen feet, and this increase (reasoning from the

above data), would not give a greater velocity of current than five miles.

"Silt —The quantity of silt has been ascertained by daily placing a known quantity of river water in a box, drawing off the water as it becomes clear, and weighing (when dried) the earth thus deposited. The average quantity of earth contained in one hundred cubic feet of river water is twelve and seven-tenths pounds, which gives 26,580,008-400 pounds, or 2,137,061,974 cubic feet of earth passing in one year—a quantity sufficient

to make a bed of earth one mile square and seventy-six feet deep. "(Signed)

ROBERT A. MARR, "Acting Master, U. S. N."

PREVIOUS TO THE ERECTION OF LEVEES, THE DELTA OF THE MISSISSIPPI WAS ANNUALLY OVERFLOWED.

The city of New Orleans was laid out in 1717, by Engineer Dumont de la Tour, on the left bank and in the concave bend of the Mississippi river, which approaches nearest to the Lake Ponchartrain, about five miles The flood line of the river at that time was determined to be about three feet above the natural river bend, and de la Tour ordered a front levee to be constructed for the protection of the future city, four feet high, eight feet wide at top, and 5,400 feet long. In the rear on the present line of Rampart street, a levee six feet high was ordered, at the sides above and below, levees gradually increasing from four to six feet. These levees were constituted lines of fortification as well, and were provided with stockades and ditches, bastions at the rear angles, and forts in They were not completed till 1726, and they were the first levees constructed in the valley of the Mississippi.

The place d'Armes, now known as Jackson Square, and the Cathedral and public buildings were located opposite the middle of the river front. No perceptible change has occurred in the position of the river bank opposite the lower side of the public square, either by accretion or caving since

1717. Above, an extensive batture has been formed, below there has been very little if any change for some distance. On the opposite or right bank of the river, a little further down, where the Bellville foundry now stands, the river bank has also remained stationary since 1717.

Before the era of levees, the points opposed to the river were kept, by deposits, nearly up to the highest flood line, while the bends, or natural banks around the bends, were generally from two to three feet or more below the flood line. Consequently, as the water flowed out over the

banks in the bends, outlet channels existed in every bend.

Soon after the settlement of New Orleans, plantations were established along the river bank above and below the city. Every proprietor had to construct and maintain his own levee, but as the river deposits had kept the natural banks nearly up to the flood line, small levees answered the

purpose.

In 1723, there were small settlements in Ponte Coupée at Baton Rouge, near Bayou Manchac, below Bayou Lafourche, at Cannes Brulées, and at Tchoupitoulas. In 1728 the settlements extended for thirty miles above New Orleans, almost continuously. In 1735 the levees extended from English bend twelve miles below, to thirty miles above, and on both sides of the river. In 1742, an ordinance was promulgated requiring the inhabitants to complete the levees by January 1, 1744, under penalty of forfeiture of their lands to the crown. In 1752, the settlements were nearly continuous for thirty miles below and thirty miles above New Orleans, and nearly the whole coast was in a high state of cultivation and securely protected from floods. In 1763, France ceded Louisiana to Spain and the policy of the latter government was not such as to foster the growth of the Colony, and but little progress was made in levee construction until after the cession of Louisiana to the United States in 1803, by France; it having been ceded back to France by Spain in 1800.

In 1812 when Louisiana was admitted into the Federal Union, levees extended from the lowest settlements at Pointe Coupée on one side, and to the neighborhood of Baton Rouge on the other, except where the country

remained unoccupied.

In 1828 the levees were continuous from New Orleans nearly to Red River Landing, excepting above Baton Rouge, on the left bank, where the bluffs rendered them unnecessary. In 1844 the levees had been made nearly continuous from New Orleans to Napoleon, Arkansas, on the right bank, and many isolated levees existed along the lower part of the Yazoo front. Above Napoleon few or none had been attempted. Between the year 1850 and 1860, the levees of the right bank, from Cape Girardeau down to the mouth of the Arkansas River, were built piecemeal, but finally were nearly continuous, leaving intervals of less than forty miles, in the aggregate, when the war of 1862 ended all improvements.

The process of levee construction began at New Orleans in about the year 1720, and it progressed gradually downwards for about seventy miles and upwards nearly one thousand miles during one hundred and fifty

years.

FLOODS OF THE MISSISSIPPI.

In 1718, the year after the selection of the site of the city of New Orleans, there was an extraordinary rise of the Mississippi, which greatly discouraged the new settlers. A great flood occurred in 1735, which inundated the city. The flood of 1735 was continuous for an unusual length of time, from late in December to late in June, and the succeeding low

Digitized by Google

water was remarkably low, giving a range from high to low water at New Orleans of fifteen feet, or about the same as to the highest flood lines of recent years, as in 1862, which was fourteen feet eight inches. The records of the flood years from 1735 to 1770 are wanting, but in the latter year a great flood occurred, with its usual inundations. In 1782 there was a flood which it was said exceeded any remembered by the oldest inhabitants. Great floods occurred in 1785, 1796 and 1799, and during each of these years New Orleans was mundated.

The years 1869, 1811, 1813, 1815, 1816, 1823, 1824, 1828, 1840, 1849, 1850, 1851, 1858 and 1859 were marked as flood years. In 1865, 1867, 1874 and

1882 extensive inundations occurred.

In 1862 the flood-line was everywhere below Cairo remarkably high, but although several crevasses occurred below Red River, their capacity was insufficient to cause any general inundation of the valley west of the Mis-

sissippi, and south of Red River.

The noted overflow of 1816 commenced on the sixth of May, and subsided in twenty-five days. The suburbs and rear portions of the city were submerged from three to five feet. One could travel in a skiff from the corner of Chartres and Canal streets to Dauphine, down Dauphine to Bienville, down Bienville to Burgundy, thus to St. Louis street, and from St. Louis to Rampart and throughout the rear suburbs. No increase of disease was referred to that overflow.

In 1831 the waters of an inundation reached the line of Dauphine street—the fifth from the river front—the result of a violent storm in Lake Pontchartrain. A similar event occurred in 1837. In 1844 a storm backed the Lake waters up to Burgundy street, sixth from the river front, and the same disaster happened again in 1846. The overflow of 1849, following the Sauvé crevasse, of the third of May, has been regarded as the most serious overflow with which New Orleans has ever suffered.

The water reached its highest stage on the thirtieth of May. The line of the flood ran along Bacchus (Baronne) street, sometimes reached to Carondelet, from the upper limits of Lafayette to Canal street, covered that street, between Carondelet and St. Charles street, and thence to the Old Basin. About 220 inhabited squares were flooded, more than 2000 tenements surrounded by water, etc., a population of 12,000 souls either driven from their homes or leading a life of privation and suffering.

The last inundation of the city, on the east bank, was in 1881.

RELATIONS OF OVERFLOWS TO DISEASE AND DEATHS.

We have but scanty and imperfect data concerning the floods and their effects upon the health of the inhabitants of Louisiana during the eighteenth century, when the province was under the French and Spanish crowns, and the inquiry is necessarily limited to the nineteenth century.

In estimating the effects of overflows upon the health of the people, it would be manifestly more accurate to consider the mortality not merely of

the year in which the flood occurred, but of the succeeding year.

No data, with the exception of that furnished by the United States census at interims of ten years, exists with reference to the mortality in the various parishes of this State; and hence it is impossible to estimate the effects of overflows upon the health of the inhabtants of Louisiana.

In 1813, when the city was inundated by a crevasse in the levee of Kenner's plantation, about two miles above Carrollton, the death rate per 1000 inhabitants was 46.45, and in the following year, 1814, 43.39.

In 1816, when a large portion of the city of New Orleans was inundated for twenty-five days, during May and June, the mortality was remarkably small, reaching only 27.93 per 1000 inhabitants; but in the following year, 1817, yellow fever invaded the city, and the mortality rose to 73.27 per 1000 inhabitants.

In 1831, when a large portion of the city was again inundated, the mortality was 36.71, and in 1832, when the city was desolated by cholera and yellow fever, the death rate rose to the extraordinary rate of 147.01 per

1000 inhabitants.

1837, death-rate per 1000 inhabitants, 70.45; yellow fever destroyed 1300 citizens; 1838, death-rate, 36.77; 1844, death-rate, 53,33; 1845, death-rate, 31.17; 1846, death-rate, 41.34; 1847, death-rate, 83.19; 1849, death-rate, 80.48; 1850, death-rate, 60.26; 1867, death-rate, 55.67; 1868, death-rate, 28.96; 1874, death-rate, 35.71; 1875, death-rate, 32.05.

The mortality of 1881 does not appear to have been materially influenced by the overflow of the lower portions of the city by the lake waters, the death rate being 29.64 per 1000 inhabitants; it is worthy of note, however, that the mortality of 1881 exceed that of 1880 by 783; that of 1879 by

1284, whilst it was 302 less than that of 1877.

From the preceding facts, the following conclusions may be drawn:

1. No connection has been established between overflows and epidemics of yellow fever or Asiatic cholera.

2. In the history of New Orleans inundations have often been accompanied by, and followed by a high death-rate, whilst on the other hand, years may be selected in which no appreciable effect upon the rate of mortality has been observed.

PROBABLE EFFECT OF THE OVERFLOW OF 1882 UPON THE HEALTH OF THE CITIZENS OF NEW ORLEANS ON THE RIGHT BANK OF THE RIVER.

This question is of serious importance to near 10,000 citizens inhabiting the Fifth District and the Parish of Jefferson. According to the census of 1880, the fifteenth ward alone contained 8856 inhabitants, and this does not embrace the entire series of settlements immediately in front of the ancient city of New Orleans. The population of the righ bank has also augmented rapidly during the past two years, on account of the increase of manufacturing, marine and railroad enterprises and the increased facilities afforded to shippers.

The people are now confronted with a large mass of stagnant water, which in the lower portions of the chains of town, known as Algiers, Freetown (Gouldsborro), McDonoghville, Tunisburg and Gretna, has invaded

their yards, and even their houses.

Under the burning rays of the sun, the water which we have shown, by chemical analysis, is per se and in the fresh state pure and innocuous, now receives the drainage and a considerable portion of the offal of the habita-

tions of ten thousand people.

The lower forms of vegetable and animal life, fungi, aquatic plants of various genera and species, animalculæ, frogs, serpents and fish, are multiplying with great rapidity. Upon personal inspection I was informed that it was by no means uncommon to find reptiles of various kinds, as water mocassins, water-snakes and even rattle-snakes, under the houses and in the gardens. The nights are rendered hideous by the croaking of the frogs. Were it possible to maintain this mass of animal and vegtable life in a

'e of healthy activity, and to keep up continuous supplies of fresh

water, the damages from the overflow to health and life would be diminished. It is evident, however, that if this water should subside during the hot months of June, July, August, September and October, the 10,000 citizens residing on the right bank of the Mississippi will be subjected to a terrible ordeal from the intolerable stench and the mephitic vapors arising

from the putrefying vegetable and animal remains.

The hæmorrhagic malarial fever of 1880, which prevailed in the parish of Plaquemines, and more especially in and around Pointe Michel and Pointe à la Hache, was thought by local practitioners to have been aggravated, if not engendered, by the putrifaction of numerous small fish in the rice-fields after the water was drawn off. The history of medicine is not without numerous examples of the development of malignant malarial and hæmorrhagic and typhoid fevers consequent upon the exposure of the surfaces of marshes and ponds, and the consequent putrefaction of animal and vegtable matter.

THE REMEDY.

When the waters begin to recede from the low portions of the towns on the left bank of the Mississippi River, the Board of Health should be prepared to render the inhabitants prompt assistance with the necessary disinfectants.

Liberal supplies of quicklime, for covering the newly exposed earth, and of copperas and cloride of lime, for drains, privies, etc., should be supplied.

The steam engines might be used to wash out the foul gutters and yards with streams of fresh Mississippi water.

As a prophylactic, the citizens would do well to take from two to five

grains of quinine, in black coffee, upon rising in the morning.

I would respectfully suggest that the Committee on Drainage and Sewage be empowered to solicit aid from the citizens for the purchase of the necessary disinfectants, and for the alleviation of the condition of our overflowed and unfortunate fellow-citizens on the right bank of the Mississippi River, who, by the accidents of war and the Reconstruction Acts, have been annexed to the ancient municipalities, and have been compelled to share their burdens of taxation.

This overflow has added another warning to the citizens of New Orleans as to the permanent necessity of protecting all inhabitable portions of both banks by substantial levees, elevated at least six feet above the highest flood-line. The inclosed areas should be kept thoroughly drained at all times by the best and most approved forms of pumps and draining machines.

The first and highest duty of the City Administration is to protect the inhabitants from overflow, and thus prevent the increasing deterioration of property and the destruction of the lives of the people by these disastrous occurrences.

The people who pay the taxes have a right to demand that the money should be devoted to the protection of their property and the preservation of their health and lives.

During the subsidence of the waters, heavy rains fell at intervals and inspections at intervals rendered it evident that the injurious effects of the overflow was greatly mitigated by the cleaning of surface by the falling waters.

Many cases of malarial fever were caused here and elsewhere in the overflowed districts; and during the autumn and winter of 1882. I treated a large number of maiarial fever patients in the wards of the Charity Hospital.

Many of these cases were marked by yellow greenish swollen bloated countenances; extreme anaemias; general anasarca; ascites; hepatic derangements; splenetic enlargement; and renal troubles with albumenuria. Albumen was found in the urine of the accute cases as well as in a certain proportion of those suffering from chronic poisoning by malaria.

WATER SUPPLY OF NEW ORLEANS.

[Extract from the Report of Joseph Jones, M. D., President of the Board of Health of the State of Louisiana, on the waters of the Bogne Falaya, Tangipahon and Mississippi Rivers].

[Correspondence].

NEW ORLEANS, June 10, 1882.

Dr. Joseph Jones, President Board of Health, New Orleans, La.:

My Dear Sir-I send you herewith a bottle of water sent by Judge

Thompson, from the Bogue Falaya.

Will you do me the favor to furnish an analysis of this water, in conjunction with the report of Board of Health upon the advantages of an ample supply of clear pure water, etc.

Yours, truly,

D. B. PENN.

I send resolutions of Chamber of Commerce.

BOARD OF HEALTH, STATE OF LOUISIANA, New Orleans, June 13, 1882.

Honorable D. B. Penn, President of the St. Tammany Waterworks Company, New Orleans, La,:

Dear Sir—I have the honor to acknowledge receipt of your letter of the tenth instant, conveying the request that I should furnish an analysis of samples of water sent by Judge Thompson, from the Bogue Falaya River, and respectfully submit the following as the result of the examination. • • •

[As the analysis of this water did not differ materially from that of the sample subsequently furnished by the commission appointed by the Hon-

orable Common Council, the report is omitted].

In conclusion, allow me to say that in accordance with your request, I shall take pleasure in bringing this subject to the notice of the Board of Health at the next regular meeting; but in the mean time, I shall call the attention of the Conference Committee to your enterprise; and it will thus be in your power, at any time, to consult with this committee, through its chairman, Colonel A. W. Bosworth.

The Conference Committee of the Board of Health is thus constituted: Colonel A. W. Bosworth, (residence, 152 Washington street; office 22 Natchez street); Colonel I. N. Marks, residence, 163 Annunciation street; office, 33 Camp street); J. C. Faget, D. M. P., (residence and office, 281 North Rampart); Honorable Ed. Booth, (residence, 505 Magazine street; office, corner Gravier and Magazine streets); Dr. George K. Pratt, residence, 215 Camp street); office, corner of Carondelet and St. Charles streets).

Respectfully, your obedient servant,

JOSEPH JONES, M. D.

REPORT OF CONFERENCE COMMITTEE OF BOARD OF HEALTH, STATE OF LOUISIANA.

NEW ORLEANS, June 22, 1882.

To the President and Members of the Board of Health.

Your conference committee, to whom was referred the chemical analysis and papers concerning the properties of the water proposed to be furnished by the St. Tammany Water-works Company, having carefully considered the same, have come to the unanimous conclusion that a full supply of

Digitized by Google

such water, in manner and to extent and at rates contemplated, will be one of the greatest blessings this city has ever received. examination and analysis to which this water has been subjected by the President of this Board, whose report has been submitted to the committee, establishes confidence in these waters for the highest domestic uses, potable, culiuary and lavatory. If the company can overcome the engineering and financial obstacles, and furnish to New Orleans, as they propose, the pure streams filtered through the orange saud tormation described by Professor Jones in his analysis, they will have done for our city what ancient builders did for Babylon, Carthage and Rome, and moderns have endeavored for Boston. New York and Philadelphia.

Viewed from a hygienic standpoint, we would not be understood as diminishing the just appreciation in which is held the ever-flowing, everfree, fresh and superabundant waters of our Mississippi River, so valuable for so many purposes, but it has been long evident that there was, and is, needed a relief from the monopoly which our wooden, above-ground cisterns have enjoyed as our only resources of supply of clear, soft water for domestic use. It would be quite unnecessary to state, much less to argue, the detailed points involved in the above proposition, as against cisterns.

Our present business is with the pure crystal floods awaiting us in Bogue Falaya, and to them we bid a hearty welcome, and say come, and come

soon. The sooner, and the more the better; therefore, be it

Resolved, by the Board of Health of the State of Louisiana that, guided by the chemical analysis made by Professor Joseph Jones of water proposed to be introduced to New Orleans by the St. Tammany Waterworks Company, this Board approves of the enterprise warmly, from a health point of view, and expresses the hope that the Legislature and City Council will give the necessary powers and facilities, by all proper and legal methods for the success of so valuable and important an undertaking.

[Signed]

For the Conference Committee. A. W. BOSWORTH, Chairman.

THE FALAYA-ENGINEER'S REPORT ON THE WATER SUPPLY-ENOUGH PURE SOFT WATER FOR 1,000,000 PEOPLE-CONSULTING ENGINEER COOK'S VIEWS.

Below we present a part of the report of the consulting engineer, made to the St Tammany Waterworks Company:

In regard to the quality and quantity of water of the Bogue Falaya River, we have the following certificate of Mr. John Roy.

the following certificate of Mr. John Roy.

"This is to certify that I have visited and inspected the proposed sight for forming a basin on the Big Bogue Falaya River, St. Tammany parish, in connection with a project for supplying the city of New Orleans with water, and found the same very advantageously situated for the purpose intended. The natural advantages are very great, leaving little for art to do to form a basin, ample, secure, and easily maintained. I also measured the flow of water and found it to be forty-nine millions wine gallons in twenty-four hours. This was in the mouth of September and a dry time.

"JOHN ROY, Architect and Engineer."

Mr. J. D. Cook, consulting engineer, of Toledo, Ohio, makes the following report: Dear Sir-Knowing that your Water Supply Association are greatly anxious to know Dear Sir—Knowing that your water supply Association are greatly anxious to know something as to the result of my investigation, and having been unexpectedly delayed in making such a report as I intended, and as the great importance of the enterprise amply merits, I send you this preliminary communication, which is intended to correctly set forth the more important characterists of the project, together with its estimated cost; and in the event that your further deliberations shall culminate in a permanent of the project of the works. I will manent organization, having for its object the actual construction of the works, I will at an early day prepare a more elaborate report, accompanied with such maps and drawings as may be necessary to represent in detail what I now merely give in aggregate.

Digitized by GOOGIC

The greatest portion of the sand consisted of transparent crystalline particles of silicic acid, varying in diameter from 1-50 to 1-100 of an inch in diameter. I discovered with the microscope no organic remains, vegitable or animal, recent or fossil in this sand.

Concentrated chemically pure nitric and hydrochloric acids, appeared to

produce no perceptable or recognizable effect upon the sand.

(c) Sample, of soil taken from beneath the surface, at various depths; two feet below the surface; eight feet below the surface; twelve feet below the sur-

face; water level twenty-five feet below the surface of Plateau.

After careful microscopical and chemical examination, these specimens were found to present essentially the same characteristics, and resemble closely the soil, differing chiefly in the degree of cohesion of the particles and density and solidity of the strata.

Under the microscope all the specimens presented the same general characters, namely—collections of fine silicious particles ranging from 1-100 to

1 500 of an inch in diameter.

This deposit, although presenting some of the appearances and properties of a light-colored clay, more nearly resembled a soft, incoherent sand rock, composed chiefly of minute particles of silex and silicates; and the entire formation is more porous than the ordinary clays of South Carolina, Alabama, Mississippi and Tennessee.

The concentrated nitric and muriatic acids caused no effervescence with any of these specimens, and exerted little effect, only traces of lime being

obtained from the filtrates.

As the entire thickness of the stratum (twenty-five feet), was of a porous. silicicus nature, devoid of soluble salts of lime and also of organic remains, recent and fossil, it forms a natural filter for the rain-water falling upon the water shed of the Bogue Falaya River.

GEOLOGICAL SOURCE OF THE WATERS OF THE BOGUE FALAYA RIVER.

This an other rivers of Louisiana and Mississippi, on the east of the delta, derive large portions of their waters from the great orange sand formation, which characterizes the greater part of the surface of Missis-

sippi.

The thickness of the crange sand formation is extremely variable; as originally deposited, its strata appear to have been dependent on the degree of denundation, which the strata of the more ancient formations had previously undergone. The greatest thickness observed by the learned and accomplished geologists, Professor Eugene W. Hilgard, was in a well dug at the University of Mississippi, to a depth somewhat more than two hundred feet. One hundred feet is no unusual thickness; but most commonly it varies between forty and sixty feet.

As the name indicates, the prevaling materials composing this formation, are silicious sands. They are usually colored, more or less, with hydrated peroxide of iron, or orange yellow othre. The color thus imparted gives an endless variety of tints, whilst deposit of white sand suitable

for the manufacture of glass are not uncommon.

The Orange Sand, formation of Mississippi and Louisiana contains no fossils whatever characteristic of itself, and is without any appreciable or-

ganic matter.

The rounded shape of the grains of this great sand formation, and the relations of its materials, to those of the underlying formations, proves beyond question, that its deposition took place in flowing water. Nor can there be any doubt that the general direction of the current was from north to south, although locally changed or directed by the pre-existing inequaliities of the surface.

Digitized by Google

The waters percolating through the orange sand formation at the present time are remarkable for the small amount of the salts of lime and magnesia which they contain, and may, therefore, be uniformly characterized as free stone waters of excellent quality for drinking, bathing, cooking, washing and for various manufactories.

RESULTS OF EXAMINATION OF SAMPLES OF WATER COL-LECTED FROM THE BOGUE FALAYA RIVER BY THE SPECIAL COMMITTEE APPOINTED BY THE MAYOR AND ADMINISTRATORS OF THE CITY OF NEW ORLEANS.

The following samples of water from the Bogue Falaya River were submitted for analysis:

No. 1—Water from Bogue Falaya, taken at 8 a. m., July 28, 1882, from near bridge below Mulberry Grove. Heavy showers night before, and

Bogue Falaya swollen one to two feet above ordinary.

No. 2—Water taken from the surface flow from pine flats, running into Bogue Falaya on the west side, about three miles above Covington; sample taken at 12 noon July 28, 1882, where running over edge of bank into Bogue Falaya.

No. 3-Water taken from Bogue Falaya at 12:30 a. m., July 28, 1882, at

site of Marty's old mill, four or five miles below Covington.

No. 4—Water from "pond," or "slough," or "swamp," on west side of Bogue Falaya, not exceeding one acre in area. Has no present outlet to bayou. Not over six or eight inches deep. Goes dry in "dry times." Taken 1 o'clock p. m., July 28, 1882.

No. 5-Water from Bogue Falaya, taken July 28, 1882, 5 p. m., near Mul-

berry Grove.

No. 6—Water from Little Bogue Falaya, taken from mill pond at Pane's Mill, 12 o'clock noon July 29, 1882. Stream swollen from heavy shower last night; Mr. Page says is five feet higher than ordinary stage.

No. 7—Surface water from recent shower, taken from small branch running into Bogue Falaya on east side, near Mulberry Grove Cottage, 2

o'clock p. m., July 29, 1882.

PHYSICAL PROPERTIES.

Color.—With the exception of the samples marked respectively Nos. 2 and 4, the water was perfectly colorless; in the specimens indicated, there was a very faint, scarcely perceptible tinge of yellow. Chemical analysis revealed the fact that this color was due to vegetable coloring matter. The amount of organic matter, however, was a mere trace, and appeared to be derived from grasses and the leaves of trees. Nitrate of silver, oxalate of lime and the Baryta salt gave no deposit with any of those samples, showing that the coloration was due to a mere trace of the vegetable coloring matter.

Specific Gravity.—The specific gravity of each and every specimen did not differ from that of distilled water, 1000° at 60° F.

Deposit.—The specimens were free from any definite deposits; after standing for over twenty-four hours, a number of minute flocculi fell to the bottom. Under the microscope these light cloud-like flecks, were found to consist chiefly of the cells, spores and thalli of fresh water algae of green or brown colors, with a few small crystals of Silicic acid. Algae are found in all running streams, and without doubt their numbers are increased in the mass of the waters of a river by the aggitation of heavy and prolonged showers.

These green microscopical plants are characteristic of all collections of fresh water, and were, to a large extent, developed after the collection of the samples.

I attribute no deleterious properties whatever to these microscopic plants, which are found in even greater abundance in the rain-water, col-

lected in our cisterns.

These samples of the Bogue Falaya water, therefore, may be described as clear, transparent and free from any distinct deposit or sediment; with a specific gravity similar to that of distilled water, and with the general characteristics of rain-water.

CHEMICAL EXAMINATION.

Careful testing with such reagents as the nitrate of silver, oxalate of ammonia, and Baryta salts, revealed the absence of the sulphates and chlorides, and the calcium compounds.

No more effect was produced upon these reagents than would have been caused by pure rain-water, collected in the country where the atmosphere would have been free from the impurities characteristic of the atmosphere of large cities.

Upon evaporation, in any small quantity, such as from two to four fluid ounces of the samples of water, no appreciable saline residue remained.

GENERAL CONCLUSIONS.

From the preceeding examination, I regard the water of the Bouge Falaya as pure, uncontaminated by saline or organic matters to any appreciable extent, and as suitable for drinking, washing and cooking, and also adapted to the use in boilers, and in all manufactures as those of paper and cloth, in which it is necessary to employ pure water, free from sedimentary matters.

EFFECT OF ABUNDANT RAINS.

It should be borne in mind, that these samples of water were taken after and during the presence of frequent rains, and that the Bogue Falaya, like the Mississippi and other streams, at this moment, is swollen to its greatest capacity.

The sample of water submitted to me for analysis by Governor D. B. Penn, was taken at a somewhat lower stage of the river, and in this sample nitrate of silver and oxalate of ammonia produced only a slight cloudiness, whilst cloride of barium produced no deposit. This sample was free from organic matter, but contained traces of the chlorides and the calcium compounds.

From this comparative examination we gather that the chemical composition of the Bogue Falaya water may vary within certain limits. in accordance with the greater or lesser rainfall. The same remark applies also to

the waters of the Mississippi River.

In the year 1869, at the request of General Braxton Bragg, I examined. microscopically and chemically, the waters of the Mississippi and of the Bogue Falaya and Tangipahoa River, from the iron wells and cisterns and natural wells of the city; even the various forms of ice, natural and artificial, consumed in New Orleans, were included in the extended analysis. Only a fragment of this report was published, and I have never been able to secure my original manuscript. I would, however, respectfully refer your Honor to the following extracts from this report, as embodying replies to one or more of your inquiries, and also relating to subjects of great sanitary importance to the citizens of New Orleans.

At the time that this report was made, Colonel A. W. Bosworth (now of the Board of Health) was President of the City Waterworks, and General

Braxton Bragg was Superinendent and Chief Engineer.

Digitized by GOOGLE

EXTRACTS FROM REPORT OF SUPERINTENDENT AND CHIEF ENGINEER.

SUPERINTENDENT'S OFFICE, CITY WATER WORKS, NEW ORLEANS, January 15, 1870.

To the Board of Commissioners, City Water Works:

Gentlemen * * *

WATER SUPPLY.

CONSUMPTION AND WASTR.

In seeking a source of water supply, we must examine, first, its quality; second, its quantity; and third, the cost of introduction.

Unless the quality is such as to recommend it as wholesome and suitable for domestic purposes, it is useless to look further; for the more abundant the supply, and the cheaper it could be had, the greater the objection.

The quantity to be obtained should be sufficient to meet all reasonable prospect for future increased consumption. And the cost must be within the available resources of the community.

We are eminently blessed in having the three conditions fulfilled, in the immenee volume which the Mississippi unceasingly pours by our very doors.

ANALYSIS OF THE WATER SUPPLY.

Some prejudices, in the absence of scientific analysis, have existed against the water of the Mississippi, predicated almost entirely on the apperance given by the matter held in suspension. We have been long taught, however, by the habits of our oldest settlers, and by the constant practice of our seafaring people, to regard this water as pure and wholesome. To place the matter at rest and beyond question, specimens of the water were submitted to the able Professor of Chemistry in the University of Louisiana, Dr. Joseph Jones, whose report is submitted herewith. It will be seen he pronounces the water of the Mississippi, obtained by our works, remarkably pure and wholesome. Even the few foreign substances found—principally common salt and carbonate of lime—are regarded by him as beneficial, in such small quantities.

The great purity of the Mississippi water at this point is readily accounted for. The waters of all streams are originally derived from springs and surface drainage. The former bring from the bosom of the earth, in solution or suspension, large quantities of inorganic substances, and the latter add immense amounts of organic matter, swept from the surface. For several hundred miles above New Orleans, owing to the peculiar topography of the country, no streams enter the Mississippi, and all surface drainage is from the river. During the passage of the water over this distance, substances thus held and brought into contact with each other, and with the oxygen of the atmosphere, by the constant agitation and motion of the water, are decomposed, and the elements, reuniting, form new compounds, generally innoxious, the gases escaping into the atmosphere and the solids subsiding. In this way nearly all deleterious substances brought with the Mississippi are disposed of before the waters reach this point. Doubtless the mere trace of organic matter found is added to the water after it reaches the settlements just above the works.

The immense volume of water contained in the Mississippi, however, renders it almost impossible for us to contaminate it. The sewerage of London, thrown into the Thames and that of Paris, into the Seine, have a decided effect on the waters of those streams for a short distance; yet it is found to be rapidly changed, and almost disappears within a few miles. These waters, too, used in London and Paris, receive the drainage of a thickiy populated country down to the point of supply.

Considering the great volume of water discharged by the Mississippi, even were it not relieved of the surface drainage for so great a distance above us, the location of half the civilized population of the world on its banks would not contaminate its waters to the extent now produced in the Thames and Seine, whose waters are used in London and Paris

The water of the Tangipahoa River, taken from a point about forty miles from the city, was also analyzed. It is found both clear and pure, and were it not for its distance, and the cost of introduction, it would be a better source of supply even than the Mississippi.

EXTENSIONS

Economy and health both demand an early and very large extension of the works.

The saving on insurance alone would, in a few years, pay the whole cost. If the city cannot accomplish the work on a scale commensurate with its importance, it may be well to invite private enterprise and capital. No other city in this country of half the



population and commerce of New Orleans is without an adequate water supply, and all make annual additions in proportion to the progress of population.

DAILY SUPPLY AND WASTE.

The quantity of water delivered in the year was 1,915,963,251 gallons, or a daily average of 5,249,214, being a reduction of 1,017,043 gallons on the daily average of last year, due to the use of the metre and partial suppression of waste. This give a daily average to each person for 1869, allowing ten persons to each hydrant in use, of ninety-five gallons. The highest average in any other city of the United States is in Boston, sixty gallons, and the general average does not exceed forty-five gallons. This excessive use and waste is sufficient reason why the water rates should be higher than in works where only half the quantity is taken, and were it not for the comparative economy with which the works are run, they could not be sustained. Consuming at least double the quantity of water, our people, under the present low tariff, are receiving it for about one-half what it costs in other cities of this country.

The public consumption is enormous, owing principally to the habit of running the

water in the street gutters to do the work of scavengers.

The result is to cover the filth, or wash it back on the poor resident in the rear, there to reek, decompose, and pollute the atmosphere, at the expense of the public health. If this waste be considered necessary, it would be great economy to erect separate pumping works to deliver the supply. The water now used is raised on an average seventy feet above the river for the purpose of pouring it into the street gutters; ten feet would accomplish the same purpose, and six-sevenths of the expense night be saved.

Being considered public property, no one seem to care how much water is wasted, and public hydrants are opened by everybody and permitted to run at all hours. The consumption at the City Hall, for instance, is found by meter to be 6000 gallons daily, enough for all domestic purposes in sixty families. A public horse trough on the levee is found to take 24,000 gallons daily. In the markets and other public places the same extravagance prevails. Having no control over these abuses, the water-works cannot be responsible for the results.

The effect is to render a higher water rate necessary, and the party guilty of the abuses

is generally the first to complain.

CHEMICAL EXAMINATION.

CHEMICAL EXAMINATION OF THE WATERS OF NEW ORLEANS, LOUISIANA BY JOSEPH JONES, M. D., PROFESSOR OF CHEMISTRY IN THE MEDICAL DEPARTMENT OF THE UNIVERSITY OF LOUISIANA.

General Braxton Bragg, New Orleans, La:

Dear Sir—The sample of the waters of the Mississippi River, and of various localities within and around New Orleans, submitted to me for analysis, by you, as Superintendent of the City Water-works, have been subjected to careful chemical and miscroscopical examination, and the following results are respectfully submitted:

No. 1.—Mississippi River Water, from Inlet Pipe.

When first drawn, the water presented a turbid appearance; upon standing, the suspended matter settled, forming a light gravish, yellow deposit; and the supernatant water remained slightly turbid, from a small remaining portion of suspended matters.

The insoluble suspended matters amounted to twenty-three and two-tenths (23.2) grains to the gallon of water, and, under the microscope, were found to consist chiefly of very finely divided sand (silicic acid), and the silicates of alumnia, and contained but few remains of animalcules or of vegetable structures.

After the removal of the suspended matters, the water yielded a specific gravity similar to that of distilled water—viz: 1000 at 600—and the amount of saline matter, upon careful evaporation, was found to be only eleven and nine-tenths (11.9) grains per

gallon

Upon analysis, it was found that these saline matters contained only traces of the sulphates of potassa, soda and magnesia, and consisted almost entirely of the carbonate of lime and chloride of sodium. Each gallon contained 2.91 grains of lime (equivalent to 5.29 grains of Carbonate of lime) and 3.378 grains of chlorine (equivalent to 5.53 grains of chloride of sodium, common salt.)

Carbopate of lime, grains 5.29

Thloride of sodium, grains 5.53

bonates and sulphates of soda, potassa and magnesia. grains 1.68

Digitized by Google

No. 2.— Waters of Mississippi River (sample marked No. 3), from hydrants in office of City Water Works:

The water was turbid, from sedimentary matters, when first drawn. Upon standing, the suspended earthy matters settled, leaving the water slightly turbid, from the presence of the more finely divided silicate of alumina. The sedimentary matters were in slightly less amounts than in the preceding sample, being only eighteen and eight-tenths (18.8) grains to the gallon. On the other hand, the fixed saline constituents were, within a fraction of a grain, similar in amount to those of the first samples, being eleven and two-tenths (11.2) grains to the gallon.

The reactions under different reagents were in like manner similar; chloride of barium producing a very slight, scarcely perceptible precipitate, whilst the nitrate of silver and

oxalate of ammonia produced a more decided precipitate.

The sedimentary matter, in like manner, was found, under the microscope, to consist of minute fragments of sand (silicic acid) and of mineral silicates, with very few articles of organic matter or animalcules.

Each gallon contained 5.18 grains of chlorine and 1.45 grains of lime.

No. 2.—One gallon (7,0000 grains) of Mississippi River water, from hydrant in office of City Water Works, contained:

Specific gravity at 60° F.	1000.00
Suspended matter (silicic acids, silicates, etc.), grains	
Fixed saline constituents grains	11.20
Chloride of sodium, grains	8.51
Carbonate of lime, grains	2.69
Sulphates and carbonates of alkalies, grains	0 05

From the preceding examination we conclude that the waters of the Mississippi, when freed from the suspended matters, are of great purity, and will compare favorably with the drinking water supplied to the largest and best regulated cities in the world.

The truth of this assertion is established by a comparison of the preceding results, with the results of the analyses of the various springs and rivers used in the supply of cities, as exhibited in the following table. In order to render the comparison more simple and conclusive, we have introduced into this table only the total amount of saline constituents.

(This elaborate table of details is omitted).

If the solid saline residue of one hundred thousand parts of the Missississippi River water be compared with the solid saline matters of the drinking waters of the noted rivers and springs recorded in the preceding table, it will be found that the drinking water supplied to the city of New Orleans compares favorably with each, and it is in fact far purer than the majority of the drinking waters heretofore analyzed by chemists. In each glass of Mississippi water less than half a grain of saline constituents are present, and this small amount, almost absolutely inappreciable in its effects upon the animal system, is composed almost entirely of common salt and carbonate of lime.

If those salts exert any effect whatever upon the animal economy, it is beneficial and not deleterious.

A point of considerable interest, in a sanitary point of view, is that the suspended matters of Mississippi river water are free from organic impurities, and consist almost entirely of finely divided silicic acid and silicicates. The suspended matters, so far from rendering the Mississippi river unfit for sanitary purposes, add to their disinfectant properties.

The health of New Orleans would be without doubt greatly promoted by flushing out the main drains and gutters continuously with full streams of Mississippi river water. The mud which would settle along the sides and bottoms of the drains would possess no

noxious properties whatever of itself.

The free use of coal tar and gas lime and quick lime, also in gutters and drains, would tend in a like manner to arrest noxious emanations, and so preserve the purity of the atmosphere of the city.

No. 6.—Water from the Tangipahoa River (marked No. 6.)

This specimen of water was clear, transparent, and crystaline in appearance. The specific gravity was similar to that of distilled water, viz: 1000.

Nitrate of silver and oxalate of ammonia produced only a slight cloud, and chloride of

barium produced no deposit.

The fixed saline constituents amounted to only five and six-tenth (5.6) grains to the gallon, and consisted of chloride of sodium. 1.41 grains, and carbonate of lime, 2.51 One gallon, (70,000 grains) of Tangipahoa water contained:



Specific gravity	1000.00
Sedimentary matters	
Fixed saline constituents	5.60
Chloride of sodium	1.41
Carbonate of lime	2 51
Carbonates, silicates and sulphates of potassa, soda and magnesia	1 68

The preceding analysis establishes the great purity of the waters of the Taugipahoa river.

This subject is of great importance in a sanitary point of view, and should be brought to the attention, not only of the proper authorities charged with the conduct of the sanitary police of the city, but should also be brought to the notice of the parties most interested in the preservation of their lives and health, viz: to the citizens.

The attention of the President of the City Waterworks is respectfully called, in this connection to the numerous analyses of the waters of certain Southern towns, which I have executed and published in my report to the Cotton Planter's Convention, on the "Agricultural Resources of Georgia," See pp. 245-305.

With great respect and high esteem.

I have the honor to be your obedient servant.

JOSEPH JONES, M. D.

UNIVERSITY OF LOUISIANA. New Orleans, November 12, 1869,

The qualities of the cistern water of New Orleans vary under certain conditions, as:

1. The amount of rainfall.

2. The age and character of the cistern.

3. The nature of the root from whence the water is collected.

4. The position and surroundings of the cistern, whether in an open lot or in a small yard close to the privy, or overshadowed by trees.

5. The presence and effects of certain manufactories, especially those which evolve noxious gases and mineral acids.

6. The amount and character of the dust and debris of all sorts washed

from the atmosphere and from the roofs of the houses by the rains.

Owing to the continuous rains of the past four weeks, the cisterns of New Orleans are, and have been continuously replenished, and upon careful chemical examination I find that they afford water of great purity, yielding the specific gravity of distilled water, and giving similar reactions with chemical reagents.

Upon more extended examinations, however, at different seasons of the year. I have observed differences dependent upon the age of the cistern. the amount of water received and discharged, the care with which the sediment has been removed at regular intervals, and the position of the cistern with reference to trees and privies, the character of the roofs, whether wood, slate or metal.

Without doubt the gaseous matters arising from privies and from certain manufactures, as well as the particles of dust which float in the air and rest upon the roofs of houses are absorbed by the descending rains and finally reach the receptacles called cisterns.

Dust is highly complex, and represents the contents of streets and

gutters.

How far the poisons inducing yellow fever, scarlet fever, Asiatic cholera, and malarial fever, may be dissolved by the descending showers, and finally affect the population through the medium of the water collected in cisterns has not been determined, but this subject is worthy of careful in-

It has been asserted that certain parasites and their larvæ may be intro-

duced into the human system by the medium of drinking water.

It must, however, be admitted that as a rule the cistern water of New Orleans will compare favorably with the water supplied to the majority of



the large cities of this and other countries, and that the remarkable exemption of her citizens from the various forms of calculous disorders is due to the freedom of the cistern water from calcium and magnesium salts.

The abundant supplies of rain-water furnished by nature to the citizens of New Orleans is shown in the accompanying table, drawn up from

authentic sources.

In this valuable table we have recorded the daily rainfall in New Or-

leans during a period of forty years.

All estimates as to the capacity and value of cisterns, as well as to the number, length and capacity of gutters and canals for the proper drainage of New Orleans, must be based upon the data furuished by this and similar tables, which embrace the daily rainfall.

The annual and monthly rainfall does not correctly illustrate the problems involved in the questions of surface drainage and of water supply

for drinking, cooking and washing.

The periods of drouth, with the minimum water supply, as well as the periods of heaviest rainfall, must be carefully estimated.

GENERAL CONCLUSIONS.

1. The Mississippi River water varies in chemical composition within certain limits, in accordance with the temperature and rainfall; but at all times when freed from the usual deposit it may be regarded as a wholesome drinking water.

2. For purposes of drinking, bathing and manufacturing the Mississippi water should be freed from the heavy deposit which varies in quantity at different seasons, and with different stages in the main river and its tribu-

taries.

3. As a rule, the waters derived from the soil of New Orleans by means of wells are wholly unfitted for drinking.

4. The cistern water of New Orleans is liable to contamination from


many sources, and varies in composition with the seasons.

5. The waters of the Bogue Falaya are pure, of stable composition, are not liable to contamination, and are free from sediment, and require no filtration, and are, therefore, suitable for drinking, washing and manufacturing. With respect I have the honor to remain your obedient servant,

JOSEPH JONES, M. D., President Board of Health, State of Louisiana.

LANE MEDICAL LIBRARY

This book should be returned on or before the date last stamped below.



LANE MEDICAL LIBRARY STANFORD UNIVERSITY MEDICAL CENTER STANFORD, CALIF. 94305

I74 Louisiana. Bo Bl Annual repo 1880/83	d.of health. ort. 85591	
NAME	DATE DUB	
	Digitized by GO	ogle

